


Acid, Chemical & Multipurpose**T-509 OE****ACID-CHEMICAL S&D 16 BAR (240 PSI) -****UHMWPE****FDA**

TUBE	TRANSPARENT UHMWPE (ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE)
REINFORCEMENT	HIGH TENSILE TEXTILE CORDS WITH EMBEDDED STEEL HELIX WIRE
COVER	BLUE EPDM - ABRASION AND OZONE RESISTANT
APPLICATION	ACID AND CHEMICAL SUCTION AND DELIVERY. SUITABLE FOR 98% OF EXISTING CHEMICALS. REFER TO CHEMICAL RESISTANCE CHART.
SAFETY FACTOR	3:1
TEMPERATURE	-20°C +65°C (-4°F +150°F)
BRAND TEXT	ALFAGOMMA -ITALY- T-509 16 BAR (240 PSI) UHMWPE CHEMICAL - S&D -(logo)
BRAND TYPE	ORANGE LETTERS
APPROVALS	
NOTE	

Code	ID mm	ID inch	OD mm	Wall mm	Weight g/m	WP bar	WP psi	Vac. %	BR mm	Available Length m	Stock Length m
509OE0193155R0	19	3/4	31	6	590	16	240	90	188	30,5	30,5
509OE0253755R0	25	1"	37	6	730	16	240	90	225	30,5	30,5
509OE0324455R0	32	1" 1/4	44	6	870	16	240	90	263	30,5	30,5
509OE0385055R0	38	1" 1/2	50	6	1010	16	240	90	338	30,5	30,5
509OE0405255R0	40	1" 9/16	52	6	1050	16	240	90	338	30,5	30,5
509OE0516355R0	51	2"	63	6	1330	16	240	90	413	30,5	30,5
509OE0607455R0	60	2" 3/8	74	7	1990	16	240	90	450	30,5	30,5
509OE0637755R0	63	2" 1/2	77	7	2080	16	240	90	450	30,5	30,5
509OE0769255R0	76	3"	92	8	2820	16	240	80	525	30,5	30,5
509OE1021855R0	102	4"	118	8	3850	16	240	80	675	30,5	30,5