ELIMINATOR™
The Ultimate Replacement Solution
See Page A6

Industrial Power Transmission Systems

Includes Products and List Prices



www.gates.com

The Driving Force in Power Transmission®

Table of Contents

GENERAL — PAGE

Index . . . a1
Quick-Select Guide . . . a2-a5
General Information . . . a6-a15
Glossary . . . a17-a18
Footnotes . . . 365
Weights and Measures . . . 366-367

PREVENTATIVE MAINTENANCE TOOLS

Double Barrel Tension Tester . . . 1
EZ Align™ Precision Laser Alignment Tool . . . 1
Five Barrel Tension Tester . . . 1
Krikit Gauges . . . 1
Pencil Type Tension Tester . . . 1
Sheave Gauges . . . 1
Sonic Tension Meter and Accessories . . . 1
Truflex® and PoweRated® Belt Length Finder . . . 1

HEAVY-DUTY BELTS

Super HC® Belts (3V, 5V, 8V) . . . 2-3
Super HC® Molded Notch Belts (3VX, 5VX) . . . 4-5
Super HC® PowerBand® Belts (3V, 5V, 8V) . . . 6-8
Super HC® Molded Notch PowerBand® Belts (3VX, 5VX) . . . 9-10
Predator® Belts (CP, 3VP, 5VP, 8VP) . . . 11-13
Hi-Power® II V-Belts (A, B, C, D, E) . . . 14-18
Hi-Power® II PowerBand® V-Belts (A, B, C, D) . . . 19-23
Tri-Power® Molded Notch V-Belts (AX, BX, CX) . . . 24-26
Metric Power™ Belts . . . 27-30
CarryBand® Belts (Special A PowerBand®) . . . 31
Power Cable® Belts (AK, BK, CK) . . . 32-33
Hi-Power® II Dubl-V Belts (AA, BB, CC, DD) . . . 34-36
PowerBack™ Belts . . . 37
Power Curve™ Belts . . . 38
Micro-V®Belts (J, L, M) . . . 39-41
Snowmobile Belts (Xtreme®, Xtreme® Mountain, TrailRunner®) . . . 42-44
Multi-Speed Belts (Variable Speed) . . . 45-49
Nu-T-Link® Belting . . . 50
Supreme V-Link Belting . . . 51
Easy-Splice V-Belting . . . 52
Speed-Flex® Flat Belts . . . 53
Powercord® Belts (125 and 188) . . . 54
Tubewinder Belts . . . 55
Round Endless Belts (1/4", 5/16", 3/8", 7/16", 1/2", 9/16") . . . 56-59
Dry Can Belts (Special CC) . . . 60

LIGHT-DUTY BELTS

Truflex® V-Belts (2L, 3L, 4L, 5L) . . . 61-64
PoweRated® V-Belts (67, 68, 69) . . . 65-67
BladeRunner™ Belts . . . 68-71
Polyflex® Belts (3M, 5M, 7M, 11M) . . . 72-74
Polyflex® JB® Belts (3MJB, 5MJB, 7MJB, 11MJB) . . . 75-81

SYNCHRONOUS BELTS

Poly Chain® GT®2 Belts (8M, 14M) . . . 82-84
Poly Chain® GT® Belts – 5M . . . 85
Poly Chain® GT® Belts – 8M Short Length . . . 86
Poly Chain® HTD® Belts (14M) . . . 87-88
Eliminator™ Belts . . . 89-92
Eliminator™ Competitive Crossover . . . 93-96
PowerGrip® GT®2 Belts – 2MR and 3MR . . . 97-100
PowerGrip® GT®2 Belts – 5MR . . . 101-102
PowerGrip® GT®2 Belts – 8M and 14M . . . 103-106
PowerGrip® HTD® Belts (3M, 5M, 20M) . . . 107-115
PowerGrip® Timing Belts (MXL, XL, L, H, XH, XXH) . . . 116-130
Cotton Cleaner Belts (Special Pitch / Steel Tensile Timing Belts) . . . 131
PowerGrip® GT®2 Twin Power® Belts – 3MR and 5MR . . . 132-133
PowerGrip® GT®2 Twin Power® Belts (8M, 14M) . . . 134-137
PowerGrip® HTD® Twin Power® Belts (3M, 5M) . . . 138-139
PowerGrip® Twin Power® Timing Belts (TPXL, TPL, TPH) . . . 140-148

SYNCHRONOUS BELTS *(continued)* — PAGE

Long-Length Poly Chain® GT®2 Belting . . . 149
Long-Length PowerGrip® GT®2 Belting . . . 150
Long-Length PowerGrip® HTD® Belting . . . 151
Long-Length PowerGrip® Timing Belting . . . 152
Synchro-Power® Polyurethane Belting . . . 153-195
Synchro-Power® Polyurethane Belts . . . 196-226

HEAVY-DUTY V-BELT METAL

Super HC® Sheaves – QD® . . . 227-235
Super HC® Sheaves – Taper-Lock® . . . 236-243
Multi-Duty® Sheaves – QD® . . . 244-254
Multi-Duty® Sheaves – Taper-Lock® . . . 255-260
Micro-V® Sheaves – Taper-Lock® . . . 261

LIGHT-DUTY V-BELT METAL

Light Duty Sheaves – Bored-to-Size . . . 262-265
Light-Duty Sheaves – Variable Pitch . . . 266
Light-Duty Sheaves – Bushed . . . 267-269
Polyflex™ Sheaves . . . 270-272

SYNCHRONOUS METAL

Poly Chain® GT®2 Sprockets (8M, 14M) . . . 273-281
Poly Chain® GT®2 Idler Hardware . . . 282
Poly Chain® GT®2 Sprockets – Stainless Steel . . . 283-284
Poly Chain® GT®2 Sprockets – Nickel Plated . . . 285-286
Poly Chain® GT®2 Idler Hardware – Nickel Plated . . . 287
Poly Chain® GT®2 Single-Double Sprockets . . . 288
MTO Metals Information . . . 289-290
Poly Chain® GT®2 Sprockets – Re-Work Charges . . . 291-292
Poly Chain® GT®2 Sprockets for Air Cooled Heat Exchangers . . . 293-297
PowerGrip® GT®2 Sprockets for Air Cooled Heat Exchangers . . . 298-299
PowerGrip® GT®2 and Poly Chain® GT® – 5M Sprockets . . . 300-301
PowerGrip® GT®2 Sprockets – 8M and 14M . . . 302-307
PowerGrip® GT®2 Idler Hardware . . . 308
PowerGrip® GT®2 Sprockets – 2MR and 3MR . . . 309-311
PowerGrip® GT®2 Sprocket Aluminum Bar Stock . . . 312-313
Flanges for PowerGrip® GT®2 Sprocket Aluminum Bar Stock . . . 314
PowerGrip® HTD® Sprockets (3M, 5M, 20M) . . . 315-319
PowerGrip® Timing Pulleys . . . 320-324
Synchro-Power® Aluminum Bar Stock . . . 325-327
Flanges for Synchro-Power® Aluminum Bar Stock . . . 328-329
Clamping Plates for Long-Length Belting . . . 330-331
Bolt Kits for Clamping Plates . . . 331

QD® AND TAPER-LOCK® BUSHINGS

QD® Bushings – English Sizes . . . 332-335
QD® Bushings – Metric Sizes . . . 336
QD® Bushings – Reborable . . . 337
QD® Bushings – Reborable Finished . . . 338
Taper-Lock® Bushings – English Sizes . . . 339-343
Stainless Steel Taper-Lock® Bushings – English Sizes . . . 344
Taper-Lock® Bushings – Metric Sizes . . . 345
Stainless Steel Taper-Lock® Bushings – Metric Sizes . . . 346
Taper-Lock® Bushings – Reborable . . . 347
Taper-Lock® Bushings – Reborable Finished . . . 348
H-Type Bushing . . . 349

DISCONTINUED PRODUCTS

Poly Chain® GT® Belts . . . 351
PowerGrip® GT® Belts . . . 352-353
PowerGrip® GT® Twin Power® Belts . . . 354
Turned Steel Bored-To-Size Light-Duty Sheaves . . . 355
Tru-Run Hub with Adapter Ring . . . 356
Poly Chain® GT® Sprockets . . . 357-358
Poly Chain® GT® BTS Sprocket Bore Range . . . 359
PowerGrip® GT® Sprockets . . . 360
PowerGrip® HTD® Sprockets . . . 361-362
PowerGrip® Timing Pulleys . . . 363-364

© Copyright 2004 Gates Corporation Denver, Colorado 80202

Printed in USA

Index

Belts

DESCRIPTION	PAGE
BladeRunner™ Belts	68-71
CarryBand® Belts (Special A PowerBand®)	31
Cotton Cleaner Belts (Special Pitch / Steel Tensile Timing Belts	131
Dry Can Belts (Special CC)	60
Easy-Splice V-Belting	52
Eliminator™ Belts	89-92
Eliminator™ Competitive Crossover	93-96
Hi-Power® II Dubl-V Belts (AA, BB, CC, DD)	34-36
Hi-Power® II PowerBand® V-Belts (A, B, C, D)	19-23
Hi-Power® II V-Belts (A, B, C, D, E)	14-18
Long-Length Poly Chain® GT®2 Belting	149
Long-Length PowerGrip® GT®2 Belting	150
Long-Length PowerGrip® HTD® Belting	151
Long-Length PowerGrip® Timing Belting	152
Metric Power™ Belts	27-30
Micro-V® Belts (J, L, M)	39-41
Multi-Speed Belts (Variable Speed)	45-49
Nu-T-Link® Belting	50
Poly Chain® GT® Belts – 5M	85
Poly Chain® GT® Belts – 8M Short Length	86
Poly Chain® GT®2 Belts (8M, 14M)	82-84
Poly Chain® HTD® Belts (14M)	87-88
Polyflex® Belts (3M, 5M, 7M, 11M)	72-74
Polyflex® JB® Belts (3MJB, 5MJB, 7MJB, 11MJB)	75-81
Power Cable® Belts (AK, BK, CK)	32-33
Power Curve™ Belts	38
PoweRated® V-Belts (67, 68, 69)	65-67
PowerBack™ Belts	37
Powercord® Belts (125 and 188)	54
PowerGrip® GT®2 Belts – 2MR and 3MR	97-100
PowerGrip® GT®2 Belts – 5MR	101-102
PowerGrip® GT®2 Belts – 8M and 14M	103-106
PowerGrip® GT®2 Twin Power® Belts 3MR and 5MR	132-133
PowerGrip® GT®2 Twin Power® Belts (8M, 14M)	134-137
PowerGrip® HTD® Belts (3M, 5M, 20M)	107-115
PowerGrip® HTD® Twin Power® Belts (3M, 5M)	138-139
PowerGrip® Timing Belts (MXL, XL, L, H, XH, XXH)	116-130
PowerGrip® Twin Power® Timing Belts (TPXL, TPL, TPH)	140-148
Predator® Belts (CP, 3VP, 5VP, 8VP)	11-13
Preventive Maintenance Tools	1
Round Endless Belts (1/4", 5/16", 3/8", 7/16", 1/2", 9/16")	56-59
Snowmobile Belts (Xtreme®, Xtreme® Mountain, TrailRunner®)	42-44
Speed-Flex® Flat Belts	53
Super HC® Belts (3V, 5V, 8V)	2-3
Super HC® Molded Notch Belts (3VX, 5VX)	4-5
Super HC® Molded Notch PowerBand® Belts (3VX, 5VX)	9-10
Super HC® PowerBand® Belts (3V, 5V, 8V)	6-8
Supreme V-Link Belting	51
Synchro-Power® Polyurethane Belting	153-195
Synchro-Power® Polyurethane Belts	196-226
Tri-Power® Molded Notch V-Belts (AX, BX, CX)	24-26
Truflex® V-Belts (2L, 3L, 4L, 5L)	61-64
Tubewinder Belts	55

Metal Products

DESCRIPTION	PAGE
Bolt Kits for Clamping Plates	331
Clamping Plates for Long-Length Belting	330-331
Flanges for PowerGrip® GT®2 Sprocket Aluminum Bar Stock	314
Flanges for Synchro-Power® Aluminum Bar Stock	328-329
H-Type Bushings	349
Light Duty Sheaves – Bored-to-Size	262-265
Light-Duty Sheaves – Bushed	267-269
Light-Duty Sheaves – Variable Pitch	266
Micro-V® Sheaves – Taper-Lock®	261
MTO Metals Information	289-290
Multi-Duty® Sheaves QD®	244-254
Multi-Duty® Sheaves Taper-Lock®	255-260
Poly Chain® GT®2 – Re-Work Charges	291-292
Poly Chain® GT®2 Idler Hardware	282
Poly Chain® GT®2 Idler Hardware – Nickel Plated	287
Poly Chain® GT®2 Single-Double Sprockets	288
Poly Chain® GT®2 Sprockets – Nickel Plated	285-286
Poly Chain® GT®2 Sprockets – Stainless Steel	283-284
Poly Chain® GT®2 Sprockets (8M, 14M)	273-281
Poly Chain® GT®2 Sprockets for Air Cooled Heat Exchangers	293-297
Polyflex™ Sheaves	270-272
PowerGrip® GT®2 and Poly Chain® GT® – 5M Sprockets	300-301
PowerGrip® GT®2 Idler Hardware	308
PowerGrip® GT®2 Sprocket Aluminum Bar Stock	312-313
PowerGrip® GT®2 Sprockets – 2MR and 3MR	309-311
PowerGrip® GT®2 Sprockets – 8M and 14M	302-307
PowerGrip® GT®2 Sprockets for Air Cooled Heat Exchangers	298-299
PowerGrip® HTD® Sprockets (3M, 5M, 20M)	315-319
PowerGrip® Timing Pulleys	320-324
QD® Bushings – English Sizes	332-335
QD® Bushings – Metric Sizes	336
QD® Bushings – Reborable	337
QD® Bushings – Reborable Finished	338
Stainless Steel Taper-Lock® Bushings – English Sizes	334
Stainless Steel Taper-Lock® Bushings – Metric Sizes	346
Super HC® Sheaves – QD®	227-235
Super HC® Sheaves – Taper-Lock®	236-243
Synchro-Power® Aluminum Bar Stock	325-327
Taper-Lock® Bushings – English Sizes	339-343
Taper-Lock® Bushings – Metric Sizes	345
Taper-Lock® Bushings – Reborable	347
Taper-Lock® Bushings – Reborable Finished	348

Quick-Select Product Guide

Welcome to the newest edition of the Gates® Industrial Power Transmission Systems catalog.

Begin your product search with these four visual-guide pages to determine the type of belt drive system that is right for you.

For product details, follow associated page number references to go directly to the first page of the proper section. We hope you will find this new visual reference tool a useful addition.

Also, be sure to check the Gates web site at **www.gates.com** for additional information and the latest updates on Gates Power Transmission products and services.

V-Belt Quick-Select

Super HC® Belts

Page 2
For metal products, see page 227

Super HC® PowerBand® Belts

Page 6
For metal products, see page 227

Super HC® Molded Notch Belts

Page 4
For metal products, see page 227

Super HC® Molded Notch PowerBand® Belts

Page 9
For metal products, see page 227

Predator® Belts



Page 11

Hi-Power® II Belts

Page 14
For metal products, see page 244

Hi-Power® II PowerBand Belts



Page 19
For metal products, see page 244

Tri-Power® Belts

Page 24
For metal products, see page 244

Metric Power™ V-Belts

Page 27

V-Belt Quick-Select *(continued)*

Hi-Power® II Dubl-V Belts

Page 34
For metal products, see page 244

Power Cable® Belts

Page 32
For metal products, see page 244

Power Curve™ Belts

Page 38
For metal products, see page 244

PowerBack™ Belts

Page 37
For metal products, see page 244

BladeRunner® Belts

Page 68

Round Endless Belts

Page 56

Micro-V® Belts

Page 39
For metal products, see page 261

Truflex® V-Belts

Page 61
For metal products, see page 262

PoweRated® V-Belts

Page 65
For metal products, see page 262

Polyflex® Belts

Page 72
For metal products, see page 270

Polyflex® JB® Belts

Page 75
For metal products, see page 270

Multi-Speed Belts

Page 45

Snowmobile Xtreme® and Trailrunner® Belts

Trailrunner® Belts
Page 44

Xtreme® Belts
Page 42

Tubewinder Belts



Page 55

Quick-Select Product Guide

V-Belt Quick-Select *(continued)*

Powercord® Belts

Page 54

Speed Flex® Belts

Page 53

Dry Can Belts

Page 60
For metal products, see page 244

CarryBand® Belts



Page 31

Nu-T-Link®

Page 50
For metal products, see page 244

Supreme V-Link Belting

Page 51
For metal products, see page 244

Easy Splice V-Belting

Page 52
For metal products, see page 244

Synchronous Belt Quick-Select

Eliminator® Belts

Page 89

Poly Chain® GT®2 Belts

Page 82
For metal products, see page 273

Long-Length Poly Chain® GT®2 Belting

Page 149
For metal products, see page 273

Poly Chain® GT® Belts – 5M

Page 85
For metal products, see page 300

Poly Chain® GT® Belts – 8M Short Length

Page 86
For metal products, see page 273

Poly Chain® HTD® Belts

Page 87

PowerGrip® GT®2 Belts – 8M and 14M

Page 103
For metal products, see page 302

Synchronous Belt Quick-Select *(continued)*

PowerGrip® GT®2 Twin Power® Belts – 8M and 14M

Page 134
For metal products, see page 302

PowerGrip® GT®2 Belts – 2MR and 3MR

Page 97
For metal products, see page 309

PowerGrip® GT®2 Belts – 5MR

Page 101
For metal products, see page 300

PowerGrip® GT®2 Twin Power® Belts – 3MR and 5MR



Page 132
For metal products, see page 309, 300

Long-Length PowerGrip® GT®2 Belting

Page 150
For metal products, see page 300, 302, 309

PowerGrip® HTD® Belts

Page 107
For metal products, see page 315

PowerGrip® HTD® Twin Power® Belts

Page 138
For metal products, see page 315

Long-Length PowerGrip® HTD® Belting

Page 151
For metal products, see page 315

PowerGrip® Timing Belts

Page 116
For metal products, see page 320

PowerGrip® Twin Power® Timing Belts

Page 140
For metal products, see page 320

Long-Length PowerGrip® Timing Belts

Page 152
For metal products, see page 320

Cotton Cleaner Belts

Page 131

Synchro-Power® Polyurethane Belts

Page 196

Synchro-Power® Polyurethane Twin Power Belts

Page 223

Synchro-Power® Polyurethane Long-Length Belting

Page 153

ELIMINATOR™

THE ONLY BELT YOU NEED FOR YOUR RPP® REPLACEMENTS

The Ultimate Replacement Solution

Run Gates® Quality, Performance, and Value on Your Existing RPP® Sprockets

Gates Eliminator™ belt is a breakthrough. It's a high-performance, polyurethane, synchronous belt designed to replace an RPP® belt of the same pitch, width and comparable length (within approximately +/- 0.5" on center distance maximum). Eliminator belts replace Goodyear® BlackHawk Pd™, Browning® RPP® Panther®, Carlisle/Dayco® RPP® Panther® Ultra and TB Wood's® QT Power Chain® belts. No sprocket change is required, the same belt tension used with the previous RPP® belt can be used for the Eliminator belt, and the same inside or backside idlers can be used (if previously installed). Eliminator belts will last a minimum of two times longer. Guaranteed — or Gates will refund the cost of the Eliminator belt.

Get Longer Life With Eliminator™ Belts



Goodyear® BlackHawk Pd™ are trademarks of Goodyear Tire & Rubber Company
Browning® is a registered trademark of Emerson Power Transmission Manufacturing L.P.
Dayco® is a registered trademark of Dayco Corporation
RPP® and Panther® are registered trademarks of Carlisle Power Transmission Products, Inc.
TB Wood's® and QT Power Chain® are registered trademarks of TB Wood's Inc.

Eliminator™ at Work

Eliminator belts are designed around advanced Total Productive Maintenance (TPM) principles to help you minimize inventory, reduce costs, improve quality, and enhance productivity. Ask your Gates representative about this predictive maintenance approach and how Gates can provide value-added services for your TPM program to:

- Extend MTBF (Mean Time Between Failure) and reduce MTTR (Mean Time to Repair)
- Establish a systematic, planned maintenance program
- Standardize installation and inspection procedures and schedules
- Train all operations, maintenance and management personnel in maintenance effectiveness
- Minimize costly unplanned down-time, maximize profitable uptime
- Eliminate equipment losses, contamination and accidents
- Enhance your working environment, plant safety and customer satisfaction

Eliminator tooth in RPP® sprocket groove



RPP® tooth in RPP® sprocket groove

We make it easy to select the right Eliminator replacement belt with our Crossover Matrix. Just look for the part number of the RPP® belt you're currently using (they're listed by brand) and you'll find the correct Eliminator replacement belt listed by its Gates part number. It's that easy. Or visit us on the web at **www.gates.com/eliminator** and find the right Eliminator belt using our online Crossover Matrix.

Now, there's one belt and one source for your RPP® replacement needs — the Eliminator belt from Gates.

- Competitively priced
- No need to change sprockets
- No need to keep multiple belt lines in inventory
- Makes ordering replacement belts easier
- Saves money on transaction costs
- Reduces downtime

Gates Eliminator belts are available in the following sizes:

8MM PITCH
12mm, 22mm, 35mm, 60mm widths
26 belt lengths
104 part numbers

14MM PITCH
20mm, 42mm, 65mm, 90mm, 120mm widths
16 belt lengths
80 part numbers

For more information or to order, contact your Gates distributor.

See page 89 for sizes and list prices.

See page 93 for competitive cross-over guide.

New Product Solutions

Industry-Leading Products & Innovations

Gates has developed and continues to improve the industry's hardest working, highest performing synchronous and V-belt drive systems and technologies. We are committed to providing the most efficient, economical, and reliable PT systems and components through advanced design technologies and uncompromising testing and validation programs.



NEW PRODUCTS — PAGE

Eliminator™ 89-92
Poly Chain® GT®2 Stainless Steel Sprockets 283-284
Stainless Steel Taper-Lock® Bushings —
English & Metric Sizes . . . . . 334 & 336
Poly Chain® GT®2 Nickel Plated Sprockets 285-286
Poly Chain® GT®2 Nickel Plated Idler Hardware 287
Poly Chain® GT®2 Single-Double Sprockets 288
Poly Chain® GT®2 Sprockets for ACHE (8 & 14mm) 293-297
Poly Chain® GT®2 Idler Hardware 282
PowerGrip® HTD® Twin Power® Belts (3 & 5mm) 138-139
PowerGrip® GT®2 Twin Power® Belts (3MR & 5MR) 132-133
PowerGrip® GT®2 Sprockets for ACHE (8 & 14mm) 298-299
Taper-Lock® Idler Bushings 282
PowerGrip® GT®2 Idler Hardware 308
PowerGrip® GT®2 Sprocket —
Aluminum Bar Stock (2 & 3mm) 312-313
PowerGrip® GT®2 Sprocket —
Flanges for Bar Stock (2 & 3 mm) 314
Synchro-Power® — Aluminum Bar Stock 325-327
Synchro-Power® — Flanges for Bar Stock 328-329
Synchro-Power® Long-Length Belting 153-195
Clamping Plates for Long-Length Belting 330-331
Bolt Kits for Clamping Plates 331
Polyflex® JB® Belts (3M) 75-81
Polyflex™ Sheaves 270-272
PowerBack™ Belts 37
BladeRunner™ Belts 68-71
Sonic Tension Meter 507C 1
Sheave Gauges — English and Metric 1
Truflex® and PoweRated® Belt Length Finder 1

EXPANDED PRODUCT LINES

PowerGrip® GT®2 Sprockets (8 & 14mm) 302-307
PowerGrip® GT®2 Twin Power® Belts (8 & 14mm) 134-137
PowerGrip® GT®2 Belts (2, 3 & 5mm) 97-102
PowerGrip® HTD® Belts (3 & 5mm) 107-115
PowerGrip® Timing Belts (MXL, XL, L & H) 116-130
PowerGrip® Twin Power® Timing Belts (XL, L & H) 140-148
Synchro-Power® Polyurethane Belts 196-226
Round Endless Belts 56-59
Polyflex® JB® Belts (5M & 7M) 75-81
Hi Power® II V-Belts 14-18
Tri-Power® Belts 24-26
Snowmobile Belts 42-44

COMING SOON...

Synchro-Power® Long-Length Belting (ATL-STD Series)
Synchro-Power® — Urethane Flat Belts
Nickel Plated Taper-Lock® Bushings
Clamping Plates for PowerGrip® GT®2 Belting
Clamping Plates for Poly Chain® GT®2 Belting

Design Flex® 2 Go!™

Design Drives in Minutes!

Design Flex® 2 Go!™ is a breakthrough software solution for Gates Power Transmission customers that accelerates and automates the drive design process. Your Gates representative can use this new program to save you significant time and money on your next drive survey.

This Gates-exclusive software for handheld PDA units makes data input faster and less cumbersome during drive surveys. Once a survey is completed by your Gates representative, the PDA can be connected to a desktop computer or laptop and the data entered directly into Gates Design Flex® software.

Now, new drive designs can literally be completed and e-mailed to end-users within minutes, not days! In fact, in the time it took for you to read this information, Design Flex® 2 Go!™ could have uploaded all of your operational drive data into computer storage.

Design Flex® 2 Go!™ features:

- **Visual display of drive data**
- **Mass drive processing**
- **No re-keying of data**
- **On-the-fly drive selection decisions**
- **Inventory reduction summaries**
- **Calculate energy and maintenance savings**

Design Flex®

The next generation of our original and powerful drive design software is now available. Design Flex® has been enhanced with a number of new features for specific market applications, including data for:

- **Air-Cooled Heat Exchanger (ACHE) products**
- **New Gates stainless-steel sprockets and bushings**
- **New Poly Chain® GT®2 sprockets**
- **Sonic Tension Meter constants, including most V-belts**

Distributors and industrial consumers can get free access to Design Flex® software online at **www.gates.com/designflex**.

Design IQ™

Similar to Design Flex®, this special program provides comprehensive specification design of multi-point serpentine drives, including changing load conditions. This is a great time-savings tool exclusive to Gates and available only after required training. Contact your Gates representative for more information.

Design View™

For a faster, easier way to retrieve engineering drawings of Gates synchronous hardware and V-belts, use Design View. Accessed online, this program offers 2-D drawings downloadable in AutoCad (.dwg), Word (.doc), Generic (.dxf), or Web (.dwf) formats and 3-D solid models as native Pro/e files. Save hours on your next design process with Design View™ software.

Customer Solutions

As a global manufacturer of high-quality Power Transmission products, we are constantly trying to add value to our products as well as the Gates PT customer experience. The following are just some of the ways we are standing behind that commitment today.

The Gates® Lifetime Warranty

Gates stands behinds its customers and the products we sell by offering one of the industry's best power transmission (PT) product warranties:

- **Gates® Power Transmission products are guaranteed for the life of each applicable product to be free from defects in materials and workmanship or they will replaced or repaired free of charge!**

Quality through Operational Excellence

At Gates, quality is built into our operational systems via the following programs and standards:

- **Lean Manufacturing Concepts**
- **Six Sigma**
- **5S — Sort, Set in Order, Shine, Standardize, Sustain**
- **ISO/TS16949 Certification**
- **GEM — Gates Enriched Management**
- **Global manufacturing/distribution capability**

ISO International Organization for Standardization

The Gates® PT Toolkit

Your Gates Sales Representative comes armed with a powerful Power Transmission (PT) Toolkit that can be utilized to quickly identify and solve customer drive problems or aid in getting new drives up and running. This exclusive kit includes the following and more:

- **EZ Align™ laser alignment tool**
- **Double-, single- and five-barrel belt tension testers**
- **Sonic tension meter**
- **Digital calipers**
- **Pyrometer**

Plant Surveys

Gates District Sales Managers are also available for customer plant visits to conduct performance evaluations. The goal is to enhance customers' overall operations by designing better, more efficient PT or motion control systems. Each survey involves:

- **Using Design Flex® 2 Go!™ software, patented for PDAs, to collect drive data quickly**
- **Inspecting every drive in the plant**
- **Determining application requirements**
- **Analyzing drive operating conditions**
- **Evaluating alignment and belt tensioning**
- **Developing or modifying drive designs to optimize performance and efficiency**
- **All at no cost to distributor or customer!**

Gates Powered℠ Savings

We can now offer documented savings for our PT customers. Our exclusive Gates Powered℠ Savings Program contains all the tools and support required to demonstrate the advantages of Gates belt drive systems and reinforce our value added services by.

- **Evaluating current belt drive efficiencies using Design Flex®**
- **Identifying problem drive applications**
- **Using proprietary calculators to determine savings:**
  - **Poly Chain® GT®2 drives vs. roller chain drives**
  - **Vextra® savings**
  - **Energy savings**
  - **Reduced maintenance costs**
- **Documenting total savings in detailed reports for communication to customer management groups**

Application Engineering Assistance

Designing the right drive is a complex proposition, affecting everything from performance to lifetime cost — and ultimately, the overall value of the drive investment. Gates Product Application (PA) Engineers are here to help. Their mission is to work with distributors and their customers, often on-site, to solve problems and develop the best value drive solutions. Gates Product Application can be contacted at: phone — (303) 744-5800; fax — (303) 744-5600; and, e-mail — ptpasupport@gates.com.

- **Systems and Application Group dedicated to power transmission products and applications**
- **Staffed by PT experts with engineering/technical backgrounds**
- **Early supplier involvement**
- **Product/equipment analysis**
- **Consultative support through dedicated field engineers**
- **Quick response to meeting customer needs and solving problems**

Preventive Maintenance & Safety

Gates has created the industry's most comprehensive and effective maintenance and safety program to save companies time and money while creating a safer operating environment for employees. A comprehensive manual plus our free seminars, conducted in partnership with distributors, cover it all in step-by-step process:

- **Safety and preventive maintenance checklists**
- **Drive shutdown and inspection**
- **Belt identification and selection**
- **V-belt and synchronous belt installation**
- **Proper tensioning**
- **Sheave and sprocket alignment**
- **Improving drive performance**
- **Problem/solution guidelines and troubleshooting tools**

Total Productive Maintenance (TPM)

Gates belts are designed around advanced TPM principles to help customers minimize inventory, reduce costs, improve quality, and enhance productivity. Gates representatives are knowledgeable about this predictive maintenance approach and can help customers meet their critical TPM goals by:

- **Improving Overall Equipment Effectiveness (OEE)**
- **Extending MTBF (Mean Time Between Failure) and reducing MTTR (Mean Time to Repair)**
- **Establishing a systematic, planned maintenance program**
- **Standardizing installation and inspection procedures and schedules**
- **Training all operations, maintenance, and management personnel in maintenance effectiveness**
- **Minimizing costly unplanned downtime; maximizing profitable uptime**
- **Eliminating equipment losses, contamination, and accidents**
- **Enhancing the work environment, plant safety, and customer satisfaction**

The Gates Website: www.gates.com

Another very valuable resource for Gates customers is our powerful website — www.gates.com. Many manufacturers' websites are mainly a company brochure. On our site, you can explore a wealth of information and tools available free of charge.

For instance, use the Eliminator™ Belt Savings Calculator to quickly determine savings that can be achieved using our new Gates Eliminator™ belts. Or, check out the GatesFacts® technical library for selection, maintenance and replacement of PT products. You can also review and download electronic catalogs, design manuals or get the latest version of Gates drive design programs. Visit **www.gates.com** soon and return often.

Distributor Solutions

Gates® understands that our product distributors are our business partners and a critical link between our products and end-users. Their in-depth expertise in drive design, local inventories and customer service add power behind our power transmission systems.

That is why Gates is committed to providing unmatched distributor support. It is to our advantage to help develop better opportunities for all of our Power Transmission Distributors. The following are just a few ways Gates is currently meeting that commitment.

A Consultative Sales Approach

Gates District Sales Managers (DSMs) are highly experienced in power transmission products and applications. They work closely with Gates Distributors through a consultative selling approach that includes:

- **Working as a team to most effectively meet customer PT requirements**
- **Analyzing existing customer drive performance and processes**
- **Providing tools and know-how for optimal system design and integration**
- **Facilitating access to the full range of Gates Powered Solutions**
- **Meeting customer Total Productive Maintenance (TPM) goals**

Comprehensive Education & Training

Gates training programs include basic and advanced curriculums on belt drive systems, drive design, and our exclusive Belt Drive Preventive Maintenance and Safety Seminars. We can even offer custom programs for specific industries. Here are the highlights:

- **Training provided by an expert Gates Trainer or DSM**
- **Available for distributor and/or customer employees**
- **Train on-site at your facility or your customer's**
- **Use interactive Net Meeting training for nationwide participation with no travel**
- **Review available training dates at www.gates.com/ptpartners**

PowerPro℠ Online Ordering System

This powerful and fast product ordering system is accessed via the Web and available exclusively to Gates Authorized Distributors for rapid response to customer product requirements. With PowerPro, you can:

- **Check product availability by Gates warehouse location**
- **Enter orders 24/7 with no minimum order requirements**
- **Choose freight carrier and destination**
- **Track orders via FedEx or UPS**
- **Link to Gates online product catalog to research product specifications**

Gates PowerPro℠

Made-to-Order Metals

When standard off-the-shelf products won't do, Gates has the custom solution. The Gates Made-to-Order team's motto is: "If you can design it, we can do it."

- **Prototype and production pulleys, sheaves, sprockets**
- **Variety of bores, styles, materials, and finishes**
- **Sub-assembly, press bearings, sprocket/bushing balancing, and index marking available**
- **Production from one part to one million or more**
- **Digital CAD drawings accepted**
- **Engineering assistance available**

Gates Customer Leads System

Using a variety of media resources including trade magazine advertising, direct mail, email, literature, trade shows, and more, Gates is committed to providing our distributors with more qualified sales leads:

- **Qualified sales leads delivered to Gates District Sales Managers within 48 hours of receipt**
- **Gates District Sales Managers communicate and assign leads to distributor**
- **Targeted promotions increase qualified leads**
- **Industry-focused leads**
- **Application specific leads**
- **National Consumer Accounts — Develop specific programs for targeted locations and documented savings**

Gates at a Glance

Gates now provides distributors with "insider information" to a world of relevant contact data. This allows our Distributors to always be in touch with the latest Gates information and updates. The Gates at a Glance contacts include:

- **Regional sales offices**
- **Product application assistance**
- **Made-to-Order Metals team**
- **Toll-free customer service access**
- **Engineering and web tools**
- **Emergency after-hours service phone numbers**

www.gates.com

A wealth of essential information and useful tools is available 24/7 and free of charge at our web site, including:

- **Vextra® and Poly Chain® GT®2 savings calculators**
- **GatesFacts™ technical library**
- **Electronic catalogs and design manuals for review and/or download**
- **Latest versions of Gates downloadable drive design software programs**
- **Application changeovers and customer success stories**
- **Training information**
- **Exclusive distributor site: www.gates.com/ptpartners**

Winning As a Team Sport!

Only Gates offers this level of support in winning the industrial PT race. If you buy industrial power transmission products, you owe it to yourself to let a Gates representative show you how to create higher profits and growth for your distributorship with Gates Powered™ Solutions.

Constantly Adding Value

More than 87 years of success — that's the essence of the history of Gates® belt drive systems. It's a timeline of achievement based on a strategy of adding value for customers and partners.

We believe that Gates Power Transmission (PT) systems remain a top choice around the world mainly because we continue to offer more advantages — better products and services with leading edge technologies that add more value.

Adding value ... it is important to Gates Power Transmission. In fact, it has become one of our primary goals and what has been called by our customers as "The Gates Difference." It must be working. We now have more than 87 years of success to prove it

1917
John Gates invents the V-belt.

1922
Eleven distribution centers were in place, along with a field sales force.

1959
Gates introduces the revolutionary Super HC® V-belt in three narrow cross sections.

1960
Gates joins the Power Transmission Distributors Association to improve business practices and improve relations with suppliers.

1961
First version of Design Flex® used to engineer customer drives.

1965
PowerBand® belts are introduced for pulsating or shock-loaded drives, particularly in oil field applications.

1974
The new Hi-Power® II V-belts and PowerBand® belts are introduced, featuring a 20.8% to 48.6% increase in horsepower.

1975
Tri-Power® Molded Notch V-belts are added to the Gates product line, along with the first line of top-quality synchronous timing belts.

1977
Gates Super HC® Molded Notch V-belt is introduced.

1979
Gates introduces the Micro-V® Belt featuring the exclusive truncated V-ribs.

1980
Gates introduces the V80® belt matching system ensuring that all V80® belts meet and exceed RMA length tolerance requirements.

1984
"Life in Hours" software used to design drives.

1986
Gates introduces the revolutionary Poly Chain® GT® belt to its synchronous belt line.

1987
Gates introduces the Polyflex® JB® belt.

Gates introduces Design Flex® drive design software to field sales force and customers.

1990
Gates develops the Distributor Advisory Council providing valuable opportunities for PT Division associates to meet with distributors and to plan improvements for our joint success.

1991
Through strategic alliance, Gates adds metal components to its product offering.

1992
The Gates Made-to-Order Metals Team commences providing customers with unique, non-standard application solutions.

1993
Gates introduces the PowerGrip® GT® belt — the quietest belts available.

1995
Predator® PowerBand® belts are introduced for tough, shock-loaded applications.

Gates launches website www.gates.com.

2000
Gates redesigns its synchronous belt offerings and introduces PolyChain®GT®2, PowerGrip® GT®2 and PowerGrip® GT®2 Twin Power®.

2002
Customers are able to download engineering drawings of Gates synchronous sprockets through Design View™.

2004
Gates introduces Eliminator™, a replacement belt for RPP® applications.

Gates introduces Poly Chain® GT®2 Nickel Plated sprockets, Single-Double sprockets and PowerGrip® HTD® Twin Power® belts.

Gates Sprocket Rebore Center is established.

Gates expands V-belt line with Polyflex® JB® belts, Polyflex™ Sheaves and BladeRunner™ belts.

Gates launches distributor locator via the internet.

V-belt drawings and 3D modeling for synchronous sprockets are added to Design View™.

Design Flex® 2 Go! Patented software for PDA is supplied to field sales force automating the entire plant surveying process.

Gates initiates the Powered™ Savings Program to demonstrate the advantages of Gates belt drive systems.

Gates develops PT Partners website offering comprehensive training programs available on-site or via internet.

1997
Gates introduces Metric Power™ V-belts in the United States.

1999
Gates introduces Vextra® construction for longer life in bandless V-belts.

2001
Gates begins affixing UPC bar code labels to non-boxed industrial belts, making inventory control, receiving and product identification faster and easier.

Gates introduces Power Curve™ belts for power turn conveyor applications.

Receipt of first purchase order via PowerPro®, Gates internet based ordering system.

Design IQ™ is made available to design multi-point serpentine drives, including load changing conditions.

2003 Gates introduces PowerBack™ belts, Stainless Steel Sprockets and Bushings, Aluminum Bar Stock and ACHE Sprockets.

Gates introduces web-based PT catalog.

Racing Sponsorship

Feel the >>>>>Power

Here is **Tony Schumacher** driving his U.S. Army top fuel dragster to a first-place win at the 35th Annual Gator nationals in Gainesville, Fla. Driving his supercharger to incredible RPM was Gates Poly Chain® technology.

2005 NHRA SCHEDULE

Feb.	13	WinterNationals	Pomona, Calif.
Feb.	27	NHRA Nationals	Phoenix, Ariz.
Mar.	20	Gatornationals	Gainesville, Fla.
Apr.	10	Spring Nationals	Houston, Texas
Apr.	17	Summit Nationals	Las Vegas, Nev.
May	1	Thunder Valley Nationals	Bristol, Tenn.
May	15	Southern Nationals	Atlanta, Ga.
May	22	Pontiac Excitement Nationals	Columbus, Ohio
May	29	Summer Nationals	Topeka, Ks.
June	12	Route 66 Nationals	Chicago, Ill.
June	19	SuperNationals	Englishtown, N.J.
June	26	Sears Craftsman Nationals	Madison, Ill.
July	17	Mile-High Nationals	Denver, Colo.
July	24	CARQUEST Nationals	Seattle, Wash.
July	31	Autolite Nationals	Sonoma, Calif.
Aug.	14	Lucas Oil Nationals	Brainerd, Minn.
Aug.	21	Mid-South Nationals	Memphis, Tenn.
Sept.	5	U.S. Nationals	Indianapolis, Ind.
Sept.	18	Lucas Oil Nationals	Reading, Pa.
Sept.	25	Fall Nationals	Dallas, Texas
Oct.	2	CARQUEST Nationals	Chicago, Ill.
Oct.	23	ACDelco Nationals	Las Vegas, Nev.
Nov.	6	Auto Club Finals	Pomona, Calif.

All of Gates Power Transmission products are designed for high-quality performance. That is why they remain the top choice for industrial drive systems, as well as the National Hot Rod Association (NHRA).

Gates is proud to be an integral sponsor of the NHRA and of the U.S. Army Team led by Tony Schumacher. With consistent performance and reliability, Gates belts have helped keep Tony in the Winner's Circle.

CHAMPIONSHIP NHRA DRAG RACING®

General Information

DIMENSIONS

Gates reserves the right to make changes in design or dimensions of standard products to improve their quality or to accommodate improved manufacturing techniques. All dimensions in this catalog are for reference only.

WEIGHTS

All weights are close approximations and may vary slightly from actual weights.

AIRCRAFT POLICY

WARNING! BE SAFE! Do not use Gates belts, pulleys or sprockets on aircraft propeller or rotor drive systems or in-flight accessory drives. Gates products are not designed or intended for aircraft use.

Glossary

ORDERING TERMINOLOGY

PBL — "Private Brand Label" of Gates standard line belts. Available upon customer request. PBL products are made-to-order and may require additional lead times and cost.

Standard/Non-Stock Belt Products — These products do not require minimum production quantities but may require production lead time. Check with customer service for details.

Standard/Non-Stock Metal Products — These products do not require minimum production quantities but may require production lead time. Check with customer service for details.

Stock Belt Products — Products in this catalog are stock unless otherwise noted.

BELT PRODUCTS TERMINOLOGY

Aramid Tensile Members — Available in several stock lines and on an MTO basis. They are also referred to as Kevlar® or Flexten®.

Arched Top — Construction feature which provides superior strength to prevent distortion of the tensile section.

Banded — Belts with a fabric cover over the belt body. They are also referred to as wrapped or covered belts.

Bandless — Belts with no fabric cover. They are also referred to as cut edge, raw edge or machined edge.

Bareback — Belts manufactured without rubber material being applied to the outside surface of the banded belt. They are also known as low friction, dry cover or clutching cover.

Belt Body — The main part of any belt that generally surrounds, supports and protects the load-carrying tensile cords.

Compounds — Mixtures of rubber, plastics and other materials which are used to form the body of the belt.

Concave Sides (U.S. Patent 1813698) — Construction which allows belt to make uniform contact with sheave groove, thus distributing wear uniformly.

Datum Diameter — A system which defines specific sheave and belt dimensions, previously known as the pitch system (diameter or length) for classical belts and sheaves.

Effective Length (E.L.) — A standard length measurement that accounts for varying construction and manufacturing methods in the industry. The length is determined by adding the effective circumference to twice the measured center distance using sheaves and an applied tension specified by the RMA.

Eliminator® Belt— Gates trade name for a high performance, polyurethane, synchronous belt designed to replace RPP® belts.

Flex-Bonded Cord — Strong chemical bond between rubber body and tensile cord. Allows for absorption of bending stress and long service life. Avoids premature failure due to cord separation.

Flex-Weave® Cover — Patented nylon and cotton blended fabric construction which increases flexibility and reduces cover stress providing longer cover life and longer protection of belt core.

Gates Curves — Belts with this feature compensate for effects that occur when a V-belt bends in a sheave. Curved belts feature concave sides, radius relief and arched tops.

Hi-Power® II Belt — Gates trade name for belts commonly referred to as classical, wedge or conventional.

Idler — 1) a non-powered pulley, sheave, sprocket or wheel around which a belt travels. 2) a non-powered roll or rolls supporting a belt.

Metric Power™ Belt — Gates trade name for molded notch, narrow and classical section V-belts in metric sizes.

Micro-V® Belt — Gates trade name for belts commonly referred to as V-ribbed, multi-rib and Poly-V.

Molded Notch Belts — Often referred to as cogged, notched or cut notch belts. Notches reduce bending stress.

Multi-Speed Belts — Gates trade name for products commonly referred to as variable speed, wide range variable speed, adjustable speed and variable pitch.

Oil and Heat Resistance (OHR) — Property of the belt which allows it to withstand the affects of oil, heat, sunlight, ozone, weather and aging.

Outside Circumference (O.C.) — The circumference (total length) measured around the outside of the belt, typically with a tape, while the belt is still on the drive. This measurement can be used to determine the closest belt length when a part number is not available.

Poly Chain® GT® Belt — Gates trade name for a premium, high torque, polyurethane, synchronous belt with aramid tensile cord.

Polyflex® Belt — a Gates trademark for a polyurethane V-belt which is often used in high precision drives, such as machine tools and small appliances.

Polyflex® JB® Belt — a Gates trademark for two or more joined polyurethane V-belts.

PowerBand® Belt — Gates trade name for two or more belts joined together at the top of the belt. It is also referred to as a joined or banded belt.

PowerGrip® Belt — Gates trade name for several synchronous product lines including timing, HTD®, GT® 2 and Twin Power®.

PoweRated® Belt — Gates trade name for a line of premium fractional horsepower belts.

Glossary *(continued)*

BELT PRODUCTS TERMINOLOGY

PowerGrip® HTD®/GT®2 Belts — Gates trade name for a high-torque drive system with a curvilinear tooth profile. These belts are often referred to as Gilmer, timing, positive or synchronous belts. They are sometimes referred to, in error, as cogged or notched belts.

Predator® Belts — Gates trade name for the most aggressive PowerBand V-belt made for shockloaded applications. Predator belt construction is available in narrow and classical profiles.

Radius Relief — Construction which minimizes corner wear and works with concave sides to assure proper support of the belt.

Super HC®/Super HC® Molded Notch Belt — Gates trade name for a drive system commonly known as narrow or deep wedge.

Superior Length Stability — Assures V-belts require less retensioning and take-up during their service.

Synchronous — Generic term used for power transmission drive systems utilizing toothed belts in mesh with grooved pulleys or sprockets. These systems are also referred to as Gilmer or timing.

Tensile Cord — V-belts typically use special polyester cords, with aramid used in some specialty belts, such as Power Cable and PoweRated® belts. Synchronous belts generally have fiberglass cords, except for the aramid fiber used in Poly Chain® GT® 2 belts. Steel is rarely used, except in some special or Made-to-Order synchronous belts.

Tooth Facing — Specially woven and treated nylon fabric that reduces friction of the belt in the sprocket and resists abrasion and other tooth damage.

Tri-Power® Belts— Gates trade name for molded notch classical section or conventional belts.

Truflex® Belts — Gates trade name for Fractional Horsepower (FHP) light duty belts.

Truncated Rib — Construction profile which provides improved crack resistance, higher load-carrying capacity and improved flex fatigue resistance.

V80® — Gates trade name for V-belt matching system that meets RMA tolerances. Any V80® belt will match and perform with any other V80® belt of the same size and type.

The following Super HC®, Hi-Power® II and Tri-Power® belts are V80® belts:

Individual V-Belts

3VX250-3VX1400	D105-D660
5VX450-5VX2000	E180-E660
AX22-AX173	B112PC-B500PC
BX28-BX300	XPZ604-SPZ3550
CX51-CX360	XPA630-SPA4500
3V250-3V1400	XPB1250-SPB8000
5V500-5V3550	XPC1800-SPC10600
8V1000-8V5600	10X530Li-10X1750Li
A24-A180	13X715Li-13X4000Li
B28-B315	17X875Li-17X8636Li
C48-C420	

PowerBand® V-Belts

3VX250-3VX1400	A62-A180
3V800-3V1400	B62-B315
5VX500-5VX2000	C68-C420
5V670-5V3550	D144-D660

POWER TRANSMISSION METAL TERMINOLOGY

Bushings — A hub system that allows adaptation of sheaves, pulleys and sprockets to varying shaft sizes. Common bushing systems offered by Gates are QD® and Taper-Lock®.

Pulley — A common term which usually refers to sheaves, sprockets or pulleys. The term correctly used applies to metal used for PowerGrip® timing belts.

Sheaves — Metal products with "V" shaped grooves specially designed for various types of V-belts.

Sprockets — Metal products for high-torque synchronous power transmission systems, such as PowerGrip® GT®2 and Poly Chain® GT®2. Sprockets are specifically designed to transmit power with only the corresponding belt product line.

Preventive Maintenance Tools

Proper tension, installation and maintenance can extend belt life and reduce costly downtime. Some of Gates most popular preventive maintenance tools include:

A. Sonic Tension Meter - Model 507C
Product No. 7420-0507
For extremely accurate belt tension measuring, the Gates Sonic Tension Meter is an electronic device that measures the natural frequency of a free stationary belt span and instantly computes the static belt tension based upon the belt span length, belt width, and belt type. The Sonic Tension Meter can be used with synchronous and V-belts. Other features include:

- Output readings can be switched between pounds, kilograms, newtons and hertz.
- Auto gain control automatically adjusts meter sensitivity.
- Auto frequency range filters for background noise.
- Frequency range from 10 - 5,000 Hz.

B. Krikit Guages
Product No. 7401-0071
For tensioning automotive V-belts up to and including 7/8" top width.

Product No. 7401-0072
For tensioning automotive V-ribbed belts up to 8 ribs in width.

C. Pencil Type Tension Tester
Product No. 7401-0076
Maximum deflection force: 30 lbs. For use with all small V-belts and synchronous belts.

D. Double Barrel Tension Tester
Product No. 7401-0075
Maximum deflection force: 66 lbs. For use with all multiple V-belts and large synchronous belts.

E. Five Barrel Tension Tester
Product No. 7401-0079
Maximum deflection force: 165 lbs. For use with multiple V-belts and large synchronous belts.

Sonic Tension Meter and Accessories

Product No.	Description	List Price
7420-0507	Sonic Tension Meter Model 507C	$800.00
7420-0204	Flexible Sensor	110.00
7420-0206	Cord Sensor	110.00
7420-0208	A/C Adapter	70.00
7420-0212	Inductive Sensor (magnets included)	390.00

F. EZ Align™ Precision Laser Alignment Device
Product No. 7420-1000
Identifies common types of pulley misalignment.

G. Truflex® and PoweRated® Belt Length Finder
Product No. 7401-0012
Measures FHP belts up to 107" to determine equivalent Truflex® or PoweRated® belt numbers.

H. Sheave Gauges
Product No. 7401-0014 and 7401-0013
Helps to identify worn sheaves and damaged belts.

Tensioning and Alignment Devices

Product No.	Description	List Price
7401-0076	30 Lb. Pencil Type	$19.56
7401-0075	66 Lb. Double Barrel	55.56
7401-0071	Krikit	19.38
7401-0072	Krikit II	26.32
7401-0079	165 Lb. Five Barrel	220.00
7420-1000	EZ Align Laser Alignment Device	1300.00
7401-0012	Truflex and PoweRated Belt Length Finder	29.24
7401-0014	Sheave Gauge—English	6.00
7401-0013	Sheave Gauge—Metric	6.00

Super HC® Belts

HEAVY DUTY V-BELTS

Pioneered by Gates, these "narrow" cross-sections can transmit up to three times the horsepower of the classical cross-sections (A, B, C, and D) in the same amount of drive space.

Markets/Applications

Suitable for all industrial applications, particularly where space, weight and horsepower capacity are critical.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- The **Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Recommended Sheaves
Super HC® Sheaves

Notes
Gates Super HC® belts are available in 3V, 5V, and 8V cross-sections.

Product No. Series 9332

V80®

3V Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3V250	$10.86	9332-0250	25.0	.12	1
3V265	11.13	9332-0265	26.5	.14	1
3V280	11.40	9332-0280	28.0	.15	1
3V300	11.70	9332-0300	30.0	.18	1
3V315	12.25	9332-0315	31.5	.20	1
3V335	12.53	9332-0335	33.5	.21	1
3V355	13.08	9332-0355	35.5	.22	1
3V375	13.36	9332-0375	37.5	.23	10
3V400	14.20	9332-0400	40.0	.24	1
3V425	14.75	9332-0425	42.5	.26	1
3V450	15.31	9332-0450	45.0	.27	1
3V475	15.86	9332-0475	47.5	.28	1
3V500	16.15	9332-0500	50.0	.29	10
3V530	16.71	9332-0530	53.0	.30	10
3V560	17.25	9332-0560	56.0	.32	10
3V600	18.08	9332-0600	60.0	.34	10

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3V630	$18.65	9332-0630	63.0	.35	10
3V670	19.48	9332-0670	67.0	.37	10
3V710	20.60	9332-0710	71.0	.39	10
3V750	21.71	9332-0750	75.0	.40	10
3V800	23.11	9332-0800	80.0	.43	10
3V850	24.76	9332-0850	85.0	.45	10
3V900	26.71	9332-0900	90.0	.47	10
3V950	28.11	9332-0950	95.0	.49	1
3V1000	29.79	9332-1000	100.0	.52	10
3V1060	31.45	9332-1060	106.0	.61	1
3V1120	34.23	9332-1120	112.0	.63	1
3V1180	36.47	9332-1180	118.0	.65	1
3V1250	38.97	9332-1250	125.0	.69	1
3V1320	41.19	9332-1320	132.0	.72	1
3V1400	43.69	9332-1400	140.0	.75	1

Super HC® Belts



Product No. Series 9334

5V Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
5V500	$34.23	9334-0500	50.0	.69	1
5V530	35.63	9334-0530	53.0	.73	1
5V560	37.31	9334-0560	56.0	.76	1
5V600	40.36	9334-0600	60.0	.85	1
5V630	42.30	9334-0630	63.0	.95	1
5V670	45.09	9334-0670	67.0	1.00	1
5V710	47.87	9334-0710	71.0	1.05	1
5V750	50.66	9334-0750	75.0	1.10	1
5V800	54.01	9334-0800	80.0	1.13	10
5V850	58.19	9334-0850	85.0	1.24	10
5V900	60.40	9334-0900	90.0	1.27	10
5V950	64.87	9334-0950	95.0	1.37	10
5V1000	68.47	9334-1000	100.0	1.42	10
5V1060	72.65	9334-1060	106.0	1.48	10
5V1120	76.83	9334-1120	112.0	1.57	10
5V1180	81.00	9334-1180	118.0	1.66	10
5V1250	86.01	9334-1250	125.0	1.76	10
5V1320	90.74	9334-1320	132.0	1.91	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
5V1400	$95.75	9334-1400	140.0	2.01	10
5V1500	102.98	9334-1500	150.0	2.18	10
5V1600	109.96	9334-1600	160.0	2.31	10
5V1700	116.91	9334-1700	170.0	2.44	10
5V1800	124.14	9334-1800	180.0	2.57	10
5V1900	131.39	9334-1900	190.0	2.71	10
5V2000	138.61	9334-2000	200.0	2.84	10
5V2120	147.24	9334-2120	212.0	3.05	10
5V2240	155.89	9334-2240	224.0	3.26	1
5V2360	163.67	9334-2360	236.0	3.42	1
5V2500	173.40	9334-2500	250.0	3.61	1
5V2650	184.25	9334-2650	265.0	3.81	1
5V2800	194.30	9334-2800	280.0	4.15	10
5V3000	207.93	9334-3000	300.0	4.41	1
5V3150	218.23	9334-3150	315.0	4.63	1
5V3350	232.14	9334-3350	335.0	4.90	1
5V3550	246.07	9334-3550	355.0	5.16	1



Product No. Series 9336

8V Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
8V1000	$130.83	9336-1000	100.0	3.66	1
8V1060	138.61	9336-1060	106.0	3.87	1
8V1120	146.69	9336-1120	112.0	4.22	10
8V1180	154.76	9336-1180	118.0	4.42	10
8V1250	163.94	9336-1250	125.0	4.66	10
8V1320	173.15	9336-1320	132.0	4.91	10
8V1400	183.71	9336-1400	140.0	5.21	10
8V1500	197.07	9336-1500	150.0	5.53	10
8V1600	210.16	9336-1600	160.0	5.87	10
8V1700	225.47	9336-1700	170.0	6.43	1
8V1800	237.71	9336-1800	180.0	6.78	1
8V1900	251.35	9336-1900	190.0	7.12	1
8V2000	265.00	9336-2000	200.0	7.47	1
8V2120	281.41	9336-2120	212.0	7.88	1
8V2240	296.71	9336-2240	224.0	7.99	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
8V2360	$312.04	9336-2360	236.0	8.97	1
8V2500	330.39	9336-2500	250.0	9.46	1
8V2650	350.45	9336-2650	265.0	9.97	1
8V2800	371.05	9336-2800	280.0	10.49	1
8V3000	397.49	9336-3000	300.0	11.18	1
8V3150	417.82	9336-3150	315.0	11.70	1
8V3350	444.81	9336-3350	335.0	12.39	1
8V3550	471.25	9336-3550	355.0	13.31	1
8V3750	498.25	9336-3750	375.0	14.00	1
8V4000	532.77	9336-4000	400.0	14.86	1
8V4250	567.28	9336-4250	425.0	15.72	1
8V4500	601.79	9336-4500	450.0	16.88	1
8V4750	636.31	9336-4750	475.0	17.74	1
8V5000	670.83	9336-5000	500.0	18.60	1
8V5600	753.78	9336-5600	560.0	21.47	1

Super HC® Molded Notch Belts

Constructed with Gates proprietary Vextra® construction, this belt has a superior combination of flex and load carrying capacity, as well as transmitting more horsepower than the classical cross sections in the same amount of drive space.



Markets/Applications

Suitable for all industrial applications, particularly where space, weight and horespower capacity are critical.

Features/Advantages

- **Notches molded** into the belt during manufacturing make this belt well suited for drives with smaller diameter sheaves.
- **Belt Edge** is machined for even sheave groove contact resulting in less slip and wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Super HC® Sheaves

Notes
Gates Super HC® Molded Notch belts are available in 3VX and 5VX cross sections.

Product No. Series 9412



Vextra® V80®

3VX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3VX250	$10.86	9412-0250	25.0	.12	1
3VX265	11.14	9412-0265	26.5	.13	1
3VX280	11.40	9412-0280	28.0	.16	1
3VX300	11.70	9412-0300	30.0	.17	1
3VX315	12.25	9412-0315	31.5	.18	10
3VX335	12.53	9412-0335	33.5	.19	1
3VX355	13.08	9412-0355	35.5	.20	1
3VX375	13.36	9412-0375	37.5	.21	10
3VX400	14.20	9412-0400	40.0	.24	10
3VX425	14.75	9412-0425	42.5	.25	10
3VX450	15.31	9412-0450	45.0	.26	10
3VX475	15.86	9412-0475	47.5	.27	10
3VX500	16.15	9412-0500	50.0	.28	10
3VX530	16.71	9412-0530	53.0	.30	10
3VX560	17.25	9412-0560	56.0	.31	10
3VX600	18.08	9412-0600	60.0	.33	10

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3VX630	$18.65	9412-0630	63.0	.34	10
3VX670	19.48	9412-0670	67.0	.36	10
3VX710	20.60	9412-0710	71.0	.37	10
3VX750	21.71	9412-0750	75.0	.39	10
3VX800	23.11	9412-0800	80.0	.41	10
3VX850	24.76	9412-0850	85.0	.43	10
3VX900	26.71	9412-0900	90.0	.45	10
3VX950	28.11	9412-0950	95.0	.48	1
3VX1000	29.79	9412-1000	100.0	.50	1
3VX1060	31.45	9412-1060	106.0	.53	1
3VX1120	34.23	9412-1120	112.0	.56	1
3VX1180	36.47	9412-1180	118.0	.61	1
3VX1250	38.97	9412-1250	125.0	.65	1
3VX1320	41.19	9412-1320	132.0	.69	1
3VX1400	43.69	9412-1400	140.0	.74	1

Super HC® Molded Notch Belts



Product No. Series 9414

5VX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
5VX450	$30.90	9414-0450	45.0	.59	1
5VX470	32.17	9414-0470	47.0	.62	1
5VX490	33.55	9414-0490	49.0	.65	1
5VX500	34.23	9414-0500	50.0	.66	1
5VX510	34.91	9414-0510	51.0	.67	1
5VX530	35.63	9414-0530	53.0	.69	1
5VX540	36.30	9414-0540	54.0	.70	1
5VX550	36.97	9414-0550	55.0	.71	1
5VX560	37.31	9414-0560	56.0	.73	1
5VX570	37.97	9414-0570	57.0	.74	1
5VX580	39.02	9414-0580	58.0	.75	1
5VX590	39.69	9414-0590	59.0	.76	1
5VX600	40.36	9414-0600	60.0	.78	1
5VX610	41.03	9414-0610	61.0	.79	1
5VX630	42.30	9414-0630	63.0	.89	1
5VX650	43.75	9414-0650	65.0	.90	1
5VX660	44.43	9414-0660	66.0	.91	1
5VX670	45.09	9414-0670	67.0	.92	5
5VX680	45.76	9414-0680	68.0	.93	10
5VX690	46.43	9414-0690	69.0	.93	1
5VX710	47.87	9414-0710	71.0	.94	1
5VX730	49.21	9414-0730	73.0	.96	10
5VX740	49.89	9414-0740	74.0	1.00	1
5VX750	50.66	9414-0750	75.0	1.04	1
5VX780	53.24	9414-0780	78.0	1.02	1
5VX800	54.01	9414-0800	80.0	1.06	1
5VX810	54.68	9414-0810	81.0	1.07	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
5VX830	$56.04	9414-0830	83.0	1.10	1
5VX840	57.51	9414-0840	84.0	1.11	1
5VX850	58.19	9414-0850	85.0	1.25	1
5VX860	58.87	9414-0860	86.0	1.26	1
5VX880	59.64	9414-0880	88.0	1.27	1
5VX900	60.40	9414-0900	90.0	1.28	10
5VX930	63.47	9414-0930	93.0	1.32	1
5VX950	64.87	9414-0950	95.0	1.38	1
5VX960	66.68	9414-0960	96.0	1.39	10
5VX1000	68.47	9414-1000	100.0	1.41	10
5VX1030	70.53	9414-1030	103.0	1.45	1
5VX1060	72.65	9414-1060	106.0	1.49	10
5VX1080	74.01	9414-1080	108.0	1.51	1
5VX1120	76.83	9414-1120	112.0	1.56	10
5VX1150	78.88	9414-1150	115.0	1.60	1
5VX1180	81.00	9414-1180	118.0	1.67	10
5VX1230	84.59	9414-1230	123.0	1.73	1
5VX1250	86.01	9414-1250	125.0	1.76	1
5VX1320	90.74	9414-1320	132.0	1.85	1
5VX1400	95.75	9414-1400	140.0	2.02	1
5VX1500	102.98	9414-1500	150.0	2.17	1
5VX1600	109.96	9414-1600	160.0	2.30	1
5VX1700	116.91	9414-1700	170.0	2.43	1
5VX1800	124.14	9414-1800	180.0	2.56	1
5VX1900	131.39	9414-1900	190.0	2.69	1
5VX2000	138.61	9414-2000	200.0	2.82	1

Super HC® PowerBand® Belts

The PowerBand® construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave groove.



Markets/Applications

Recommended for multiple V-belt drives exposed to pulsating or heavy shock loads which can make belts whip, turn over or jump off the drive.

Features/Advantages

- The **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.
- **Concave sidewalls** provide proper cord support and full contact with the sheave-groove for equal loading and uniform wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Super HC® Sheaves

Notes
Minimum order quantities are not required on lengths listed.
Super HC PowerBand® belts with six strands or more may require lead time.
The part number is constructed by placing the number of strands required followed by a slash (/) in front of the belt size. For example 5/5V1400 represents a 5V1400 with 5 strands.

Product No. Series 9385

3V Section



3V PowerBand® Belts are non-notched, raw edge construction for sizes 3V300 through 3V750. Sizes 3V800 and longer are banded (covered) construction.

V80®

Size	Suggested List Prices for Stock PowerBand® Belts 2 Strand	3 Strand	4 Strand	5 Strand	Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
[15]3V300	$31.77	$47.66	$66.31	$82.88	$17.41	30.0	.18
[15]3V315	33.31	49.96	69.51	86.88	18.25	31.5	.20
[15]3V335	34.08	51.12	71.13	88.90	18.68	33.5	.20
[15]3V355	35.55	53.33	74.20	92.74	19.49	35.5	.20
[15]3V375	36.31	54.46	75.78	94.71	19.90	37.5	.22
[15]3V400	38.60	57.90	80.56	100.68	21.15	40.0	.24
[15]3V425	40.13	60.20	83.76	104.69	21.99	42.5	.26
[15]3V450	41.62	62.43	86.87	108.57	22.81	45.0	.28
[15]3V475	43.13	64.70	90.02	112.52	23.64	47.5	.29
[15]3V500	43.91	65.87	91.64	114.54	24.07	50.0	.30
[15]3V530	45.38	68.07	94.71	118.38	24.86	53.0	.33
[15]3V560	46.91	70.37	97.91	122.38	25.70	56.0	.34
[15]3V600	49.20	73.80	102.69	128.34	26.96	60.0	.37
[15]3V630	50.69	76.04	105.80	132.24	27.78	63.0	.40
[15]3V670	52.96	79.44	110.53	138.15	29.02	67.0	.41
[15]3V710	55.99	83.98	116.84	146.04	30.68	71.0	.44
[15]3V750	59.03	88.55	123.20	153.98	32.35	75.0	.46
3V800	62.81	94.22	131.08	163.84	34.42	80.0	.50
3V850	67.35	101.02	140.55	175.68	36.91	85.0	.53
3V900	75.01	112.52	156.56	195.67	41.11	90.0	.56

3V PowerBand® belts up to 3V750 are available up to 22 strands. 3V PowerBand® belts 3V800 and longer are available up to 30 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.
[15]Not included in V-80® matching program.

Prices Subject To Change Without Notice

Super HC® PowerBand® Belts

Product No. Series 9385 (continued)

3V Section (continued)

Size	Suggested List Prices for Stock PowerBand® Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
3V950	$76.42	$114.63	$159.48	$199.34	$41.87	95.0	.60
3V1000	80.98	121.46	169.00	211.23	44.37	100.0	.63
3V1060	85.51	128.27	178.47	223.06	46.86	106.0	.66
3V1120	93.07	139.61	194.24	242.78	51.00	112.0	.70
3V1180	99.12	148.68	206.86	258.55	54.32	118.0	.74
3V1250	105.95	158.92	221.11	276.36	58.05	125.0	.79
3V1320	111.97	167.96	233.69	292.08	61.36	132.0	.83
3V1400	118.65	177.98	247.62	309.50	65.02	140.0	.88

3V PowerBand® belts up to 3V750 are available up to 22 strands. 3V PowerBand® belts 3V800 and longer are available up to 30 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.



Product No. Series 9386

5V Section

Size	Suggested List Prices for Stock PowerBand® Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
[15]5V500	$93.07	$139.60	$194.23	$242.76	$51.00	50.0	.70
[15]5V530	96.84	145.27	202.11	252.62	53.07	53.0	.80
[15]5V560	101.41	152.12	211.65	264.54	55.58	56.0	.86
[15]5V600	109.71	164.58	228.98	286.20	60.12	60.0	.96
[15]5V630	115.02	172.53	240.04	300.03	63.03	63.0	1.00
5V670	122.56	183.83	255.78	319.69	67.16	67.0	1.04
5V710	130.15	195.23	271.61	339.49	71.32	71.0	1.18
5V750	137.73	206.59	287.44	359.26	75.47	75.0	1.21
5V800	146.76	220.14	306.30	382.83	80.43	80.0	1.25
5V850	158.12	237.17	329.98	412.44	86.65	85.0	1.36
5V900	164.18	246.28	342.65	428.27	89.97	90.0	1.39
5V950	176.30	264.43	367.92	459.86	96.61	95.0	1.50
5V1000	186.13	279.21	388.46	485.53	102.00	100.0	1.57
5V1060	197.48	296.23	412.16	515.15	108.22	106.0	1.71
5V1120	208.80	313.20	435.77	544.66	114.42	112.0	1.79
5V1180	220.16	330.26	459.49	574.31	120.66	118.0	1.86
5V1250	233.80	350.70	487.95	609.87	128.12	125.0	2.00
5V1320	246.66	369.98	514.76	643.39	135.17	132.0	2.11
5V1400	260.25	390.39	543.15	678.88	142.62	140.0	2.25
5V1500	279.92	419.87	584.19	730.16	153.39	150.0	2.39
5V1600	298.86	448.29	623.72	779.58	163.78	160.0	2.57
5V1700	317.76	476.65	663.18	828.89	174.13	170.0	2.75
5V1800	337.43	506.14	704.20	880.17	184.91	180.0	2.89
5V1900	357.09	535.65	745.27	931.50	195.69	190.0	3.07
5V2000	376.80	565.19	786.38	982.88	206.48	200.0	3.25
5V2120	400.24	600.35	835.29	1044.02	219.32	212.0	3.46
5V2240	423.68	635.50	884.21	1105.15	232.18	224.0	3.68
5V2360	444.86	667.30	928.44	1160.44	243.79	236.0	3.89
5V2500	471.35	707.03	983.70	1229.52	258.30	250.0	4.07
5V2650	500.88	751.32	1045.34	1306.55	274.48	265.0	4.32

5V PowerBand® belts are available up to 18 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.

[15]Not included in V-80® matching program.

Super HC® PowerBand® Belts

Product No. Series 9386 (continued)

5V Section (continued)

Size	Suggested List Prices for Stock PowerBand® Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
5V2800	$528.09	$792.14	$1102.12	$1377.53	$289.39	280.0	4.57
5V3000	565.17	847.76	1179.52	1474.25	309.72	300.0	4.89
5V3150	593.16	889.73	1237.91	1547.24	325.05	315.0	5.18
5V3350	630.99	946.48	1316.87	1645.94	345.79	335.0	5.50
5V3550	668.84	1003.25	1395.86	1744.66	366.52	355.0	5.79

5V PowerBand® belts are available up to 18 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.



Product No. Series 9387

8V Section

Size	Suggested List Prices for Stock PowerBand® Belts			Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	3 Strand	4 Strand	5 Strand			
8V1000	$533.40	$742.14	$927.59	$194.87	100.0	3.90
8V1060	565.18	786.37	982.86	206.48	106.0	4.15
8V1120	598.11	832.18	1040.12	218.52	112.0	4.42
8V1180	630.99	877.92	1097.29	230.52	118.0	4.67
8V1250	668.49	930.09	1162.50	244.22	125.0	5.00
8V1320	705.88	982.12	1227.52	257.88	132.0	5.25
8V1400	749.04	1042.17	1302.59	273.65	140.0	5.58
8V1500	803.52	1117.97	1397.32	293.55	150.0	6.00
8V1600	856.85	1192.16	1490.06	313.04	160.0	6.33
8V1700	919.28	1279.03	1598.63	335.84	170.0	6.75
8V1800	969.18	1348.46	1685.41	354.07	180.0	7.25
8V1900	1024.81	1425.85	1782.13	374.40	190.0	7.67
8V2000	1080.43	1503.23	1878.86	394.72	200.0	8.00
8V2120	1147.37	1596.37	1995.26	419.17	212.0	8.50
8V2240	1209.79	1683.22	2103.83	441.98	224.0	9.00
8V2360	1272.21	1770.07	2212.37	464.78	236.0	9.42
8V2500	1347.10	1874.27	2342.61	492.15	250.0	10.00
8V2650	1428.84	1988.00	2484.75	522.01	265.0	10.58
8V2800	1512.82	2104.84	2630.80	552.69	280.0	11.33
8V3000	1620.64	2254.84	2818.29	592.07	300.0	12.08
8V3150	1703.48	2370.10	2962.34	622.34	315.0	12.75
8V3350	1813.52	2523.20	3153.71	662.54	335.0	13.58
8V3550	1921.37	2673.28	3341.28	701.95	355.0	14.33
8V3750	2031.44	2826.40	3532.66	742.15	375.0	15.08
8V4000	2172.17	3022.20	3777.40	793.57	400.0	16.08
8V4250	2312.92	3218.04	4022.16	844.99	425.0	17.08
8V4500	2453.60	3413.77	4266.80	896.37	450.0	18.08
8V4750	2594.34	3609.60	4511.56	947.80	475.0	19.17
8V5000	2735.07	3805.40	4756.30	999.21	500.0	20.17
8V5600	3073.27	4275.94	5344.42	1122.77	560.0	22.75
8V6000	3489.18	4854.61	6067.69	1274.71	600.0	24.42

8V PowerBand® belts up to 8V1400 are available up to 11 strands. 8V PowerBand® belts 8V1500 and longer are available up to 12 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.

Prices Subject To Change Without Notice

Super HC® Molded Notch PowerBand Belts

The PowerBand® construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave-groove.



Markets/Applications

Recommended for multiple V-belt drives exposed to pulsating or heavy shock loads which can make belts whip, turn over or jump off the drive.

Features/Advantages

- **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.
- **Notches molded** into the belt during manufacturing make this belt well suited for drives with smaller diameter sheaves.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Super HC® Sheaves

Notes
Minimum order quantities are not required on lengths listed.
Super HC PowerBand® belts with six strands or more may require lead time.
The part number is constructed by placing the number of strands required followed by a slash (/) in front of the belt size. For example 5/5VX1400 represents a 5VX1400 with 5 strands.

Product No. Series 9388



Vextra® V80®

3VX Section

Size	Suggested List Prices for Stock PowerBand® Belts 2 Strand	3 Strand	4 Strand	5 Strand	Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
3VX250	$29.51	$44.26	$61.57	$76.97	—	25.0	.10
3VX265	30.30	45.45	63.24	79.04	—	26.5	.14
3VX280	31.02	46.53	64.73	80.91	—	28.0	.16
3VX300	31.77	47.66	66.31	82.88	$17.41	30.0	.18
3VX315	33.31	49.96	69.51	86.88	18.25	31.5	.20
3VX335	34.08	51.12	71.13	88.90	18.68	33.5	.20
3VX355	35.55	53.33	74.20	92.74	19.49	35.5	.20
3VX375	36.31	54.46	75.78	94.71	19.90	37.5	.22
3VX400	38.60	57.90	80.56	100.68	21.15	40.0	.24
3VX425	40.13	60.20	83.76	104.69	21.99	42.5	.26
3VX450	41.62	62.43	86.87	108.57	22.81	45.0	.28
3VX475	43.13	64.70	90.02	112.52	23.64	47.5	.29
3VX500	43.91	65.87	91.64	114.54	24.07	50.0	.30
3VX530	45.38	68.07	94.71	118.38	24.86	53.0	.33
3VX560	46.91	70.37	97.91	122.38	25.70	56.0	.34
3VX600	49.20	73.80	102.69	128.34	26.96	60.0	.37
3VX630	50.69	76.04	105.80	132.24	27.78	63.0	.40
3VX670	52.96	79.44	110.53	138.15	29.02	67.0	.41
3VX710	55.99	83.98	116.84	146.04	30.68	71.0	.44
3VX750	59.03	88.55	123.20	153.98	32.35	75.0	.46

3VX PowerBand® belts are available up to 22 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.

Prices Subject To Change Without Notice

Hi-Power® II PowerBand V-Belts

Product No. Series 9388 (continued)

3VX Section (continued)

Size	Suggested List Prices for Stock PowerBand® Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
3VX800	$62.81	$94.22	$131.08	$163.84	$34.42	80.0	.50
3VX850	67.35	101.02	140.55	175.68	36.91	85.0	.53
3VX900	75.01	112.52	156.56	195.67	41.11	90.0	.56
3VX950	76.42	114.63	159.48	199.34	41.87	95.0	.60
3VX1000	80.98	121.46	169.00	211.23	44.37	100.0	.63
3VX1060	85.51	128.27	178.47	223.06	46.86	106.0	.66
3VX1120	93.07	139.61	194.24	242.78	51.00	112.0	.70
3VX1180	99.12	148.68	206.86	258.55	54.32	118.0	.74
3VX1250	105.95	158.92	221.11	276.36	58.05	125.0	.79
3VX1320	111.97	167.96	233.69	292.08	61.36	132.0	.83
3VX1400	118.65	177.98	247.62	309.50	65.02	140.0	.88

3VX PowerBand® belts are available up to 22 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.



Product No. Series 9389

5VX Section

Vextra® V80®

Size	Suggested List Prices for Stock PowerBand® Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
5VX500	$93.07	$139.60	$194.23	$242.76	$51.00	50.0	.70
5VX530	96.84	145.27	202.11	252.62	53.07	53.0	.80
5VX560	101.41	152.12	211.65	264.54	55.58	56.0	.86
5VX600	109.71	164.58	228.98	286.20	60.12	60.0	.96
5VX630	115.02	172.53	240.04	300.03	63.03	63.0	1.00
5VX670	122.56	183.83	255.78	319.69	67.16	67.0	1.04
5VX710	130.15	195.23	271.61	339.49	71.32	71.0	1.18
5VX750	137.73	206.59	287.44	359.26	75.47	75.0	1.21
5VX800	146.76	220.14	306.30	382.83	80.43	80.0	1.25
5VX850	158.12	237.17	329.98	412.44	86.65	85.0	1.36
5VX900	164.18	246.28	342.65	428.27	89.97	90.0	1.39
5VX950	176.30	264.43	367.92	459.86	96.61	95.0	1.50
5VX1000	186.13	279.21	388.46	485.53	102.00	100.0	1.57
5VX1060	197.48	296.23	412.16	515.15	108.22	106.0	1.71
5VX1120	208.80	313.20	435.77	544.66	114.42	112.0	1.79
5VX1180	220.16	330.26	459.49	574.31	120.66	118.0	1.86
5VX1250	233.80	350.70	487.95	609.87	128.12	125.0	2.00
5VX1320	246.66	369.98	514.76	643.39	135.17	132.0	2.11
5VX1400	260.25	390.39	543.15	678.88	142.62	140.0	2.25
5VX1500	279.92	419.87	584.19	730.16	153.39	150.0	2.39
5VX1600	298.86	448.29	623.72	779.58	163.78	160.0	2.57
5VX1700	317.76	476.65	663.18	828.89	174.13	170.0	2.75
5VX1800	337.43	506.14	704.20	880.17	184.91	180.0	2.89
5VX1900	357.09	535.65	745.27	931.50	195.69	190.0	3.07
5VX2000	376.80	565.19	786.38	982.88	206.48	200.0	3.25

5VX PowerBand® belts are available up to 13 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.

Prices Subject To Change Without Notice

Predator® Belts

Specifically designed for aggressive applications, this extra heavy-duty belt construction provides extraordinary high impact strength, capacity, and wear resisitance.



Markets/Applications

Predator® belts are well suited as replacement belts for applications exposed to pulsating loads or heavy shock loads, such as mining, agriculture, wood processing, oil field equipment, heavy construction and sand/gravel operations.

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability that is pound-for-pound stronger than steel.
- **Bareback Cover** resists debris and allows the belt to slip under extreme shock load conditions, reducing heat buildup and prolonging belt life.
- Multiple layer **Tie Band** provides excellent lateral rigidity to prevent belts from turning over or from coming off of the drive.
- **Gates Curves** provide proper cord support and full contact with the sheave-groove for equal loading, uniform wear, and increased belt life.
- Meets RMA **oil and heat** resistant standards.

Notes

Minimum order quantities will not be required on lengths listed. Check with Customer Service for availability.
Predator® belts listed may require manufacturing lead times.
When application requires Predator® PowerBand® belt sets, request belts with same group/match number.
Predator® belts do not meet RMA reqirements for belt static conductivity.
The part number is constructed by placing the number of strands required, followed by a slash (/) in front of the belt size.
For example 5/8VP3000 represents an 8VP3000 with 5 strands.

HEAVY DUTY V-BELTS

Product No. Series 9184

Section CP

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
3/CP85	$223.19	9184-3085	89.0	6.63
3/CP90	241.00	9184-3090	94.0	7.02
3/CP99	263.94	9184-3099	103.0	7.71

CP Predator® belts are available up to 12 strands.

Product No. Series 9180

Section 3VP

Size	Suggested List Price 2 Strand	3 Strand	4 Strand	5 Strand	Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
3VP450	$54.11	$81.17	$112.93	$141.14	$29.65	45.0	.28
3VP475	56.07	84.12	117.02	146.28	30.72	47.5	.29
3VP500	57.09	85.63	119.13	148.91	31.29	50.0	.30
3VP530	59.00	88.49	123.12	153.89	32.32	53.0	.33
3VP560	60.98	91.49	127.29	159.10	33.41	56.0	.34
3VP600	63.97	95.95	133.50	166.85	35.05	60.0	.37
3VP630	65.90	98.86	137.54	171.91	36.12	63.0	.40
3VP670	103.28	103.28	143.69	179.51	37.73	67.0	.41
3VP710	72.79	109.17	151.89	189.86	39.89	71.0	.44
3VP750	76.74	115.11	160.16	200.18	42.05	75.0	.46

3VP Predator® belts are available up to 10 strands.

Prices Subject To Change Without Notice

Predator® Belts

Product No. Series 9180 (continued)

Section 3VP (continued)

Size	Suggested List Price 2 Strand	3 Strand	4 Strand	5 Strand	Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
3VP800	$81.66	$122.48	$170.40	$212.99	$44.74	80.0	.50
3VP850	87.55	131.32	182.72	228.38	47.99	85.0	.53
3VP900	97.51	146.28	203.52	254.37	53.45	90.0	.56
3VP950	99.34	149.02	207.33	259.15	54.43	95.0	.60
3VP1000	105.27	157.90	219.70	274.60	57.69	100.0	.63
3VP1060	111.16	166.75	232.01	289.98	60.92	106.0	.66
3VP1120	120.99	181.49	252.51	315.62	66.30	112.0	.70
3VP1180	128.86	193.28	268.92	336.12	70.61	118.0	.74
3VP1250	137.73	206.60	287.44	359.27	75.47	125.0	.79
3VP1320	145.56	218.35	303.80	379.70	79.77	132.0	.83
3VP1400	154.25	231.37	321.91	402.35	84.53	140.0	.88

3VP Predator® belts are available up to 10 strands.

Product No. Series 9181

Section 5VP

Size	Suggested List Price 2 Strand	3 Strand	4 Strand	5 Strand	Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
5VP600	$142.63	$213.95	$297.68	$372.06	$78.16	60.0	.96
5VP630	149.52	224.28	312.05	390.03	81.94	63.0	1.00
5VP670	159.33	238.98	332.51	415.60	87.31	67.0	1.04
5VP710	169.20	253.80	353.09	441.34	92.72	71.0	1.18
5VP750	179.05	268.57	373.67	467.04	98.11	75.0	1.21
5VP800	190.79	286.19	398.18	497.68	104.56	80.0	1.25
5VP850	205.56	308.32	428.98	536.17	112.64	85.0	1.36
5VP900	213.43	320.17	445.44	556.75	116.97	90.0	1.39
5VP950	229.18	343.77	478.30	597.82	125.59	95.0	1.50
5VP1000	241.97	362.96	505.00	631.19	795.56	100.0	1.57
5VP1060	256.73	385.10	535.80	669.70	140.69	106.0	1.71
5VP1120	271.45	407.17	566.51	708.06	148.74	112.0	1.79
5VP1180	286.21	429.33	597.33	746.60	156.86	118.0	1.86
5VP1250	303.94	455.91	634.33	792.83	166.56	125.0	2.00
5VP1320	320.65	480.97	669.20	836.41	175.72	132.0	2.11
5VP1400	338.33	507.51	706.10	882.55	185.41	140.0	2.25
5VP1500	363.90	545.83	759.44	949.21	199.42	150.0	2.39
5VP1600	388.52	582.77	810.84	1013.46	212.91	160.0	2.57
5VP1700	413.09	619.65	862.13	1077.56	226.37	170.0	2.75
5VP1800	438.66	657.98	915.46	1144.23	240.38	180.0	2.89
5VP1900	464.23	696.34	968.85	1210.94	254.39	190.0	3.07
5VP2000	489.85	734.75	1022.29	1277.75	268.43	200.0	3.25
5VP2120	520.31	780.45	1085.87	1357.22	285.12	212.0	3.46
5VP2240	550.78	826.15	1149.47	1436.69	301.83	224.0	3.68
5VP2360	578.32	867.49	1206.98	1508.57	316.92	236.0	3.89
5VP2500	612.75	919.14	1278.82	1598.37	335.79	250.0	4.07
5VP2650	651.15	976.71	1358.94	1698.51	356.82	265.0	4.32
5VP2800	686.51	1029.79	1432.76	1790.79	376.20	280.0	4.57
5VP3000	734.73	1102.09	1533.38	1916.53	402.63	300.0	4.89
5VP3150	771.10	1156.65	1609.28	2011.41	422.56	315.0	5.18
5VP3350	820.28	1230.42	1711.93	2139.72	449.53	335.0	5.50
5VP3550	869.49	1304.23	1814.62	2268.05	476.48	355.0	5.79

5VP Predator® belts are available up to 16 strands.

Predator® Belts



Product No. Series 9182

Section 8VP

Size	Suggested List Price 3 Strand	Suggested List Price 4 Strand	Suggested List Price 5 Strand	Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
8VP1000	$762.76	$1061.26	$1326.45	$265.94	100.0	3.90
8VP1060	808.22	1124.51	1405.50	281.65	106.0	4.15
8VP1120	855.30	1190.02	1487.37	298.21	112.0	4.42
8VP1180	902.31	1255.42	1569.13	314.59	118.0	4.67
8VP1250	958.20	1333.16	1666.30	333.29	125.0	5.00
8VP1320	1011.85	1407.82	1759.61	351.94	132.0	5.25
8VP1400	1073.68	1493.84	1867.12	373.45	140.0	5.58
8VP1500	1151.77	1602.49	2002.93	400.62	150.0	6.00
8VP1600	1228.20	1708.83	2135.83	427.21	160.0	6.33
8VP1700	1317.65	1833.29	2290.34	458.34	170.0	6.75
8VP1800	1389.23	1932.88	2415.87	483.21	180.0	7.25
8VP1900	1468.97	2043.83	2554.55	510.95	190.0	7.65
8VP2000	1548.66	2154.69	2693.10	538.68	200.0	8.00
8VP2120	1644.67	2288.29	2860.07	572.05	212.0	8.50
8VP2240	1734.13	2412.75	3015.64	603.17	224.0	9.00
8VP2360	1823.62	2537.27	3171.28	634.31	236.0	9.42
8VP2500	1930.93	2686.57	3357.89	671.64	250.0	10.00
8VP2650	2048.08	2849.56	3561.61	712.39	265.0	10.58
8VP2800	2168.46	3017.05	3770.95	754.27	280.0	11.33
8VP3000	2322.99	3232.06	4039.69	808.02	300.0	12.08
8VP3150	2441.76	3397.32	4246.23	849.31	315.0	12.75
8VP3350	2599.50	3616.77	4520.52	904.19	335.0	13.58
8VP3550	2754.07	3831.83	4789.33	957.97	355.0	14.33
8VP3750	2911.86	4051.36	5063.72	1012.83	375.0	15.08
8VP4000	3113.58	4332.03	5414.51	1083.00	400.0	16.08
8VP4250	3315.30	4612.69	5765.32	1153.17	425.0	17.08
8VP4500	3516.99	4893.30	6116.04	1223.30	450.0	18.08
8VP4750	3718.71	5173.97	6466.83	1293.50	475.0	19.17
8VP5000	3920.44	5454.63	6817.64	1363.65	500.0	20.17
8VP5600	4405.19	6129.09	7660.62	1532.27	560.0	22.75
8VP6000	4989.53	6942.10	8676.79	1739.63	600.0	24.42

8VP Predator® belts are available up to 12 strands.

Hi-Power® II Belts

Featuring a composite, multi-purpose construction, these belts resist oil and heat, ozone, sunlight, weather, and aging.



Markets/Applications

Suitable for all industrial applications, including v-flat drives.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- The **Flex-Weave® Cover** is a patented fabric construction for longer cover life, providing extended protection to the belt core from oil, dirt and heat.
- Meets RMA **oil and heat resisitant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Multi-Duty Sheaves

Notes
Gates Hi-Power® belts are available in A, B, C, D and E cross sections.

Product No. Series 9002



V80®

A Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A24	$6.77	9002-2024	26	.17	1
A25	6.87	9002-2025	27	.18	1
A26	6.98	9002-2026	28	.18	10
A27	7.08	9002-2027	29	.19	10
A28	7.19	9002-2028	30	.19	10
A29	7.29	9002-2029	31	.20	10
A29.8	7.41	9002-2298	31.8	.21	1
A30	7.41	9002-2030	32	.21	1
A31	7.52	9002-2031	33	.22	10
A32	7.68	9002-2032	34	.22	10
A33	7.78	9002-2033	35	.23	10
A34	7.94	9002-2034	36	.24	10
A35	8.05	9002-2035	37	.24	10
A36	8.21	9002-2036	38	.25	10
A37	8.43	9002-2037	39	.26	10
A38	8.58	9002-2038	40	.27	10
A39	8.75	9002-2039	41	.27	10
A40	8.86	9002-2040	42	.28	10
A41	9.03	9002-2041	43	.29	10
A42	9.23	9002-2042	44	.29	10
A43	9.39	9002-2043	45	.30	10
A44	9.50	9002-2044	46	.31	10
A45	9.61	9002-2045	47	.32	10
A46	9.66	9002-2046	48	.33	10
A47	9.76	9002-2047	49	.34	10
A48	9.88	9002-2048	50	.34	10
A49	9.98	9002-2049	51	.34	10
A50	10.08	9002-2050	52	.38	10
A51	10.20	9002-2051	53	.39	10
A52	10.31	9002-2052	54	.40	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A53	$10.41	9002-2053	55	.41	10
A54	10.58	9002-2054	56	.41	10
A55	10.68	9002-2055	57	.42	10
A56	10.78	9002-2056	58	.43	10
A57	10.88	9002-2057	59	.43	1
A58	11.06	9002-2058	60	.44	10
A59	11.16	9002-2059	61	.45	1
A60	11.27	9002-2060	62	.46	10
A61	11.43	9002-2061	63	.47	1
A62	11.53	9002-2062	64	.48	10
A63	11.71	9002-2063	65	.48	1
A64	11.81	9002-2064	66	.49	10
A65	11.92	9002-2065	67	.50	1
A66	12.08	9002-2066	68	.51	1
A67	12.23	9002-2067	69	.51	1
A68	12.35	9002-2068	70	.52	10
A69	12.62	9002-2069	71	.53	1
A70	12.88	9002-2070	72	.53	1
A71	12.98	9002-2071	73	.53	1
A72	13.05	9002-2072	74	.53	1
A73	13.15	9002-2073	75	.54	1
A74	13.26	9002-2074	76	.54	1
A75	13.42	9002-2075	77	.54	1
A76	13.63	9002-2076	78	.54	1
A77	13.85	9002-2077	79	.54	1
A78	14.07	9002-2078	80	.54	1
A79	14.27	9002-2079	81	.55	1
A80	14.50	9002-2080	82	.56	1
A81	14.70	9002-2081	83	.56	1
A82	14.92	9002-2082	84	.57	1

Prices Subject To Change Without Notice

Hi-Power®II Belts

Product No. Series 9002 (continued)

A Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A83	$15.12	9002-2083	85	.58	1
A84	15.35	9002-2084	86	.59	1
A85	15.57	9002-2085	87	.59	1
A86	15.77	9002-2086	88	.60	1
A87	15.99	9002-2087	89	.61	1
A88	16.21	9002-2088	90	.61	1
A89	16.42	9002-2089	91	.62	1
A90	16.64	9002-2090	92	.63	1
A91	16.83	9002-2091	93	.64	1
A92	17.01	9002-2092	94	.64	1
A93	17.17	9002-2093	95	.65	1
A94	17.36	9002-2094	96	.65	1
A95	17.54	9002-2095	97	.66	1
A96	17.71	9002-2096	98	.67	1
A97	17.85	9002-2097	99	.68	1
A98	18.09	9002-2098	100	.68	1
A99	18.28	9002-2099	101	.69	1
A100	18.46	9002-2100	102	.70	1
A101	18.64	9002-2101	103	.71	1
A102	18.83	9002-2102	104	.71	1
A103	19.01	9002-2103	105	.72	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A105	$19.31	9002-2105	107	.74	1
A108	20.45	9002-2108	110	.75	1
A110	20.83	9002-2110	112	.76	1
A112	21.46	9002-2112	114	.78	1
A113	21.68	9002-2113	115	.79	1
A115	22.06	9002-2115	117	.80	1
A116	22.31	9002-2116	118	.81	1
A117	22.50	9002-2117	119	.82	1
A118	22.70	9002-2118	120	.83	1
A120	23.08	9002-2120	122	.84	1
A124	23.88	9002-2124	126	.86	1
A128	24.68	9002-2128	130	.89	1
A130	25.12	9002-2130	132	.91	1
A133	25.70	9002-2133	135	.94	1
A136	26.30	9002-2136	138	.96	1
A144	27.87	9002-2144	146	1.02	1
A158	30.59	9002-2158	160	1.12	1
A173	33.56	9002-2173	175	1.20	1
A180	34.94	9002-2180	182	1.20	1
A200	38.82	9002-2200	202	1.40	1



Product No. Series 9003

B Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B28	$9.33	9003-2028	31	.35	1
B29	9.56	9003-2029	32	.36	1
B30	9.76	9003-2030	33	.37	1
B31	9.95	9003-2031	34	.38	1
B32	10.13	9003-2032	35	.40	1
B33	10.34	9003-2033	36	.41	1
B34	10.51	9003-2034	37	.42	1
B35	10.73	9003-2035	38	.43	1
B36	11.06	9003-2036	39	.44	10
B37	11.43	9003-2037	40	.45	1
B38	11.81	9003-2038	41	.46	10
B39	12.08	9003-2039	42	.48	1
B40	12.35	9003-2040	43	.49	10
B41	12.62	9003-2041	44	.50	10
B42	12.88	9003-2042	45	.51	10
B43	13.15	9003-2043	46	.52	10
B44	13.42	9003-2044	47	.54	10
B45	13.68	9003-2045	48	.55	10
B46	13.95	9003-2046	49	.57	10
B47	14.17	9003-2047	50	.58	10
B48	14.38	9003-2048	51	.59	10
B49	14.60	9003-2049	52	.60	10
B50	14.82	9003-2050	53	.61	10
B51	15.02	9003-2051	54	.63	10
B52	15.20	9003-2052	55	.64	10
B53	15.30	9003-2053	56	.65	10
B54	15.45	9003-2054	57	.66	10
B55	15.57	9003-2055	58	.67	10
B56	15.67	9003-2056	59	.69	10
B57	15.77	9003-2057	60	.69	10

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B58	$15.89	9003-2058	61	.72	10
B59	16.00	9003-2059	62	.73	10
B60	16.10	9003-2060	63	.74	10
B61	16.32	9003-2061	64	.75	10
B62	16.52	9003-2062	65	.76	10
B63	16.75	9003-2063	66	.77	10
B64	16.96	9003-2064	67	.78	10
B65	17.17	9003-2065	68	.81	10
B66	17.39	9003-2066	69	.82	10
B67	17.55	9003-2067	70	.83	10
B68	17.71	9003-2068	71	.84	10
B69	17.92	9003-2069	72	.85	1
B70	18.19	9003-2070	73	.86	10
B71	18.41	9003-2071	74	.87	10
B72	18.62	9003-2072	75	.88	10
B73	18.84	9003-2073	76	.89	10
B74	19.11	9003-2074	77	.90	1
B75	19.31	9003-2075	78	.91	10
B76	19.59	9003-2076	79	.92	1
B77	19.86	9003-2077	80	.93	10
B78	20.14	9003-2078	81	.94	10
B79	20.39	9003-2079	82	.95	1
B80	20.66	9003-2080	83	.96	10
B81	20.94	9003-2081	84	1.00	10
B82	21.46	9003-2082	85	1.00	10
B83	21.63	9003-2083	86	1.01	10
B84	21.84	9003-2084	87	1.02	1
B85	22.00	9003-2085	88	1.03	10
B86	22.23	9003-2086	89	1.04	1
B87	22.44	9003-2087	90	1.06	1

Prices Subject To Change Without Notice

Hi-Power® II Belts

Product No. Series 9003 (continued)

B Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B88	$22.65	9003-2088	91	1.07	10
B89	22.86	9003-2089	92	1.08	1
B90	23.08	9003-2090	93	1.09	10
B91	23.40	9003-2091	94	1.10	1
B92	23.78	9003-2092	95	1.11	1
B93	24.15	9003-2093	96	1.12	10
B94	24.43	9003-2094	97	1.13	1
B95	24.68	9003-2095	98	1.15	10
B96	24.95	9003-2096	99	1.16	10
B97	25.23	9003-2097	100	1.17	10
B98	25.38	9003-2098	101	1.18	1
B99	25.60	9003-2099	102	1.19	1
B100	25.77	9003-2100	103	1.20	10
B101	25.98	9003-2101	104	1.21	1
B102	26.04	9003-2102	105	1.22	1
B103	26.30	9003-2103	106	1.23	10
B104	26.56	9003-2104	107	1.24	1
B105	26.83	9003-2105	108	1.26	10
B106	27.33	9003-2106	109	1.27	1
B108	27.80	9003-2108	111	1.29	10
B109	28.14	9003-2109	112	1.30	1
B110	28.40	9003-2110	113	1.31	1
B111	28.73	9003-2111	114	1.32	1
B112	28.99	9003-2112	115	1.33	10
B113	29.01	9003-2113	116	1.34	1
B114	29.27	9003-2114	117	1.36	1
B115	29.53	9003-2115	118	1.37	1
B116	29.79	9003-2116	119	1.38	1
B117	29.91	9003-2117	120	1.39	1
B118	30.17	9003-2118	121	1.40	1
B120	30.59	9003-2120	123	1.42	10
B122	31.13	9003-2122	125	1.44	1
B123	31.41	9003-2123	126	1.45	1
B124	31.67	9003-2124	127	1.47	1
B125	31.95	9003-2125	128	1.48	1
B126	32.21	9003-2126	129	1.49	1
B127	32.47	9003-2127	130	1.50	1
B128	32.73	9003-2128	131	1.51	10
B130	33.39	9003-2130	133	1.53	1
B131	33.84	9003-2131	134	1.54	1
B132	34.10	9003-2132	135	1.55	1
B133	34.36	9003-2133	136	1.48	1
B135	34.73	9003-2135	138	1.60	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B136	$34.99	9003-2136	139	1.61	1
B137	35.25	9003-2137	140	1.61	1
B138	35.49	9003-2138	141	1.62	1
B140	35.96	9003-2140	143	1.56	1
B142	36.50	9003-2142	145	1.66	1
B144	37.04	9003-2144	147	1.76	10
B146	37.50	9003-2146	149	1.79	1
B147	37.69	9003-2147	150	1.83	1
B148	37.95	9003-2148	151	1.84	1
B150	39.09	9003-2150	153	1.86	1
B152	39.62	9003-2152	155	1.88	1
B153	39.88	9003-2153	156	1.90	1
B154	40.14	9003-2154	157	1.91	1
B156	39.74	9003-2156	159	1.93	1
B158	40.25	9003-2158	161	1.95	10
B160	41.34	9003-2160	163	2.03	1
B162	41.86	9003-2162	165	2.05	1
B164	42.15	9003-2164	167	2.09	1
B166	42.66	9003-2166	169	2.07	1
B168	42.74	9003-2168	171	2.12	1
B173	44.01	9003-2173	176	2.11	1
B174	44.61	9003-2174	177	2.13	1
B175	44.87	9003-2175	178	2.14	1
B180	46.15	9003-2180	183	2.27	1
B185	46.67	9003-2185	188	2.38	1
B188	47.43	9003-2188	191	2.41	1
B190	48.70	9003-2190	193	2.45	1
B192	49.14	9003-2192	195	2.47	1
B195	49.91	9003-2195	198	2.49	1
B200	51.05	9003-2200	203	2.55	1
B205	52.33	9003-2205	208	2.56	1
B210	53.67	9003-2210	213	2.66	1
B225	57.00	9003-2225	226	2.72	1
B240	60.65	9003-2240	241	2.80	1
B255	64.68	9003-2255	256	2.86	1
B270	68.69	9003-2270	271	2.88	1
B285	72.46	9003-2285	286	2.90	1
B292	74.18	9003-2292	295	2.95	1
B300	76.21	9003-2300	301	3.00	1
B315	81.69	9003-2315	316	3.20	1
B330	85.58	9003-2330	331	3.65	1
B340	88.17	9003-2340	341	3.75	1

Hi-Power®II Belts



Product No. Series 9004

C Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C44	$22.45	9004-2044	48	1.05	1
C46	23.47	9004-2046	50	1.07	1
C48	24.49	9004-2048	52	1.09	1
C50	24.60	9004-2050	54	1.11	1
C51	24.68	9004-2051	55	1.12	1
C52	25.65	9004-2052	56	1.17	1
C53	25.65	9004-2053	57	1.16	1
C54	26.25	9004-2054	58	1.18	1
C55	26.62	9004-2055	59	1.20	1
C56	27.08	9004-2056	60	1.21	1
C57	27.56	9004-2057	61	1.25	1
C58	28.02	9004-2058	62	1.26	1
C59	28.51	9004-2059	63	1.31	1
C60	28.99	9004-2060	64	1.32	1
C61	30.37	9004-2061	65	1.33	1
C62	30.87	9004-2062	66	1.36	1
C63	31.00	9004-2063	67	1.38	1
C65	31.34	9004-2065	69	1.42	1
C66	31.81	9004-2066	70	1.44	1
C67	32.29	9004-2067	71	1.45	1
C68	32.73	9004-2068	72	1.47	1
C69	33.20	9004-2069	73	1.48	1
C70	33.68	9004-2070	74	1.50	1
C71	34.13	9004-2071	75	1.53	1
C72	34.56	9004-2072	76	1.45	1
C73	35.00	9004-2073	77	1.46	1
C74	35.65	9004-2074	78	1.47	1
C75	35.96	9004-2075	79	1.50	1
C76	36.61	9004-2076	80	1.52	1
C78	37.57	9004-2078	82	1.56	1
C79	38.18	9004-2079	83	1.59	1
C80	38.66	9004-2080	84	1.60	1
C81	39.18	9004-2081	85	1.62	1
C82	39.24	9004-2082	86	1.63	1
C83	39.72	9004-2083	87	1.65	1
C84	39.99	9004-2084	88	1.67	1
C85	40.25	9004-2085	89	1.70	1
C86	41.05	9004-2086	90	1.71	1
C87	41.53	9004-2087	91	1.73	1
C88	42.50	9004-2088	92	1.74	1
C90	43.47	9004-2090	94	1.79	10
C91	43.86	9004-2091	95	1.80	1
C92	44.37	9004-2092	96	1.83	1
C93	44.82	9004-2093	97	1.85	1
C94	45.30	9004-2094	98	1.86	1
C95	45.78	9004-2095	99	1.89	1
C96	46.15	9004-2096	100	1.90	10
C97	46.64	9004-2097	101	1.93	1
C98	47.13	9004-2098	102	1.94	1
C99	47.61	9004-2099	103	1.97	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C100	$48.08	9004-2100	104	1.99	1
C101	49.28	9004-2101	105	2.01	1
C102	49.40	9004-2102	106	2.04	1
C103	49.88	9004-2103	107	2.05	1
C104	49.98	9004-2104	108	2.07	1
C105	50.46	9004-2105	109	2.08	10
C106	50.88	9004-2106	110	2.11	1
C107	51.34	9004-2107	111	2.12	1
C108	51.79	9004-2108	112	2.13	1
C109	52.27	9004-2109	113	2.16	1
C110	52.75	9004-2110	114	2.18	1
C111	53.22	9004-2111	115	2.21	1
C112	53.67	9004-2112	116	2.44	10
C115	55.07	9004-2115	119	2.49	1
C116	55.54	9004-2116	120	2.51	1
C118	56.47	9004-2118	122	2.53	1
C120	57.43	9004-2120	124	2.59	10
C122	58.35	9004-2122	126	2.63	1
C124	59.26	9004-2124	128	2.67	1
C126	60.23	9004-2126	130	2.69	1
C128	61.19	9004-2128	132	2.75	10
C130	62.05	9004-2130	134	2.79	1
C131	62.25	9004-2131	135	2.80	1
C134	63.68	9004-2134	138	3.00	1
C135	64.29	9004-2135	139	3.01	1
C136	64.63	9004-2136	140	3.02	1
C137	65.24	9004-2137	141	3.03	1
C138	65.72	9004-2138	142	3.08	1
C140	66.67	9004-2140	144	3.10	1
C142	67.74	9004-2142	146	3.12	1
C143	68.21	9004-2143	147	3.16	1
C144	68.69	9004-2144	148	3.17	1
C146	69.54	9004-2146	150	3.19	1
C147	70.01	9004-2147	151	3.26	1
C148	70.49	9004-2148	152	3.27	1
C150	71.38	9004-2150	154	3.33	1
C151	71.69	9004-2151	155	3.34	1
C153	72.64	9004-2153	157	3.36	1
C154	71.11	9004-2154	158	3.37	1
C155	73.59	9004-2155	159	3.38	1
C156	74.06	9004-2156	160	3.39	1
C158	75.15	9004-2158	162	3.45	1
C162	76.75	9004-2162	166	3.52	1
C164	77.83	9004-2164	168	3.54	1
C165	78.31	9004-2165	169	3.55	1
C168	79.73	9004-2168	172	3.57	1
C170	80.68	9004-2170	174	3.56	1
C173	82.12	9004-2173	177	3.58	1
C175	83.49	9004-2175	179	3.60	1
C180	85.88	9004-2180	184	3.72	1

Hi-Power® II Belts

Product No. Series 9004 (continued)

C Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C183	$87.32	9004-2183	187	3.75	1
C185	88.27	9004-2185	189	3.80	1
C190	90.48	9004-2190	194	3.89	10
C195	92.85	9004-2195	199	4.01	10
C202	96.54	9004-2202	206	4.08	1
C204	97.49	9004-2204	208	4.42	1
C207	98.93	9004-2207	211	4.45	1
C210	100.36	9004-2210	214	4.48	1
C220	104.07	9004-2220	222	5.00	1
C225	106.44	9004-2225	227	5.02	1
C240	112.71	9004-2240	242	5.10	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C245	$115.81	9004-2245	247	5.15	1
C255	120.54	9004-2255	257	5.20	1
C270	127.20	9004-2270	272	5.40	1
C285	134.23	9004-2285	287	5.50	1
C300	141.15	9004-2300	302	5.65	1
C315	148.13	9004-2315	317	5.80	1
C330	155.12	9004-2330	332	6.00	1
C345	162.09	9004-2345	347	6.30	1
C360	169.07	9004-2360	362	6.60	1
C390	183.57	9004-2390	392	7.10	1
C420	198.05	9004-2420	422	7.70	1



Product No. Series 9005

D Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
D105	$93.39	9005-2105	110	4.30	1
D112	99.40	9005-2112	117	4.30	1
D120	106.27	9005-2120	125	4.30	1
D128	113.23	9005-2128	133	4.60	1
D136	120.21	9005-2136	141	4.79	1
D144	127.20	9005-2144	149	5.10	1
D158	139.55	9005-2158	163	5.60	1
D162	143.85	9005-2162	167	5.70	1
D167	147.14	9005-2167	172	5.75	1
D173	152.43	9005-2173	178	6.10	1
D180	158.34	9005-2180	185	6.40	1
D195	171.75	9005-2195	200	6.90	1
D210	185.17	9005-2210	215	7.40	1
D225	195.63	9005-2225	228	7.90	1
D240	208.25	9005-2240	243	8.40	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
D255	$221.13	9005-2255	258	8.90	1
D270	234.55	9005-2270	273	9.40	1
D285	247.42	9005-2285	288	9.90	1
D300	260.32	9005-2300	303	10.50	1
D315	273.45	9005-2315	318	11.00	1
D330	286.62	9005-2330	333	11.50	1
D345	299.49	9005-2345	348	12.00	1
D360	312.37	9005-2360	363	12.60	1
D390	339.20	9005-2390	393	13.60	1
D420	366.04	9005-2420	423	14.70	1
D450	392.87	9005-2450	453	15.70	1
D480	419.72	9005-2480	483	16.80	1
D540	473.39	9005-2540	543	18.90	1
D600	527.06	9005-2600	603	20.90	1
D660	580.73	9005-2660	663	23.00	1



Product No. Series 9006

E Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
E180	$229.33	9006-2180	187	10.10	1
E195	248.17	9006-2195	202	10.65	1
E210	267.46	9006-2210	217	10.90	1
E240	300.19	9006-2240	244	12.20	1
E270	337.77	9006-2270	274	13.80	1
E300	374.78	9006-2300	304	15.30	1
E330	412.38	9006-2330	334	16.80	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
E360	$449.51	9006-2360	364	18.30	1
E390	489.76	9006-2390	394	19.80	1
E420	530.01	9006-2420	424	21.40	1
E480	609.18	9006-2480	484	27.00	1
E540	689.67	9006-2540	544	30.00	1
E600	770.19	9006-2600	604	34.00	1
E660	850.69	9006-2660	664	37.00	1

Hi-Power® II PowerBand V-Belts

The PowerBand® construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave groove.



Markets/Applications

Recommended for drives where single belts vibrate, turn over or jump off the drive.

Features/Advantages

- **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.
- **Concave Sidewalls** provide proper cord support and full contact with the sheave-groove for equal loading and uniform wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and absorption of bending stess without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Multi-Duty Sheaves (B,C,D)

Notes
Minimum order quantities are not required on B, C and D section Powerband® belts for lengths listed.
PowerBand® belts with six strands or more may require lead time.
"A" section Powerband® belts may be Made-To-Order and require minimum order quantities. Check with Customer Service for availability.
The part number is constructed by placing the number of strands required, followed by a slash (/) in front of the belt size. For example, 5/B66 represents a B66 with 5 strands.

Product No. Series 9092

A Section



Most "A" Section sheaves are a combination "A-B" groove. "A" Section PowerBand® Belts are not recommended for use in sheaves with "A-B" combination grooves. "A" Section PowerBand® belts may be Made-To-Order and require minimum order quantities. Check with customer service for availability.

V80®

Size	Suggested List Prices for Stock PowerBand® Belts				Suggested List Prices Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
[15]A42	$25.25	$37.88	$52.70	$65.87	$13.84	44	.36
[15]A43	25.70	38.55	53.64	67.04	14.09	45	.37
[15]A44	26.11	39.19	54.40	67.98	14.29	46	.38
[15]A46	26.42	39.63	55.15	68.92	14.48	48	.40
[15]A48	26.73	40.50	56.35	70.43	14.80	50	.40
[15]A49	27.30	40.95	56.96	71.21	14.96	51	.42
[15]A51	27.88	41.81	58.18	72.71	15.27	53	.44
[15]A53	28.49	42.73	59.46	74.32	15.61	55	.46
[15]A54	28.92	43.37	60.35	75.43	15.85	56	.46
[15]A55	29.21	43.81	60.96	76.19	16.01	57	.47
[15]A56	29.49	44.24	61.56	76.94	16.16	58	.48
[15]A57	29.80	44.68	62.18	77.71	16.32	59	.50
[15]A58	30.24	45.36	63.11	78.88	16.57	60	.50
[15]A60	30.84	46.25	64.35	80.43	16.90	62	.52
A62	31.57	47.37	65.90	82.37	17.30	64	.54
A64	32.29	48.43	67.38	84.21	17.70	66	.56
A65	32.58	48.87	67.99	84.98	17.86	67	.56
A66	33.03	49.55	68.93	86.16	18.10	68	.57
A68	33.75	50.62	70.44	88.04	18.49	70	.58
A70	35.24	52.86	73.55	91.93	19.31	72	.61

"A" section PowerBand® belts are available up to 20 strands. "A" section PowerBand® Belts may be made-to-order and require minimum order quantities.
[15]Not included in the V-80® matching program.

Prices Subject To Change Without Notice

Hi-Power® II PowerBand V-Belts

Product No. Series 9092 (continued)

A Section (continued)

Size	Suggested List Prices for Stock PowerBand® Belts 2 Strand	3 Strand	4 Strand	5 Strand	Suggested List Prices Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
A71	$35.52	$53.29	$74.14	$92.67	$19.46	73	.61
A74	36.25	54.37	75.64	94.55	19.87	76	.64
A75	36.69	55.05	76.58	95.72	20.11	77	.66
A77	37.79	56.69	78.88	98.59	26.36	79	.66
A78	38.32	57.47	79.96	99.94	21.00	80	.67
A80	39.61	59.42	82.67	103.33	21.70	82	.70
A81	40.23	60.35	83.96	104.94	22.05	83	.70
A83	41.40	62.10	86.41	107.99	22.68	85	.71
A85	42.57	63.22	88.85	111.05	23.33	87	.74
A90	45.51	68.28	94.99	118.73	24.95	92	.77
A92	46.52	69.78	97.08	121.34	25.49	94	.80
A96	48.43	72.65	101.08	126.34	26.54	98	.84
A100	50.50	75.76	105.40	131.73	27.67	102	.86
A105	52.84	79.26	110.28	137.84	28.96	107	.90
A110	56.95	85.44	118.87	148.57	31.21	112	.96
A112	58.71	88.06	122.52	153.14	32.17	114	.96
A120	63.11	94.68	131.72	164.64	34.59	122	1.04
A128	67.50	101.25	140.87	176.07	36.99	130	1.10
A136	71.90	107.85	150.06	187.55	39.40	138	1.17
A144	76.15	114.23	158.93	198.65	41.73	146	1.24
A158	83.68	125.51	174.63	218.27	45.85	160	1.36
A173	91.75	137.62	191.49	239.33	50.28	175	1.50
A180	95.55	143.31	199.39	249.23	52.36	182	1.56

"A" section PowerBand® belts are available up to 20 strands. "A" section PowerBand® belts may be Made-to-Order and require minimum order quantities.
[15]Not included in the V-80® matching program.

Product No. Series 9093

B Section

Size	Suggested List Prices for Stock PowerBand® Belts 2 Strand	3 Strand	4 Strand	5 Strand	Suggested List Prices Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
[15]B35	$29.34	$44.01	$61.24	$76.54	$16.08	38	.52
[15]B38	32.29	48.43	67.38	84.21	17.70	41	.56
[15]B42	35.24	52.86	73.55	91.93	19.31	45	.62
[15]B43	35.95	53.92	75.02	93.77	19.71	46	.64
[15]B46	38.16	57.24	79.64	99.55	20.91	49	.68
[15]B48	39.36	59.03	82.13	102.66	21.56	51	.71
[15]B50	40.52	60.79	84.58	105.72	22.21	53	.74
[15]B51	41.11	61.66	85.79	107.22	22.52	54	.76
[15]B52	41.55	62.34	86.73	108.39	22.78	55	.77
[15]B53	41.82	62.74	87.28	109.10	22.92	56	.78
[15]B54	42.28	63.41	88.22	110.27	23.17	57	.80
[15]B55	42.57	63.85	88.85	111.05	23.33	58	.81
[15]B56	42.85	64.28	89.44	111.79	23.48	59	.84
[15]B57	43.15	64.72	90.05	112.55	23.64	60	.84
[15]B58	43.44	65.17	90.67	113.32	23.81	61	.86
[15]B59	43.72	65.59	91.26	114.06	23.97	62	.87
[15]B60	44.03	66.03	91.88	114.84	24.13	63	.90
[15]B61	44.64	66.30	93.16	116.44	24.46	64	.90
B62	44.75	67.79	94.31	117.89	24.77	65	.92
B63	45.81	68.72	95.61	119.49	25.11	66	.94

"B" section PowerBand® belts are available up to 16 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.
[15]Not included in the V-80® matching program.

Prices Subject To Change Without Notice

Hi-Power® II PowerBand V-Belts

Product No. Series 9093 (continued)

B Section (continued)

Size	Suggested List Prices for Stock PowerBand® Belts				Suggested List Prices Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
B64	$46.39	$69.58	$96.82	$121.01	$25.42	67	.96
B65	46.99	70.47	98.05	122.55	25.74	68	.96
B66	47.56	71.34	99.25	124.06	26.06	69	.98
B67	47.51	71.97	99.15	125.17	26.29	70	1.00
B68	47.95	72.65	100.08	126.34	26.54	71	1.00
B70	48.95	74.15	103.17	128.96	27.09	73	1.04
B71	49.85	75.53	105.08	131.34	27.59	74	1.06
B72	50.92	76.40	106.28	132.85	27.91	75	1.07
B73	51.52	77.28	107.52	134.39	28.23	76	1.08
B74	51.73	78.38	109.05	136.30	28.63	77	1.10
B75	52.32	79.26	110.28	137.84	28.96	78	1.11
B77	54.30	81.45	113.31	141.63	29.75	80	1.14
B78	54.50	82.57	114.88	143.58	30.16	81	1.16
B79	55.76	83.65	116.37	145.46	30.56	82	1.17
B80	56.51	84.76	116.76	147.40	30.97	83	1.18
B81	57.26	85.88	119.49	149.35	31.37	84	1.20
B82	58.13	88.06	121.31	153.14	32.17	85	1.21
B83	59.14	88.70	123.40	154.25	32.40	86	1.24
B85	59.58	90.25	125.58	156.96	32.98	88	1.26
B87	61.33	91.99	128.00	159.97	33.61	90	1.30
B88	61.92	92.88	129.23	161.52	33.94	91	1.30
B90	62.49	93.74	131.72	164.64	34.59	93	1.34
B93	65.38	98.07	137.81	172.26	36.19	96	1.37
B95	66.83	101.25	140.87	176.07	36.99	98	1.41
B96	68.25	102.37	142.43	178.02	37.40	99	1.42
B97	68.99	103.48	143.99	179.96	37.80	100	1.44
B99	69.30	104.99	146.08	182.58	38.36	102	1.47
B100	70.45	105.67	147.02	183.76	38.60	103	1.48
B103	71.90	107.85	150.06	187.55	39.40	106	1.52
B105	72.66	110.08	153.17	191.44	40.22	108	1.56
B108	76.02	114.04	158.66	198.31	41.66	111	1.60
B112	79.26	118.90	165.43	206.77	43.44	115	1.66
B120	83.68	125.51	174.63	218.27	45.85	123	1.78
B124	86.60	129.89	180.72	225.88	47.45	127	1.84
B128	89.54	134.31	186.87	233.56	49.07	131	1.90
B133	93.91	140.86	195.99	244.97	51.46	136	1.97
B136	95.70	143.54	199.72	249.62	52.44	139	2.00
B144	101.27	151.91	211.36	264.19	55.50	147	2.14
B148	103.77	155.66	216.57	270.69	56.86	151	2.20
B150	104.54	156.80	218.16	272.68	57.29	153	2.22
B158	109.01	165.15	229.78	287.18	60.34	161	2.34
B162	114.47	171.70	238.90	298.59	62.73	165	2.40
B173	120.33	180.50	251.14	313.89	65.94	176	2.56
B180	126.21	189.31	263.40	329.21	69.16	183	2.66
B195	136.48	204.72	284.83	356.00	74.79	198	2.90
B210	146.75	220.13	306.27	382.81	80.42	213	3.11
B225	155.87	233.80	325.30	406.59	85.42	226	3.34
B240	165.84	248.77	346.12	432.61	90.88	241	3.55
B255	176.84	265.26	369.06	461.29	96.91	256	3.77
B270	187.87	281.81	392.08	490.06	102.95	271	4.00
B300	208.41	312.63	434.97	543.65	114.21	301	4.44
B315	223.36	335.04	466.15	582.63	122.40	316	4.66

"B" section PowerBand® belts are available up to 16 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.

Hi-Power® II PowerBand V-Belts

Product No. Series 9094

C Section



Size	Suggested List Prices for Stock PowerBand® Belts 2 Strand	3 Strand	4 Strand	5 Strand	Suggested List Prices Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
[15]C60	$79.26	$118.90	$165.43	$206.77	$43.44	64	1.56
C68	89.54	134.31	186.87	233.56	49.07	72	1.77
C75	98.32	147.48	205.19	256.47	53.88	79	1.96
C81	107.14	160.71	223.60	279.48	58.71	85	2.11
C85	110.10	165.15	229.78	287.18	60.34	89	2.21
C90	118.88	178.32	248.10	310.09	65.15	94	2.34
C96	126.21	189.31	263.40	329.21	69.16	100	2.50
C99	130.19	195.29	271.71	339.61	71.35	103	2.57
C100	131.49	197.23	274.43	343.00	72.05	104	2.60
C105	137.98	206.96	287.95	359.90	75.61	109	2.74
C108	141.63	212.45	295.60	369.46	77.62	112	2.81
C109	142.94	214.40	298.30	372.84	78.33	113	2.84
C112	146.75	220.13	306.27	382.81	80.42	116	2.91
C120	157.03	235.56	327.75	409.64	86.06	124	3.12
C124	162.02	243.05	338.15	422.64	88.79	128	3.22
C128	167.32	250.96	349.18	436.43	91.69	132	3.34
C136	176.71	265.06	368.79	460.95	96.84	140	3.54
C144	187.87	281.81	392.08	490.06	102.95	148	3.74
C158	205.47	308.21	428.83	535.98	112.59	162	4.11
C162	209.88	314.83	438.03	547.48	115.02	166	4.21
C173	224.56	336.85	468.67	585.78	123.06	177	4.50
C180	234.81	352.22	490.05	612.50	128.67	184	4.68
C195	253.90	380.86	529.91	662.32	139.14	199	5.07
C210	274.45	411.68	572.78	715.91	150.40	214	5.46
C225	291.05	436.57	607.42	759.21	159.50	227	5.86
C240	308.20	462.31	643.22	803.95	168.89	242	6.24
C255	329.63	494.46	687.95	859.85	180.64	257	6.64
C270	347.81	521.73	725.89	907.27	190.61	272	7.02
C285	367.03	550.55	766.00	957.42	201.14	287	7.41
C300	385.97	578.96	805.54	1006.82	211.51	302	7.80
C315	405.07	607.61	837.01	1056.62	221.98	317	8.20
C330	424.12	636.19	885.14	1106.32	232.42	332	8.58
C345	443.23	664.84	925.02	1156.17	242.89	347	8.97
C360	462.33	693.49	964.86	1205.97	253.35	362	9.36
C390	502.95	752.90	1047.54	1309.30	275.06	392	10.14
C420	541.55	812.32	1119.02	1412.64	296.77	422	10.92

"C" section PowerBand® belts are available up to 12 strands. PowerBand® belts 6 strands or wider are Standard/Non-Stock.
[15]Not included in the V-80® matching program.

Prices Subject To Change Without Notice

Hi-Power® II PowerBand V-Belts



Product No. Series 9095

D Section

Size	Suggested List Prices for Stock PowerBand® Belts			Suggested List Prices Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	3 Strand	4 Strand	5 Strand			
D144	$521.73	$725.89	$907.27	$190.61	149	6.75
D158	572.40	796.40	995.40	209.11	163	7.40
D173	625.20	869.86	1087.22	228.41	178	8.10
D180	649.42	903.57	1129.35	237.26	185	8.44
D195	704.46	980.14	1225.07	257.37	200	9.09
D210	759.52	1056.74	1320.81	277.48	215	9.84
D225	802.45	1116.47	1395.46	293.16	228	10.55
D240	854.19	1188.47	1485.44	312.06	243	11.26
D255	907.01	1261.94	1577.29	331.36	258	11.96
D270	962.05	1338.53	1673.00	351.47	273	12.66
D285	1014.86	1412.00	1764.83	370.76	288	13.37
D300	1067.72	1485.56	1856.77	390.07	303	14.07
D315	1121.65	1560.58	1950.54	409.78	318	14.77
D330	1175.57	1635.61	2044.32	429.47	333	15.48
D345	1228.42	1709.15	2136.23	448.78	348	16.18
D360	1281.25	1782.64	2228.08	468.08	363	16.88
D390	1391.33	1935.80	2419.52	508.30	393	18.29
D420	1501.38	2088.91	2610.89	548.50	423	19.70
D450	1611.48	2242.10	2802.35	588.73	453	21.10
D480	1721.51	2395.20	2993.72	628.93	483	22.50
D540	1941.69	2701.55	3376.61	709.36	543	25.33
D600	2161.83	3007.84	3759.44	789.79	603	28.14
[4]D660	2381.97	3314.11	4142.24	870.22	663	31.13

"D" section PowerBand® belts are available up to 7 strands in sizes up to and including180 inches.
"D" section PowerBand® belts are available up to 8 strands for belts longer than 180 inches.
PowerBand® belts 6 strands or wider are Standard/Non-Stock.
[4]Minimum production quantities may apply. Contact Customer Service for availability.

Tri-Power® Belts

Constructed with Gates proprietary Vextra® construction, this belt has a superior combination of flex and load carrying capacity, as well as less stretch resulting in less maintenance.



Markets/Applications

Suitable for all industrial applications, particularly where small or sub-minimal sheave diameters are required.

Features/Advantages

- **Notches molded** into the belt during manufacturing, make this belt well suited for drives with smaller diameter sheaves.
- **Belt Edge** is machined for even sheave groove contact resulting in less slip and wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Multi-Duty Sheaves

Notes
Tri-Power® belts are available in AX, BX, and CX sizes.

Product No. Series 9012



AX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX21	$7.56	9012-2021	23	.15	1
AX22	7.92	9012-2022	24	.16	1
AX23	8.28	9012-2023	25	.17	1
AX24	8.40	9012-2024	26	.18	1
AX25	8.52	9012-2025	27	.19	1
AX26	8.86	9012-2026	28	.20	10
AX27	9.01	9012-2027	29	.21	1
AX28	9.20	9012-2028	30	.22	1
AX29	9.32	9012-2029	31	.23	1
AX30	9.22	9012-2030	32	.23	1
AX31	9.53	9012-2031	33	.24	10
AX32	9.70	9012-2032	34	.25	1
AX33	9.88	9012-2033	35	.26	10
AX34	10.08	9012-2034	36	.27	10
AX35	10.22	9012-2035	37	.28	10
AX36	10.41	9012-2036	38	.29	10
AX37	10.89	9012-2037	39	.30	1
AX38	11.02	9012-2038	40	.31	10
AX39	11.16	9012-2039	41	.32	1
AX40	11.37	9012-2040	42	.33	1
AX41	11.58	9012-2041	43	.34	1
AX42	11.71	9012-2042	44	.35	10
AX43	11.92	9012-2043	45	.36	10
AX44	12.04	9012-2044	46	.37	10
AX45	12.16	9012-2045	47	.38	1
AX46	12.26	9012-2046	48	.39	10
AX47	12.40	9012-2047	49	.40	10
AX48	12.54	9012-2048	50	.41	10
AX49	12.68	9012-2049	51	.42	1
AX50	12.74	9012-2050	52	.43	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX51	$12.94	9012-2051	53	.44	10
AX52	13.08	9012-2052	54	.45	1
AX53	13.20	9012-2053	55	.46	1
AX54	13.42	9012-2054	56	.47	1
AX55	13.55	9012-2055	57	.48	1
AX56	13.68	9012-2056	58	.49	1
AX57	13.84	9012-2057	59	.50	1
AX58	13.98	9012-2058	60	.51	1
AX59	14.22	9012-2059	61	.52	1
AX60	14.30	9012-2060	62	.53	10
AX61	14.54	9012-2061	63	.54	1
AX62	14.64	9012-2062	64	.55	1
AX63	14.88	9012-2063	65	.56	1
AX64	14.98	9012-2064	66	.57	1
AX65	15.21	9012-2065	67	.58	1
AX66	15.32	9012-2066	68	.59	1
AX67	15.55	9012-2067	69	.60	1
AX68	15.66	9012-2068	70	.61	1
AX69	16.00	9012-2069	71	.62	1
AX70	16.34	9012-2070	72	.63	1
AX71	16.48	9012-2071	73	.64	1
AX72	16.71	9012-2072	74	.65	1
AX73	16.80	9012-2073	75	.66	1
AX74	16.91	9012-2074	76	.67	1
AX75	17.02	9012-2075	77	.68	1
AX76	17.48	9012-2076	78	.69	1
AX77	17.71	9012-2077	79	.70	1
AX78	17.84	9012-2078	80	.71	1
AX79	18.07	9012-2079	81	.72	1
AX80	18.38	9012-2080	82	.73	1

Prices Subject To Change Without Notice

Product No. Series 9012 (continued)

AX Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX81	$18.61	9012-2081	83	.74	1
AX82	18.84	9012-2082	84	.75	1
AX83	19.28	9012-2083	85	.76	1
AX84	19.51	9012-2084	86	.77	1
AX85	19.74	9012-2085	87	.78	1
AX86	20.16	9012-2086	88	.79	10
AX87	20.20	9012-2087	89	.80	1
AX88	20.43	9012-2088	90	.81	1
AX89	20.87	9012-2089	91	.82	1
AX90	21.11	9012-2090	92	.83	1
AX91	21.43	9012-2091	93	.84	1
AX92	21.58	9012-2092	94	.85	1
AX93	21.81	9012-2093	95	.86	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX94	$22.04	9012-2094	96	.87	1
AX96	22.47	9012-2096	98	.89	1
AX97	22.70	9012-2097	99	.90	1
AX98	22.93	9012-2098	100	.91	1
AX103	24.10	9012-2103	105	.95	10
AX105	24.51	9012-2105	107	.99	1
AX110	26.42	9012-2110	112	1.02	1
AX112	27.23	9012-2112	114	1.04	1
AX120	29.28	9012-2120	122	1.11	1
AX128	31.32	9012-2128	130	1.18	1
AX144	35.24	9012-2144	146	1.33	10
AX173	42.33	9012-2173	175	1.59	10

Product No. Series 9013

BX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX24	$9.84	9013-2024	27	.27	1
BX25	10.25	9013-2025	28	.28	1
BX26	10.66	9013-2026	29	.29	1
BX27	11.07	9013-2027	30	.30	1
BX28	11.48	9013-2028	31	.31	1
BX29	11.96	9013-2029	32	.32	1
BX30	12.37	9013-2030	33	.33	1
BX31	12.79	9013-2031	34	.34	1
BX32	12.90	9013-2032	35	.35	1
BX33	12.83	9013-2033	36	.36	1
BX34	13.22	9013-2034	37	.37	1
BX35	13.62	9013-2035	38	.38	10
BX36	14.02	9013-2036	39	.39	1
BX37	14.62	9013-2037	40	.40	1
BX38	14.98	9013-2038	41	.41	10
BX39	15.27	9013-2039	42	.42	1
BX40	15.66	9013-2040	43	.43	1
BX41	16.00	9013-2041	44	.44	1
BX42	16.34	9013-2042	45	.45	10
BX43	16.77	9013-2043	46	.46	1
BX44	17.16	9013-2044	47	.47	1
BX45	17.51	9013-2045	48	.48	1
BX46	17.70	9013-2046	49	.49	10
BX47	17.86	9013-2047	50	.50	1
BX48	18.26	9013-2048	51	.51	10
BX49	18.62	9013-2049	52	.52	1
BX50	18.79	9013-2050	53	.53	10
BX51	19.06	9013-2051	54	.54	10
BX52	19.27	9013-2052	55	.55	10
BX53	19.40	9013-2053	56	.56	10
BX54	19.62	9013-2054	57	.57	1
BX55	19.74	9013-2055	58	.58	10
BX56	19.88	9013-2056	59	.59	10
BX57	19.95	9013-2057	60	.60	1
BX58	20.15	9013-2058	61	.61	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX59	$20.29	9013-2059	62	.62	10
BX60	20.44	9013-2060	63	.63	10
BX61	20.70	9013-2061	64	.64	10
BX62	20.97	9013-2062	65	.65	10
BX63	21.24	9013-2063	66	.66	10
BX64	21.51	9013-2064	67	.67	10
BX65	21.80	9013-2065	68	.68	10
BX66	22.06	9013-2066	69	.69	10
BX67	22.28	9013-2067	70	.70	10
BX68	22.47	9013-2068	71	.71	10
BX69	22.80	9013-2069	72	.72	1
BX70	23.08	9013-2070	73	.72	10
BX71	23.36	9013-2071	74	.73	10
BX72	23.69	9013-2072	75	.74	1
BX73	24.09	9013-2073	76	.75	1
BX74	24.35	9013-2074	77	.76	1
BX75	24.51	9013-2075	78	.77	10
BX76	24.84	9013-2076	79	.78	1
BX77	25.20	9013-2077	80	.79	10
BX78	25.53	9013-2078	81	.80	1
BX79	25.87	9013-2079	82	.81	1
BX80	26.22	9013-2080	83	.82	1
BX81	26.56	9013-2081	84	.83	10
BX82	27.23	9013-2082	85	.84	1
BX83	27.44	9013-2083	86	.85	10
BX84	27.77	9013-2084	87	.86	1
BX85	27.92	9013-2085	88	.87	10
BX86	28.38	9013-2086	89	.88	1
BX87	28.58	9013-2087	90	.89	1
BX88	28.91	9013-2088	91	.90	1
BX89	29.14	9013-2089	92	.91	1
BX90	29.28	9013-2090	93	.92	10
BX91	29.61	9013-2091	94	.93	1
BX92	29.93	9013-2092	95	.94	1
BX93	30.64	9013-2093	96	.95	10

Tri-Power® Belts

Product No. Series 9013 (continued)

BX Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX94	$31.02	9013-2094	97	.96	1
BX95	31.32	9013-2095	98	.97	1
BX96	31.66	9013-2096	99	.98	1
BX97	32.00	9013-2097	100	.99	1
BX98	32.14	9013-2098	101	1.00	1
BX99	32.47	9013-2099	102	1.01	1
BX100	32.68	9013-2100	103	1.02	10
BX103	33.36	9013-2103	106	1.05	1
BX105	34.05	9013-2105	108	1.07	10
BX106	34.37	9013-2106	109	1.08	1
BX108	35.34	9013-2108	111	1.10	1
BX110	36.12	9013-2110	113	1.12	1
BX112	36.78	9013-2112	115	1.14	10
BX113	36.98	9013-2113	116	1.15	1
BX115	37.19	9013-2115	118	1.17	1
BX116	37.51	9013-2116	119	1.18	1
BX120	38.81	9013-2120	123	1.22	10
BX124	40.17	9013-2124	127	1.26	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX128	$41.54	9013-2128	131	1.30	1
BX133	43.57	9013-2133	136	1.35	1
BX136	44.39	9013-2136	139	1.38	1
BX140	45.70	9013-2140	143	1.42	1
BX144	46.99	9013-2144	147	1.46	1
BX150	49.50	9013-2150	153	1.52	1
BX158	51.07	9013-2158	161	1.60	1
BX162	53.12	9013-2162	165	1.64	1
BX173	55.84	9013-2173	176	1.75	1
BX180	58.55	9013-2180	183	1.82	1
BX195	63.33	9013-2195	198	1.97	1
BX205	66.39	9013-2205	208	2.07	1
[14]BX210	68.09	9013-2210	213	2.12	1
[14]BX225	72.33	9013-2225	227	2.27	1
[14]BX255	82.08	9013-2255	257	2.57	1
[14]BX270	87.17	9013-2270	272	2.72	1
[14]BX300	91.95	9013-2300	302	3.02	1

[14]Not made with Vextra® Construction.



Product No. Series 9014

CX Section

Vextra® V80®

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
CX51	$31.32	9014-2051	55	1.02	1
CX60	36.78	9014-2060	64	1.20	1
CX68	41.54	9014-2068	72	1.36	1
CX75	45.62	9014-2075	79	1.50	1
CX81	49.71	9014-2081	85	1.62	1
CX85	51.07	9014-2085	89	1.70	1
CX90	55.15	9014-2090	94	1.80	1
CX96	58.55	9014-2096	100	1.92	1
CX100	61.01	9014-2100	104	2.00	1
CX101	61.62	9014-2101	105	2.02	1
CX105	64.01	9014-2105	109	2.10	1
CX106	64.55	9014-2106	110	2.12	1
CX109	66.33	9014-2109	113	2.18	1
CX112	68.09	9014-2112	116	2.24	1
CX115	69.87	9014-2115	119	2.30	1
CX120	72.85	9014-2120	124	2.40	1
CX123	75.17	9014-2123	127	2.46	1
CX128	75.78	9014-2128	132	2.56	1
CX133	77.63	9014-2133	137	2.66	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
CX136	$79.80	9014-2136	140	2.72	1
CX144	87.17	9014-2144	148	2.88	1
CX150	91.50	9014-2150	154	3.00	1
CX158	95.33	9014-2158	162	3.16	1
CX162	97.37	9014-2162	166	3.24	1
CX173	104.18	9014-2173	177	3.46	1
CX180	108.94	9014-2180	184	3.60	1
CX187	113.58	9014-2187	191	3.74	1
CX190	115.42	9014-2190	194	3.80	1
CX195	117.80	9014-2195	199	3.90	1
CX210	127.34	9014-2210	214	4.20	1
[14]CX225	135.07	9014-2225	227	4.50	1
[14]CX240	143.03	9014-2240	242	4.80	1
[14]CX255	152.97	9014-2255	257	5.10	1
[14]CX270	161.42	9014-2270	272	5.40	1
[14]CX300	179.12	9014-2300	302	6.00	1
[14]CX330	196.85	9014-2330	332	6.60	1
[14]CX360	214.55	9014-2360	362	7.25	1

[14]Not made with Vextra® Construction.

Metric Power™ V-Belts

Manufactured in the Americas, these belts are made to Gates high quality global production standards. Metric Power belts are readily available for replacement on drives that require metric cross sections.

Markets/Applications

Excellent for textile mills, machine tool and food processing applications.

Features/Advantages

- Proprietary **Vextra® Construction** features an unbeatable combination of flex and load carrying capacity, reduced stretch and incredible cord adhesion properties.
- **Molded Notches** (in lengths 3,000mm and under) reduce thermal and bending stresses.
- **Flex-Bonded Cords** are chemically bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Notes

Narrow cross sections include: XPZ/SPZ, XPA/SPA, XPB/SPB, and XPC/SPC.

Classical cross sections include 10x, 13x, and 17x.

Metric Power® belts are Vextra® molded notch construction in lengths 3,000 mm and under. Metric Power® belts are banded construction in lengths over 3,000 mm.

Narrow Sizes

Product No. Series 9426

XPZ/SPZ Section



Vextra® V80®

Part No.	Product No.	Sugg. List Price
XPZ604	9426-10604	$6.40
XPZ612	9426-10612	6.40
XPZ630	9426-10630	6.40
XPZ637	9426-10637	6.50
XPZ640	9426-10640	6.50
XPZ660	9426-10660	6.50
XPZ670	9426-10670	6.50
XPZ672	9426-10672	6.88
XPZ682	9426-10682	6.88
XPZ710	9426-10710	6.88
XPZ722	9426-10722	7.14
XPZ730	9426-10730	7.14
XPZ737	9426-10737	7.14
XPZ750	9426-10750	7.14
XPZ758	9426-10758	7.14
XPZ762	9426-10762	7.35
XPZ787	9426-10787	7.35
XPZ800	9426-10800	7.35
XPZ812	9426-10812	7.91
XPZ825	9426-10825	7.91
XPZ837	9426-10837	7.91
XPZ850	9426-10850	7.91
XPZ862	9426-10862	8.19
XPZ875	9426-10875	8.19
XPZ887	9426-10887	8.19

Part No.	Product No.	Sugg. List Price
XPZ900	9426-10900	$8.19
XPZ912	9426-10912	8.66
XPZ925	9426-10925	8.66
XPZ937	9426-10937	8.66
XPZ950	9426-10950	8.66
XPZ962	9426-10962	9.31
XPZ987	9426-10987	9.31
XPZ1000	9426-11000	9.31
XPZ1010	9426-11010	9.79
XPZ1012	9426-11012	9.79
XPZ1024	9426-11024	9.79
XPZ1037	9426-11037	9.79
XPZ1047	9426-11047	9.79
XPZ1060	9426-11060	9.79
XPZ1077	9426-11077	10.37
XPZ1080	9426-11080	10.37
XPZ1087	9426-11087	10.37
XPZ1112	9426-11112	10.37
XPZ1120	9426-11120	10.37
XPZ1137	9426-11137	11.12
XPZ1140	9426-11140	11.12
XPZ1150	9426-11150	11.12
XPZ1162	9426-11162	11.12
XPZ1180	9426-11180	11.12
XPZ1187	9426-11187	11.67

Part No.	Product No.	Sugg. List Price
XPZ1202	9426-11202	$11.67
XPZ1210	9426-11210	11.67
XPZ1212	9426-11212	11.67
XPZ1227	9426-11227	11.67
XPZ1237	9426-11237	11.67
XPZ1250	9426-11250	11.67
XPZ1262	9426-11262	12.05
XPZ1270	9426-11270	12.05
XPZ1287	9426-11287	12.05
XPZ1312	9426-11312	12.05
XPZ1320	9426-11320	12.05
XPZ1337	9426-11337	13.00
XPZ1340	9426-11340	13.00
XPZ1362	9426-11362	13.00
XPZ1387	9426-11387	13.00
XPZ1400	9426-11400	13.83
XPZ1412	9426-11412	13.74
XPZ1420	9426-11420	13.74
XPZ1430	9426-11430	13.74
XPZ1437	9426-11437	13.74
XPZ1450	9426-11450	13.74
XPZ1462	9426-11462	13.74
XPZ1470	9426-11470	13.74
XPZ1487	9426-11487	13.74
XPZ1500	9426-11500	14.68

Part No.	Product No.	Sugg. List Price
XPZ1512	9426-11512	$14.68
XPZ1520	9426-11520	14.68
XPZ1527	9426-11527	14.68
XPZ1537	9426-11537	14.68
XPZ1560	9426-11560	14.68
XPZ1562	9426-11562	14.68
XPZ1587	9426-11587	14.68
XPZ1600	9426-11600	16.19
XPZ1612	9426-11612	16.19
XPZ1637	9426-11637	16.19
XPZ1650	9426-11650	16.19
XPZ1662	9426-11662	16.19
XPZ1687	9426-11687	16.19
XPZ1700	9426-11700	17.90
XPZ1712	9426-11712	17.90
XPZ1737	9426-11737	17.90
XPZ1750	9426-11750	17.90
XPZ1762	9426-11762	17.90
XPZ1787	9426-11787	17.90
XPZ1800	9426-11800	18.65
XPZ1812	9426-11812	18.65
XPZ1837	9426-11837	18.65
XPZ1850	9426-11850	18.65
XPZ1862	9426-11862	18.65
XPZ1887	9426-11887	18.65

[14]Not made with Vextra® Construction.

Metric Power™ V-Belts

Product No. Series 9426 (continued)

XPZ/SPZ Section (continued)

Part No.	Product No.	Sugg. List Price
XPZ1900	9426-11900	$18.65
XPZ1937	9426-11937	19.96
XPZ1950	9426-11950	19.96
XPZ1962	9426-11962	19.96
XPZ1987	9426-11987	19.96
XPZ2000	9426-12000	19.96
XPZ2030	9426-12030	21.08
XPZ2037	9426-12037	21.08

Part No.	Product No.	Sugg. List Price
XPZ2062	9426-12062	$21.08
XPZ2087	9426-12087	21.08
XPZ2120	9426-12120	22.58
XPZ2137	9426-12137	22.58
XPZ2187	9426-12187	22.58
XPZ2240	9426-12240	22.58
XPZ2280	9426-12280	23.91
XPZ2287	9426-12287	23.91

Part No.	Product No.	Sugg. List Price
XPZ2300	9426-12300	$23.91
XPZ2360	9426-12360	23.91
XPZ2410	9426-12410	24.59
XPZ2437	9426-12437	24.59
XPZ2487	9426-12487	25.61
XPZ2500	9426-12500	26.35
XPZ2540	9426-12540	26.35
XPZ2650	9426-12650	27.49

Part No.	Product No.	Sugg. List Price
XPZ2800	9426-12800	$29.36
XPZ2840	9426-12840	31.24
XPZ3000	9426-13000	31.24
[14]SPZ3150	9426-03150	32.00
[14]SPZ3350	9426-03350	34.08
[14]SPZ3550	9426-03550	36.14

Product No. Series 9420



Vextra® V80®

XPA/SPA Section

Part No.	Product No.	Sugg. List Price
XPA630	9420-10630	$9.92
XPA670	9420-10670	9.92
XPA730	9420-10730	10.37
XPA732	9420-10732	10.37
XPA750	9420-10750	10.37
XPA760	9420-10760	10.37
XPA762	9420-10762	10.37
XPA772	9420-10772	10.37
XPA782	9420-10782	10.37
XPA800	9420-10800	10.37
XPA832	9420-10832	10.73
XPA850	9420-10850	11.49
XPA900	9420-10900	11.49
XPA910	9420-10910	11.49
XPA922	9420-10922	11.49
XPA932	9420-10932	12.25
XPA950	9420-10950	12.25
XPA967	9420-10967	12.79
XPA982	9420-10982	12.79
XPA1000	9420-11000	12.79
XPA1032	9420-11032	13.74
XPA1060	9420-11060	13.74
XPA1082	9420-11082	14.88
XPA1107	9420-11107	14.88
XPA1120	9420-11120	14.88
XPA1132	9420-11132	14.88
XPA1150	9420-11150	15.82
XPA1157	9420-11157	15.82
XPA1180	9420-11180	15.82
XPA1207	9420-11207	16.56
XPA1232	9420-11232	16.56
XPA1250	9420-11250	16.56
XPA1257	9420-11257	17.14

Part No.	Product No.	Sugg. List Price
XPA1272	9420-11272	$17.14
XPA1282	9420-11282	17.14
XPA1300	9420-11300	17.14
XPA1307	9420-11307	17.14
XPA1320	9420-11320	17.14
XPA1332	9420-11332	19.39
XPA1340	9420-11340	19.39
XPA1357	9420-11357	19.39
XPA1360	9420-11350	19.39
XPA1375	9420-11375	19.39
XPA1382	9420-11382	19.39
XPA1400	9420-11400	19.39
XPA1407	9420-11407	19.39
XPA1425	9420-11425	22.21
XPA1430	9420-11430	22.21
XPA1432	9420-11432	22.21
XPA1450	9420-11450	22.21
XPA1457	9420-11457	22.21
XPA1482	9420-11482	22.21
XPA1500	9420-11500	22.21
XPA1507	9420-11507	23.72
XPA1525	9420-11525	23.72
XPA1532	9420-11532	23.72
XPA1550	9420-11550	23.72
XPA1557	9420-11557	23.72
XPA1582	9420-11582	23.72
XPA1600	9420-11600	23.72
XPA1607	9420-11607	25.22
XPA1630	9420-11630	25.22
XPA1632	9420-11632	25.22
XPA1650	9420-11650	25.22
XPA1657	9420-11657	25.22
XPA1662	9420-11662	25.22

Part No.	Product No.	Sugg. List Price
XPA1675	9420-11675	$25.22
XPA1680	9420-11680	25.22
XPA1682	9420-11682	25.22
XPA1700	9420-11700	25.22
XPA1707	9420-11707	27.63
XPA1732	9420-11732	25.97
XPA1750	9420-11750	25.97
XPA1757	9420-11757	25.97
XPA1782	9420-11782	25.97
XPA1800	9420-11800	25.97
XPA1807	9420-11807	26.92
XPA1832	9420-11832	26.92
XPA1850	9420-11850	26.92
XPA1857	9420-11857	26.92
XPA1882	9420-11882	26.92
XPA1900	9420-11900	26.92
XPA1907	9420-11907	28.05
XPA1932	9420-11932	28.05
XPA1950	9420-11950	28.05
XPA1982	9420-11982	28.05
XPA2000	9420-12000	28.05
XPA2032	9420-12032	29.56
XPA2057	9420-12057	29.56
XPA2082	9420-12082	29.56
XPA2120	9420-12120	29.56
XPA2132	9420-12132	30.69
XPA2182	9420-12182	30.69
XPA2207	9420-12207	30.69
XPA2227	9420-12227	30.69
XPA2232	9420-12232	30.69
XPA2240	9420-12240	30.69
XPA2282	9420-12282	32.00
XPA2300	9420-12300	32.00

Part No.	Product No.	Sugg. List Price
XPA2307	9420-12307	$32.00
XPA2332	9420-12332	32.00
XPA2360	9420-12360	32.00
XPA2382	9420-12382	32.75
XPA2432	9420-12432	32.75
XPA2482	9420-12482	32.75
XPA2500	9420-12500	32.75
XPA2532	9420-12532	34.08
XPA2582	9420-12582	34.08
XPA2607	9420-12607	34.08
XPA2650	9420-12650	34.08
XPA2682	9420-12682	35.76
XPA2732	9420-12732	35.76
XPA2782	9420-12782	35.76
XPA2800	9420-12800	35.76
XPA2832	9420-12832	37.65
XPA2882	9420-12882	37.65
XPA2982	9420-12982	42.74
XPA3000	9420-13000	42.74
[14]SPA3070	9420-03070	43.66
[14]SPA3082	9420-03082	43.66
[14]SPA3150	9420-03150	43.66
[14]SPA3182	9420-03182	44.05
[14]SPA3282	9420-03282	45.93
[14]SPA3350	9420-03350	45.93
[14]SPA3482	9420-03482	48.76
[14]SPA3550	9420-03550	48.76
[14]SPA3750	9420-03750	51.19
[14]SPA4000	9420-04000	54.41
[14]SPA4250	9420-04250	60.60
[14]SPA4500	9420-04500	60.60

[14]Not made with Vextra® Construction.

Metric Power™ V-Belts



Product No. Series 9421

XPB/SPB Section

Part No.	Product No.	Sugg. List Price
XPB1250	9421-11250	$26.18
XPB1260	9421-11260	26.18
XPB1320	9421-11320	27.10
XPB1340	9421-11340	27.10
XPB1400	9421-11400	29.19
XPB1410	9421-11410	31.24
XPB1450	9421-11450	31.24
XPB1500	9421-11500	31.24
XPB1510	9421-11510	32.96
XPB1590	9421-11590	32.96
XPB1600	9421-11600	32.96
XPB1627	9421-11627	32.96
XPB1690	9421-11690	35.39
XPB1700	9421-11700	35.39

Part No.	Product No.	Sugg. List Price
XPB1800	9421-11800	$36.89
XPB1900	9421-11900	39.73
XPB2000	9421-12000	41.99
XPB2020	9421-12020	44.29
XPB2098	9421-12098	44.29
XPB2120	9421-12120	44.29
XPB2150	9421-12150	46.88
XPB2180	9421-12180	46.88
XPB2240	9421-12240	46.88
XPB2280	9421-12280	49.31
XPB2300	9421-12300	49.31
XPB2360	9421-12360	49.31
XPB2391	9421-12391	52.14
XPB2410	9421-12410	52.14

Part No.	Product No.	Sugg. List Price
XPB2500	9421-12500	$52.14
XPB2530	9421-12530	55.54
XPB2650	9421-12650	55.54
XPB2680	9421-12680	58.18
XPB2800	9421-12800	58.18
XPB2990	9421-12990	62.49
XPB3000	9421-13000	62.49
[14]SPB3150	9421-03150	64.37
[14]SPB3350	9421-03350	68.71
[14]SPB3550	9421-03550	72.64
[14]SPB3750	9421-03750	76.80
[14]SPB3800	9421-03800	79.34
[14]SPB4000	9421-04000	81.69
[14]SPB4250	9421-04250	86.95

Part No.	Product No.	Sugg. List Price
[14]SPB4500	9421-04500	$92.22
[14]SPB4750	9421-04750	97.32
[14]SPB5000	9421-05000	102.59
[14]SPB5300	9421-05300	108.61
[14]SPB5600	9421-05600	114.81
[14]SPB6000	9421-06000	122.73
[14]SPB6300	9421-06300	129.87
[14]SPB6700	9421-06700	137.40
[14]SPB7100	9421-07100	145.01
[14]SPB7500	9421-07500	153.96
[14]SPB8000	9421-08000	163.95



Product No. Series 9422

XPC/SPC Section

Part No.	Product No.	Sugg. List Price
XPC1800	9422-11800	$60.79
XPC2000	9422-12000	63.99
XPC2120	9422-12120	67.20
XPC2240	9422-12240	70.76
XPC2360	9422-12360	74.53
XPC2500	9422-12500	78.29
XPC2650	9422-12650	82.81
XPC2800	9422-12800	87.16
XPC3000	9422-13000	97.63
[14]SPC3150	9422-03150	99.94

Part No.	Product No.	Sugg. List Price
[14]SPC3350	9422-03350	$100.71
[14]SPC3550	9422-03550	111.99
[14]SPC3750	9422-03750	111.99
[14]SPC4000	9422-04000	119.91
[14]SPC4250	9422-04250	126.86
[14]SPC4500	9422-04500	133.64
[14]SPC4750	9422-04750	147.77
[14]SPC5000	9422-05000	147.77
[14]SPC5300	9422-05300	156.22
[14]SPC5600	9422-05600	165.08

Part No.	Product No.	Sugg. List Price
[14]SPC6000	9422-06000	$176.17
[14]SPC6300	9422-06300	177.66
[14]SPC6700	9422-06700	195.75
[14]SPC7100	9422-07100	207.04
[14]SPC7500	9422-07500	218.33
[14]SPC8000	9422-08000	233.38
[14]SPC8500	9422-08500	246.56
[14]SPC9000	9422-09000	261.70
[14]SPC10000	9422-01000	288.53
[14]SPC10600	9422-01060	302.95

[14]Not made with Vextra® Construction.

Metric Power™ V-Belts

Classical Sizes

Product No. Series 9424



10X Section

Part No.	Product No.	Sugg. List Price
10X530LI	9424-10530	$6.32
10X540LI	9424-10540	6.67
10X670LI	9424-10670	6.76
10X710LI	9424-10710	7.03
10X725LI	9424-10725	7.03
10X730LI	9424-10730	7.03
10X750LI	9424-10750	7.17
10X775LI	9424-10775	7.17

Part No.	Product No.	Sugg. List Price
10X800LI	9424-10800	$7.17
10X875LI	9424-10875	7.29
10X900LI	9424-10900	7.29
10X925LI	9424-10925	7.60
10X950LI	9424-10950	7.60
10X975LI	9424-10975	8.12
10X1000LI	9424-10100	8.12
10X1016LI	9424-10101	8.21

Part No.	Product No.	Sugg. List Price
10X1060LI	9424-10106	$8.32
10X1100LI	9424-10110	8.43
10X1120LI	9424-10112	8.43
10X1180LI	9424-10118	8.63
10X1400LI	9424-10140	9.79
10X1422LI	9424-10142	11.05
10X1750LI	9424-10175	14.14

Product No. Series 9423 & 9424



13X Section

Part No.	Product No.	Sugg. List Price
13X715LI	9424-13715	$6.96
13X750LI	9424-13750	7.72
13X813LI	9424-13813	8.43
13X925LI	9424-13925	8.97

Part No.	Product No.	Sugg. List Price
13X975LI	9424-13975	$9.05
13X2650LI	9424-13265	22.05
13X4000LI	9423-13400	35.37



17X Section

Part No.	Product No.	Sugg. List Price
17X875LI	9424-17875	$11.87
17X1500LI	9424-17150	19.36
17X1525LI	9424-17152	20.19
17X1800LI	9424-17180	22.88
17X2160LI	9424-17216	28.51
17X2240LI	9424-17224	28.51

Part No.	Product No.	Sugg. List Price
17X2540LI	9424-17254	$32.03
[14]17X3658LI	9423-17365	49.74
[14]17X8180LI	9423-17818	130.70
[14]17X8375LI	9423-17837	133.81
[14]17X8636LI	9423-17863	137.98

CarryBand® Belts

An adaptation of a standard "A" cross-section Gates PowerBand®, with molded longitudinal gum rubber ribs.

Markets/Applications

Ideal for cargo and baggage handling systems and freight handling systems for docks and inland ports.

Features/Advantages

- **Gum rubber ribs** have a high coefficient of friction providing maximum traction.
- Tough, wear resistant surface remains flexible at low temperatures (-40°F).
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Pulleys
CarryBand® Belts require standard straight **A** sheaves. Four and five-groove sheaves are available on a **Made-To-Order** basis. Special sheave designs are required for systems with heavy forces acting transversely to the belt.

Notes
Made-To-Order sizes require minimum order quantities. Check with Customer Service for availability.

Product No. Series 9287

Part No.	Suggested List Price	Product No.	Strands Per Band	Pitch Length (In.)	Wt. Per Strand (Lbs.)
[1]3006CB	$157.92	9287-3006	5	47.2	4.57
2905CB	397.95	9287-2905	4	157.1	9.31
3041CB	480.06	9287-3041	4	190.1	10.84
2864CB	467.44	9287-2864	4	183.9	10.51
2865CB	508.13	9287-2865	4	199.9	11.37
3814CB	526.39	9287-3814	4	206.9	11.92
3761CB	796.94	9287-3761	6	208.6	17.85
[1]3686CB	1132.77	9287-3686	6	294.1	24.69

[1]**Made-To-Order, minimum quantity may apply. Check with Customer Service for availability.**

Power Cable® Belts

In place of the standard polyester tensile cord used in most classic section belts, aramid tensile cord is used to provide a higher shock load capacity.



Markets/Applications

An excellent alternative to A, B, and C section drive belts to increase life with reduced stretch.

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability.
- The **Green Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves
Multi-Duty Sheaves

Notes
Power Cable® Belts do not meet RMA requirements for belt static conductivity.



Product No. Series 9132

A Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A26K	$11.41	9132-0026	28	.26	5
A31K	11.41	9132-0031	33	.29	5
A33K	12.73	9132-0033	35	.31	5
A35K	13.18	9132-0035	37	.27	1
A38K	14.04	9132-0038	40	.35	5
A40K	14.49	9132-0040	42	.36	5
A42K	15.10	9132-0042	44	.37	5
A44K	15.56	9132-0044	46	.46	5
A45K	12.37	9132-0045	47	.40	5
A46K	15.81	9132-0046	48	.40	5
A47K	15.97	9132-0047	49	.41	5
A48K	16.16	9132-0048	50	.42	5
A50K	16.50	9132-0050	52	.43	5
A51K	16.70	9132-0051	53	.43	5
A52K	16.87	9132-0052	54	.44	5
A53K	17.04	9132-0053	55	.45	5
A54K	17.31	9132-0054	56	.43	1
A55K	17.47	9132-0055	57	.46	5
A56K	17.64	9132-0056	58	.44	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A57K	$17.82	9132-0057	59	.47	5
A58K	18.10	9132-0058	60	.51	5
A59K	18.27	9132-0059	61	.46	1
A60K	18.43	9132-0060	62	.50	5
A61K	18.70	9132-0061	63	.48	1
A62K	18.87	9132-0062	64	.49	1
A63K	19.15	9132-0063	65	.52	5
A64K	19.33	9132-0064	66	.53	5
A66K	19.77	9132-0066	68	.54	5
A68K	20.18	9132-0068	70	.56	5
A70K	21.08	9132-0070	72	.59	5
A71K	21.25	9132-0071	73	.55	1
A75K	21.97	9132-0075	77	.58	1
A78K	23.02	9132-0078	80	.60	1
A80K	23.71	9132-0080	82	.61	1
A85K	25.47	9132-0085	87	.65	1
A90K	27.22	9132-0090	92	.69	1
A96K	28.97	9132-0096	98	.73	1
A105K	31.59	9132-0105	107	.79	1

Power Cable® Belts



Product No. Series 9133

B Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B35K	$17.57	9133-0035	38	.43	1
B38K	19.33	9133-0038	41	.57	5
B40K	20.18	9133-0040	43	.68	5
B42K	21.08	9133-0042	45	.70	5
B44K	21.97	9133-0044	47	.72	5
B46K	22.82	9133-0046	49	.74	5
B48K	23.54	9133-0048	51	.68	5
B50K	24.24	9133-0050	53	.63	1
B51K	24.58	9133-0051	54	.80	5
B52K	24.86	9133-0052	55	.64	1
B53K	25.02	9133-0053	56	.66	1
B54K	25.27	9133-0054	57	.67	1
B55K	25.47	9133-0055	58	.73	5
B56K	25.65	9133-0056	59	.69	1
B57K	25.81	9133-0057	60	.70	1
B58K	25.99	9133-0058	61	.71	1
B59K	26.18	9133-0059	62	.72	1
B60K	26.34	9133-0060	63	.82	5
B61K	26.70	9133-0061	64	.75	1
B62K	27.04	9133-0062	65	.78	5
B63K	27.41	9133-0063	66	.77	1
B64K	27.73	9133-0064	67	.95	5
B65K	28.11	9133-0065	68	.79	1
B66K	28.44	9133-0066	69	.93	5
B68K	28.97	9133-0068	71	.84	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B70K	$29.77	9133-0070	73	.93	5
B71K	30.11	9133-0071	74	.94	5
B75K	31.59	9133-0075	78	.92	5
B78K	32.95	9133-0078	81	.98	5
B80K	33.80	9133-0080	83	.96	1
B81K	34.26	9133-0081	84	1.05	5
B83K	35.36	9133-0083	86	1.01	1
B85K	35.99	9133-0085	88	1.07	5
B90K	37.75	9133-0090	93	1.12	5
B93K	39.51	9133-0093	96	1.12	1
B95K	40.38	9133-0095	98	1.30	5
B97K	41.28	9133-0097	100	1.32	5
B100K	42.15	9133-0100	103	1.35	5
B103K	43.04	9133-0103	106	1.26	1
B105K	43.90	9133-0105	108	1.29	5
B108K	45.50	9133-0108	111	1.32	1
B112K	47.43	9133-0112	115	1.37	5
B120K	50.04	9133-0120	123	1.47	1
B124K	51.82	9133-0124	127	1.62	5
B128K	53.56	9133-0128	131	1.72	5
B136K	57.25	9133-0136	139	1.71	1
B144K	60.60	9133-0144	147	1.91	5
B158K	65.86	9133-0158	161	1.99	1
B173K	72.01	9133-0173	176	2.55	5
B195K	81.64	9133-0195	198	2.46	1



Product No. Series 9134

C Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C68K	$53.56	9134-0068	72	1.60	1
C75K	58.82	9134-0075	79	1.74	1
C81K	64.09	9134-0081	85	1.87	1
C85K	65.86	9134-0085	89	1.99	5
C90K	71.11	9134-0090	94	2.08	1
C96K	75.50	9134-0096	100	2.13	5
C100K	78.67	9134-0100	104	2.29	1
C105K	82.54	9134-0105	109	2.47	5
C112K	87.80	9134-0112	116	2.58	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C120K	$93.95	9134-0120	124	2.74	1
C128K	100.10	9134-0128	132	2.91	1
C136K	105.72	9134-0136	140	3.00	1
C144K	112.38	9134-0144	148	3.55	5
C158K	122.92	9134-0158	162	3.60	1
C162K	125.55	9134-0162	166	3.68	1
C173K	134.34	9134-0173	177	3.91	1
C180K	140.48	9134-0180	184	4.05	1
C195K	151.88	9134-0195	199	4.36	1

Hi-Power® II Dubl-V Belts

This belt is designed with a unique recessed top and bottom to maintain sidewall contact, while remaining flexible for drives that require power transmission from both sides of the belt.



Markets/Applications

Suitable for all industrial serpentine applications requiring rotation reversal on some driven shafts.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- The **Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Multi-Duty Sheaves

Notes
Dubl-V belts are available in AA, BB, CC and DD cross sections.



Product No. Series 9052

AA Section

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
AA51	$23.25	9052-0051	53	.45
AA55	24.37	9052-0055	57	.48
AA60	25.74	9052-0060	62	.52
AA68	28.14	9052-0068	70	.58
AA75	30.62	9052-0075	77	.63
AA80	33.03	9052-0080	82	.69
AA85	35.53	9052-0085	87	.74

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
AA90	$37.93	9052-0090	92	.78
AA92	38.79	9052-0092	94	.79
AA96	40.43	9052-0096	98	.83
AA105	44.03	9052-0105	107	.91
AA112	48.93	9052-0112	114	.97
AA120	52.59	9052-0120	122	1.06
AA128	56.31	9052-0128	130	1.13



Product No. Series 9053

BB Section

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
BB35	$24.52	9053-0035	38	.54
BB38	26.91	9053-0038	41	.58
BB42	29.39	9053-0042	45	.63
BB43	30.00	9053-0043	46	.64
BB45	31.23	9053-0045	48	.66

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
BB46	$31.79	9053-0046	49	.68
BB51	34.24	9053-0051	54	.74
BB53	34.83	9053-0053	56	.77
BB55	35.48	9053-0055	58	.79
BB60	36.69	9053-0060	63	.27

Prices Subject To Change Without Notice

Hi-Power® II Dubl-V Belts

Product No. Series 9053 (continued)

BB Section (continued)

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
BB68	$40.43	9053-0068	71	1.00
BB71	41.98	9053-0071	74	1.05
BB73	43.00	9053-0073	76	1.08
BB74	43.54	9053-0074	77	1.09
BB75	44.03	9053-0075	78	1.10
BB81	47.72	9053-0081	84	1.19
BB85	50.20	9053-0085	88	1.24
BB90	52.59	9053-0090	93	1.35
BB92	54.20	9053-0092	95	1.38
BB93	55.04	9053-0093	96	1.39
BB94	55.68	9053-0094	97	1.40
BB97	57.49	9053-0097	100	1.46
BB105	61.20	9053-0105	108	1.57
BB107	62.62	9053-0107	110	1.60
BB108	63.37	9053-0108	111	1.61
BB111	65.95	9053-0111	114	1.67
BB112	66.11	9053-0112	115	1.68
BB116	67.91	9053-0116	119	1.74
BB118	68.73	9053-0118	121	1.76
BB120	69.77	9053-0120	123	1.79
BB122	70.94	9053-0122	125	1.82
BB123	71.44	9053-0123	126	1.83
BB124	72.17	9053-0124	127	1.84

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
BB127	$73.89	9053-0127	130	1.88
BB128	74.61	9053-0128	131	1.90
BB129	75.50	9053-0129	132	1.91
BB130	76.09	9053-0130	133	1.92
BB136	79.76	9053-0136	139	2.04
BB144	84.41	9053-0144	147	2.14
BB155	89.06	9053-0155	158	2.28
BB158	91.77	9053-0158	161	2.31
BB168	97.51	9053-0168	171	2.44
BB169	98.02	9053-0169	172	2.52
BB173	100.36	9053-0173	176	2.57
BB180	105.25	9053-0180	183	2.67
BB190	110.92	9053-0190	193	2.77
BB195	113.80	9053-0195	198	2.87
BB210	122.31	9053-0210	213	3.14
BB226	130.54	9053-0226	227	3.41
BB228	131.66	9053-0228	229	3.44
BB230	132.79	9053-0230	231	3.47
BB240	138.23	9053-0240	241	3.61
BB270	156.57	9053-0270	271	4.17
BB277	160.64	9053-0277	278	4.26
BB300	173.73	9053-0300	301	4.58



Product No. Series 9054

CC Section

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
CC75	$81.96	9054-0075	79	2.08
CC81	89.34	9054-0081	85	2.22
CC85	91.74	9054-0085	89	2.32
CC90	99.14	9054-0090	94	2.47
CC96	105.18	9054-0096	100	2.63
CC105	115.00	9054-0105	109	2.84
CC112	122.36	9054-0112	116	3.09
CC120	130.87	9054-0120	124	3.28
CC128	139.49	9054-0128	132	3.47
CC136	147.27	9054-0136	140	3.66
CC144	156.63	9054-0144	148	3.85
CC158	171.26	9054-0158	162	4.21

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
CC162	$174.93	9054-0162	166	4.30
CC173	187.22	9054-0173	177	4.57
CC180	195.70	9054-0180	184	4.73
CC195	211.62	9054-0195	199	5.22
CC210	228.73	9054-0210	214	5.76
CC240	256.94	9054-0240	242	6.45
CC270	289.95	9054-0270	272	7.64
CC300	321.72	9054-0300	302	8.38
CC330	353.56	9054-0330	332	9.12
CC360	385.32	9054-0360	362	9.86
CC390	418.34	9054-0390	392	10.61
CC420	451.42	9054-0420	422	11.35

Hi-Power® II Dubl-V Belts



Product No. Series 9055

DD Section

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
DD270	$534.52	9055-0270	273	14.87
DD300	593.25	9055-0300	303	16.37
DD360	711.90	9055-0360	363	19.33

PowerBack™ Belts

Specifically designed for live roller conveyor applications, this modified "B" section belt has a special flat back to increase top surface contact with Roll and from Roll to Roll.



Markets/Applications

Ideal for roll-to-roll drives in conveyor applications.

Features/Advantages

- **Flat back** provides greater top surface contact with roll and from roll to roll.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves
Multi-Duty Sheaves

Notes
PowerBack™ belts are available in B cross section.

Product No. Series 9003

B Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
B101PB	$67.59	9003-8101	104	1.12
B113PB	77.25	9003-8113	116	1.23
B125PB	82.73	9003-8125	128	1.39
B137PB	88.44	9003-8137	140	1.57
B149PB	99.19	9003-8149	152	1.69
B161PB	107.09	9003-8161	164	1.75
B185PB	122.23	9003-8185	188	1.89
B197PB	128.81	9003-8197	200	2.17
B211PB	137.97	9003-8211	212	2.39
B247PB	161.52	9003-8247	248	2.50
B259PB	169.64	9003-8259	260	2.90
B315PB	206.18	9003-8315	316	3.19

Power Curve™ Belts

The conveyor turn is a demanding application in which V-belts face varying degrees of transverse bending. The Gates Power Curve™ belt was specifically engineered to handle the bending and twisting of this demanding application.



Markets/Applications

Recommended for power turn conveyor beds and automotive manufacturing conveyors.

Features/Advantages

- Unique **under cord** construction allows greater than four times the flexibility of Gates standard B section belt.
- Gates patented **Flex-Weave® cover** increases flexibility and reduces cover stress for longer life.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves
Multi-Duty Sheaves

Notes
Power Curve™ belts are available in B cross section.

Product No. Series 9003

B Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
B112PC	$33.48	9003-7112	115	1.33
B116PC	34.41	9003-7116	119	1.38
B120PC	35.33	9003-7120	123	1.42
B124PC	36.58	9003-7124	127	1.47
B128PC	37.80	9003-7128	131	1.51
B133PC	39.69	9003-7133	136	1.48
B136PC	40.41	9003-7136	139	1.61
B140PC	41.54	9003-7140	143	1.63
B144PC	42.78	9003-7144	147	1.76
B150PC	45.15	9003-7150	153	1.86
B154PC	46.36	9003-7154	157	1.91
B158PC	46.49	9003-7158	161	1.95
B162PC	48.35	9003-7162	165	2.05
B173PC	50.83	9003-7173	176	2.11
B180PC	53.31	9003-7180	183	2.27
B190PC	56.25	9003-7190	193	2.45
B195PC	57.65	9003-7195	198	2.49
B205PC	60.44	9003-7205	208	2.56
B210PC	61.99	9003-7210	213	2.66

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
B225PC	$65.84	9003-7225	226	2.72
B240PC	70.06	9003-7240	241	2.80
B255PC	74.71	9003-7255	256	2.86
B270PC	79.34	9003-7270	271	2.88
B285PC	83.70	9003-7285	286	2.90
B300PC	88.02	9003-7300	301	3.00
B315PC	94.35	9003-7315	316	3.20
B330PC	123.55	9003-7330	331	3.35
B345PC	129.17	9003-7345	346	3.50
B360PC	134.79	9003-7360	361	3.66
B375PC	140.41	9003-7375	376	3.81
B390PC	146.02	9003-7390	391	3.96
B405PC	151.64	9003-7405	406	4.11
B420PC	157.26	9003-7420	421	4.27
B430PC	161.00	9003-7430	431	4.37
B445PC	166.61	9003-7445	446	4.52
B460PC	172.23	9003-7460	461	4.67
B500PC	187.20	9003-7500	501	5.08

Micro-V® Belts

Exclusive truncated (shortened) profile gives Gates Micro-V® belts increased flexibility, reduced heat buildup and allows performance at higher speeds on smaller diameter sheaves.



Markets/Applications

Well suited for applications such as appliances, outdoor power equipment, roller conveyors, machine tools, medical equipment and exercise equipment.

Features/Advantages

- **Fiber Reinforced Ribs** for excellent wear resistance.
- **High Modulus, low stretch tensile member** for added strength and dependability.
- Smooth Running for minimal vibration at high speeds.
- Up to 80% higher horsepower capacity than RMA standards.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** reqirements.

Recommended Sheaves
Taper-Lock® Micro-V® Sheaves

Notes
The part number is constructed by using the effective length in tenths of an inch, followed by cross section and the number of ribs. For example, 780L16 represents a 78" effective length, L cross section and 16 ribs.

Rib configurations listed will be stocked. Other rib configurations are Standard/Non-Stock and may require manufacturing lead times.

Minimum order quantities are not required on lengths listed.

Product No. Series 9171

J Section

J SECTION



Size	Suggested List Price Per Rib	Suggested List Prices For Standard Rib Configurations						Effective Length (In.)	Wt. Per Rib (Lbs.)	Max. No. of Ribs
		4 Rib	6 Rib	8 Rib	10 Rib	16 Rib	20 Rib			
180J	$2.15	$8.60	$12.90	$17.20	$21.50	$34.40	$43.00	18.0	.008	30
190J	2.15	8.60	12.90	17.20	21.50	34.40	43.00	19.0	.009	30
200J	2.15	8.60	12.90	17.20	21.50	34.40	43.00	20.0	.009	30
220J	2.15	8.60	12.90	17.20	21.50	34.40	43.00	22.0	.010	211
230J	2.15	8.60	12.90	17.20	21.50	34.40	43.00	23.0	.011	211
240J	2.15	8.60	12.90	17.20	21.50	34.40	43.00	24.0	.011	211
260J	2.20	8.80	13.20	17.60	22.00	35.20	44.00	26.0	.012	211
280J	2.20	8.80	13.20	17.60	22.00	35.20	44.00	28.0	.013	211
290J	2.22	8.88	13.32	17.76	22.20	35.52	44.40	29.0	.014	211
300J	2.25	9.00	13.50	18.00	22.50	36.00	45.00	30.0	.014	211
320J	2.30	9.20	13.80	18.40	23.00	36.80	46.00	32.0	.015	211
330J	2.33	9.32	13.98	18.64	23.30	37.28	46.60	33.0	.016	211
340J	2.34	9.36	14.04	18.72	23.40	37.44	46.80	34.0	.016	211
360J	2.34	9.36	14.04	18.72	23.40	37.44	46.80	36.0	.017	211
380J	2.39	9.56	14.34	19.12	23.90	38.24	47.80	38.0	.018	211
400J	2.43	9.72	14.58	19.44	24.30	38.88	48.60	40.0	.019	211
410J	2.44	9.76	14.64	19.52	24.40	39.04	48.80	41.0	.019	211
420J	2.45	9.80	14.70	19.60	24.50	39.20	49.00	42.0	.020	211
430J	2.48	9.92	14.88	19.84	24.80	39.68	49.60	43.0	.020	211
440J	2.50	10.00	15.00	20.00	25.00	40.00	50.00	44.0	.021	211
460J	2.52	10.08	15.12	20.16	25.20	40.32	50.40	46.0	.022	211
480J	2.55	10.20	15.30	20.40	25.50	40.80	51.00	48.0	.023	211
490J	2.56	10.24	15.36	20.48	25.60	40.96	51.20	49.0	.023	211
500J	2.61	10.44	15.66	20.88	26.10	41.76	52.20	50.0	.024	211
520J	2.71	10.84	16.26	21.68	27.10	43.36	54.20	52.0	.024	211

Micro-V® Belts

Product No. Series 9171 (continued)

J Section (continued)

Size	Suggested List Price Per Rib	Suggested List Prices For Standard Rib Configurations						Effective Length (In.)	Wt. Per Rib (Lbs.)	Max. No. of Ribs
		4 Rib	6 Rib	8 Rib	10 Rib	16 Rib	20 Rib			
550J	$2.80	$11.20	$16.80	$22.40	$28.00	$44.80	$56.00	55.0	.026	211
580J	2.94	11.76	17.64	23.52	29.40	47.04	58.80	58.0	.027	211
610J	3.03	12.12	18.18	24.24	30.30	48.48	60.60	61.0	.029	211
650J	3.16	12.64	18.96	25.28	31.60	50.56	63.20	65.0	.031	211
730J	3.53	14.12	21.18	28.24	35.30	56.48	70.60	73.0	.034	211
870J	3.71	14.84	22.26	29.68	37.10	59.36	74.20	87.0	.041	211
[3]920J	4.12	16.48	24.72	32.96	41.20	—	—	92.0	.043	10
[3]980J	4.36	17.44	26.16	34.88	43.60	—	—	98.0	.046	10

[3]Available only up to 10 rib configuration due to ground rib construction.

Product No. Series 9173

L Section

L SECTION



Size	Suggested List Price Per Rib	Suggested List Prices For Standard Rib Configurations								Effective Length (In.)	Wt. Per Rib (Lbs.)	Max. No. of Ribs
		6 Rib	8 Rib	10 Rib	12 Rib	14 Rib	16 Rib	18 Rib	20 Rib			
500L	$7.89	$47.34	$63.12	$78.90	$94.68	$110.46	$126.24	$142.02	$157.80	50.0	.087	105
540L	8.25	49.50	66.00	82.50	99.00	115.50	132.00	148.50	165.00	54.0	.093	105
560L	8.44	50.64	67.52	84.40	101.28	118.16	135.04	151.92	168.80	56.0	.097	105
615L	8.99	53.94	71.92	89.90	107.88	125.86	143.84	161.82	179.80	61.5	.106	105
635L	9.17	55.02	73.36	91.70	110.04	128.38	146.72	165.06	183.40	63.5	.110	105
655L	9.40	56.40	75.20	94.00	112.80	131.60	150.40	169.20	188.00	65.5	.113	105
675L	9.58	57.48	76.64	95.80	114.96	134.12	153.28	172.44	191.60	67.5	.117	105
695L	9.81	58.86	78.48	98.10	117.72	137.34	156.96	176.58	196.20	69.5	.120	105
725L	10.09	60.54	80.72	100.90	121.08	141.26	161.44	181.62	201.80	72.5	.125	105
765L	10.50	63.00	84.00	105.00	126.00	147.00	168.00	189.00	210.00	76.5	.132	105
780L	10.63	63.78	85.04	106.30	127.56	148.82	170.08	191.34	212.60	78.0	.135	105
795L	10.78	64.68	86.24	107.80	129.36	150.92	172.48	194.04	215.60	79.5	.138	105
815L	11.00	66.00	88.00	110.00	132.00	154.00	176.00	198.00	220.00	81.5	.141	105
840L	11.23	67.38	89.84	112.30	134.76	157.22	179.68	202.14	224.60	84.0	.145	105
865L	11.84	71.04	94.72	118.40	142.08	165.76	189.44	213.12	236.80	86.5	.150	105
915L	13.02	78.12	104.16	130.20	156.24	182.28	208.32	234.36	260.40	91.5	.158	60
975L	14.45	86.70	115.60	144.50	173.40	202.30	231.20	260.10	289.00	97.5	.169	60
990L	14.81	88.86	118.48	148.10	177.72	207.34	236.96	266.58	296.20	99.0	.171	60
1065L	16.60	99.60	132.80	166.00	199.20	232.40	265.60	298.80	332.00	106.5	.184	60
1120L	17.88	107.28	143.04	178.80	214.56	250.32	286.08	321.84	357.60	112.0	.194	60
1150L	20.10	120.60	160.80	201.00	241.20	281.40	321.60	361.80	402.00	115.0	.199	60
1215L	24.73	148.38	197.84	247.30	296.76	346.22	395.68	445.14	494.60	121.5	.201	60
1230L	26.50	159.00	212.00	265.00	318.00	371.00	424.00	477.00	530.00	123.0	.213	60
1295L	30.44	182.64	243.52	304.40	365.28	426.16	487.04	547.92	608.80	129.5	.224	60
1310L	31.52	189.12	252.16	315.20	378.24	441.28	504.32	567.36	630.40	131.0	.227	60
1455L	41.89	251.34	335.12	418.90	502.68	586.46	670.24	754.02	837.80	145.5	.252	60

Micro-V® Belts

M SECTION



Product No. Series 9174

M Section

Size	Suggested List Price Per Rib	Suggested List Prices For Standard Rib Configurations								Effective Length (In.)	Wt. Per Rib (Lbs.)	Max. No. of Ribs
		6 Rib	8 Rib	10 Rib	12 Rib	14 Rib	16 Rib	18 Rib	20 Rib			
900M	$58.91	$353.46	$471.28	$589.10	$706.92	$824.74	$942.56	$1060.38	$1178.20	90.0	.626	30
940M	60.85	365.10	486.80	608.50	730.20	851.90	973.60	1095.30	1217.00	94.0	.653	30
990M	63.26	379.56	506.08	632.60	759.12	885.64	1012.16	1138.68	1265.20	99.0	.688	30
1060M	66.71	400.26	533.68	667.10	800.52	933.94	1067.36	1200.78	1334.20	106.0	.736	30
1115M	69.36	416.16	554.88	693.60	832.32	971.04	1109.76	1248.48	1387.20	111.5	.775	30
1150M	71.07	426.42	568.56	710.70	852.84	994.98	1137.12	1279.26	1421.40	115.0	.799	30
1185M	72.76	436.56	582.08	727.60	873.12	1018.64	1164.16	1309.68	1455.20	118.5	.824	30
1230M	74.96	449.76	599.68	749.60	899.52	1049.44	1199.36	1349.28	1499.20	123.0	.855	30
1310M	78.86	473.16	630.88	788.60	946.32	1104.04	1261.76	1419.48	1577.20	131.0	.910	30
1390M	82.75	496.50	662.00	827.50	993.00	1158.50	1324.00	1489.50	1655.00	139.0	.966	30
1470M	86.65	519.90	693.20	866.50	1039.80	1213.10	1386.40	1559.70	1733.00	147.0	1.022	30
1610M	92.01	552.06	736.08	920.10	1104.12	1288.14	1472.16	1656.18	1840.20	161.0	1.119	30
1650M	93.52	561.12	748.16	935.20	1122.24	1309.28	1496.32	1683.36	1870.40	165.0	1.147	30
1760M	97.74	586.44	781.92	977.40	1172.88	1368.36	1563.84	1759.32	1954.80	176.0	1.223	30
1830M	100.45	602.70	803.60	1004.50	1205.40	1406.30	1607.20	1808.10	2009.00	183.0	1.272	30
1980M	106.18	637.08	849.44	1061.80	1274.16	1486.52	1698.88	1911.24	2123.60	198.0	1.376	30
2130M	111.91	671.46	895.28	1119.10	1342.92	1566.74	1790.56	2014.38	2238.20	213.0	1.480	30
2410M	122.64	735.84	981.12	1226.40	1471.68	1716.96	1962.24	2207.52	2452.80	241.0	1.675	30
2560M	129.29	775.74	1034.32	1292.90	1551.48	1810.06	2068.64	2327.22	2585.80	256.0	1.779	30
2710M	135.89	815.34	1087.12	1358.90	1630.68	1902.46	2174.24	2446.02	2717.80	271.0	1.883	30
3010M	148.99	893.94	1191.92	1489.90	1787.88	2085.86	2383.84	2681.82	2979.80	301.0	2.092	30
3310M	162.43	974.58	1299.44	1624.30	1949.16	2274.02	2598.88	2923.74	3248.60	331.0	2.300	30
3610M	175.69	1054.14	1405.52	1756.90	2108.28	2459.66	2811.04	3162.42	3513.80	361.0	2.509	30

Xtreme® Snowmobile Belts

Aramid cord and advanced composite construction provide extraordinary strength and durability for high performance requirements like power clutching. Also well suited for everyday trail riding to produce long wear and dependability.

Markets/Applications

Designed for snowmobile trail rider and high performance racing sleds.

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch, extraordinary strength and durability.
- Withstands temperature extremes down to -30° F.

Notes

Length listed should be used for length comparison only. If a cataloged belt does not fit the specific snowmobile, use the reference length to determine if there is a slightly longer or shorter belt length available which meets the manufacturers belt fit specifications.



Product No. Series 9839

Part No.	Suggested List Price	Product No.	Top Width	Length
25X4320	$87.31	9839-0013	1 1/4	43.250
32X4400	87.31	9839-0014	1 5/16	44.000
38X4320	87.31	9839-0007	1 3/8	43.250
38X4340	87.31	9839-0004	1 3/8	43.500
38X4350	87.31	9839-0009	1 3/8	43.625
38X4351	87.31	9839-0008	1 3/8	43.625
38X4355	87.31	9839-0010	1 3/8	43.625
38X4360	87.31	9839-0027	1 3/8	43.700
38X4400	87.31	9839-0016	1 3/8	44.000
38X4401	87.31	9839-0015	1 3/8	44.000
38X4420	87.31	9839-0001	1 3/8	44.250
38X4421	87.31	9839-0006	1 3/8	44.250
38X4600	87.31	9839-0023	1 3/8	46.200
38X4640	87.31	9839-0017	1 3/8	46.500

Part No.	Suggested List Price	Product No.	Top Width	Length
38X4725	$87.31	9839-0011	1 3/8	47.100
38X4730	87.31	9839-0002	1 3/8	47.375
38X4740	87.31	9839-0028	1 3/8	47.500
38X4750	87.31	9839-0003	1 3/8	47.625
38X5140	87.31	9839-0029	1 3/8	51.500
38X5210	87.31	9839-0018	1 3/8	52.125
42X4900	87.31	9839-0024	1 7/16	48.900
43X4320	87.31	9839-0039	1 7/16	44.000
43X4400	84.58	9839-0043	1 7/16	44.125
43X4616	84.58	9839-0044	1 7/16	46.250
44X4640	87.31	9839-0031	1 7/16	45.850
44X4740	87.31	9839-0030	1 7/16	47.600
44X4810	87.31	9839-0005	1 7/16	48.125

Xtreme® Mountain Snowmobile Belts

Aramid cord and advanced composite construction provide extraordinary strength and durability for high performance requirements like power clutching. Also well suited for everyday trail riding to produce long wear and dependability.

Markets/Applications

Designed for high performance and trail rider snowmobiles (+160hp and over 9,000rpm with 440cc to +900cc).

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch, extraordinary strength and durability.
- Withstands temperature extremes down to -30° F.

Notes

Length listed should be used for length comparison only. If a cataloged belt does not fit the specific snowmobile, use the reference length to determine if there is a slightly longer or shorter belt length available which meets the manufacturers belt fit specifications.



Product No. Series 9839 (continued)

Part No.	Suggested List Price	Product No.	Top Width	Length
38XM4340	$149.36	9839-8004	1 3/8	43.500
38XM4420	149.36	9839-8001	1 3/8	44.250
38XM4730	149.36	9839-8002	1 3/8	47.375
38XM4740	149.36	9839-8028	1 3/8	47.500
38XM4750	149.36	9839-8003	1 3/8	47.625

Part No.	Suggested List Price	Product No.	Top Width	Length
38XM5140	$149.36	9839-8029	1 3/8	51.500
44XM4640	149.36	9839-8031	1 7/16	45.850
44XM4740	149.36	9839-8030	1 7/16	47.600
44XM4810	149.36	9839-8005	1 7/16	48.125

TrailRunner® Snowmobile and ATV Belts

Aramid cord and advanced composite construction provide extraordinary strength and durability for high performance requirements like power clutching. Also well suited for everyday trail riding to produce long wear and dependability.

Markets/Applications

Designed for entry level and touring snowmobiles.

Features/Advantages

- **Aramid Tensile Cords** give added durability, strength and dependability.
- Heat resistant notch fabric for smooth idling.

Notes

Length listed should be used for length comparison only. If a cataloged belt does not fit the specific snowmobile, use the reference length to determine if there is a slightly longer or shorter belt length available which meets the manufacturers belt fit specifications.



Product No. Series 9836

Part No.	Suggested List Price	Product No.	Top Width	Length
19AT3430	$91.86	9836-0035	1 3/16	34.375
19AT4090	47.69	9836-4742	1 3/16	40.880
19AT4091E	47.69	9836-0038	1 3/16	40.880
25AT3650	85.01	9836-0036	1 1/4	37.000
25AT4395	135.29	9839-9038	1 1/4	41.625
19T4300	47.69	9836-0019	1 3/16	43.000
19T4440	47.69	9836-0021	1 3/16	44.500
25T4320	49.08	9836-0013	1 1/4	43.250
25T4325	49.08	9836-0020	1 1/4	43.250
25T4420	49.08	9836-0012	1 1/4	44.250
25T4510	49.08	9836-0022	1 1/4	45.125
32T4400	49.08	9836-0014	1 5/16	44.000

Part No.	Suggested List Price	Product No.	Top Width	Length
38T4320	$53.31	9836-0007	1 3/8	43.250
38T4350	53.31	9836-0009	1 3/8	43.625
38T4351	53.31	9836-0008	1 3/8	43.625
38T4400	53.31	9836-0016	1 3/8	44.000
38T4401	53.31	9836-0015	1 3/8	44.000
38T4420	53.31	9836-0001	1 3/8	44.250
38T4640	53.31	9836-0017	1 3/8	46.500
38T4725	53.31	9836-0011	1 3/8	47.100
38T4730	53.31	9836-0002	1 3/8	47.375
38T4750	53.31	9836-0003	1 3/8	47.500
42T4900	57.54	9836-0024	1 7/16	48.900
44T4640	59.88	9836-0031	1 7/16	45.850

Multi-Speed® Belts

Multi-Speed belts are made in banded or bandless construction featuring high-modulus, fiber-loaded stock that offers transverse rigidity and flexibility at the same time. This results in higher load carrying capacity and long belt life.



Markets/Applications

Suitable for all industrial, wide-speed range open pulley or enclosed device variable speed drives.

Features/Advantages

- **Notch Design** reduces thermal and bending stresses for longer life.
- **Smooth Running** construction for minimal vibration at high speeds.
- Meets RMA **oil and heat resistant** standards.

Notes
HV in the part number denotes Heavy Construction, which has a thickness of .700+.

Product No. Prefix	Construction
9800	Banded
9804	Bandless
9833	Bandless/Aramid Tensile

Additonal sizes may be available on a Made-To-Order basis. Contact Customer Service for information.

Minimum Order Quantities for MTO Multi-Speed Belts

Size Range	Min. Quantity
1228V-1632V	42
1822V-2332V	28
2422V-2930V	20
3028V-3636V	16
3726V-4436V	12

Manufacturing variations may cause actual ship quantity to vary ±10% from these figures. Orders must be for a minimum of the quantities shown, or multiples thereof.

Product No. Series 9800, 9804 and 9833

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
1228V255	$40.39	9804-0729	26.1	3/4	28	.45
[4]1230V341	46.81	9804-0814	34.6	3/4	30	.56
1230V348	48.15	9804-0815	35.3	3/4	30	.60
1330V242	46.52	9804-0447	24.7	13/16	30	.47
1422V235	39.81	9804-0816	24.0	7/8	22	.52
1422V240	40.90	9804-0495	24.7	7/8	22	.47
1422V270	42.53	9804-0494	27.7	7/8	22	.50
1422V290	43.85	9804-0584	29.6	7/8	22	.54
1422V300	44.98	9804-0493	30.7	7/8	22	.55
1422V330	46.81	9804-0492	33.7	7/8	22	.57
1422V340	48.15	9804-0708	34.6	7/8	22	.59
1422V360	49.02	9804-0328	36.7	7/8	22	.67
1422V400	49.75	9804-0348	40.8	7/8	22	.64
1422V420	52.21	9804-0329	42.8	7/8	22	.74
1422V440	52.96	9804-0817	44.5	7/8	22	.67
1422V460	53.45	9804-0768	46.5	7/8	22	.78
1422V466	53.79	9804-0325	47.0	7/8	22	.73
1422V470	54.31	9804-0818	47.5	7/8	22	.70
1422V480	54.93	9804-0337	48.7	7/8	22	.74
1422V540	62.51	9804-0331	54.8	7/8	22	1.31
1422V600	68.45	9804-0332	60.7	7/8	22	.97
1422V660	74.57	9804-0333	66.7	7/8	22	1.03
1422V720	80.10	9804-0911	72.7	7/8	22	1.91
1422V780	86.50	9804-0339	78.7	7/8	22	1.10
1426V298	44.42	9804-0259	30.4	7/8	26	.66

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
1426V299	$44.42	9804-0656	30.5	7/8	26	.63
1426V328	48.89	9804-0636	33.3	7/8	26	.71
1426V362	53.95	9804-0635	36.7	7/8	26	.72
1430V215	30.19	9804-0702	21.8	7/8	30	.38
[4]1430V315	48.89	9804-0819	32.0	7/8	30	.58
1430V375	53.79	9804-0820	38.0	7/8	30	.68
[4]1430V450	61.56	9804-0849	45.6	7/8	30	.77
[4]1430V500	67.43	9804-0850	50.5	7/8	30	.80
[4]1524V301	53.45	9804-0821	30.6	15/16	24	.63
1526V264	51.96	9804-0505	27.0	15/16	26	.61
1526V294	57.83	9804-0506	30.0	15/16	26	.65
1528V298	48.40	9804-0769	30.3	15/16	28	.62
1528V326	49.27	9804-0770	33.1	15/16	28	.62
1528V360	52.47	9804-0771	36.5	15/16	28	.72
1528V414	55.01	9804-0772	41.9	15/16	28	.80
1622V270	46.91	9804-0822	27.5	1	22	.59
1622V297	50.12	9804-0823	30.2	1	22	.61
1622V307	52.08	9804-0571	31.1	1	22	.70
1622V336	55.78	9804-0824	34.1	1	22	.62
1622V520	88.22	9804-0572	52.5	1	22	.86
1626V262	48.89	9804-0773	26.7	1	26	.56
1626V290	49.75	9804-0536	29.8	1	26	.56
1626V293	50.37	9804-0588	30.0	1	26	.68
1626V304	51.73	9804-0305	31.1	1	26	.69
1626V330	55.78	9804-0293	33.8	1	26	.88

[4]**Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.**

Prices Subject To Change Without Notice

Multi-Speed® Belts

Product No. Series 9800, 9804 and 9833 (continued)

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
1626V339	$58.23	9804-0248	34.7	1	26	.74
1626V380	62.51	9804-0774	38.5	1	26	.74
1626V384	64.88	9804-0308	39.2	1	26	.79
1626V395	68.66	9804-0618	40.3	1	26	.88
1626V411	70.01	9804-0537	41.9	1	26	.87
1626V428	71.86	9804-0775	43.3	1	26	.73
1626V440	74.32	9804-0291	44.7	1	26	.96
1626V455	77.90	9804-0617	46.2	1	26	.78
1626V513	80.97	9804-0776	51.8	1	26	.90
1626V517	80.97	9804-0249	52.1	1	26	1.05
1626V597	89.57	9804-0393	60.6	1	26	.98
1626V604	101.59	9804-0306	61.2	1	26	1.29
1626V658	123.58	9804-0397	66.7	1	26	2.12
1626V700	129.12	9804-0403	70.8	1	26	1.42
1628V210	43.63	9804-0686	21.2	1	28	.43
1628V315	52.47	9804-0313	32.7	1	28	.71
1632V210	43.63	9804-0323	21.9	1	32	.53
1822V290	59.23	9804-0648	29.5	1 1/8	22	.64
1822V328	64.75	9804-0651	33.5	1 1/8	22	.90
1826V250	68.73	9804-0592	25.4	1 1/8	26	.55
1828V368	77.51	9804-0284	37.6	1 1/8	28	1.03
1832V338	71.75	9804-0777	34.4	1 1/8	32	.78
1922V256	65.97	9804-0253	26.4	1 3/16	22	.72
1922V277	66.73	9804-0611	28.2	1 3/16	22	.66
1922V282	67.56	9804-0060	29.0	1 3/16	22	.76
1922V298	68.45	9804-0500	30.6	1 3/16	22	.70
1922V302	69.27	9804-0778	30.8	1 3/16	22	.71
1922V321	71.50	9804-0070	33.0	1 3/16	22	.84
1922V332	72.98	9804-0713	34.0	1 3/16	22	.86
1922V338	73.71	9804-0501	34.7	1 3/16	22	.75
1922V363	75.06	9804-0027	37.1	1 3/16	22	.94
1922V381	76.41	9804-0307	38.8	1 3/16	22	1.02
1922V386	78.39	9804-0071	39.3	1 3/16	22	1.02
1922V403	79.85	9804-0530	41.4	1 3/16	22	.95
1922V417	80.10	9804-0376	42.5	1 3/16	22	.81
1922V426	80.72	9804-0063	43.4	1 3/16	22	1.07
1922V443	81.82	9804-0072	45.1	1 3/16	22	1.33
1922V454	82.81	9804-0028	46.2	1 3/16	22	1.08
1922V460	90.93	9804-0622	46.8	1 3/16	22	1.27
1922V484	85.15	9804-0057	49.2	1 3/16	22	1.18
1922V526	86.50	9804-0602	53.3	1 3/16	22	1.23
1922V544	88.47	9804-0029	55.1	1 3/16	22	1.36
1922V604	92.01	9804-0026	61.2	1 3/16	22	1.50
1922V630	93.51	9804-0779	63.6	1 3/16	22	1.21
1922V646	95.45	9804-0074	65.4	1 3/16	22	1.35
1922V666	97.06	9804-0075	67.4	1 3/16	22	1.60
1922V686	97.91	9804-0603	69.3	1 3/16	22	1.69
1922V706	99.05	9804-0569	71.3	1 3/16	22	1.80
1922V726	101.85	9804-0673	73.3	1 3/16	22	1.90
1922V751	102.94	9804-0007	75.8	1 3/16	22	1.76
1922V756	104.55	9804-0179	76.4	1 3/16	22	1.77
1922V806	113.89	9804-0674	81.3	1 3/16	22	1.81
1922V846	121.87	9804-0716	85.4	1 3/16	22	1.88
1922V891	130.96	9804-0675	89.8	1 3/16	22	2.13
[4]1922V1006	152.34	9804-0676	101.3	1 3/16	22	2.38
1922V1026	154.80	9804-0825	103.2	1 3/16	22	2.76
1922V1146	185.51	9804-0719	115.4	1 3/16	22	2.94
1926V249	79.21	9804-0621	25.3	1 3/16	26	.52
1926V250	79.21	9804-0633	25.7	1 3/16	26	.63
1926V275	80.23	9804-0688	28.1	1 3/16	26	3.98
1926V333	$85.31	9804-0255	33.9	1 3/16	26	.91
1926V367	83.72	9804-0050	37.2	1 3/16	26	.94
1926V376	84.05	9804-0624	38.8	1 3/16	26	.87
1926V380	87.48	9804-0509	38.9	1 3/16	26	.95
1926V390	84.79	9804-0780	39.6	1 3/16	26	.97
1926V407	86.63	9804-0256	41.4	1 3/16	26	1.02
[4]1926V415	87.85	9804-0826	42.1	1 3/16	26	1.09
1926V427	88.63	9804-0827	43.3	1 3/16	26	1.11
1926V507	93.44	9804-0508	51.4	1 3/16	26	1.22
1926V542	96.03	9804-0638	55.4	1 3/16	26	1.34
1930V355	79.21	9804-0828	36.1	1 3/16	30	.84
1930V366	82.43	9804-0781	37.2	1 3/16	30	1.00
1930V375	84.79	9804-0782	38.1	1 3/16	30	.94
1930V400	88.22	9804-0144	40.7	1 3/16	30	1.08
1930V425	89.57	9804-0790	43.1	1 3/16	30	1.13
1930V431	91.27	9804-0709	44.0	1 3/16	30	1.15
1930V450	94.96	9804-0829	45.6	1 3/16	30	1.00
[4]1930V475	98.41	9804-0830	48.1	1 3/16	30	1.24
1930V485	94.04	9804-0177	49.1	1 3/16	30	1.27
1930V491	96.19	9804-0710	50.0	1 3/16	30	1.25
1930V500	102.20	9804-0831	50.6	1 3/16	30	1.18
1930V530	107.86	9804-0783	53.6	1 3/16	30	1.14
1930V541	102.46	9804-0220	55.0	1 3/16	30	1.26
1930V560	111.80	9804-0764	56.9	1 3/16	30	1.28
1930V585	108.50	9804-0178	59.1	1 3/16	30	1.33
1930V591	110.75	9804-0760	60.0	1 3/16	30	1.25
1930V600	117.93	9804-0784	60.6	1 3/16	30	1.22
1930V630	123.46	9804-0832	63.6	1 3/16	30	1.39
1930V641	121.04	9804-0221	64.6	1 3/16	30	1.44
1930V691	132.60	9804-0210	69.6	1 3/16	30	1.56
1930V750	145.95	9804-0209	75.6	1 3/16	30	1.70
1930V791	154.35	9804-0222	79.6	1 3/16	30	1.77
[4]1930V800	167.09	9804-0835	80.6	1 3/16	30	1.57
[4]1930V850	174.44	9804-0836	85.6	1 3/16	30	1.64
1930V891	181.62	9804-0206	89.6	1 3/16	30	1.97
1930V900	196.31	9804-0837	90.6	1 3/16	30	2.14
[4]1930V950	213.77	9804-0838	95.6	1 3/16	30	1.81
1930V991	216.11	9804-0181	99.6	1 3/16	30	2.15
[4]1930V1000	232.23	9804-0892	101.2	1 3/16	30	2.25
[4]1930V1060	254.33	9804-0839	106.6	1 3/16	30	2.11
1930V1091	255.87	9804-0223	109.6	1 3/16	30	2.83
[4]1930V1120	282.56	9804-0840	112.6	1 3/16	30	2.61
1930V1191	320.79	9804-0373	119.6	1 3/16	30	2.56
2026V422	79.21	9804-0394	43.0	1 1/4	26	.95
2026V445	84.79	9804-0520	45.2	1 1/4	26	1.09
2026V474	85.40	9804-0574	48.2	1 1/4	26	1.52
2026V607	102.59	9804-0395	61.5	1 1/4	26	1.21
2030V381	91.07	9804-0640	38.5	1 1/4	30	.79
[4]2126V297	78.60	9804-0842	30.4	1 5/16	26	.83
2126V307	81.20	9804-0785	31.4	1 5/16	26	.81
2126V309	86.38	9804-0314	31.7	1 5/16	26	.88
2126V365	89.44	9804-0526	37.4	1 5/16	26	1.00
2126V377	91.02	9804-0843	38.4	1 5/16	26	.99
2126V468	118.08	9804-0721	47.7	1 5/16	26	1.32
2130V374	91.63	9804-0749	38.0	1 5/16	30	.84
2226V307	71.25	9804-0677	31.2	1 3/8	26	.77
2230V266	66.46	9804-0615	27.5	1 3/8	30	.71
2230V273	66.49	9804-0786	27.9	1 3/8	30	.78
2230V275	79.21	9804-0358	28.1	1 3/8	30	.71
2230V326	92.08	9804-0725	33.5	1 3/8	30	.75

[4]Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.

Product No. Series 9800, 9804 and 9833 (continued)

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
2230V375	$104.43	9804-0678	38.2	1 3/8	30	.92
2322V329	102.20	9804-0679	33.4	1 7/16	22	1.06
2322V347	103.69	9804-0680	35.2	1 7/16	22	1.13
2322V364	104.07	9804-0058	37.2	1 7/16	22	1.10
2322V384	105.01	9804-0905	39.3	1 7/16	22	1.08
2322V396	105.66	9804-0547	40.6	1 7/16	22	1.34
2322V421	106.76	9804-0076	42.9	1 7/16	22	1.48
2322V434	107.88	9804-0681	44.2	1 7/16	22	1.50
2322V441	108.37	9804-0127	45.1	1 7/16	22	1.48
2322V461	108.72	9804-0726	47.0	1 7/16	22	1.67
2322V481	101.98	9804-0053	49.2	1 7/16	22	1.55
2322V521	104.79	9804-0044	52.8	1 7/16	22	1.64
2322V541	114.51	9804-0059	55.1	1 7/16	22	1.78
2322V601	120.78	9804-0025	61.2	1 7/16	22	1.74
2322V621	123.71	9804-0734	63.0	1 7/16	22	1.92
2322V661	127.04	9804-0078	67.4	1 7/16	22	2.04
2322V681	129.61	9804-0073	68.8	1 7/16	22	1.91
2322V701	132.06	9804-0162	71.4	1 7/16	22	2.18
2322V721	133.54	9804-0062	73.4	1 7/16	22	2.23
2322V801	141.86	9804-0079	81.4	1 7/16	22	2.47
2322V826	142.89	9804-0718	83.5	1 7/16	22	3.50
2322V846	145.08	9804-0787	85.3	1 7/16	22	2.74
2322V886	148.68	9804-0714	89.5	1 7/16	22	3.58
2322V1001	159.72	9804-0080	101.4	1 7/16	22	3.20
2322V1061	165.50	9804-0788	106.8	1 7/16	22	3.47
2326V310	94.00	9804-0706	31.8	1 7/16	26	1.04
2326V359	96.19	9804-0789	36.6	1 7/16	26	1.18
2330V273	70.63	9804-0619	27.9	1 7/16	30	.71
2330V338	87.73	9800-0728	34.6	1 7/16	30	1.05
2330V359	96.23	9804-0690	36.5	1 7/16	30	1.12
2330V537	140.16	9804-0682	54.6	1 7/16	30	1.63
2332V373	128.30	9804-0479	38.0	1 7/16	32	1.12
2422V570	158.98	9804-0844	57.7	1 1/2	22	1.79
2426V343	98.90	9800-0483	35.4	1 1/2	26	1.34
2428V707	161.07	9804-0047	71.6	1 1/2	28	15.27
2428V757	213.03	9804-0054	76.6	1 1/2	28	2.85
2430V297	151.60	9804-0717	30.7	1 1/2	30	.90
[4]2430V302	151.93	9804-0845	30.9	1 1/2	30	.96
2430V319	153.03	9804-0846	32.6	1 1/2	30	1.18
2430V345	154.71	9804-0847	35.2	1 1/2	30	1.25
2430V379	169.96	9804-0848	38.6	1 1/2	30	1.60
2436V331	109.69	9804-0366	34.0	1 1/2	36	.97
2526V302	150.24	9800-0069	30.7	1 9/16	26	1.02
2526V314	151.60	9800-0002	32.4	1 9/16	26	1.33
2528V370	161.31	9804-0851	37.7	1 9/16	28	1.33
2530V300	88.34	9800-0521	31.0	1 9/16	30	1.14
2530V335	95.13	9804-0852	34.2	1 9/16	30	1.08
2530V470	121.26	9804-0791	47.7	1 9/16	30	1.67
2530V490	118.24	9800-0326	50.0	1 9/16	30	2.47
2530V500	119.72	9800-0712	50.9	1 9/16	30	3.40
2530V530	123.26	9800-0654	54.0	1 9/16	30	3.47
2530V550	133.06	9800-0436	56.0	1 9/16	30	2.74
2530V560	134.67	9804-0853	56.7	1 9/16	30	1.73
2530V575	141.51	9833-0730	58.5	1 9/16	30	2.80
2530V595	145.95	9800-0166	60.7	1 9/16	30	3.68
2530V600	145.95	9804-0793	60.7	1 9/16	30	2.19
2530V610	148.36	9800-0437	62.0	1 9/16	30	3.03
2530V618	151.05	9800-0260	62.5	1 9/16	30	3.20
2530V630	153.45	9800-0164	64.2	1 9/16	30	3.84
2530V660	159.43	9800-0438	67.0	1 9/16	30	4.02

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
2530V670	$162.79	9800-0165	68.2	1 9/16	30	4.02
[4]2530V680	177.77	9804-0854	68.7	1 9/16	30	2.51
2530V690	170.06	9800-0439	70.0	1 9/16	30	4.15
2530V700	170.80	9800-0275	71.0	1 9/16	30	4.22
2530V730	184.91	9800-0211	74.2	1 9/16	30	4.36
2530V740	188.18	9800-0683	75.0	1 9/16	30	4.43
2530V750	200.68	9800-0180	76.2	1 9/16	30	4.45
2530V790	218.42	9800-0214	80.0	1 9/16	30	4.54
2530V840	231.77	9800-0215	85.0	1 9/16	30	4.72
[4]2530V850	234.57	9804-0857	85.7	1 9/16	30	3.80
2530V890	248.41	9800-0216	90.0	1 9/16	30	4.24
2530V934	266.06	9800-0163	94.4	1 9/16	30	5.26
2530V990	284.17	9800-0217	100.0	1 9/16	30	5.51
2530V1090	323.96	9800-0218	110.0	1 9/16	30	5.95
[4]2530V1190	393.73	9800-0219	119.7	1 9/16	30	6.38
2530V1290	446.45	9800-0207	130.0	1 9/16	30	6.81
2530V1490	575.95	9800-0904	150.0	1 9/16	30	5.92
[4]2530V1690	661.34	9800-0794	169.8	1 9/16	30	6.48
2626V369	131.96	9800-0645	37.4	1 5/8	26	1.64
2626V388	147.17	9800-0649	39.7	1 5/8	26	1.66
2630V345	111.19	9800-0616	35.3	1 5/8	30	1.33
2630V395	127.30	9804-0858	40.2	1 5/8	30	1.47
2636V332	108.99	9800-0360	34.0	1 5/8	36	1.42
2822V778	219.16	9800-0017	79.5	1 3/4	22	4.75
2826V412	124.95	9800-0646	41.9	1 3/4	26	1.99
2826V452	135.15	9800-0650	46.0	1 3/4	26	3.00
2830V337	93.72	9800-0691	34.8	1 3/4	30	1.68
2830V363	98.03	9833-0662	36.8	1 3/4	30	1.49
2830V366	98.68	9833-0434	37.2	1 3/4	30	1.18
2830V367	99.33	9800-0916	37.9	1 3/4	30	1.80
2830V393	102.94	9800-0664	39.9	1 3/4	30	1.39
2830V396	103.33	9833-0435	40.2	1 3/4	30	1.28
2830V422	127.40	9800-0665	42.7	1 3/4	30	1.46
[4]2830V428	127.77	9804-0859	43.6	1 3/4	30	1.88
[4]2830V492	135.39	9804-0860	50.1	1 3/4	30	1.85
2836V343	142.62	9800-0120	35.1	1 3/4	36	1.69
2836V350	147.05	9800-0324	35.8	1 3/4	36	1.72
2836V380	148.68	9800-0367	38.8	1 3/4	36	1.84
2926V366	126.43	9804-0081	37.5	1 13/16	26	1.71
2926V400	127.04	9804-0759	40.8	1 13/16	26	2.13
2926V426	128.14	9800-0258	43.5	1 13/16	26	2.11
2926V471	128.63	9800-0082	48.0	1 13/16	26	3.16
2926V477	129.24	9804-0762	48.5	1 13/16	26	2.45
2926V486	129.73	9800-0083	49.2	1 13/16	26	2.40
2926V491	132.80	9800-0084	50.0	1 13/16	26	3.25
2926V521	136.00	9800-0064	53.0	1 13/16	26	3.38
[4]2926V534	136.74	9804-0861	54.2	1 13/16	26	2.29
2926V546	137.61	9800-0067	55.5	1 13/16	26	3.46
2926V574	140.90	9800-0085	58.3	1 13/16	26	3.60
2926V586	143.50	9800-0068	59.5	1 13/16	26	3.63
2926V606	145.21	9800-0015	61.5	1 13/16	26	3.74
2926V616	147.42	9800-0149	63.3	1 13/16	26	3.83
2926V636	148.89	9800-0086	64.4	1 13/16	26	3.87
2926V646	150.11	9800-0087	65.5	1 13/16	26	3.89
2926V666	153.70	9800-0088	67.5	1 13/16	26	4.00
2926V686	156.02	9800-0089	69.5	1 13/16	26	4.09
2926V706	157.13	9800-0118	71.5	1 13/16	26	4.18
2926V726	161.07	9800-0035	73.5	1 13/16	26	3.44
2926V776	165.71	9800-0090	78.5	1 13/16	26	4.46
2926V786	169.41	9800-0735	79.4	1 13/16	26	4.52

[4]**Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.**

Multi-Speed® Belts

Product No. Series 9800, 9804 and 9833 (continued)

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
2926V834	$173.00	9800-0704	84.2	1 13/16	26	4.72
2926V856	175.19	9800-0040	86.4	1 13/16	26	4.85
2926V891	178.64	9804-0092	90.0	1 13/16	26	3.93
2926V906	184.66	9800-0093	91.5	1 13/16	26	5.04
2926V966	191.29	9800-0094	97.5	1 13/16	26	5.28
2926V1006	194.61	9800-0095	101.5	1 13/16	26	5.47
2926V1026	205.18	9800-0684	103.6	1 13/16	26	5.54
2926V1086	211.06	9800-0685	109.6	1 13/16	26	5.84
2930V348	126.01	9833-0727	35.5	1 13/16	26	1.42
2930V492	132.80	9800-0590	50.0	1 13/16	26	3.22
3028V386	133.44	9800-0529	39.4	1 7/8	28	1.97
3030V357	129.73	9800-0692	36.5	1 7/8	30	1.88
3030V377	131.49	9804-0863	38.7	1 7/8	30	1.83
3030V387	133.44	9800-0694	39.6	1 7/8	30	2.02
[4]3036V351	134.16	9800-0310	36.0	1 7/8	36	1.79
3226V392	195.21	9800-0670	39.8	2	26	2.21
3226V400	195.83	9800-0012	41.1	2	26	2.29
3226V433	205.53	9804-0581	44.1	2	26	1.80
3226V439	208.86	9804-0864	44.7	2	26	2.13
3226V450	210.29	9800-0695	45.8	2	26	2.72
3226V465	211.44	9800-0400	47.4	2	26	2.98
3226V505	213.64	9800-0543	51.4	2	26	3.15
3226V514	217.10	9800-0647	52.3	2	26	2.87
3226V545	219.65	9800-0477	55.3	2	26	2.57
3226V585	225.60	9800-0542	59.4	2	26	3.56
3226V603	228.63	9800-0701	61.4	2	26	4.26
3226V650	229.08	9804-0763	65.9	2	26	3.83
3226V663	229.39	9800-0423	67.4	2	26	3.89
[4]3226V690	233.31	9804-0865	69.8	2	26	3.52
3226V723	239.03	9800-0424	73.4	2	26	4.13
3226V783	252.09	9800-0700	79.5	2	26	5.27
3226V843	272.13	9800-0426	85.4	2	26	4.63
3226V903	290.06	9800-0427	91.4	2	26	4.80
3226V963	310.45	9800-0428	97.4	2	26	5.13
3226V1023	329.74	9800-0429	103.4	2	26	5.51
3226V1083	348.89	9800-0430	109.4	2	26	5.62
3230V419	213.77	9800-0653	42.7	2	30	3.14
3230V481	216.57	9804-0866	48.9	2	30	2.22
3230V560	225.69	9804-0795	56.8	2	30	3.29
[4]3230V630	235.67	9804-0868	63.8	2	30	3.71
3230V670	241.66	9804-0796	67.8	2	30	2.82
3230V701	245.12	9804-0869	70.9	2	30	4.17
[4]3230V710	249.15	9804-0870	71.8	2	30	3.38
[4]3230V850	258.61	9804-0873	85.8	2	30	4.30
3230V871	263.53	9804-0874	87.9	2	30	4.91
[4]3230V1180	401.63	9804-0875	118.8	2	30	6.74
3230HV856	287.57	9800-0756	86.7	2	30	6.52
3230HV931	299.52	9800-0755	94.2	2	30	7.09
3236V369	157.26	9800-0122	37.7	2	36	2.07
3236V389	166.48	9800-0121	39.7	2	36	2.17
3236V432	208.25	9800-0368	44.2	2	36	2.39
3236HV528	218.20	9800-0612	53.8	2	36	3.58
3236HV553	219.04	9800-0604	56.3	2	36	4.56
3236HV570	219.90	9800-0605	58.0	2	36	4.67
3236HV585	221.00	9800-0606	59.5	2	36	4.76
3236HV603	222.14	9800-0607	61.3	2	36	4.87
3236HV613	223.46	9800-0347	62.2	2	36	4.91
3236HV620	226.05	9800-0608	63.0	2	36	4.99
3236HV626	229.73	9800-0370	63.6	2	36	4.19
3236HV644	232.45	9800-0371	65.4	2	36	5.14

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
3236HV670	$235.23	9800-0372	68.0	2	36	5.30
3236HV702	240.92	9800-0048	71.1	2	36	4.70
3236HV723	242.73	9800-0431	73.2	2	36	5.65
3236HV821	277.16	9800-0639	83.1	2	36	6.14
3326V478	222.97	9800-0628	48.5	2 1/16	26	2.77
[4]3428V451	214.07	9804-0876	46.0	2 1/8	28	2.43
3430V424	212.60	9804-0877	43.3	2 1/8	30	2.18
3430V476	216.81	9800-0878	48.8	2 1/8	30	3.31
3430V493	218.10	9804-0879	50.1	2 1/8	30	2.99
3432V450	214.28	9804-0880	45.8	2 1/8	32	2.07
3432V456	214.86	9804-0797	46.5	2 1/8	32	2.47
3432V480	217.50	9804-0881	48.8	2 1/8	32	2.56
3432V484	217.95	9804-0798	49.3	2 1/8	32	2.54
3432V528	221.98	9804-0882	53.4	2 1/8	32	2.64
3432V534	223.24	9804-0799	54.3	2 1/8	32	2.77
3436V404	206.53	9804-0364	41.3	2 1/8	36	2.02
[4]3626V556	234.37	9800-0671	56.5	2 1/4	26	4.83
3630V455	234.45	9804-0883	46.4	2 1/4	30	2.77
3636V479	240.31	9800-0361	48.8	2 1/4	36	3.89
3726V558	259.59	9800-0757	56.9	2 5/16	26	5.39
3826V459	271.16	9804-0004	46.8	2 3/8	26	2.98
3826V465	272.13	9800-0055	47.5	2 3/8	26	4.14
3830V501	296.91	9800-0379	51.0	2 3/8	30	4.50
3830V510	302.25	9800-0689	52.0	2 3/8	30	4.68
3830V517	303.56	9800-0614	52.7	2 3/8	30	4.44
3830V580	316.00	9800-0696	59.0	2 3/8	30	5.26
3830V587	317.46	9804-0800	59.6	2 3/8	30	4.30
3836V418	204.30	9800-0124	42.7	2 3/8	36	3.75
3836V426	206.02	9800-0123	43.6	2 3/8	36	3.01
3836V654	217.95	9804-0801	66.3	2 3/8	36	4.67
4030V538	290.44	9804-0687	54.5	2 1/2	30	3.22
[4]4030V590	318.52	9804-0884	60.0	2 1/2	30	4.31
4036V541	243.11	9800-0562	55.4	2 1/2	36	5.28
4036V574	370.94	9800-0369	58.3	2 1/2	36	5.10
[4]4230V503	276.42	9800-0637	51.4	2 5/8	30	5.57
4230V556	306.64	9800-0601	56.8	2 5/8	30	5.30
4230V605	320.79	9800-0489	61.0	2 5/8	30	5.24
4234V998	503.44	9800-0143	100.9	2 5/8	34	10.73
4330V521	321.53	9800-0594	53.2	2 11/16	30	5.73
4430V510	237.10	9800-0513	52.0	2 3/4	30	5.48
4430V530	233.10	9800-0736	54.0	2 3/4	30	5.61
4430V548	231.32	9800-0463	55.5	2 3/4	30	5.75
4430V555	237.84	9800-0132	56.5	2 3/4	30	5.81
4430V560	246.83	9804-0886	57.0	2 3/4	30	5.06
[4]4430V570	272.13	9804-0887	58.0	2 3/4	30	5.34
4430V578	259.34	9800-0441	59.0	2 3/4	30	6.04
4430V600	293.87	9804-0803	61.0	2 3/4	30	5.58
4430V610	279.97	9800-0111	62.0	2 3/4	30	6.31
4430V630	290.60	9800-0442	64.0	2 3/4	30	6.45
4430V652	296.96	9804-0888	66.2	2 3/4	30	6.03
4430V660	299.30	9800-0443	67.0	2 3/4	30	6.70
4430V670	306.77	9800-0112	68.0	2 3/4	30	6.81
4430V690	313.13	9800-0444	70.0	2 3/4	30	6.95
4430V700	318.91	9800-0150	71.0	2 3/4	30	7.06
[4]4430V710	345.60	9804-0889	72.1	2 3/4	30	6.00
4430V718	349.76	9804-0804	72.8	2 3/4	30	7.92
4430V730	331.70	9800-0065	74.0	2 3/4	30	7.31
4430V740	335.17	9800-0445	75.0	2 3/4	30	7.36
4430V750	363.41	9804-0805	76.0	2 3/4	30	8.21
4430V760	366.60	9804-0806	77.0	2 3/4	30	6.85

[4]Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.

Product No. Series 9800, 9804 and 9833 (continued)

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
4430V772	$343.40	9833-0723	78.6	2 3/4	30	11.01
[4]4430V780	376.49	9804-0890	79.0	2 3/4	30	7.01
4430V790	351.76	9800-0113	80.0	2 3/4	30	7.81
4430V850	379.69	9800-0114	86.0	2 3/4	30	8.31
4430V910	409.58	9800-0115	92.0	2 3/4	30	8.81
4430V970	436.30	9800-0116	98.0	2 3/4	30	9.31
4430V1000	478.53	9800-0753	101.1	2 3/4	30	10.24
4430V1030	462.09	9800-0117	104.0	2 3/4	30	9.81
4430V1090	497.33	9800-0153	110.0	2 3/4	30	10.31
4430V1150	554.06	9800-0658	116.0	2 3/8	30	13.22
4430V1250	606.16	9800-0752	126.1	2 3/4	30	12.54
4430V1320	645.86	9800-0171	133.0	2 3/4	30	12.28
4430V1410	690.68	9800-0765	142.0	2 3/4	30	13.53
4430V1460	720.86	9800-0766	147.0	2 3/4	30	13.97
4430V1610	798.44	9800-0767	162.0	2 3/4	30	15.29
[4]4430V1810	897.63	9800-0808	182.0	2 3/4	30	17.04
[4]4430V1917	950.68	9800-0809	192.7	2 3/4	30	17.98
4436V525	246.56	9800-0125	53.5	2 3/4	36	5.56
4436V551	251.73	9800-0154	56.1	2 3/4	36	5.70
[4]4436V555	252.58	9800-0066	56.5	2 3/4	36	5.81
4436V561	255.68	9804-0810	57.1	2 3/4	36	5.22
4436V576	272.39	9800-0131	58.6	2 3/4	36	5.99
[4]4436V581	277.52	9804-0811	59.1	2 3/4	36	5.39
4436V646	365.37	9800-0522	65.5	2 3/4	36	6.55
4436V714	404.47	9800-0363	72.7	2 3/4	36	8.48
4626V596	431.83	9800-0011	60.6	2 7/8	26	6.92
4630V602	367.21	9800-0697	61.2	2 7/8	30	6.49
4630V650	394.98	9800-0613	66.1	2 7/8	30	8.40
4630V663	403.57	9800-0378	67.3	2 7/8	30	8.49
4630V668	403.57	9800-0698	68.1	2 7/8	30	9.47
4630V683	486.58	9800-0464	69.3	2 7/8	30	8.76
4630V733	455.33	9800-0699	74.3	2 7/8	30	9.83
4630V1070	612.33	9800-0034	108.1	2 7/8	30	11.49
[4]4632V722	516.61	9800-0510	73.5	2 7/8	32	9.18
4636V613	389.45	9800-0362	62.2	2 7/8	36	7.01
4830V602	342.75	9800-0652	61.1	3	30	7.61
[4]4830V614	347.44	9800-0548	62.5	3	30	7.23
4830V653	$356.39	9800-0546	66.4	3	30	7.61
4830V692	366.25	9800-0545	70.3	3	30	7.99
4830V699	368.91	9800-0610	71.0	3	30	8.06
4830V730	385.15	9800-0544	74.1	3	30	8.44
4830V750	396.33	9800-0813	76.0	3	30	8.55
4830V850	445.96	9800-0566	86.1	3	30	9.55
4830V970	520.79	9800-0567	98.1	3	30	10.73
[4]4830V1070	601.15	9800-0598	108.1	3	30	11.63
[4]4836V588	342.15	9800-0010	59.8	3	36	6.88
4836V608	343.15	9800-0096	61.9	3	36	7.05
4836V618	347.93	9800-0155	63.4	3	36	7.22
[4]4836V642	352.61	9800-0609	65.3	3	36	7.41
4836V655	357.62	9800-0133	66.6	3	36	7.54
[4]4836V729	384.53	9800-0101	74.0	3	36	8.25
4836V789	421.27	9800-0102	80.0	3	36	8.83
4836V850	447.58	9800-0031	86.1	3	36	9.50
4836V1180	647.45	9800-0758	119.3	3	36	14.81
5126V938	771.97	9800-0246	95.0	3 3/16	26	12.92
5130V732	701.55	9800-0663	74.6	3 3/16	30	10.87
5228V930	747.46	9800-0894	94.4	3 1/4	28	13.80
[5]5228V930S	1494.90	9800-0737	94.4	3 1/4	28	26.45
5230V662	670.51	9800-0660	67.3	3 1/4	30	9.36
5230V734	693.03	9800-0893	75.3	3 1/4	30	10.88
[5]5230V734S	1386.06	9800-0657	75.3	3 1/4	30	20.47
5230V867	729.43	9800-0895	88.3	3 1/4	30	13.33
[4,5]5230V867S	1458.84	9800-0659	88.3	3 1/4	30	24.11
[4]5636V750	429.37	9800-0235	76.4	3 1/2	36	12.69
5636V774	442.28	9800-0237	78.7	3 1/2	36	13.04
5830V756	691.08	9800-0661	76.9	3 5/8	30	13.43
5836V737	756.02	9800-0309	75.0	3 5/8	36	10.78
6036V761	477.85	9833-0738	77.7	3 3/4	36	15.20
6036V850	533.75	9800-0105	86.3	3 3/4	36	13.28
6236V694	494.62	9800-0147	70.8	3 7/8	36	12.76
[4]6236V725	501.38	9804-0006	73.9	3 7/8	36	13.01
6236V762	507.90	9800-0104	77.6	3 7/8	36	13.48
6236V785	518.82	9804-0009	79.9	3 7/8	36	12.55
[4]6236V905	600.41	9800-0013	91.9	3 7/8	36	15.93

[4]Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.
[5]Set of 2.

Nu-T-Link® Belting

Nu-T-Link® V-belting is designed for rapid installation in an assortment of lengths and operating conditions.



Markets/Applications

Suitable alternative to standard belts on all industrial applications and particularly suited to drives requiring link belting for ease of installation.

Features/Advantages

- **Color Coded studs** make for easy identification and installation.
- **Orange Polyurethane/Polyester** composite resists oil, water, chemicals and heat (working temperature range: -40°F to +212°F (-40°C to +100°C).
- May be assembled in an assortment of lengths to fit mutiple drive configurations.

Recommended Sheaves
Multi-Duty Sheaves

Notes
Nu-T-Link® is available in 50 foot reels.
The studs are color coded: 0 - Red; A - Silver; B - Green; C - Blue; D - Black; E - Black.
Nu-T-Link® does not meet RMA requirements for V-belt static conductivity.
A Nu-T-Link® assembly tool will be supplied free of charge with belting.
WARNING: Do **NOT** use with backside idlers

Product No. Series 7760

Part No.	Sugg. List Price (Ft.)	Product No.	Cross Section	Top Width (In.)	Standard Roll (Ft.)	Wt. Per Ft. (Lbs.)
NTL/0	$17.15	7760-6101	0	3/8	50	.04
NTL/A	17.47	7760-6102	A	1/2	50	.05
NTL/B	20.27	7760-6103	B	21/32	50	.07
NTL/C	30.72	7760-6104	C	7/8	50	.11
NTL/D	87.27	7760-6105	D	1 1/4	50	.26
NTL/E	104.74	7760-6106	E	1 1/2	50	1.20

NOTE: Do not use with backside idlers. Nu-T-Link® does not meet RMA requirements for V-belt static conductivity.

A Nu-T-Link® assembly tool will be supplied free of charge with belting. Additional assembly tools are available. Contact Customer Service for availability.

Nu-T-Link® Belting Assembly Tool

Part No.	Suggested List Price (Ea.)	Product No.
900004	$2.72	7469-0701

Supreme V-Link® Belting

Supreme V-Link belting is designed for easy installation on drives with limited access.



Markets/Applications

Suitable alternative to standard belts on all industrial applications and particularly suited to drives where disassembly is difficult or time consuming.

Features/Advantages

- Link belting may be assembled in an assortment of lengths to fit multiple drive configurations.
- Oil and heat resisitant.
- **Color-Coded Studs**, make for easy identification and installation.

Recommended Sheaves
Multi-Duty Sheaves

Notes
Supreme V-Link belting is available in 100 foot reels.
The studs are color coded: 00 - Black; 0 - Red; A - Silver; B - Green.

Product No. Series 7760

Part No.	Sugg. List Price (Ft.)	Product No.	Cross Section	Top Width (In.)	Standard Roll (Ft.)	Wt. Per Ft. (Lbs.)
SVL/00	$12.03	7760-8100	00	5/16	100	.10
SVL/0	12.03	7760-8101	0	3/8	100	.10
SVL/A	12.26	7760-8102	A	1/2	100	.15
SVL/B	14.24	7760-8103	B	21/32	100	.18

Supreme V-Link Belting Assembly Tool

Part No.	Suggested List Price (Ea.)	Product No.
900003	$30.47	7469-0700

Easy-Splice® V-Belting

Easy-Splice V-Belting has a dependable, non-slip design with minimal stretch characteristics made to outlast other types of open-end belting.



Markets/Applications

Suitable alternative to standard belts on all industrial applications and particularly suited to drives requiring connected belting for ease of installation.

Features/Advantages

- Special resilient **tensile cords** impart high strength and keep stretch to a minimum, prolonging belt life and reducing maintenance.
- Special, **square cut fabric reinforcement** provides a tough, durable anchor for the fastener, while allowing the belt to remain flexible.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves
Multi-Duty Sheaves

V-BELTING

Notes
Easy-Splice is available in cross sections A-VO, B-VO, C-VO and BB-VO, which correspond to the A, B, C, D, and BB standard industrial V-belt cross sections.
Sold in full rolls only.

How to Find the Correct Belt Length

1. Position the motor on its base so that the center distance can be shortened by the amount shown below:

Easy-Splice Cross Section	A-VO	B-VO	C-VO	D-VO	BB-VO
Center Distance Allowance	3/4"	1"	1 1/2"	2"	1"

2. After positioning the motor, use a flexible tape to measure around the outside of the sheaves. Subtract 1/2% from this measurement to provide enough tension for the belt.
3. From the length found in (2.) above, subtract the amount shown in the table below:

Easy-Splice Cross Section	A-VO	B-VO	C-VO	D-VO	BB-VO
Subtract these Amounts	0.90"	1.85"	2.26"	2.88"	1.00"

This corrects for the difference between **outside belt length** and **pitch length**, and compensates for the length of the fastener.
The result is the correct belt length to order for your drive.
Use the Correct Fastener for the belt section.
The fastener size depends on the belt section. Choose the correct fastener from table below:

Easy-Splice Cross Section	A-VO	B-VO	C-VO	D-VO	BB-VO
Fastener Number	A312	B437	C531	D750	BB4

Easy-Splice fasteners are not available from Gates. Contact Flexible Steel Lacing Company in Downers Grove, IL at (630) 971-0150 or **www.flexco.com**.

Product No. Series 9300 and 9310

Part No.	Suggested List Price (Per Ft.)	Product No.	Standard Roll (Ft.)	Top Width (In.)	Wt. Per Ft. (Lbs.)	Max. Pieces Standard Roll	Min. Length Ea. Piece (Ft.)
AVO/525	$4.76	9300-0002	525	1/2	.09	3	20
BVO/500	6.19	9300-0003	500	21/32	.13	3	20
CVO/450	10.01	9300-0004	450	7/8	.21	3	20
DVO/160	18.61	9300-0005	200	1 1/4	.48	3	20
BBV0/450	7.72	9310-0003	450	21/32	.30	4	20

Speed Flex® Belts

This flexible, smooth running flat belting minimizes vibration at high speeds.



Markets/Applications

Suitable for all lightly-loaded, high-speed industrial applications requiring high speed ratios and/or small diameters.

Features/Advantages

- **Tread Cords** increase friction to minimize slip
- Meets RMA **oil and heat resisitant** standards
- Meets RMA **static conductivity** requirements



Notes

Gates Speed-Flex® belts are Made-To-Order. Minimum order quantities may apply.

Minimum order quantity is based on a sleeve width of 24" to 28". Belts from 15.5" to 79.9" in length are built on 24" wide drums, and belts from 80" to 138" in length are built on 28" wide drums. Divide the drum width by the belt top width and round down to the nearest whole belt increment.

Refer to the Flat Belt Selection Guide (below) to ensure your drive falls within the operating range of Speed-Flex® Belts.

WARNING: Gates Speed-Flex® Belts are not recommended for use on flanged pulleys unless the pulleys are crowned. See your local Gates representative for information on proper crowning for Speed-Flex® Belt installation.



Product No. Series 9542

Size	Suggested List Price Per Inch	Belt Width (In.)
SF6	$.91	¾ & UNDER
SF7	1.07	⅞
SF8	1.08	1
SF9	1.34	1⅛
SF10	1.37	1¼
SF11	1.49	1⅜
SF12	1.61	1½
SF14	1.84	1¾
SF16	2.06	2
SF18	2.27	2¼
SF20	2.47	2½
SF22	2.71	2¾
SF24	3.05	3
SF28	3.37	3½
SF32	3.86	4
SF40	4.83	5

Nominal thickness of Speed-Flex® Flat Belts =.042.

Powercord® Belts

Powercord® belts are flat belts designed in a heavy-duty construction.

Markets/Applications

Suitable for all moderately to heavily loaded industrial applications.

Features/Advantages

- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Notes

Gates Powercord® Belts are Made-To-Order. Minimum order quantities may apply.

Minimum order quantity is based on a sleeve width of 24" to 28". Belts from 15.5" to 79.9" in length are built on 24" wide drums, and belts from 80" to 138" in length are built on 28" wide drums. Divide the drum width by the belt top width and round down to the nearest whole belt increment.

Refer to Flat Belt Selection Guide (below) to ensure your drive falls within the operating range of Powercord® Belts.





Product No. Series 9520 • Powercord® 125

Part No.	Suggested List Price *Each	Suggested List Price **Ea. Add. In.	Belt Width (In.)
PC125/3	$65.88	$.73	3/4
PC125/4	68.76	.73	1
PC125/5	70.09	.78	1 1/4
PC125/6	74.54	.83	1 1/2
PC125/7	86.26	.96	1 3/4
PC125/8	97.93	1.09	2
PC125/9	101.72	1.13	2 1/4
PC125/10	105.46	1.17	2 1/2
PC125/12	134.65	1.49	3
PC125/14	148.53	1.65	3 1/2
PC125/16	183.80	2.04	4
PC125/18	199.97	2.22	4 1/2
PC125/20	216.12	2.40	5

***10″ through 30″ I.C. lengths.**
****31″ through 120″ I.C. lengths (in even inch increments.)**

Product No. Series 9530 • Powercord® 188

Part No.	Suggested List Price *Each	Suggested List Price **Ea. Add. In.	Belt Width (In.)
PC188/7	$54.48	$.60	7/8
PC188/9	70.00	.78	1 1/8
PC188/12	93.33	1.04	1 1/2
PC188/16	121.37	1.35	2
PC188/20	131.79	1.46	2 1/2
PC188/24	167.20	1.86	3
PC188/28	186.39	2.07	3 1/2
PC188/32	230.03	2.55	4
PC188/36	249.96	2.77	4 1/2
PC188/40	269.02	2.99	5
PC188/48	313.52	3.48	6



SPECIALTY BELTS

Prices Subject To Change Without Notice

Tubewinder Belts

These flat belts are featured in black rubber and red ozex, and in light, medium or heavy construction.

Markets/Applications

Specifically designed for use on tube-winding machines.

Features/Advantages

- **High tensile strength** to minimize stretch and maintain the proper pressure on the paper around the mandrel.
- **High coefficient of friction** for even and smooth pulling of the paper around the mandrel.
- **Transverse rigidity** to ensure the belt remains stable and maintains the required pressure.

Notes

Gates Tubewinder belts are Made-To-Order. Minimum order quantities may apply.

Black Tubewinder Belts--Minimum order quantity is based on a sleeve width of 24" or 28" (+/- 10%). Belts up to 79.9" in length are built on 24" drums, and belts 80" to 140" in length are built on 28" wide drums. Divide the drum width by the top width and round down to the nearest whole belt increment. Check with Customer Service for availability on lengths longer than 140".

Red Ozex Tubewinder Belts--Intermediate or fractional order quantity is based on a 12 ½" drum (+/- 10%). Divide 12 ½" by the belt top width and round down to the nearest whole belt increment.

All sizes are made to order. Contact Customer Service for availability.

Black Tubewinder (Also Available in Sleeves)

Belt Width (In.)	Suggested List Price Per Inch of Length — 140″ Maximum		
	Light Construction 0.105″ Thick (Nominal Cover Thickness 0.025″)	Medium Construction 0.266″ Thick (Nominal Cover Thickness 0.085″)	Heavy Construction 0.390″ Thick (Nominal Cover Thickness 0.105″)
Over ½ to 1 Inclusive	$.98	$1.07	$1.17
Over 1 to 1½ Inclusive	1.59	1.75	1.91
Over 1½ to 2 Inclusive	2.09	2.30	2.51
Over 2 to 2¼ Inclusive	2.43	2.67	2.92
Over 2¼ to 3 Inclusive	2.92	3.21	3.50
Over 3 to 4 Inclusive	3.76	4.14	4.52
Over 4 to 6½ Inclusive	4.90	5.40	5.88
Over 6½ — Price on application	—	—	—
Sleeves (width x length x price)	.88	.96	1.06

Red Ozex Tubewinder (Also Available in Sleeves)

Belt Width (In.)	Suggested List Price Per Inch of Length — 240″ Maximum		
	Light Construction 0.25″ Thick (Nominal Cover Thickness 0.063″)	Medium Construction 0.344″ Thick (Nominal Cover Thickness 0.063″)	Heavy Construction 0.469″ Thick (Nominal Cover Thickness 0.125″)
Over ½ to 1 Inclusive	$1.95	Not Available	Not Available
Over 1 to 1½ Inclusive	2.14	Not Available	Not Available
Over 1½ to 2 Inclusive	2.95	$3.53	Not Available
Over 2 to 2¼ Inclusive	3.39	4.07	Not Available
Over 2¼ to 3 Inclusive	4.03	4.82	$5.79
Over 3 to 4 Inclusive	5.08	6.08	7.30
Over 4 to 6½ Inclusive	7.60	9.11	10.93
Over 6½	20.61	24.73	29.68

Prices Subject To Change Without Notice

Round Endless Belts

These belts are designed for 1/4 turn or twisted drives where more than an O-ring is required.



Markets/Applications

Round Endless belts are ideal for 1/4 turn or twisted drives, serpentine drives, power turn and line shaft conveyors and commercial sewing machines.

Features/Advantages

- Minimal stretch for minimum take-up requirements.
- No splice for added durability.

Notes

Standard-stocked Round Endless belts are footnoted. All others are Made-To-Order and may require minimum order quanitities. Contact Customer Service for availability.

When placing an order, add "REbelt" after the part number. For example, 4X33REbelt.

Product No. Series 8820

Round Endless Belts — ¼″ Diameter

Minimum order quantity for ¼″ Round Endless Belts is 180 belts per size ±10%.

Part No.	Suggested List Price	Product No.	Inside Length (In.)
4X33	$57.52	8820-0499	33
4X34	58.59	8820-0503	34
4X35	59.64	8820-0507	35
4X36	60.94	8820-0511	36
4X37	62.03	8820-0515	37
4X38	63.07	8820-0519	38
4X39	64.14	8820-0523	39
4X40	65.46	8820-0527	40
4X41	66.49	8820-0531	41
4X42	67.55	8820-0535	42
4X43	68.89	8820-0539	43
4X44	69.92	8820-0543	44
4X45	71.01	8820-0547	45
4X46	72.04	8820-0551	46
4X47	73.36	8820-0555	47
4X48	74.41	8820-0559	48
4X49	75.48	8820-0563	49
4X50	76.79	8820-0567	50

Part No.	Suggested List Price	Product No.	Inside Length (In.)
4X51	$77.83	8820-0571	51
4X52	78.86	8820-0575	52
4X53	79.95	8820-0579	53
4X54	81.29	8820-0583	54
4X55	82.35	8820-0587	55
4X56	83.38	8820-0591	56
4X57	83.65	8820-0595	57
4X58	85.77	8820-0599	58
4X59	86.81	8820-0603	59
4X60	87.88	8820-0607	60
4X61	89.20	8820-0611	61
4X62	90.24	8820-0615	62
4X63	91.32	8820-0619	63
4X64	92.61	8820-0623	64
4X65	93.69	8820-0627	65
4X66	94.75	8820-0631	66
4X67	95.88	8820-0635	67
4X68	97.11	8820-0639	68

Part No.	Suggested List Price	Product No.	Inside Length (In.)
4X69	$98.17	8820-0643	69
4X70	99.24	8820-0647	70
4X71	100.54	8820-0651	71
4X72	101.60	8820-0655	72
4X73	102.64	8820-0659	73
4X74	103.70	8820-0663	74
4X75	105.03	8820-0667	75
4X76	106.09	8820-0671	76
4X77	107.08	8820-0675	77
4X78	108.47	8820-0679	78
4X79	109.51	8820-0683	79
4X80	110.88	8820-0687	80
4X81	112.26	8820-0691	81
4X82	112.91	8820-0695	82
4X83	113.98	8820-0699	83
4X84	115.06	8820-0703	84
4X85	116.37	8820-0707	85

Round Endless Belts

Product No. Series 8820 (continued)

Round Endless Belts — 5/16″ Diameter

Minimum order quantity for 5/16″ Round Endless Belts is 165 belts per size ±10%.

Part No.	Suggested List Price	Product No.	Inside Length (In.)
5X33	$43.88	8820-0838	33
[16]5X33½	43.88	8820-0840	33½
[16]5X34	43.88	8820-0842	34
5X35	43.88	8820-0846	35
5X36	43.88	8820-0850	36
5X37	43.88	8820-0854	37
5X38	43.88	8820-0858	38
5X39	43.88	8820-0862	39
5X40	43.88	8820-0866	40
5X41	44.70	8820-0870	41
5X42	45.52	8820-0874	42
5X43	46.18	8820-0878	43
5X44	47.00	8820-0882	44
5X45	47.83	8820-0886	45
5X46	48.65	8820-0890	46
5X47	49.32	8820-0894	47
5X48	49.80	8820-0898	48
5X49	50.23	8820-0902	49
5X50	51.80	8820-0906	50
5X51	52.45	8820-0910	51
5X52	$53.27	8820-0914	52
5X53	54.09	8820-0918	53
5X54	54.91	8820-0922	54
5X55	55.57	8820-0926	55
5X56	56.42	8820-0930	56
5X57	57.24	8820-0934	57
5X58	58.06	8820-0938	58
5X59	58.71	8820-0942	59
5X60	59.53	8820-0946	60
5X61	60.38	8820-0950	61
5X62	61.20	8820-0954	62
5X63	61.86	8820-0958	63
5X64	62.68	8820-0962	64
5X65	63.50	8820-0966	65
5X66	64.33	8820-0970	66
5X67	64.99	8820-0974	67
5X68	65.81	8820-0978	68
5X69	66.62	8820-0982	69
5X70	67.44	8820-0986	70
5X71	68.10	8820-0990	71
5X72	$68.95	8820-0994	72
5X73	69.77	8820-0998	73
5X74	70.59	8820-1002	74
5X75	71.25	8820-1006	75
5X76	72.06	8820-1010	76
5X77	73.31	8820-1014	77
5X78	73.73	8820-1018	78
5X79	74.39	8820-1022	79
5X80	75.21	8820-1026	80
5X81	76.03	8820-1030	81
5X82	76.86	8820-1034	82
5X83	77.52	8820-1038	83
5X84	78.34	8820-1042	84
5X85	79.16	8820-1046	85
5X86	79.98	8820-1050	86
5X87	80.64	8820-1054	87
5X88	81.48	8820-1058	88
5X89	82.30	8820-1062	89
5X90	83.12	8820-1066	90

[16]Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

Round Endless Belts — 3/8″ Diameter

Minimum order quantity for 3/8″ Round Endless Belts is 139 belts per size ±10%.

Part No.	Suggested List Price	Product No.	Inside Length (In.)
6X33	$40.41	8820-1222	33
[16]6X33½	41.22	8820-1225	33½
[16]6X34	41.22	8820-1226	34
6X35	42.07	8820-1230	35
[16]6X36	42.89	8820-1234	36
6X37	43.70	8820-1238	37
6X38	44.52	8820-1242	38
6X39	45.36	8820-1246	39
6X40	46.18	8820-1250	40
6X41	47.00	8820-1254	41
6X42	47.83	8820-1258	42
6X43	48.65	8820-1262	43
6X44	49.47	8820-1266	44
6X45	49.90	8820-1270	45
6X46	51.13	8820-1274	46
6X47	51.95	8820-1278	47
6X48	52.77	8820-1282	48
6X49	53.61	8820-1286	49
6X50	54.43	8820-1290	50
6X51	55.25	8820-1294	51
6X52	56.08	8820-1298	52
6X53	56.89	8820-1302	53
6X54	57.71	8820-1306	54
6X55	58.56	8820-1310	55
6X56	59.38	8820-1314	56
6X57	60.20	8820-1318	57
6X58	61.02	8820-1322	58
6X59	61.86	8820-1326	59
6X60	62.68	8820-1330	60
6X61	63.50	8820-1334	61
6X62	$64.33	8820-1338	62
6X63	65.15	8820-1342	63
6X64	65.97	8820-1346	64
6X65	66.80	8820-1350	65
6X66	67.62	8820-1354	66
6X67	68.44	8820-1358	67
6X68	69.29	8820-1362	68
6X69	70.11	8820-1366	69
6X70	70.91	8820-1370	70
6X71	71.73	8820-1374	71
6X72	72.57	8820-1378	72
6X73	73.39	8820-1382	73
6X74	74.21	8820-1386	74
6X75	75.06	8820-1390	75
6X76	75.88	8820-1394	76
6X77	76.69	8820-1398	77
6X78	77.52	8820-1402	78
6X79	78.34	8820-1406	79
6X80	79.16	8820-1410	80
6X81	79.98	8820-1414	81
6X82	80.82	8820-1418	82
6X83	81.64	8820-1422	83
6X84	82.46	8820-1426	84
6X85	83.30	8820-1430	85
6X86	84.12	8820-1434	86
6X87	84.94	8820-1438	87
6X88	85.77	8820-1442	88
[16]6X89	86.59	8820-1446	89
6X90	87.41	8820-1460	90
6X91	88.25	8820-1454	91
6X92	$89.07	8820-1458	92
6X93	89.89	8820-1462	93
6X94	90.70	8820-1466	94
6X95	91.55	8820-1470	95
[16]6X96	92.37	8820-1474	96
[16]6X97	93.17	8820-1478	97
[16]6X98	94.01	8820-1486	98
6X99	94.83	8820-1482	99
6X100	95.65	8820-1490	100
6X101	96.50	8820-1494	101
6X102	97.32	8820-1498	102
6X103	98.13	8820-1502	103
6X104	98.95	8820-1506	104
6X105	99.79	8820-1510	105
6X106	100.60	8820-1514	106
6X107	101.42	8820-1518	107
6X108	102.27	8820-1522	108
6X109	103.08	8820-1526	109
6X110	103.89	8820-1530	110
6X111	104.74	8820-1534	111
6X112	105.56	8820-1538	112
6X113	106.38	8820-1542	113
6X114	107.21	8820-1546	114
6X115	108.03	8820-1550	115
6X116	108.85	8820-1554	116
6X117	109.66	8820-1558	117
6X118	110.51	8820-1562	118
6X119	111.33	8820-1566	119
6X120	112.15	8820-1570	120

[16]Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

Prices Subject To Change Without Notice

Round Endless Belts

Product No. Series 8820 (continued)

Round Endless Belts — 7/16″ Diameter

Minimum order quantity for 7/16″ Round Endless Belts is 115 belts per size ±10%.

Part No.	Suggested List Price	Product No.	Inside Length (In.)
7X33	$46.34	8820-1831	33
7X34	46.34	8820-1835	34
7X35	46.34	8820-1839	35
[16]7X36	46.34	8820-1843	36
7X37	47.17	8820-1847	37
7X38	48.17	8820-1851	38
7X39	48.99	8820-1859	39
7X40	49.99	8820-1841	40
7X41	50.81	8820-1863	41
7X42	51.80	8820-1867	42
7X43	52.62	8820-1871	43
7X44	53.61	8820-1875	44
7X45	54.43	8820-1879	45
7X46	55.42	8820-1883	46
7X47	56.24	8820-1887	47
7X48	57.24	8820-1891	48
7X49	57.89	8820-1895	49
7X50	59.04	8820-1899	50
7X51	60.04	8820-1903	51
7X52	60.86	8820-1907	52
7X53	61.68	8820-1911	53
7X54	62.68	8820-1915	54
7X55	63.50	8820-1919	55
7X56	64.48	8820-1923	56
7X57	65.30	8820-1927	57

Part No.	Suggested List Price	Product No.	Inside Length (In.)
7X58	$66.30	8820-1931	58
7X59	67.13	8820-1935	59
7X60	63.53	8820-1939	60
7X61	68.95	8820-1943	61
7X62	69.92	8820-1947	62
7X63	70.77	8820-1951	63
7X64	71.73	8820-1955	64
7X65	72.57	8820-1959	65
7X66	73.57	8820-1963	66
7X67	74.39	8820-1967	67
7X68	75.38	8820-1971	68
7X69	76.19	8820-1975	69
7X70	77.20	8820-1979	70
7X71	78.01	8820-1983	71
7X72	79.02	8820-1987	72
7X73	79.82	8820-1991	73
7X74	80.82	8820-1995	74
7X75	81.64	8820-1999	75
7X76	82.64	8820-2003	76
7X77	83.46	8820-2007	77
[16]7X77¼	83.46	8820-2008	77¼
7X78	84.45	8820-2011	78
7X79	85.10	8820-2015	79
7X80	86.26	8820-2019	80
7X81	87.08	8820-2023	81

Part No.	Suggested List Price	Product No.	Inside Length (In.)
7X82	$87.74	8820-2027	82
7X83	88.89	8820-2031	83
7X84	89.89	8820-2035	84
7X85	90.70	8820-2039	85
7X86	91.69	8820-2043	86
7X87	92.54	8820-2047	87
7X88	93.51	8820-2051	88
7X89	94.35	8820-2055	89
7X90	95.33	8820-2059	90
7X91	96.16	8820-2063	91
7X92	97.13	8820-2067	92
7X93	97.98	8820-2071	93
7X94	98.95	8820-2075	94
7X95	99.79	8820-2079	95
7X96	100.78	8820-2083	96
7X97	101.60	8820-2087	97
7X98	102.60	8820-2091	98
7X99	103.42	8820-2095	99
7X100	104.40	8820-2099	100
7X101	105.22	8820-2103	101
7X102	106.22	8820-2107	102
7X103	107.04	8820-2111	103
7X104	108.03	8820-2115	104
7X105	108.85	8820-2119	105
7X106	109.85	8820-2123	106

[16]Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

Round Endless Belts — 1/2″ Diameter

Minimum order quantity for 1/2″ Round Endless Belts is 95 belts per size ±10%.

Part No.	Suggested List Price	Product No.	Inside Length (In.)
8X53	$67.95	8820-2685	53
8X54	68.95	8820-2689	54
8X55	69.92	8820-2693	55
8X56	70.91	8820-2697	56
8X57	71.91	8820-2701	57
8X58	73.31	8820-2705	58
8X59	73.88	8820-2709	59
8X61	75.88	8820-2717	61
8X62	77.12	8820-2721	62
8X63	77.83	8820-2725	63
8X64	78.83	8820-2729	64
8X65	79.50	8820-2733	65
8X66	80.82	8820-2737	66
8X67	81.82	8820-2741	67
8X68	82.78	8820-2745	68
8X69	83.78	8820-2749	69
8X70	84.78	8820-2753	70
8X71	85.77	8820-2757	71

Part No.	Suggested List Price	Product No.	Inside Length (In.)
8X72	$86.74	8820-2761	72
8X73	87.74	8820-2765	73
8X74	88.73	8820-2769	74
8X75	89.73	8820-2773	75
8X76	90.70	8820-2777	76
8X77	91.69	8820-2781	77
8X78	92.69	8820-2785	78
8X79	93.69	8820-2789	79
8X80	94.67	8820-2793	80
8X81	95.65	8820-2797	81
8X82	96.55	8820-2801	82
8X83	97.64	8820-2805	83
8X84	98.63	8820-2809	84
8X85	99.62	8820-2813	85
8X86	100.60	8820-2817	86
8X87	101.60	8820-2821	87
8X88	102.60	8820-2825	88
8X89	103.58	8820-2829	89

Part No.	Suggested List Price	Product No.	Inside Length (In.)
8X90	$103.74	8820-2833	90
8X91	105.56	8820-2837	91
8X92	106.55	8820-2841	92
8X93	107.53	8820-2845	93
8X94	108.53	8820-2849	94
8X95	109.51	8820-2853	95
8X96	110.51	8820-2857	96
8X97	111.51	8820-2861	97
8X98	112.47	8820-2865	98
8X99	113.47	8820-2869	99
8X100	114.47	8820-2873	100
8X101	115.46	8820-2877	101
8X102	116.43	8820-2881	102
8X103	117.44	8820-2885	103
8X104	118.42	8820-2889	104
8X105	119.42	8820-2893	105
8X106	120.39	8820-2897	106

Round Endless Belts

Product No. Series 8820 (continued)

Round Endless Belts — 9/16″ Diameter

Minimum order quantity for 9/16″ Round Endless Belts is 87 belts per size ±10%.

Part No.	Suggested List Price	Product No.	Inside Length (In.)
[16]9X41 3/8	$60.27	8820-3217	41 3/8
9X49	66.97	8820-3239	49
9X50	67.95	8820-3242	50
9X51	69.11	8820-3245	51
9X52	70.11	8820-3248	52
9X53	71.09	8820-3251	53
[16]9X54	72.06	8820-3254	54
9X55	73.24	8820-3257	55
9X56	74.21	8820-3260	56
9X57	75.21	8820-3263	57
9X58	76.35	8820-3266	58
9X59	77.35	8820-3269	59
9X60	78.34	8820-3272	60
9X61	79.34	8820-3275	61
9X62	80.50	8820-3278	62
9X63	81.48	8820-3281	63
9X64	82.46	8820-3284	64
9X65	83.63	8820-3287	65
9X66	84.60	8820-3290	66
9X67	85.60	8820-3293	67
9X68	86.59	8820-3296	68
9X69	87.74	8820-3299	69
9X70	88.73	8820-3302	70
9X71	89.73	8820-3305	71
9X72	90.88	8820-3308	72
9X73	91.87	8820-3311	73
9X74	92.85	8820-3314	74
9X75	94.39	8820-3317	75
9X76	94.99	8820-3320	76
9X77	95.99	8820-3323	77
9X78	96.98	8820-3326	78
9X79	98.13	8820-3329	79

Part No.	Suggested List Price	Product No.	Inside Length (In.)
9X80	$99.12	8820-3332	80
9X81	100.12	8820-3335	81
9X82	101.09	8820-3338	82
9X83	102.27	8820-3341	83
9X84	103.24	8820-3344	84
9X85	104.24	8820-3347	85
9X86	105.38	8820-3350	86
9X87	106.38	8820-3353	87
9X88	107.37	8820-3356	88
9X89	108.36	8820-3359	89
[16]9X90	109.51	8820-3362	90
9X91	110.51	8820-3365	91
9X92	111.51	8820-3368	92
9X93	112.47	8820-3371	93
9X94	113.62	8820-3374	94
9X95	114.62	8820-3377	95
9X96	115.62	8820-3380	96
9X97	116.77	8820-3383	97
9X98	117.75	8820-3386	98
9X99	118.76	8820-3389	99
9X100	119.90	8820-3392	100
9X101	120.90	8820-3395	101
9X102	121.89	8820-3398	102
9X103	122.86	8820-3401	103
9X104	124.04	8820-3404	104
9X105	125.02	8820-3405	105
9X106	126.01	8820-3485	106
9X107	127.16	8820-3413	107
9X108	128.15	8820-3416	108
9X109	129.15	8820-3419	109
9X110	130.15	8820-3422	110
9X111	131.29	8820-3425	111

Part No.	Suggested List Price	Product No.	Inside Length (In.)
[16]9X112	$132.29	8820-3428	112
9X113	133.25	8820-3429	113
9X114	134.43	8820-3434	114
9X115	135.41	8820-3437	115
9X116	136.39	8820-3440	116
9X118	138.54	8820-3446	118
9X119	139.54	8820-3449	119
[16]9X120	140.53	8820-3452	120
[16]9X128	148.52	8820-3488	128
[16]9X129 3/4	150.84	8820-3439	129 3/4
[16]9X135	155.50	8820-3489	135
[16]9X144	164.48	8820-3458	144
[16]9X148	169.05	8820-3490	148
[16]9X155	175.45	8820-3460	155
[16]9X166	186.43	8820-3491	166
[16]9X172	192.41	8820-4281	172
[16]9X176	196.40	8820-3492	176
[16]9X190	210.36	8820-3493	190
[16]9X200	220.35	8820-3469	200
[16]9X210	230.31	8820-3486	210
[16]9X233	253.26	8820-3470	233
[16]9X250	270.22	8820-3494	250
[16]9X270	290.17	8820-3471	270
[16]9X308	328.08	8820-3472	308
[16]9X331	351.01	8820-3473	331
[16]9X345	364.98	8820-3495	345
[16]9X386	405.90	8820-3474	386
[16]9X416	435.81	8820-3475	416
[16]9X447	466.74	8820-3484	447
[16]9X465	484.69	8820-3476	465
[16]9X564	583.45	8820-3477	564
[16]9X660	679.22	8820-3478	660

[16]Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

Dry Can Belts

Dry Can belts have a unique deep-groove, double-V, CC section design.

Markets/Applications

Specifically designed for textile drying machines.

Features/Advantages

- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Multi-Duty Sheaves-C Section

Notes
Dry Can Belts are Standard/Nonstock. Contact Customer Service for availability.

Product No. Series 7763

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
CC240DG	$467.06	7763-0240	242	6.21
CC255DG	499.01	7763-0255	257	6.55
CC270DG	527.10	7763-0270	272	6.96
CC330DG	643.41	7763-0330	332	8.89
CC360DG	701.53	7763-0360	362	11.90
CC390DG	760.95	7763-0390	392	12.50
CC408DG	803.77	7763-0408	410	13.60
CC420DG	819.72	7763-0420	422	13.80
CC440DG	862.54	7763-0440	442	14.20
CC450DG	880.75	7763-0450	452	15.20
CC470DG	929.64	7763-0470	472	15.00
CC480DG	941.78	7763-0480	482	16.50
CC540DG	1062.52	7763-0540	542	18.60
CC550DG	1086.49	7763-0550	552	19.00

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
CC578DG	$1143.67	7763-0578	580	19.80
CC600DG	1182.64	7763-0600	602	20.60
CC640DG	1249.10	7763-0640	642	21.30
CC660DG	1300.21	7763-0660	662	22.70
CC670DG	1330.23	7763-0670	672	23.05
CC680DG	1355.79	7763-0680	682	23.40
CC700DG	1383.28	7763-0700	702	24.10
CC720DG	1422.86	7763-0720	722	24.80
CC750DG	1483.25	7763-0750	752	25.80
CC780DG	1543.64	7763-0780	782	26.80
CC800DG	1587.72	7763-0800	802	27.20
CC840DG	1664.40	7763-0840	842	29.60
CC900DG	1788.97	7763-0900	902	30.20

Truflex® V-Belts

Truflex® belts feature superior length stability for minimal take-up requirements.

Markets/Applications

Suitable for all industrial light duty applications, usually using fractional horsepower (FHP) motors.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- The **Flex-Weave®Cover** is a patented construction for longer cover life, providing extended protection to the belt core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards
- Meets RMA **static conductivity** reqirements.



Recommended Sheaves
Light-Duty Sheaves-Bored-to-Size
Light-Duty Sheaves-Variable Pitch
Light-Duty Sheaves-Bushed

Notes
Truflex® belts are offered in cross sections 2L (0), 3L (1), 4L (2), 5L (3).

Product No. Series 8400

0 or 2L Section



Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
0100	2L100	$5.65	8400-0100	10.00	.02	1
0110	2L110	5.65	8400-0110	11.00	.02	1
0120	2L120	5.65	8400-0120	12.00	.02	1
0130	2L130	5.65	8400-0130	13.00	.03	1
0140	2L140	5.65	8400-0140	14.00	.03	1
0150	2L150	5.65	8400-0150	15.00	.03	1
0160	2L160	5.65	8400-0160	16.00	.03	1
0170	2L170	5.65	8400-0170	17.00	.03	1
0180	2L180	5.65	8400-0180	18.00	.03	1
0190	2L190	5.65	8400-0190	19.00	.04	1
0200	2L200	5.65	8400-0200	20.00	.04	1
0210	2L210	5.65	8400-0210	21.00	.04	1
0230	2L230	5.65	8400-0230	23.00	.04	1

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
0240	2L240	$5.65	8400-0240	24.00	.04	1
0250	2L250	5.65	8400-0250	25.00	.04	1
0260	2L260	5.77	8400-0260	26.00	.05	1
0270	2L270	5.86	8400-0270	27.00	.05	1
0280	2L280	5.95	8400-0280	28.00	.05	1
0290	2L290	6.05	8400-0290	29.00	.05	1
0310	2L310	6.19	8400-0310	31.00	.05	1
0340	2L340	6.49	8400-0340	34.00	.05	1
0350	2L350	6.64	8400-0350	35.00	.06	1
0360	2L360	6.72	8400-0360	36.00	.06	1
0380	2L380	7.03	8400-0380	38.00	.06	1
0460	2L460	7.97	8400-0460	46.00	.07	1

Truflex® V-Belts

Product No. Series 8400

1 or 3L Section



Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
1110	3L110	$5.65	8400-1110	11.00	.04	1
1120	3L120	5.65	8400-1120	12.00	.04	1
1130	3L130	5.65	8400-1130	13.00	.05	1
1140	3L140	5.65	8400-1140	14.00	.05	1
1150	3L150	5.65	8400-1150	15.00	.05	1
1160	3L160	5.65	8400-1160	16.00	.06	5
1170	3L170	5.65	8400-1170	17.00	.06	1
1180	3L180	5.65	8400-1180	18.00	.07	1
1190	3L190	5.65	8400-1190	19.00	.07	5
1200	3L200	5.65	8400-1200	20.00	.07	5
1210	3L210	5.65	8400-1210	21.00	.07	5
1220	3L220	5.65	8400-1220	22.00	.08	5
1230	3L230	5.65	8400-1230	23.00	.08	5
1240	3L240	5.65	8400-1240	24.00	.08	5
1245	3L245	5.65	8400-1245	24.50	.09	1
1250	3L250	5.65	8400-1250	25.00	.09	5
1255	3L255	5.77	8400-1255	25.50	.09	1
1260	3L260	5.77	8400-1260	26.00	.09	5
1265	3L265	5.86	8400-1265	26.50	.09	1
1270	3L270	5.86	8400-1270	27.00	.09	1
1275	3L275	5.95	8400-1275	27.50	.09	1
1280	3L280	5.95	8400-1280	28.00	.10	5
1285	3L285	6.05	8400-1285	28.50	.10	1
1290	3L290	6.05	8400-1290	29.00	.10	5
1293	3L293	6.16	8400-1293	29.25	.10	1
1300	3L300	6.16	8400-1300	30.00	.10	5
1310	3L310	6.19	8400-1310	31.00	.11	5
1320	3L320	6.28	8400-1320	32.00	.11	5
1330	3L330	6.40	8400-1330	33.00	.11	5
1340	3L340	6.49	8400-1340	34.00	.12	5
1345	3L345	6.64	8400-1345	34.50	.12	1
1350	3L350	6.64	8400-1350	35.00	.12	5
1360	3L360	6.72	8400-1360	36.00	.13	5
1370	3L370	6.87	8400-1370	37.00	.13	5
1380	3L380	7.03	8400-1380	38.00	.13	5
1390	3L390	7.17	8400-1390	39.00	.13	5

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
1400	3L400	$7.29	8400-1400	40.00	.14	5
1410	3L410	7.43	8400-1410	41.00	.12	1
1415	3L415	7.55	8400-1415	41.50	.12	1
1420	3L420	7.55	8400-1420	42.00	.12	1
1430	3L430	7.63	8400-1430	43.00	.13	1
1440	3L440	7.73	8400-1440	44.00	.13	1
1450	3L450	7.88	8400-1450	45.00	.13	1
1460	3L460	7.97	8400-1460	46.00	.14	1
1470	3L470	8.12	8400-1470	47.00	.14	1
1480	3L480	8.21	8400-1480	48.00	.14	1
1490	3L490	8.32	8400-1490	49.00	.15	1
1500	3L500	8.42	8400-1500	50.00	.15	1
1510	3L510	8.51	8400-1510	51.00	.15	1
1520	3L520	8.59	8400-1520	52.00	.18	1
1530	3L530	8.70	8400-1530	53.00	.18	1
1540	3L540	8.80	8400-1540	54.00	.19	1
1550	3L550	8.89	8400-1550	55.00	.19	1
1560	3L560	8.98	8400-1560	56.00	.19	5
1570	3L570	9.06	8400-1570	57.00	.20	5
1580	3L580	9.18	8400-1580	58.00	.20	1
1590	3L590	9.27	8400-1590	59.00	.20	1
1600	3L600	9.36	8400-1600	60.00	.21	1
1610	3L610	9.50	8400-1610	61.00	.19	1
1620	3L620	9.59	8400-1620	62.00	.21	1
1630	3L630	9.71	8400-1630	63.00	.20	1
1640	3L640	9.80	8400-1640	64.00	.22	1
1650	3L650	9.96	8400-1650	65.00	.22	1
1660	3L660	10.04	8400-1660	66.00	.22	1
1670	3L670	10.18	8400-1670	67.00	.21	1
1675	3L675	10.28	8400-1675	67.50	.21	1
1680	3L680	10.28	8400-1680	68.00	.21	1
1690	3L690	10.37	8400-1690	69.00	.21	1
1700	3L700	10.51	8400-1700	70.00	.22	1
1710	3L710	10.60	8400-1710	71.00	.23	1
1730	3L730	10.90	8400-1730	73.00	.23	1
1740	3L740	11.05	8400-1740	74.00	.26	1

Product No. Series 8400

2 or 4L Section



Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
2150	4L150	$6.01	8400-2150	15.00	.08	1
2160	4L160	6.01	8400-2160	16.00	.09	1
2170	4L170	6.01	8400-2170	17.00	.10	1
2180	4L180	6.01	8400-2180	18.00	.10	1
2188	4L188	6.01	8400-2188	18.75	.11	1
2190	4L190	6.01	8400-2190	19.00	.11	5
2200	4L200	6.01	8400-2200	20.00	.09	5
2210	4L210	6.01	8400-2210	21.00	.10	5
2215	4L215	6.01	8400-2215	21.50	.10	1
2220	4L220	6.01	8400-2220	22.00	.10	5
2230	4L230	6.01	8400-2230	23.00	.11	5
2235	4L235	6.01	8400-2235	23.50	.11	1
2240	4L240	6.01	8400-2240	24.00	.12	5
2250	4L250	6.01	8400-2250	25.00	.12	5
2255	4L255	6.11	8400-2255	25.50	.13	1
2260	4L260	6.11	8400-2260	26.00	.13	5
2270	4L270	6.22	8400-2270	27.00	.13	5
2275	4L275	6.31	8400-2275	27.50	.13	1
2280	4L280	6.31	8400-2280	28.00	.14	5
2285	4L285	6.40	8400-2285	28.50	.14	1
2290	4L290	6.40	8400-2290	29.00	.14	5
2295	4L295	6.49	8400-2295	29.50	.15	1
2300	4L300	6.49	8400-2300	30.00	.15	5
2310	4L310	6.61	8400-2310	31.00	.15	5
2318	4L318	6.70	8400-2318	31.75	.16	1
2320	4L320	6.70	8400-2320	32.00	.16	5
2328	4L328	6.78	8400-2328	32.75	.16	1
2330	4L330	6.78	8400-2330	33.00	.16	5
2333	4L333	6.93	8400-2333	33.25	.17	1
2338	4L338	6.93	8400-2338	33.75	.17	1
2340	4L340	6.93	8400-2340	34.00	.16	5
2346	4L346	7.03	8400-2346	34.50	.17	1
2350	4L350	7.03	8400-2350	35.00	.17	5
2360	4L360	7.18	8400-2360	36.00	.18	5
2370	4L370	7.26	8400-2370	37.00	.18	5
2380	4L380	7.41	8400-2380	38.00	.19	5
2390	4L390	7.63	8400-2390	39.00	.19	5
2400	4L400	7.74	8400-2400	40.00	.20	5
2405	4L405	7.89	8400-2405	40.50	.20	1
2410	4L410	7.89	8400-2410	41.00	.20	5
2420	4L420	8.01	8400-2420	42.00	.21	5
2430	4L430	8.14	8400-2430	43.00	.21	5
2440	4L440	8.34	8400-2440	44.00	.22	5
2450	4L450	8.49	8400-2450	45.00	.22	5
2460	4L460	8.58	8400-2460	46.00	.23	5
2470	4L470	8.67	8400-2470	47.00	.23	5
2475	4L475	8.73	8400-2475	47.50	.23	1
2480	4L480	8.73	8400-2480	48.00	.24	5
2490	4L490	8.83	8400-2490	49.00	.24	5
2500	4L500	8.91	8400-2500	50.00	.25	5

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
2510	4L510	$9.04	8400-2510	51.00	.28	5
2520	4L520	9.12	8400-2520	52.00	.29	5
2530	4L530	9.21	8400-2530	53.00	.29	5
2540	4L540	9.29	8400-2540	54.00	.30	5
2550	4L550	9.42	8400-2550	55.00	.30	5
2560	4L560	9.54	8400-2560	56.00	.31	5
2570	4L570	9.66	8400-2570	57.00	.31	5
2580	4L580	9.75	8400-2580	58.00	.32	5
2590	4L590	9.84	8400-2590	59.00	.32	5
2600	4L600	9.98	8400-2600	60.00	.33	5
2610	4L610	10.07	8400-2610	61.00	.33	5
2620	4L620	10.19	8400-2620	62.00	.34	5
2630	4L630	10.32	8400-2630	63.00	.34	5
2640	4L640	10.44	8400-2640	64.00	.35	5
2650	4L650	10.58	8400-2650	65.00	.35	5
2660	4L660	10.67	8400-2660	66.00	.36	5
2670	4L670	10.77	8400-2670	67.00	.36	5
2680	4L680	10.91	8400-2680	68.00	.37	5
2690	4L690	11.07	8400-2690	69.00	.37	5
2700	4L700	11.15	8400-2700	70.00	.38	5
2710	4L710	11.39	8400-2710	71.00	.39	1
2720	4L720	11.63	8400-2720	72.00	.39	1
2730	4L730	11.72	8400-2730	73.00	.40	1
2740	4L740	11.78	8400-2740	74.00	.41	1
2750	4L750	11.87	8400-2750	75.00	.42	1
2760	4L760	11.98	8400-2760	76.00	.42	1
2770	4L770	12.10	8400-2770	77.00	.43	1
2780	4L780	12.31	8400-2780	78.00	.43	5
2790	4L790	12.50	8400-2790	79.00	.44	5
2800	4L800	12.71	8400-2800	80.00	.44	1
2810	4L810	12.89	8400-2810	81.00	.40	1
2820	4L820	13.09	8400-2820	82.00	.41	1
2830	4L830	13.27	8400-2830	83.00	.41	1
2840	4L840	13.48	8400-2840	84.00	.42	1
2850	4L850	13.66	8400-2850	85.00	.42	1
2860	4L860	13.87	8400-2860	86.00	.43	1
2870	4L870	14.05	8400-2870	87.00	.43	1
2880	4L880	14.26	8400-2880	88.00	.47	1
2890	4L890	14.44	8400-2890	89.00	.44	1
2900	4L900	14.65	8400-2900	90.00	.45	1
2910	4L910	14.82	8400-2910	91.00	.45	1
2920	4L920	15.03	8400-2920	92.00	.46	1
2930	4L930	15.22	8400-2930	93.00	.46	1
2940	4L940	15.36	8400-2940	94.00	.47	1
2950	4L950	15.52	8400-2950	95.00	.48	1
2960	4L960	15.70	8400-2960	96.00	.48	1
2970	4L970	15.84	8400-2970	97.00	.48	1
2980	4L980	15.99	8400-2980	98.00	.49	1
2990	4L990	16.20	8400-2990	99.00	.49	1
2999	4L1000	16.32	8400-2100	100.00	.50	5

Truflex® V-Belts

Product No. Series 8400

3 or 5L Section



Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3230	5L230	$7.35	8400-3230	23.00	.19	1
3240	5L240	7.35	8400-3240	24.00	.20	1
3250	5L250	7.35	8400-3250	25.00	.21	1
3260	5L260	7.56	8400-3260	26.00	.22	1
3265	5L265	7.74	8400-3265	26.50	.22	1
3270	5L270	7.74	8400-3270	27.00	.23	1
3280	5L280	7.89	8400-3280	28.00	.23	1
3290	5L290	8.10	8400-3290	29.00	.24	5
3300	5L300	8.25	8400-3300	30.00	.25	1
3310	5L310	8.43	8400-3310	31.00	.26	1
3320	5L320	8.64	8400-3320	32.00	.27	5
3330	5L330	8.83	8400-3330	33.00	.28	1
3340	5L340	9.04	8400-3340	34.00	.29	5
3350	5L350	9.15	8400-3350	35.00	.29	5
3355	5L355	9.36	8400-3355	35.50	.30	1
3360	5L360	9.36	8400-3360	36.00	.30	5
3370	5L370	9.50	8400-3370	37.00	.31	5
3380	5L380	9.68	8400-3380	38.00	.32	5
3390	5L390	9.98	8400-3390	39.00	.33	1
3400	5L400	10.37	8400-3400	40.00	.34	5
3410	5L410	10.67	8400-3410	41.00	.35	5
3420	5L420	10.91	8400-3420	42.00	.34	5
3430	5L430	11.15	8400-3430	43.00	.36	5
3440	5L440	11.39	8400-3440	44.00	.37	5
3450	5L450	11.63	8400-3450	45.00	.38	5
3460	5L460	11.87	8400-3460	46.00	.39	5
3470	5L470	12.10	8400-3470	47.00	.40	5
3480	5L480	12.38	8400-3480	48.00	.39	5
3490	5L490	12.61	8400-3490	49.00	.41	5
3500	5L500	12.79	8400-3500	50.00	.42	5
3510	5L510	13.00	8400-3510	51.00	.43	5
3520	5L520	13.18	8400-3520	52.00	.48	5
3530	5L530	13.39	8400-3530	53.00	.49	5
3540	5L540	13.58	8400-3540	54.00	.50	1
3550	5L550	13.72	8400-3550	55.00	.51	1
3560	5L560	13.80	8400-3560	56.00	.52	1
3570	5L570	13.96	8400-3570	57.00	.50	1
3580	5L580	14.05	8400-3580	58.00	.54	1
3590	5L590	14.17	8400-3590	59.00	.54	1
3600	5L600	14.26	8400-3600	60.00	.53	1

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3610	5L610	$14.34	8400-3610	61.00	.56	1
3620	5L620	14.44	8400-3620	62.00	.57	1
3630	5L630	14.53	8400-3630	63.00	.58	1
3640	5L640	14.74	8400-3640	64.00	.57	1
3650	5L650	14.91	8400-3650	65.00	.60	1
3660	5L660	15.12	8400-3660	66.00	.61	1
3670	5L670	15.31	8400-3670	67.00	.62	1
3680	5L680	15.52	8400-3680	68.00	.63	5
3690	5L690	15.70	8400-3690	69.00	.61	5
3700	5L700	15.84	8400-3700	70.00	.63	5
3710	5L710	15.99	8400-3710	71.00	.67	1
3720	5L720	16.20	8400-3720	72.00	.68	1
3730	5L730	16.44	8400-3730	73.00	.68	1
3740	5L740	16.62	8400-3740	74.00	.69	1
3750	5L750	16.83	8400-3750	75.00	.70	1
3760	5L760	17.01	8400-3760	76.00	.71	1
3770	5L770	17.25	8400-3770	77.00	.72	1
3780	5L780	17.46	8400-3780	78.00	.74	1
3790	5L790	17.69	8400-3790	79.00	.75	1
3800	5L800	17.94	8400-3800	80.00	.76	1
3810	5L810	18.17	8400-3810	81.00	.69	1
3820	5L820	18.42	8400-3820	82.00	.69	1
3830	5L830	18.66	8400-3830	83.00	.70	1
3840	5L840	18.89	8400-3840	84.00	.71	1
3850	5L850	19.40	8400-3850	85.00	.69	1
3860	5L860	19.55	8400-3860	86.00	.73	1
3870	5L870	19.73	8400-3870	87.00	.74	1
3880	5L880	19.87	8400-3880	88.00	.71	1
3890	5L890	20.07	8400-3890	89.00	.72	1
3900	5L900	20.27	8400-3900	90.00	.73	1
3910	5L910	20.50	8400-3910	91.00	.77	1
3920	5L920	20.66	8400-3920	92.00	.74	1
3930	5L930	20.83	8400-3930	93.00	.75	1
3940	5L940	21.14	8400-3940	94.00	.76	1
3950	5L950	21.47	8400-3950	95.00	.77	1
3960	5L960	21.82	8400-3960	96.00	.78	1
3970	5L970	22.06	8400-3970	97.00	.82	1
3980	5L980	22.30	8400-3980	98.00	.79	1
3990	5L990	22.54	8400-3990	99.00	.80	1
3999	5L1000	22.77	8400-3100	100.00	.81	5

PoweRated® V-Belts

These green belts are an alternative to conventional light-duty belts, with high performance construction delivering more horsepower, less stretch and providing longer service life.



Markets/Applications

PoweRated® belts are suitable for outdoor power equipment, appliances and industrial applications where FHP belts are typically used.

Features/Advantages

- **Bareback construction** for smooth clutching on shock loaded, backside-idler driven equipment.
- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability.
- Meets RMA **oil and heat resistant** standards

Recommended Sheaves
Light-Duty Sheaves-Bored-to-Size
Light-Duty Sheaves-Variable Pitch
Light-Duty Sheaves-Bushed

Notes
Powerated® belts do not meet RMA requirements for static conductivity.

Industry Designation	Gates Truflex® Section	PoweRated Section
3L	1	67 (3/8" T.W.)
4L	2	68 (1/2" T.W.)
5L	3	69 (21/32" T.W.)

Product No. Series 8423

1 or 3L Section



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6716	$10.65	8423-6716	16	.06	1
6717	10.65	8423-6717	17	.07	1
6718	10.65	8423-6718	18	.07	1
6719	10.65	8423-6719	19	.08	1
6720	10.65	8423-6720	20	.08	1
6721	10.65	8423-6721	21	.08	1
6722	10.65	8423-6722	22	.08	1
6723	10.65	8423-6723	23	.09	1
6724	10.65	8423-6724	24	.09	1
6725	10.65	8423-6725	25	.09	1
6726	10.84	8423-6726	26	.10	1
6727	11.01	8423-6727	27	.10	1
6728	11.20	8423-6728	28	.10	1
6729	11.38	8423-6729	29	.11	1
6730	11.57	8423-6730	30	.10	5
6731	11.66	8423-6731	31	.10	5
6732	11.82	8423-6732	32	.10	5
6733	12.01	8423-6733	33	.11	5
6734	12.19	8423-6734	34	.11	5
6735	12.46	8423-6735	35	.11	5
6736	12.64	8423-6736	36	.12	5
6737	12.93	8423-6737	37	.12	5
6738	13.20	8423-6738	38	.12	1
6739	13.45	8423-6739	39	.13	1
6740	13.74	8423-6740	40	.13	1
6741	14.00	8423-6741	41	.14	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6742	$14.19	8423-6742	42	.14	1
6743	14.36	8423-6743	43	.14	1
6744	14.58	8423-6744	44	.15	1
6745	14.81	8423-6745	45	.15	1
6746	15.10	8423-6746	46	.15	1
6747	15.29	8423-6747	47	.16	1
6748	15.47	8423-6748	48	.16	1
6749	15.66	8423-6749	49	.16	1
6750	15.80	8423-6750	50	.17	1
6751	15.94	8423-6751	51	.17	1
6752	16.16	8423-6752	52	.20	1
6753	16.39	8423-6753	53	.20	1
6754	16.58	8423-6754	54	.21	1
6755	16.78	8423-6755	55	.21	1
6756	17.01	8423-6756	56	.21	1
6757	17.22	8423-6757	57	.22	1
6758	17.42	8423-6758	58	.22	1
6759	17.58	8423-6759	59	.22	1
6760	17.75	8423-6760	60	.23	1
6761	17.89	8423-6761	61	.21	1
6762	18.06	8423-6762	62	.23	1
6763	18.20	8423-6763	63	.22	1
6764	18.32	8423-6764	64	.24	1
6765	18.51	8423-6765	65	.25	1
6766	18.70	8423-6766	66	.25	1
6774	19.99	8423-6774	74	.29	1

PoweRated® V-Belts

Product No. Series 8423 (continued)



2 or 4L Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6817	$11.20	8423-6817	17	.11	1
6818	11.20	8423-6818	18	.11	1
6819	11.20	8423-6819	19	.12	1
6820	11.20	8423-6820	20	.10	1
6821	11.20	8423-6821	21	.11	5
6822	11.20	8423-6822	22	.11	5
6823	11.20	8423-6823	23	.12	5
6824	11.20	8423-6824	24	.13	5
6825	11.20	8423-6825	25	.13	5
6826	11.38	8423-6826	26	.14	5
6827	11.57	8423-6827	27	.14	5
6828	11.75	8423-6828	28	.15	5
6829	11.94	8423-6829	29	.15	5
6830	12.09	8423-6830	30	.16	5
6831	12.27	8423-6831	31	.16	5
6832	12.46	8423-6832	32	.17	5
6833	12.64	8423-6833	33	.18	5
6834	12.93	8423-6834	34	.18	5
6835	13.08	8423-6835	35	.19	5
6836	13.38	8423-6836	36	.19	5
6837	13.57	8423-6837	37	.20	5
6838	13.82	8423-6838	38	.20	5
6839	14.19	8423-6839	39	.21	5
6840	14.44	8423-6840	40	.22	5
6841	14.73	8423-6841	41	.22	5
6842	14.92	8423-6842	42	.23	5
6843	15.17	8423-6843	43	.23	5
6844	15.54	8423-6844	44	.24	5
6845	15.80	8423-6845	45	.24	5
6846	15.98	8423-6846	46	.25	5
6847	16.17	8423-6847	47	.26	5
6848	16.28	8423-6848	48	.26	5
6849	16.42	8423-6849	49	.27	5
6850	16.60	8423-6850	50	.27	5
6851	16.79	8423-6851	51	.28	5
6852	16.97	8423-6852	52	.31	5
6853	17.16	8423-6853	53	.32	5
6854	17.34	8423-6854	54	.32	5
6855	17.52	8423-6855	55	.33	5
6856	17.78	8423-6856	56	.34	5
6857	17.97	8423-6857	57	.34	5
6858	18.14	8423-6858	58	.35	5
6859	18.33	8423-6859	59	.35	5
6860	18.59	8423-6860	60	.36	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6861	$18.77	8423-6861	61	.37	5
6862	18.95	8423-6862	62	.38	5
6863	19.25	8423-6863	63	.38	5
6864	19.44	8423-6864	64	.39	5
6865	19.69	8423-6865	65	.39	5
6866	19.88	8423-6866	66	.40	5
6867	20.06	8423-6867	67	.40	5
6868	20.31	8423-6868	68	.41	5
6869	20.61	8423-6869	69	.42	5
6870	20.76	8423-6870	70	.43	5
6871	21.23	8423-6871	71	.44	5
6872	21.68	8423-6872	72	.45	5
6873	21.86	8423-6873	73	.45	5
6874	21.93	8423-6874	74	.46	5
6875	22.12	8423-6875	75	.46	5
6876	22.30	8423-6876	76	.47	5
6877	22.60	8423-6877	77	.48	5
6878	22.92	8423-6878	78	.49	5
6879	23.29	8423-6879	79	.50	5
6880	23.66	8423-6880	80	.50	5
6881	24.02	8423-6881	81	.45	5
6882	24.39	8423-6882	82	.46	5
6883	24.76	8423-6883	83	.46	5
6884	25.13	8423-6884	84	.47	5
6885	25.46	8423-6885	85	.48	5
6886	25.83	8423-6886	86	.48	5
6887	26.20	8423-6887	87	.49	5
6888	26.57	8423-6888	88	.52	5
6889	26.93	8423-6889	89	.50	5
6890	27.27	8423-6890	90	.50	5
6891	27.63	8423-6891	91	.51	5
6892	27.96	8423-6892	92	.52	5
6893	28.36	8423-6893	93	.52	5
6894	28.62	8423-6894	94	.53	5
6895	28.91	8423-6895	95	.53	5
6896	29.24	8423-6896	96	.54	1
6897	29.55	8423-6897	97	.54	1
6898	29.94	8423-6898	98	.55	1
6899	30.17	8423-6899	99	.56	5
68100	30.47	8423-8100	100	.57	1
68105	31.35	8423-8105	105	.59	1
68107	32.04	8423-8107	107	.61	1
68117	35.46	8423-8117	117	.66	1

PoweRated® V-Belts

Product No. Series 8423 (continued)



3 or 5L Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6923	$13.10	8423-6923	23	.19	1
6924	13.46	8423-6924	24	.20	1
6925	13.74	8423-6925	25	.21	1
6926	14.10	8423-6926	26	.22	1
6927	14.44	8423-6927	27	.23	1
6928	14.76	8423-6928	28	.24	1
6929	15.10	8423-6929	29	.25	5
6930	15.36	8423-6930	30	.26	1
6931	15.73	8423-6931	31	.27	1
6932	16.10	8423-6932	32	.28	1
6933	16.42	8423-6933	33	.29	1
6934	16.79	8423-6934	34	.29	1
6935	17.08	8423-6935	35	.30	5
6936	17.41	8423-6936	36	.31	1
6937	17.70	8423-6937	37	.32	1
6938	18.07	8423-6938	38	.33	5
6939	18.59	8423-6939	39	.34	1
6940	19.32	8423-6940	40	.35	5
6941	19.88	8423-6941	41	.36	1
6942	20.31	8423-6942	42	.37	1
6943	20.76	8423-6943	43	.38	5
6944	21.23	8423-6944	44	.39	5
6945	21.68	8423-6945	45	.40	1
6946	22.12	8423-6946	46	.41	1
6947	22.60	8423-6947	47	.41	1
6948	23.04	8423-6948	48	.42	1
6949	23.48	8423-6949	49	.43	1
6950	23.85	8423-6950	50	.44	5
6951	24.21	8423-6951	51	.45	1
6952	24.58	8423-6952	52	.50	5
6953	24.95	8423-6953	53	.51	1
6954	25.27	8423-6954	54	.52	1
6955	25.57	8423-6955	55	.53	1
6956	25.76	8423-6956	56	.54	1
6957	26.01	8423-6957	57	.55	1
6958	26.20	8423-6958	58	.56	1
6959	26.38	8423-6959	59	.57	1
6960	26.57	8423-6960	60	.58	1
6961	26.74	8423-6961	61	.59	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6962	$26.93	8423-6962	62	.60	1
6963	27.11	8423-6963	63	.61	1
6964	27.44	8423-6964	64	.63	5
6965	27.80	8423-6965	65	.63	1
6966	28.17	8423-6966	66	.64	1
6967	28.54	8423-6967	67	.65	1
6968	28.91	8423-6968	68	.66	5
6969	29.27	8423-6969	69	.67	5
6970	29.55	8423-6970	70	.69	5
6971	29.80	8423-6971	71	.70	1
6972	30.17	8423-6972	72	.71	1
6973	30.61	8423-6973	73	.72	1
6974	30.98	8423-6974	74	.73	1
6975	31.34	8423-6975	75	.74	1
6976	31.71	8423-6976	76	.74	1
6977	32.11	8423-6977	77	.75	1
6978	32.52	8423-6978	78	.78	1
6979	32.95	8423-6979	79	.79	1
6980	33.43	8423-6980	80	.80	1
6981	33.87	8423-6981	81	.73	1
6982	34.31	8423-6982	82	.73	5
6983	34.83	8423-6983	83	.74	1
6984	35.23	8423-6984	84	.75	1
6985	35.64	8423-6985	85	.76	1
6986	36.08	8423-6986	86	.77	1
6987	36.48	8423-6987	87	.78	1
6988	36.81	8423-6988	88	.79	1
6989	37.30	8423-6989	89	.80	1
6990	37.76	8423-6990	90	.81	1
6991	37.87	8423-6991	91	.82	1
6992	38.10	8423-6992	92	.83	1
6993	38.43	8423-6993	93	.84	1
6994	38.98	8423-6994	94	.84	1
6995	39.57	8423-6995	95	.85	1
6996	40.23	8423-6996	96	.86	1
6997	40.68	8423-6997	97	.87	1
6998	41.55	8423-6998	98	.88	1
6999	41.99	8423-6999	99	.89	1
69100	42.42	8423-9100	100	.90	1

BladeRunner™ Belts

BladeRunner™ belts are engineered and built to exactly match the composition, construction and fit of the most popular lawn and garden brand names.

Markets/Applications

BladeRunner™ belts are specifically designed for use on lawn and garden equipment.

Features/Advantages

- Exact OEM fit and construction means more value and longer life.
- Built to withstand the rigorous start and stop operation of lawn and garden equipment.
- **Aramid cord construction** is utilized in many cases, providing longer service life during frequent and severe shock loads.



Part No.	Sugg. List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6400BR	$20.38	9200-56400	86½	9/16	Wrapped
6401BR	25.48	9200-56401	89¾	9/16	Wrapped
6402BR	25.01	8580-56402	74¾	21/32	Wrapped
6403BR	22.66	8580-56403	69¾	21/32	Wrapped
6404BR	14.28	9238-56404	79⅛	17/32	Wrapped
6405BR	16.27	8580-56405	43½	21/32	Wrapped
6406BR	29.47	8580-56406	60-¾	21/32	Wrapped
6407BR	24.78	9238-56407	91⅛	17/32	Wrapped
6408BR	28.99	8580-56408	78¾	21/32	Wrapped
6409BR	43.72	9240-56409	122¼	½	Double-V
6410BR	13.37	8580-56410	36⅜	⅜	Raw Edge
6411BR	9.96	8580-56411	30-½	⅜	Wrapped
6412BR	23.41	9200-56412	84⅞	9/16	Wrapped
6413BR	19.65	8075-13313	32½	5/16	60° M Section
6414BR	27.97	8580-56414	78½	½	Wrapped
6415BR	26.96	8580-56415	82½	½	Wrapped
6416BR	40.28	8580-56416	100-¾	21/32	Wrapped
6417BR	27.44	8580-56417	76½	½	Wrapped
6418BR	28.83	9226-56418	88¾	9/16	Wrapped
6419BR	22.83	8580-56419	55⅛	⅞	Wrapped
6420BR	20.23	9238-56420	96¾	17/32	Wrapped
6421BR	30.69	8580-56421	85¾	21/32	Wrapped
6422BR	17.78	8580-56422	46¾	½	Wrapped
6423BR	18.76	9212-46423	45½	21/32	Cogged
6424BR	20.61	8580-56424	74½	½	Wrapped
6425BR	10.06	8580-56425	41	½	Wrapped
6426BR	12.16	8580-56426	33	⅜	Wrapped
6427BR	25.48	8580-56427	87¾	21/32	Wrapped
6428BR	24.45	8580-56428	105⅝	½	Wrapped
6429BR	19.15	9212-46429	44⅝	21/32	Cogged
6430BR	18.82	8580-56430	50-½	½	Wrapped
6431BR	35.84	8580-56431	89¾	½	Wrapped
6432BR	29.97	8580-56432	95¾	½	Wrapped
6433BR	26.77	9213-46433	36½	⅜	Cogged
6434BR	23.04	9238-56434	82¾	17/32	Wrapped
6435BR	18.70	9213-46435	26½	⅜	Cogged
6436BR	43.87	9286-46436	55½	1¼	Banded
6437BR	33.89	9286-46437	44⅛	1¼	Banded
6438BR	19.59	8580-56438	97½	½	Wrapped
6439BR	19.71	8580-56439	47½	21/32	Wrapped

BladeRunner™ Belts

Part No.	Sugg. List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6440BR	$38.70	9286-46440	50-7/8	1 1/4	Banded
6441BR	19.15	9212-46441	44 3/8	21/32	Cogged
6442BR	54.06	9286-46442	50	1 1/4	Banded
6443BR	46.96	8580-56443	83 3/4	1/2	Wrapped
6444BR	36.36	8580-56444	83 3/4	1/2	Wrapped
6445BR	14.28	8580-56445	79 3/4	1/2	Wrapped
6446BR	21.15	9200-56446	52 1/2	21/32	Wrapped
6447BR	14.94	8580-56447	52 1/2	21/32	Wrapped
6448BR	19.34	8580-56448	67 3/4	1/2	Wrapped
6449BR	12.58	8580-56449	55 1/2	1/2	Wrapped
6450BR	26.83	8580-56450	88 3/4	1/2	Wrapped
6451BR	18.51	8580-56451	62 3/4	1/2	Wrapped
6452BR	15.86	8580-56452	95 1/2	1/2	Wrapped
6453BR	11.31	8580-56453	30-3/4	1/2	Wrapped
6454BR	20.55	8580-56454	82 3/4	21/32	Wrapped
6455BR	13.57	9240-56455	70-3/8	1/2	Double-V
6456BR	37.40	9240-56456	107 1/2	1/2	Double-V
6457BR	26.17	8580-56457	92 3/4	1/2	Wrapped
6458BR	26.13	9238-56458	78 7/8	17/32	Wrapped
6459BR	22.06	8580-56459	88 3/4	1/2	Wrapped
6460BR	11.35	8580-56460	32 3/4	3/8	Wrapped
[2]6461BR	37.44	8580-56461	95 3/4	1/2	Wrapped
6462BR	34.95	8580-56462	84 3/4	1/2	Wrapped
6463BR	26.83	9238-56463	88 7/8	17/32	Wrapped
6464BR	23.22	8580-56464	64 3/4	21/32	Wrapped
[2]6465BR	41.69	8580-56465	85 3/4	21/32	Wrapped
6466BR	39.57	9286-46466	45	1 1/4	Banded
6467BR	21.91	8580-56467	83 3/4	21/32	Wrapped
6468BR	9.03	8580-56468	31 3/4	3/8	Wrapped
6469BR	8.76	8580-56469	31 1/2	3/8	Wrapped
6470BR	38.70	9286-46470	50-3/4	1 1/4	Banded
6471BR	17.85	9240-56471	73 1/4	1/2	Double-V
6472BR	19.15	9212-46472	44 1/4	21/32	Cogged
6473BR	28.45	8580-56473	22 1/4	1/2	Wrapped
6474BR	20.67	8580-56474	89 1/2	1/2	Wrapped
6475BR	15.15	8580-56475	47 1/2	1/2	Wrapped
6476BR	27.02	8580-56476	87 3/4	1/2	Wrapped
6477BR	26.23	8580-56477	99 1/2	1/2	Wrapped
6478BR	20.07	8580-56478	70-1/2	1/2	Wrapped
6479BR	34.47	8580-56479	89 3/4	21/32	Wrapped
6480BR	32.46	8580-56480	101 7/8	21/32	Wrapped
6481BR	34.30	9224-66481	120-1/8	17/32	Wrapped
6482BR	29.34	8580-56482	68 3/4	21/32	Wrapped
6483BR	16.91	8580-56483	57 1/2	1/2	Wrapped
6484BR	40.18	9227-56484	126 1/2	17/32	Wrapped
6485BR	41.98	9226-56485	133 3/8	21/32	Wrapped
6486BR	41.98	9226-56486	127 5/8	17/32	Wrapped
6487BR	20.92	9212-46487	49 1/2	21/32	Cogged
6488BR	17.45	8580-56488	69 3/4	21/32	Wrapped
6489BR	29.92	8580-56489	93 3/4	21/32	Wrapped
6490BR	22.47	8580-56490	90-1/2	1/2	Wrapped
6491BR	13.30	8580-56491	53 1/2	1/2	Wrapped
6492BR	51.15	8580-56492	109 5/8	21/32	Wrapped
6494BR	17.85	8580-56494	35 1/2	21/32	Wrapped
6495BR	16.58	8580-56495	56 3/4	1/2	Wrapped
6496BR	30.11	8580-56496	91 3/4	21/32	Wrapped
6497BR	33.00	8580-56497	83 3/4	21/32	Wrapped
6498BR	17.45	8580-56498	53 3/4	1/2	Wrapped
6499BR	17.62	8580-56499	52 3/4	1/2	Wrapped
6500BR	9.84	8580-56500	40-3/4	3/8	Wrapped

[2]Available until stock depleted.

Prices Subject To Change Without Notice

BladeRunner™ Belts

Part No.	Sugg. List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6501BR	$16.31	8580-56501	74 1/2	1/2	Wrapped
6502BR	37.29	8580-56502	67 3/4	21/32	Wrapped
6503BR	24.11	8580-56503	86 1/2	1/2	Wrapped
6504BR	22.97	8580-56504	84 1/2	1/2	Wrapped
6505BR	25.71	8580-56505	90-3/4	1/2	Wrapped
6506BR	29.92	8580-56506	81 3/4	21/32	Wrapped
6507BR	24.13	8580-56507	75 3/4	21/32	Wrapped
6508BR	22.18	8580-56508	80-3/4	1/2	Wrapped
6509BR	15.05	8580-56509	40-1/2	3/8	Wrapped
6510BR	23.41	8580-56510	54 3/4	21/32	Wrapped
6511BR	17.23	8580-56511	38 1/2	21/32	Wrapped
6512BR	27.99	8580-56512	76 3/4	21/32	Wrapped
6513BR	19.28	8580-56513	81 1/2	1/2	Wrapped
6514BR	17.35	8580-56514	41 1/4	19/32	Raw Edge
6515BR	31.65	8580-56515	81 1/2	19/32	Raw Edge
6516BR	25.59	8580-56516	83 1/2	19/32	Raw Edge
6517BR	13.51	8580-56517	35 1/2	1/2	Wrapped
6518BR	22.00	8580-56518	85 3/4	1/2	Wrapped
6519BR	19.05	8580-56519	78 1/2	1/2	Wrapped
6520BR	15.44	8580-56520	71 3/4	21/32	Wrapped
6521BR	27.50	8580-56521	93 1/2	1/2	Wrapped
6522BR	27.99	9238-56522	79 3/4	17/32	Wrapped
6523BR	40.76	8580-56523	80-3/4	1/2	Wrapped
6524BR	25.61	8580-56524	91 1/2	1/2	Wrapped
6525BR	27.60	8580-56525	71 3/4	1/2	Wrapped
6526BR	25.38	8580-56526	88 3/4	1/2	Wrapped
6527BR	27.99	8580-56527	68 3/4	21/32	Wrapped
6528BR	12.55	9227-56528	36 1/2	1/2	Raw Edge
6529BR	12.06	8580-56529	46 5/8	1/2	Raw Edge
6530BR	20.75	8580-56530	63 5/8	1/2	Raw Edge
6531BR	39.08	8580-56531	88 3/4	21/32	Wrapped
6532BR	16.21	8580-56532	87 1/2	1/2	Wrapped
6533BR	18.34	8580-56533	98 1/2	1/2	Wrapped
6534BR	5.69	8227-6534	24 3/4	3/8	Wrapped
6535BR	22.18	8580-56535	69 3/4	21/32	Wrapped
[2]6536BR	25.09	8580-56536	85 3/4	21/32	Wrapped
6537BR	31.21	8580-56537	86 3/4	21/32	Wrapped
6538BR	22.18	9286-46538	32 3/4	1 1/4	Banded
6539BR	42.94	9286-46539	42 1/8	1 1/4	Banded
6540BR	10.62	8580-56540	22 3/4	1/2	Wrapped
6541BR	34.72	9240-56541	86 3/4	1/2	Double-V
6542BR	22.68	8129-56542	65 3/4	19/32	Cogged
6543BR	16.41	8170-56543	58 1/2	3/4	Ribbed
6544BR	8.01	9012-56544	24 3/4	1/2	Cogged
6545BR	12.06	9200-56545	37 3/4	17/32	Wrapped
6546BR	11.19	8580-56546	24 3/4	1/2	Raw Edge
6547BR	27.99	8580-56547	52 3/8	21/32	Cogged
6548BR	19.78	8580-56548	43 1/8	21/32	Cogged
6549BR	28.95	8580-56549	46 1/8	21/32	Cogged
6550BR	20.27	8580-56550	44 1/2	21/32	Cogged
6551BR	34.74	8580-56551	82 3/4	1/2	Wrapped
6552BR	23.16	9227-56552	52 1/4	1/2	Raw Edge
6553BR	16.41	9227-56553	50-3/4	1/2	Raw Edge
6554BR	14.48	8580-56554	35 3/4	21/32	Wrapped
6555BR	27.02	8580-56555	77 1/2	21/32	Wrapped
6556BR	15.44	8580-56556	41 1/2	21/32	Wrapped
6557BR	13.51	8580-56557	39 1/4	3/8	Wrapped
6558BR	30.88	8580-56558	81 3/4	1/2	Wrapped
6559BR	17.76	8580-56559	65 3/4	1/2	Wrapped
[2]6560BR	28.18	8580-56560	85 3/4	21/32	Wrapped

[2]Available until stock depleted.

Prices Subject To Change Without Notice

BladeRunner™ Belts

Part No.	Sugg. List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6561BR	$24.32	8580-56561	83 3/4	21/32	Wrapped
6562BR	15.44	8580-56562	37 3/4	1/2	Wrapped
6563BR	21.71	8580-56563	50-3/4	21/32	Wrapped
6564BR	23.55	8580-56564	55 3/4	21/32	Wrapped
6565BR	12.45	8580-56565	38 3/4	1/2	Wrapped
6566BR	51.53	9226-56566	140-1/4	21/32	Wrapped
6567BR	54.04	9226-56567	146 1/4	21/32	Wrapped
6568BR	41.98	9226-56568	129	21/32	Wrapped
6569BR	63.21	9226-56569	169 3/8	21/32	Wrapped
6570BR	60.31	9240-56570	146 5/8	1/2	Double-V
6571BR	44.39	9240-56571	103 3/4	1/2	Double-V
6572BR	27.50	8580-56572	78 3/4	1/2	Wrapped
6573BR	24.13	8580-56573	82 3/4	21/32	Wrapped
6574BR	56.94	9227-56574	121 1/4	21/32	Wrapped
6575BR	35.13	8580-56575	97 3/4	21/32	Wrapped
6576BR	25.48	8580-56576	51 3/4	21/32	Wrapped
6577BR	37.25	9238-56577	134 3/8	1/2	Wrapped
6578BR	27.02	9238-56578	83 7/8	1/2	Wrapped
6579BR	42.65	9240-56579	107 1/4	1/2	Double-V
6580BR	9.25	8552-56580	57 1/8	11/16	Ribbed
6581BR	17.85	9227-56581	61	1/2	Raw Edge
6582BR	21.23	8580-56582	91 1/8	1/2	Raw Edge
6583BR	14.48	8580-56583	51 1/8	1/2	Raw Edge
6584BR	33.78	8580-56584	105 1/4	21/32	Raw Edge
6585BR	15.05	8580-56585	45 3/8	21/32	Raw Edge
6586BR	42.46	9291-46586	50-1/8	1 1/4	Raw Edge
6587BR	11.19	8580-56587	27 5/8	3/8	Raw Edge
6588BR	9.17	8580-56588	34 5/8	3/8	Raw Edge
6589BR	47.29	9227-56589	123 5/8	21/32	Wrapped
6590BR	30.98	8580-56590	54	21/32	Raw Edge
6591BR	36.57	8580-56591	87 3/4	21/32	Wrapped
6592BR	32.13	8580-56592	81 3/4	21/32	Wrapped
6593BR	25.09	9291-46593	56 9/32	17/32	Banded
6594BR	19.30	9238-56594	87 1/2	17/32	Wrapped
6595BR	10.62	8580-56595	32 1/2	3/8	Cogged
6596BR	57.42	9227-56596	136 5/8	21/32	Wrapped
6597BR	71.41	9227-56597	153 5/8	21/32	Wrapped
6598BR	63.59	9227-56598	158 1/4	21/32	Wrapped
6599BR	51.05	9227-56599	142 1/4	21/32	Wrapped
6600BR	20.46	9238-56600	98 3/4	17/32	Wrapped
6601BR	18.82	8580-56601	83 1/2	1/2	Wrapped
6603BR	21.71	8580-56603	76 3/4	1/2	Wrapped
6604BR	28.85	8580-56604	117 5/8	1/2	Wrapped
6605BR	17.37	8580-56605	45 1/2	21/32	Wrapped
6606BR	23.35	8580-56606	90-1/2	21/32	Wrapped
6607BR	17.56	8580-56607	88 3/4	21/32	Wrapped

Polyflex® Belts

Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional V-belts.

Markets/Applications

A partial listing of applications include machine tools, computer peripherals, medical equipment, library equipment, small appliances, blower drives and woodworking machines.

Features/Advantages

- **High Modulus Polyurethane** compound resists fatique, wear, ozone, and most environmental conditions.
- Precise casting method eliminates layers and overlaps for **smooth running** and **low vibration**.
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- Working temperature range: -65° F to +180° F (-54° C to +85° C)



Recommended Sheaves
Polyflex™ Sheaves

Notes
Polyflex® Belts are available in 3M, 5M, 7M, and 11M cross sections.
Matched sets may have a manufacturing lead time. Contact Customer Service for details.

Product No. Series 8901

Nominal Top Width 1/8"

3M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3M180	$8.86	8901-0180	7.09
3M185	8.86	8901-0185	7.28
3M190	8.86	8901-0190	7.48
3M195	8.86	8901-0195	7.68
3M200	8.86	8901-0200	7.87
3M206	8.86	8901-0206	8.11
3M212	8.86	8901-0212	8.35
3M218	8.86	8901-0218	8.58
3M224	8.86	8901-0224	8.82
3M230	8.86	8901-0230	9.06
3M236	8.86	8901-0236	9.29
3M243	8.86	8901-0243	9.57
3M250	8.86	8901-0250	9.84
3M258	8.86	8901-0258	10.16
3M265	8.86	8901-0265	10.43
3M272	8.86	8901-0272	10.71
3M280	8.86	8901-0280	11.02
3M290	8.86	8901-0290	11.42
3M300	8.86	8901-0300	11.81
3M307	8.86	8901-0307	12.09
3M315	8.86	8901-0315	12.40
3M325	8.86	8901-0325	12.80
3M335	8.86	8901-0335	13.19
3M345	8.86	8901-0345	13.58
3M355	8.86	8901-0355	13.98
3M365	8.86	8901-0365	14.37

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3M375	$8.86	8901-0375	14.76
3M387	8.86	8901-0387	15.24
3M400	8.86	8901-0400	15.75
3M412	9.08	8901-0412	16.22
3M425	9.08	8901-0425	16.73
3M437	9.33	8901-0437	17.20
3M450	9.33	8901-0450	17.72
3M462	9.47	8901-0462	18.19
3M475	9.47	8901-0475	18.70
3M487	9.60	8901-0487	19.17
3M500	9.60	8901-0500	19.69
3M515	9.64	8901-0515	20.28
3M530	9.89	8901-0530	20.87
3M545	9.89	8901-0545	21.46
3M560	10.03	8901-0560	22.05
3M580	10.42	8901-0580	22.83
3M600	10.46	8901-0600	23.62
3M615	10.46	8901-0615	24.21
3M630	10.76	8901-0630	24.80
3M650	10.81	8901-0650	25.59
3M670	10.93	8901-0670	26.38
3M690	11.46	8901-0690	27.17
3M710	11.49	8901-0710	27.95
3M730	11.54	8901-0730	28.74
3M750	11.93	8901-0750	29.53

Product No. Series 8902

Nominal Top Width 3/16"

5M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
5M280	$13.31	8902-0280	11.02
5M290	13.31	8902-0290	11.42
5M300	13.31	8902-0300	11.81
5M307	13.31	8902-0307	12.09
5M315	13.31	8902-0315	12.40
5M325	13.31	8902-0325	12.80
5M335	13.31	8902-0335	13.19
5M345	13.31	8902-0345	13.58
5M355	13.31	8902-0355	13.98
5M365	13.31	8902-0365	14.37
5M375	13.31	8902-0375	14.76
5M387	13.31	8902-0387	15.24
5M400	13.31	8902-0400	15.75
5M412	13.31	8902-0412	16.22
5M425	13.31	8902-0425	16.73
5M437	13.31	8902-0437	17.20
5M450	13.31	8902-0450	17.72
5M462	13.31	8902-0462	18.19
5M475	13.31	8902-0475	18.70
5M487	13.31	8902-0487	19.17
5M500	13.31	8902-0500	19.69
5M515	13.44	8902-0515	20.28
5M530	13.62	8902-0530	20.87
5M545	14.01	8902-0545	21.46
5M560	14.09	8902-0560	22.05
5M580	14.62	8902-0580	22.83
5M600	14.70	8902-0600	23.62
5M615	14.79	8902-0615	24.21
5M630	15.18	8902-0630	24.80
5M650	15.21	8902-0650	25.59
5M670	15.57	8902-0670	26.38

Part No.	Suggested List Price	Product No.	Effective Length (In.)
5M690	$15.60	8902-0690	27.17
5M710	16.08	8902-0710	27.95
5M730	16.56	8902-0730	28.74
5M750	16.86	8902-0750	29.53
5M775	17.08	8902-0775	30.51
5M800	17.25	8902-0800	31.50
5M825	17.54	8902-0825	32.48
5M850	17.73	8902-0850	33.46
5M875	18.12	8902-0875	34.45
5M900	18.93	8902-0900	35.43
5M925	19.28	8902-0925	36.42
5M950	19.41	8902-0950	37.40
5M975	19.89	8902-0975	38.39
5M1000	20.06	8902-1000	39.37
5M1030	20.31	8902-1030	40.55
5M1060	20.87	8902-1060	41.73
5M1090	21.48	8902-1090	42.91
5M1120	22.05	8902-1120	44.09
5M1150	22.44	8902-1150	45.28
5M1180	22.56	8902-1180	46.46
5M1220	23.22	8902-1220	48.03
5M1250	23.64	8902-1250	49.21
5M1280	24.34	8902-1280	50.39
5M1320	24.85	8902-1320	51.97
5M1360	25.33	8902-1360	53.54
5M1400	25.94	8902-1400	55.12
5M1450	26.63	8902-1450	57.09
5M1500	27.45	8902-1500	59.06
5M1600	29.05	8902-1600	62.99
5M1650	29.87	8902-1650	64.96
5M1850	33.54	8902-1850	72.83

Polyflex® Belts

Product No. Series 8903

Nominal Top Width 9/32"

7M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
7M410	$19.28	8903-0410	16.14
7M500	19.28	8903-0500	19.69
7M515	19.28	8903-0515	20.28
7M530	19.28	8903-0530	20.87
7M545	19.28	8903-0545	21.46
7M560	19.28	8903-0560	22.05
7M580	19.28	8903-0580	22.83
7M600	19.28	8903-0600	23.62
7M615	19.28	8903-0615	24.21
7M630	19.28	8903-0630	24.80
7M650	19.41	8903-0650	25.59
7M670	19.58	8903-0670	26.38
7M690	19.89	8903-0690	27.17
7M710	20.01	8903-0710	27.95
7M730	20.28	8903-0730	28.74
7M750	20.31	8903-0750	29.53
7M775	20.75	8903-0775	30.51
7M800	21.31	8903-0800	31.50
7M825	21.40	8903-0825	32.48
7M850	21.48	8903-0850	33.46
7M875	22.05	8903-0875	34.45
7M900	22.44	8903-0900	35.43
7M925	22.47	8903-0925	36.42
7M950	22.78	8903-0950	37.40
7M975	23.22	8903-0975	38.39
7M1000	23.25	8903-1000	39.37
7M1030	23.64	8903-1030	40.55
7M1060	24.34	8903-1060	41.73

Part No.	Suggested List Price	Product No.	Effective Length (In.)
7M1090	$24.68	8903-1090	42.91
7M1120	24.94	8903-1120	44.09
7M1150	25.33	8903-1150	45.28
7M1180	25.55	8903-1180	46.46
7M1220	26.24	8903-1220	48.03
7M1250	26.63	8903-1250	49.21
7M1280	27.19	8903-1280	50.39
7M1320	27.57	8903-1320	51.97
7M1360	27.79	8903-1360	53.54
7M1400	28.66	8903-1400	55.12
7M1450	29.05	8903-1450	57.09
7M1500	29.95	8903-1500	59.06
7M1550	30.73	8903-1550	61.02
7M1600	31.38	8903-1600	62.99
7M1650	32.07	8903-1650	64.96
7M1700	32.68	8903-1700	66.93
7M1750	33.45	8903-1750	68.90
7M1800	34.62	8903-1800	70.87
7M1850	34.93	8903-1850	72.83
7M1900	35.97	8903-1900	74.80
7M1950	36.95	8903-1950	76.77
7M2000	37.52	8903-2000	78.74
7M2060	38.82	8903-2060	81.10
7M2120	39.98	8903-2120	83.46
7M2180	41.24	8903-2180	85.83
7M2240	42.32	8903-2240	88.19
7M2300	43.27	8903-2300	90.55

Product No. Series 8904

Nominal Top Width 7/16"

11M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
11M710	$30.73	8904-0710	27.95
11M730	30.87	8904-0730	28.74
11M750	31.65	8904-0750	29.53
11M775	32.33	8904-0775	30.51
11M800	32.72	8904-0800	31.50
11M825	33.03	8904-0825	32.48
11M850	33.84	8904-0850	33.46
11M875	34.57	8904-0875	34.45
11M900	34.79	8904-0900	35.43
11M925	34.93	8904-0925	36.42
11M950	35.88	8904-0950	37.40
11M975	36.39	8904-0975	38.39
11M1000	36.83	8904-1000	39.37
11M1030	37.31	8904-1030	40.55
11M1060	38.13	8904-1060	41.73
11M1090	38.74	8904-1090	42.91
11M1120	39.47	8904-1120	44.09
11M1150	39.72	8904-1150	45.28
11M1180	40.54	8904-1180	46.46
11M1220	41.28	8904-1220	48.03
11M1250	42.02	8904-1250	49.21

Part No.	Suggested List Price	Product No.	Effective Length (In.)
11M1280	$42.44	8904-1280	50.39
11M1320	43.22	8904-1320	51.97
11M1360	43.96	8904-1360	53.54
11M1400	44.91	8904-1400	55.12
11M1450	45.74	8904-1450	57.09
11M1500	47.07	8904-1500	59.06
11M1550	48.07	8904-1550	61.02
11M1600	49.41	8904-1600	62.99
11M1650	50.57	8904-1650	64.96
11M1700	51.96	8904-1700	66.93
11M1750	53.25	8904-1750	68.90
11M1800	54.38	8904-1800	70.87
11M1850	55.77	8904-1850	72.83
11M1900	56.80	8904-1900	74.80
11M1950	58.27	8904-1950	76.77
11M2000	59.78	8904-2000	78.74
11M2060	61.12	8904-2060	81.10
11M2120	62.89	8904-2120	83.46
11M2180	64.66	8904-2180	85.83
11M2240	66.27	8904-2240	88.19
11M2300	67.99	8904-2300	90.55

Polyflex® JB® Belts

Joined Band belt construction provides increased belt stability, preventing belts from turning over or from coming off of the drive. Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional V-belts.



Markets/Applications

Use in place of Polyflex® singles on drives requiring joined sets. A partial listing of applications include machine tools, computer peripherals, medical equipment, library equipment, small appliances, blower drives and dough mixers.

Features/Advantages

- **High Modulus Polyurethane** compound resists fatigue, wear, ozone, and most environmental conditions.
- Precise casting method eliminates layers and overlaps for **smooth running and low vibration.**
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- Working temperature range: -65°F to +180°F (-54°C to +85°C).
- **Joined belt construction** provides high stability, preventing belts from turning over or coming off of the drive.

Recommended Sheaves
Polyflex™ Sheaves

Notes
Polyflex® JB® belts are available in 3M, 5M, 7M, and 11M cross sections.

The Polyflex® JB® belt part number is comprised of the number of belt strands, cross section, effective length and the "JB" signifying joined band construction. For example, part number 3/5M1000JB represents 3 strands joined together, 5mm top width for each belt strand, effective length of 1000mm and joined band (JB) construction.

Manufacturing lead times may apply to matched sets and to rib configurations other than those listed. Minimum order quantities do not apply for belt lengths listed. Contact Customer Service for details.

Product No. Series 8911

3M

Nominal Strand Width 1/8″

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M175JB	$23.04	8911-2175	6.74
3/3M175JB	34.55	8911-3175	6.74
2/3M180JB	23.04	8911-2180	6.94
3/3M180JB	34.55	8911-3180	6.94
2/3M185JB	23.04	8911-2185	7.13
3/3M185JB	34.55	8911-3185	7.13
2/3M190JB	23.04	8911-2190	7.33
3/3M190JB	34.55	8911-3190	7.33
2/3M195JB	23.04	8911-2195	7.53
3/3M195JB	34.55	8911-3195	7.53
2/3M200JB	23.04	8911-2200	7.72
3/3M200JB	34.55	8911-3200	7.72
2/3M206JB	23.04	8911-2206	7.96
3/3M206JB	34.55	8911-3206	7.96
2/3M212JB	23.04	8911-2212	8.20
3/3M212JB	34.55	8911-3212	8.20
2/3M218JB	23.04	8911-2218	8.43
3/3M218JB	34.55	8911-3218	8.43
2/3M224JB	23.04	8911-2224	8.67
3/3M224JB	34.55	8911-3224	8.67
2/3M230JB	23.04	8911-2230	8.91
3/3M230JB	34.55	8911-3230	8.91
2/3M236JB	23.04	8911-2236	9.14
3/3M236JB	34.55	8911-3236	9.14
2/3M243JB	23.04	8911-2243	9.42

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/3M243JB	$34.55	8911-3243	9.42
2/3M250JB	23.04	8911-2250	9.69
3/3M250JB	34.55	8911-3250	9.69
2/3M258JB	23.04	8911-2258	10.01
3/3M258JB	34.55	8911-3258	10.01
2/3M265JB	23.04	8911-2265	10.28
3/3M265JB	34.55	8911-3265	10.28
2/3M272JB	23.04	8911-2272	10.56
3/3M272JB	34.55	8911-3272	10.56
2/3M280JB	23.04	8911-2280	10.87
3/3M280JB	34.55	8911-3280	10.87
2/3M290JB	23.04	8911-2290	11.27
3/3M290JB	34.55	8911-3290	11.27
2/3M300JB	23.04	8911-2300	11.66
3/3M300JB	34.55	8911-3300	11.66
2/3M307JB	23.04	8911-2307	11.94
3/3M307JB	34.55	8911-3307	11.94
2/3M315JB	23.04	8911-2315	12.25
3/3M315JB	34.55	8911-3315	12.25
2/3M325JB	23.04	8911-2325	12.65
3/3M325JB	34.55	8911-3325	12.65
2/3M335JB	23.04	8911-2335	13.04
3/3M335JB	34.55	8911-3335	13.04
2/3M345JB	23.04	8911-2345	13.43
3/3M345JB	34.55	8911-3345	13.43

Polyflex® JB® Belts

Product No. Series 8911 (continued)

3M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M350JB	$23.04	8911-2350	13.63
3/3M350JB	34.55	8911-3350	13.63
2/3M355JB	23.04	8911-2355	13.83
3/3M355JB	34.55	8911-3355	13.83
2/3M365JB	23.04	8911-2365	14.22
3/3M365JB	34.55	8911-3365	14.22
2/3M375JB	23.04	8911-2375	14.61
3/3M375JB	34.55	8911-3375	14.61
2/3M387JB	23.04	8911-2387	15.09
3/3M387JB	34.55	8911-3387	15.09
2/3M400JB	23.04	8911-2400	15.60
3/3M400JB	34.55	8911-3400	15.60
2/3M412JB	23.61	8911-2412	16.07
3/3M412JB	35.41	8911-3412	16.07
2/3M425JB	23.61	8911-2425	16.58
3/3M425JB	35.41	8911-3425	16.58
2/3M437JB	24.26	8911-2437	17.06
3/3M437JB	36.39	8911-3437	17.06
2/3M450JB	24.26	8911-2450	17.57
3/3M450JB	36.39	8911-3450	17.57
2/3M462JB	24.62	8911-2462	18.04
3/3M462JB	36.93	8911-3462	18.04
2/3M475JB	24.62	8911-2475	18.55
3/3M475JB	36.93	8911-3475	18.55
2/3M487JB	24.96	8911-2487	19.02
3/3M487JB	37.44	8911-3487	19.02
2/3M500JB	24.96	8911-2500	19.54
3/3M500JB	37.44	8911-3500	19.54

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M515JB	$25.06	8911-2515	20.13
3/3M515JB	37.60	8911-3515	20.13
2/3M530JB	25.71	8911-2530	20.72
3/3M530JB	38.57	8911-3530	20.72
2/3M545JB	25.71	8911-2545	21.31
3/3M545JB	38.57	8911-3545	21.31
2/3M560JB	26.08	8911-2560	21.90
3/3M560JB	39.12	8911-3560	21.90
2/3M580JB	27.10	8911-2580	22.69
3/3M580JB	40.62	8911-3580	22.69
2/3M600JB	27.20	8911-2600	23.47
3/3M600JB	40.80	8911-3600	23.47
2/3M615JB	27.20	8911-2615	24.06
3/3M615JB	40.80	8911-3615	24.06
2/3M630JB	27.98	8911-2630	24.65
3/3M630JB	41.97	8911-3630	24.65
2/3M650JB	28.11	8911-2650	25.44
3/3M650JB	42.16	8911-3650	25.44
2/3M670JB	28.42	8911-2670	26.23
3/3M670JB	42.63	8911-3670	26.23
2/3M690JB	29.80	8911-2690	26.02
3/3M690JB	44.70	8911-3690	26.02
2/3M710JB	29.88	8911-2710	27.80
3/3M710JB	44.81	8911-3710	27.80
2/3M730JB	30.00	8911-2730	28.59
3/3M730JB	45.01	8911-3730	28.59
2/3M750JB	31.02	8911-2750	29.38
3/3M750JB	46.53	8911-3750	29.38

Product No. Series 8912

Nominal Strand Width 3/16"

5M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/5M280JB	$34.62	8912-2280	11.00
3/5M280JB	51.94	8912-3280	11.00
4/5M280JB	69.24	8912-4280	11.02
5/5M280JB	86.56	8912-5280	11.02
2/5M290JB	34.62	8912-2290	11.40
3/5M290JB	51.94	8912-3290	11.40
4/5M290JB	69.24	8912-4290	11.42
5/5M290JB	86.56	8912-5290	11.42
2/5M300JB	34.62	8912-2300	11.80
3/5M300JB	51.94	8912-3300	11.80
4/5M300JB	69.24	8912-4300	11.81
5/5M300JB	86.56	8912-5300	11.81
2/5M307JB	34.62	8912-2307	12.10
3/5M307JB	51.94	8912-3307	12.10
4/5M307JB	69.24	8912-4307	12.09
5/5M307JB	86.56	8912-5307	12.09
2/5M315JB	34.62	8912-2315	12.40
3/5M315JB	51.94	8912-3315	12.40
4/5M315JB	69.24	8912-4315	12.40
5/5M315JB	86.56	8912-5315	12.40
2/5M325JB	34.62	8912-2325	12.80
3/5M325JB	51.94	8912-3325	12.80
4/5M325JB	69.24	8912-4325	12.80
5/5M325JB	86.56	8912-5325	12.80
2/5M335JB	34.62	8912-2335	13.20

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/5M335JB	$51.94	8912-3335	13.20
4/5M335JB	69.24	8912-4335	13.19
5/5M335JB	86.56	8912-5335	13.19
2/5M345JB	34.62	8912-2345	13.60
3/5M345JB	51.94	8912-3345	13.60
4/5M345JB	69.24	8912-4345	13.58
5/5M345JB	86.56	8912-5345	13.58
2/5M355JB	34.62	8912-2355	14.00
3/5M355JB	51.94	8912-3355	14.00
4/5M355JB	69.24	8912-4355	13.98
5/5M355JB	86.56	8912-5355	13.98
2/5M365JB	34.62	8912-2365	14.40
3/5M365JB	51.94	8912-3365	14.40
4/5M365JB	69.24	8912-4365	14.37
5/5M365JB	86.56	8912-5365	14.37
2/5M375JB	34.62	8912-2375	14.80
3/5M375JB	51.94	8912-3375	14.80
4/5M375JB	69.24	8912-4375	14.76
5/5M375JB	86.56	8912-5375	14.76
2/5M387JB	34.62	8912-2387	15.20
3/5M387JB	51.94	8912-3387	15.20
4/5M387JB	69.24	8912-4387	15.24
5/5M387JB	86.56	8912-5387	15.24
2/5M400JB	34.62	8912-2400	15.70
3/5M400JB	51.94	8912-3400	15.70

Product No. Series 8912 (continued)

5M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/5M400JB	$69.24	8912-4400	15.75
5/5M400JB	86.56	8912-5400	15.75
2/5M412JB	34.62	8912-2412	16.20
3/5M412JB	51.94	8912-3412	16.20
4/5M412JB	69.24	8912-4412	16.22
5/5M412JB	86.56	8912-5412	16.22
2/5M425JB	34.62	8912-2425	16.70
3/5M425JB	51.94	8912-3425	16.70
4/5M425JB	69.24	8912-4425	16.73
5/5M425JB	86.56	8912-5425	16.73
2/5M437JB	34.62	8912-2437	17.20
3/5M437JB	51.94	8912-3437	17.20
4/5M437JB	69.24	8912-4437	17.20
5/5M437JB	86.56	8912-5437	17.20
2/5M450JB	34.62	8912-2450	17.70
3/5M450JB	51.94	8912-3450	17.70
4/5M450JB	69.24	8912-4450	17.72
5/5M450JB	86.56	8912-5450	17.72
2/5M462JB	34.62	8912-2462	18.20
3/5M462JB	51.94	8912-3462	18.20
4/5M462JB	69.24	8912-4462	18.19
5/5M462JB	86.56	8912-5462	18.19
2/5M475JB	34.62	8912-2475	18.70
3/5M475JB	51.94	8912-3475	18.70
4/5M475JB	69.24	8912-4475	18.70
5/5M475JB	86.56	8912-5475	18.70
2/5M487JB	34.62	8912-2487	19.20
3/5M487JB	51.94	8912-3487	19.20
4/5M487JB	69.24	8912-4487	19.17
5/5M487JB	86.56	8912-5487	19.17
2/5M500JB	34.62	8912-2500	19.70
3/5M500JB	51.94	8912-3500	19.70
4/5M500JB	69.24	8912-4500	19.69
5/5M500JB	86.56	8912-5500	19.69
2/5M515JB	34.95	8912-2515	20.30
3/5M515JB	52.44	8912-3515	20.30
4/5M515JB	69.90	8912-4515	20.28
5/5M515JB	87.39	8912-5515	20.28
2/5M530JB	35.40	8912-2530	20.90
3/5M530JB	53.11	8912-3530	20.90
4/5M530JB	70.80	8912-4530	20.87
5/5M530JB	88.51	8912-5530	20.87
2/5M545JB	36.42	8912-2545	21.50
3/5M545JB	54.63	8912-3545	21.50
4/5M545JB	72.84	8912-4545	21.46
5/5M545JB	91.05	8912-5545	21.46
2/5M560JB	36.64	8912-2560	22.00
3/5M560JB	54.96	8912-3560	22.00
4/5M560JB	73.28	8912-4560	22.05
5/5M560JB	91.60	8912-5560	22.05
2/5M580JB	37.99	8912-2580	22.80
3/5M580JB	56.99	8912-3580	22.80
4/5M580JB	75.98	8912-4580	22.83
5/5M580JB	94.98	8912-5580	22.83
2/5M600JB	38.21	8912-2600	23.60
3/5M600JB	57.32	8912-3600	23.60
4/5M600JB	76.42	8912-4600	23.62
5/5M600JB	95.53	8912-5600	23.62
2/5M615JB	38.43	8912-2615	24.20
3/5M615JB	57.65	8912-3615	24.20

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/5M615JB	$76.86	8912-4615	24.21
5/5M615JB	96.08	8912-5615	24.21
2/5M630JB	39.44	8912-2630	24.80
3/5M630JB	59.17	8912-3630	24.80
4/5M630JB	78.88	8912-4630	24.80
5/5M630JB	98.61	8912-5630	24.80
2/5M650JB	39.55	8912-2650	25.60
3/5M650JB	59.33	8912-3650	25.60
4/5M650JB	79.10	8912-4650	25.59
5/5M650JB	98.88	8912-5650	25.59
2/5M670JB	40.46	8912-2670	26.40
3/5M670JB	60.68	8912-3670	26.40
4/5M670JB	80.92	8912-4670	26.38
5/5M670JB	101.14	8912-5670	26.38
2/5M690JB	40.57	8912-2690	27.20
3/5M690JB	60.85	8912-3690	27.20
4/5M690JB	81.14	8912-4690	27.17
5/5M690JB	101.42	8912-5690	27.17
2/5M710JB	41.80	8912-2710	28.00
3/5M710JB	62.70	8912-3710	28.00
4/5M710JB	83.60	8912-4710	27.95
5/5M710JB	104.50	8912-5710	27.95
2/5M730JB	43.05	8912-2730	28.70
3/5M730JB	64.59	8912-3730	28.70
4/5M730JB	86.10	8912-4730	28.74
5/5M730JB	107.64	8912-5730	28.74
2/5M750JB	43.83	8912-2750	29.50
3/5M750JB	65.76	8912-3750	29.50
4/5M750JB	87.66	8912-4750	29.53
5/5M750JB	109.59	8912-5750	29.53
2/5M775JB	44.40	8912-2775	30.50
3/5M775JB	66.60	8912-3775	30.50
4/5M775JB	88.80	8912-4775	30.51
5/5M775JB	111.00	8912-5775	30.51
2/5M800JB	44.85	8912-2800	31.50
3/5M800JB	67.27	8912-3800	31.50
4/5M800JB	89.70	8912-4800	31.50
5/5M800JB	112.12	8912-5800	31.50
2/5M825JB	45.63	8912-2825	32.50
3/5M825JB	68.44	8912-3825	32.50
4/5M825JB	91.26	8912-4825	32.48
5/5M825JB	114.07	8912-5825	32.48
2/5M850JB	46.08	8912-2850	33.50
3/5M850JB	69.13	8912-3850	33.50
4/5M850JB	92.16	8912-4850	33.46
5/5M850JB	115.21	8912-5850	33.46
2/5M875JB	47.09	8912-2875	34.40
3/5M875JB	70.64	8912-3875	34.40
4/5M875JB	94.18	8912-4875	34.45
5/5M875JB	117.73	8912-5875	34.45
2/5M900JB	49.24	8912-2900	35.40
3/5M900JB	73.86	8912-3900	35.40
4/5M900JB	98.48	8912-4900	35.43
5/5M900JB	123.10	8912-5900	35.43
2/5M925JB	50.12	8912-2925	36.40
3/5M925JB	75.18	8912-3925	36.40
4/5M925JB	100.24	8912-4925	36.42
5/5M925JB	125.30	8912-5925	36.42
2/5M950JB	50.47	8912-2950	37.40
3/5M950JB	75.71	8912-3950	37.40

Polyflex® JB® Belts

Product No. Series 8912 (continued)

5M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/5M950JB	$100.94	8912-4950	37.40
5/5M950JB	126.18	8912-5950	37.40
2/5M975JB	51.70	8912-2975	38.40
3/5M975JB	77.56	8912-3975	38.40
4/5M975JB	103.40	8912-4975	38.39
5/5M975JB	129.26	8912-5975	38.39
2/5M1000JB	52.16	8912-2100	39.40
3/5M1000JB	78.24	8912-3100	39.40
4/5M1000JB	104.32	8912-4100	39.37
5/5M1000JB	130.40	8912-5100	39.37
2/5M1030JB	52.83	8912-2103	40.60
3/5M1030JB	79.24	8912-3103	40.60
4/5M1030JB	105.66	8912-4103	40.55
5/5M1030JB	132.07	8912-5103	40.55
2/5M1060JB	54.29	8912-2106	41.70
3/5M1060JB	81.44	8912-3106	41.70
4/5M1060JB	108.58	8912-4106	41.73
5/5M1060JB	135.73	8912-5106	41.73
2/5M1090JB	55.85	8912-2109	42.90
3/5M1090JB	83.78	8912-3109	42.90
4/5M1090JB	111.70	8912-4109	42.91
5/5M1090JB	139.63	8912-5109	42.91
2/5M1120JB	57.32	8912-2112	44.10
3/5M1120JB	85.97	8912-3112	44.10
4/5M1120JB	114.64	8912-4112	44.09
5/5M1120JB	143.29	8912-5112	44.09
2/5M1150JB	58.33	8912-2115	45.30
3/5M1150JB	87.50	8912-3115	45.30
4/5M1150JB	116.66	8912-4115	45.28
5/5M1150JB	145.83	8912-5115	45.28
2/5M1180JB	58.66	8912-2118	46.50
3/5M1180JB	87.99	8912-3118	46.50
4/5M1180JB	117.32	8912-4118	46.46
5/5M1180JB	$146.65	8912-5118	46.46
2/5M1220JB	60.34	8912-2122	48.00
3/5M1220JB	90.51	8912-3122	48.00
4/5M1220JB	120.68	8912-4122	48.03
5/5M1220JB	150.85	8912-5122	48.03
2/5M1250JB	61.46	8912-2125	49.20
3/5M1250JB	92.20	8912-3125	49.20
4/5M1250JB	122.92	8912-4125	49.21
5/5M1250JB	153.66	8912-5125	49.21
2/5M1280JB	63.28	8912-2128	50.40
3/5M1280JB	94.93	8912-3128	50.40
4/5M1280JB	126.56	8912-4128	50.39
5/5M1280JB	158.21	8912-5128	50.39
2/5M1320JB	64.62	8912-2132	52.00
3/5M1320JB	96.94	8912-3132	52.00
4/5M1320JB	129.24	8912-4132	51.97
5/5M1320JB	161.56	8912-5132	51.97
2/5M1360JB	65.86	8912-2136	53.50
3/5M1360JB	98.78	8912-3136	53.50
4/5M1360JB	131.72	8912-4136	53.54
5/5M1360JB	164.64	8912-5136	53.54
2/5M1400JB	67.43	8912-2140	55.10
3/5M1400JB	101.15	8912-3140	55.10
4/5M1400JB	134.86	8912-4140	55.12
5/5M1400JB	168.58	8912-5140	55.12
2/5M1450JB	69.22	8912-2145	57.10
3/5M1450JB	103.83	8912-3145	57.10
4/5M1450JB	138.44	8912-4145	57.09
5/5M1450JB	173.05	8912-5145	57.09
2/5M1500JB	71.37	8912-2150	59.10
3/5M1500JB	107.06	8912-3150	59.10
4/5M1500JB	142.74	8912-4150	59.06
5/5M1500JB	178.43	8912-5150	59.06

Polyflex® JB® Belts

Product No. Series 8913

Nominal Strand Width 9/32"

7M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M500JB	$50.12	8913-2500	19.30
3/7M500JB	75.18	8913-3500	19.30
4/7M500JB	100.24	8913-4500	19.30
5/7M500JB	125.30	8913-5500	19.30
2/7M515JB	50.12	8913-2515	19.90
3/7M515JB	75.18	8913-3515	19.90
4/7M515JB	100.24	8913-4515	19.90
5/7M515JB	125.30	8913-5515	19.90
2/7M530JB	50.12	8913-2530	20.50
3/7M530JB	75.18	8913-3530	20.50
4/7M530JB	100.24	8913-4530	20.50
5/7M530JB	125.30	8913-5530	20.50
2/7M545JB	50.12	8913-2545	21.10
3/7M545JB	75.18	8913-3545	21.10
4/7M545JB	100.24	8913-4545	21.10
5/7M545JB	125.30	8913-5545	21.10
2/7M560JB	50.12	8913-2560	21.60
3/7M560JB	75.18	8913-3560	21.60
4/7M560JB	100.24	8913-4560	21.60
5/7M560JB	125.30	8913-5560	21.60
2/7M580JB	50.12	8913-2580	22.40
3/7M580JB	75.18	8913-3580	22.40
4/7M580JB	100.24	8913-4580	22.40
5/7M580JB	125.30	8913-5580	22.40
2/7M600JB	50.12	8913-2600	23.20
3/7M600JB	75.18	8913-3600	23.20
4/7M600JB	100.24	8913-4600	23.20
5/7M600JB	125.30	8913-5600	23.20
2/7M615JB	50.12	8913-2615	23.80
3/7M615JB	75.18	8913-3615	23.80
4/7M615JB	100.24	8913-4615	23.80
5/7M615JB	125.30	8913-5615	23.80
2/7M630JB	50.12	8913-2630	24.40
3/7M630JB	75.18	8913-3630	24.40
4/7M630JB	100.24	8913-4630	24.40
5/7M630JB	125.30	8913-5630	24.40
2/7M650JB	50.47	8913-2650	25.20
3/7M650JB	75.71	8913-3650	25.20
4/7M650JB	100.94	8913-4650	25.20
5/7M650JB	126.18	8913-5650	25.20
2/7M670JB	50.92	8913-2670	26.00
3/7M670JB	76.38	8913-3670	26.00
4/7M670JB	101.84	8913-4670	26.00
5/7M670JB	127.30	8913-5670	26.00
2/7M690JB	51.70	8913-2690	26.80
3/7M690JB	77.56	8913-3690	26.80
4/7M690JB	103.40	8913-4690	26.80
5/7M690JB	129.26	8913-5690	26.80
2/7M710JB	52.05	8913-2710	27.70
3/7M710JB	78.07	8913-3710	27.70
4/7M710JB	104.10	8913-4710	27.70
5/7M710JB	130.12	8913-5710	27.70
2/7M730JB	52.72	8913-2730	28.50
3/7M730JB	79.08	8913-3730	28.50
4/7M730JB	105.44	8913-4730	28.50
5/7M730JB	131.80	8913-5730	28.50
2/7M750JB	52.83	8913-2750	29.30
3/7M750JB	79.24	8913-3750	29.30
4/7M750JB	105.66	8913-4750	29.30
5/7M750JB	132.07	8913-5750	29.30

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M775JB	$53.95	8913-2775	30.30
3/7M775JB	80.92	8913-3775	30.30
4/7M775JB	107.90	8913-4775	30.30
5/7M775JB	134.87	8913-5775	30.30
2/7M800JB	55.41	8913-2800	31.20
3/7M800JB	83.12	8913-3800	31.20
4/7M800JB	110.82	8913-4800	31.20
5/7M800JB	138.53	8913-5800	31.20
2/7M825JB	55.63	8913-2825	32.20
3/7M825JB	83.45	8913-3825	32.20
4/7M825JB	111.26	8913-4825	32.20
5/7M825JB	139.08	8913-5825	32.20
2/7M850JB	55.85	8913-2850	33.20
3/7M850JB	83.78	8913-3850	33.20
4/7M850JB	111.70	8913-4850	33.20
5/7M850JB	139.63	8913-5850	33.20
2/7M875JB	57.32	8913-2875	34.20
3/7M875JB	85.97	8913-3875	34.20
4/7M875JB	114.64	8913-4875	34.20
5/7M875JB	143.29	8913-5875	34.20
2/7M900JB	58.33	8913-2900	35.20
3/7M900JB	87.50	8913-3900	35.20
4/7M900JB	116.66	8913-4900	35.20
5/7M900JB	145.83	8913-5900	35.20
2/7M925JB	58.44	8913-2925	36.20
3/7M925JB	87.66	8913-3925	36.20
4/7M925JB	116.88	8913-4925	36.20
5/7M925JB	146.10	8913-5925	36.20
2/7M950JB	59.22	8913-2950	37.20
3/7M950JB	88.83	8913-3950	37.20
4/7M950JB	118.44	8913-4950	37.20
5/7M950JB	148.05	8913-5950	37.20
2/7M975JB	60.34	8913-2975	38.10
3/7M975JB	90.51	8913-3975	38.10
4/7M975JB	120.68	8913-4975	38.10
5/7M975JB	150.85	8913-5975	38.10
2/7M1000JB	60.48	8913-2100	39.10
3/7M1000JB	90.72	8913-3100	39.10
4/7M1000JB	120.96	8913-4100	39.10
5/7M1000JB	151.20	8913-5100	39.10
2/7M1030JB	61.46	8913-2103	40.30
3/7M1030JB	92.20	8913-3103	40.30
4/7M1030JB	122.92	8913-4103	40.30
5/7M1030JB	153.66	8913-5103	40.30
2/7M1060JB	63.28	8913-2106	41.50
3/7M1060JB	94.93	8913-3106	41.50
4/7M1060JB	126.56	8913-4106	41.50
5/7M1060JB	158.21	8913-5106	41.50
2/7M1090JB	64.17	8913-2109	42.70
3/7M1090JB	96.26	8913-3109	42.70
4/7M1090JB	128.34	8913-4109	42.70
5/7M1090JB	160.43	8913-5109	42.70
2/7M1120JB	64.84	8913-2112	43.80
3/7M1120JB	97.27	8913-3112	43.80
4/7M1120JB	129.68	8913-4112	43.80
5/7M1120JB	162.11	8913-5112	43.80
2/7M1150JB	65.86	8913-2115	45.00
3/7M1150JB	98.78	8913-3115	45.00
4/7M1150JB	131.72	8913-4115	45.45
5/7M1150JB	164.64	8913-5115	45.45

Prices Subject To Change Without Notice

Polyflex® JB® Belts

Product No. Series 8913 (continued)

7M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M1180JB	$66.42	8913-2118	46.20
3/7M1180JB	99.63	8913-3118	46.20
4/7M1180JB	132.84	8913-4118	46.20
5/7M1180JB	166.05	8913-5118	46.20
2/7M1220JB	68.21	8913-2122	47.80
3/7M1220JB	102.32	8913-3122	47.80
4/7M1220JB	136.42	8913-4122	47.80
5/7M1220JB	170.53	8913-5122	47.80
2/7M1250JB	69.22	8913-2125	49.00
3/7M1250JB	103.83	8913-3125	49.00
4/7M1250JB	138.44	8913-4125	49.00
5/7M1250JB	173.05	8913-5125	49.00
2/7M1280JB	70.70	8913-2128	50.10
3/7M1280JB	106.05	8913-3128	50.10
4/7M1280JB	141.40	8913-4128	50.10
5/7M1280JB	176.75	8913-5128	50.10
2/7M1320JB	71.71	8913-2132	51.70
3/7M1320JB	107.57	8913-3132	51.70
4/7M1320JB	143.42	8913-4132	51.70
5/7M1320JB	179.28	8913-5132	51.70
2/7M1360JB	72.27	8913-2136	53.30
3/7M1360JB	108.41	8913-3136	53.30
4/7M1360JB	144.54	8913-4136	53.30
5/7M1360JB	180.68	8913-5136	53.30
2/7M1400JB	74.52	8913-2140	54.90
3/7M1400JB	111.78	8913-3140	54.90
4/7M1400JB	149.04	8913-4140	54.90
5/7M1400JB	186.30	8913-5140	54.90
2/7M1450JB	75.52	8913-2145	56.80
3/7M1450JB	113.28	8913-3145	56.80
4/7M1450JB	151.04	8913-4145	56.80
5/7M1450JB	188.80	8913-5145	56.80
2/7M1500JB	77.90	8913-2150	58.80
3/7M1500JB	116.85	8913-3150	58.80
4/7M1500JB	155.80	8913-4150	58.80
5/7M1500JB	194.75	8913-5150	58.80
2/7M1550JB	79.90	8913-2155	60.80
3/7M1550JB	119.85	8913-3155	60.80
4/7M1550JB	159.80	8913-4155	60.80
5/7M1550JB	199.75	8913-5155	60.80
2/7M1600JB	81.59	8913-2160	62.70
3/7M1600JB	122.39	8913-3160	62.70
4/7M1600JB	163.18	8913-4160	62.70
5/7M1600JB	203.98	8913-5160	62.70
2/7M1650JB	83.39	8913-2165	64.70
3/7M1650JB	125.09	8913-3165	64.70
4/7M1650JB	166.78	8913-4165	64.70
5/7M1650JB	208.48	8913-5165	64.70

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M1700JB	$84.96	8913-2170	66.70
3/7M1700JB	127.44	8913-3170	66.70
4/7M1700JB	169.92	8913-4170	66.70
5/7M1700JB	212.40	8913-5170	66.70
2/7M1750JB	86.99	8913-2175	68.60
3/7M1750JB	130.48	8913-3175	68.60
4/7M1750JB	173.98	8913-4175	68.60
5/7M1750JB	217.47	8913-5175	68.60
2/7M1800JB	90.01	8913-2180	70.60
3/7M1800JB	135.02	8913-3180	70.60
4/7M1800JB	180.02	8913-4180	70.60
5/7M1800JB	225.03	8913-5180	70.60
2/7M1850JB	$90.82	8913-2185	72.60
3/7M1850JB	136.23	8913-3185	72.60
4/7M1850JB	181.64	8913-4185	72.60
5/7M1850JB	227.05	8913-5185	72.60
2/7M1900JB	93.50	8913-2190	74.60
3/7M1900JB	140.25	8913-3190	74.60
4/7M1900JB	187.00	8913-4190	74.60
5/7M1900JB	233.75	8913-5190	74.60
2/7M1950JB	96.09	8913-2195	76.50
3/7M1950JB	144.13	8913-3195	76.50
4/7M1950JB	192.18	8913-4195	76.50
5/7M1950JB	240.22	8913-5195	76.50
2/7M2000JB	97.56	8913-2200	78.50
3/7M2000JB	146.35	8913-3200	78.50
4/7M2000JB	195.12	8913-4200	78.50
5/7M2000JB	243.91	8913-5200	78.50
2/7M2060JB	101.37	8913-2206	80.90
3/7M2060JB	152.06	8913-3206	80.90
4/7M2060JB	202.74	8913-4206	80.90
5/7M2060JB	253.43	8913-5206	80.90
2/7M2120JB	103.96	8913-2212	83.20
3/7M2120JB	155.94	8913-3212	83.20
4/7M2120JB	207.92	8913-4212	83.20
5/7M2120JB	259.90	8913-5212	83.20
2/7M2180JB	107.23	8913-2218	85.60
3/7M2180JB	160.84	8913-3218	85.60
4/7M2180JB	214.46	8913-4218	85.60
5/7M2180JB	268.07	8913-5218	85.60
2/7M2240JB	110.03	8913-2224	87.90
3/7M2240JB	165.05	8913-3224	87.90
4/7M2240JB	220.06	8913-4224	87.90
5/7M2240JB	275.08	8913-5224	87.90
2/7M2300JB	112.50	8913-2230	90.30
3/7M2300JB	168.75	8913-3230	90.30
4/7M2300JB	225.00	8913-4230	90.30
5/7M2300JB	281.25	8913-5230	90.30

Polyflex® JB® Belts

Product No. Series 8914

Nominal Strand Width 7/16"

11M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/11M710JB	$79.90	8914-2710	27.30
3/11M710JB	119.85	8914-3710	27.30
2/11M730JB	80.25	8914-2730	28.00
3/11M730JB	120.38	8914-3730	28.00
2/11M750JB	82.25	8914-2750	28.80
3/11M750JB	123.38	8914-3750	28.80
2/11M775JB	84.07	8914-2775	29.80
3/11M775JB	126.11	8914-3775	29.80
2/11M800JB	85.07	8914-2800	30.80
3/11M800JB	127.61	8914-3800	30.80
2/11M825JB	85.86	8914-2825	31.80
3/11M825JB	128.80	8914-3825	31.80
2/11M850JB	88.01	8914-2850	32.80
3/11M850JB	132.02	8914-3850	32.80
2/11M875JB	89.91	8914-2875	33.70
3/11M875JB	134.87	8914-3875	33.70
2/11M900JB	90.48	8914-2900	34.70
3/11M900JB	135.71	8914-3900	34.70
2/11M925JB	90.82	8914-2925	35.70
3/11M925JB	136.23	8914-3925	35.70
2/11M950JB	93.28	8914-2950	36.70
3/11M950JB	139.92	8914-3950	36.70
2/11M975JB	94.62	8914-2975	37.70
3/11M975JB	141.93	8914-3975	37.70
2/11M1000JB	95.75	8914-2100	38.70
3/11M1000JB	143.62	8914-3100	38.70
2/11M1030JB	97.00	8914-2103	39.90
3/11M1030JB	145.51	8914-3103	39.90
2/11M1060JB	99.11	8914-2106	41.00
3/11M1060JB	148.67	8914-3106	41.00
2/11M1090JB	100.70	8914-2109	42.20
3/11M1090JB	151.05	8914-3109	42.20
2/11M1120JB	102.61	8914-2112	43.40
3/11M1120JB	153.93	8914-3112	43.40
2/11M1150JB	103.29	8914-2115	44.60
3/11M1150JB	154.93	8914-3115	44.60
2/11M1180JB	105.43	8914-2118	45.80
3/11M1180JB	158.15	8914-3118	45.80
2/11M1220JB	107.32	8914-2122	47.30
3/11M1220JB	160.99	8914-3122	47.30
2/11M1250JB	109.23	8914-2125	48.50
3/11M1250JB	163.85	8914-3125	48.50

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/11M1280JB	$110.37	8914-2128	49.70
3/11M1280JB	165.57	8914-3128	49.70
2/11M1320JB	112.39	8914-2132	51.30
3/11M1320JB	168.58	8914-3132	51.30
2/11M1360JB	114.29	8914-2136	52.80
3/11M1360JB	171.43	8914-3136	52.80
2/11M1400JB	116.78	8914-2140	54.40
3/11M1400JB	175.17	8914-3140	54.40
2/11M1450JB	118.91	8914-2145	56.40
3/11M1450JB	178.38	8914-3145	56.40
2/11M1500JB	122.39	8914-2150	58.40
3/11M1500JB	183.59	8914-3150	58.40
2/11M1550JB	124.96	8914-2155	60.30
3/11M1550JB	187.45	8914-3155	60.30
2/11M1600JB	128.47	8914-2160	62.30
3/11M1600JB	192.70	8914-3160	62.30
2/11M1650JB	131.49	8914-2165	64.30
3/11M1650JB	197.24	8914-3165	64.30
2/11M1700JB	135.08	8914-2170	66.20
3/11M1700JB	202.62	8914-3170	66.20
2/11M1750JB	138.45	8914-2175	68.20
3/11M1750JB	207.67	8914-3175	68.20
2/11M1800JB	141.39	8914-2180	70.20
3/11M1800JB	212.08	8914-3180	70.20
2/11M1850JB	144.97	8914-2185	72.10
3/11M1850JB	217.47	8914-3185	72.10
2/11M1900JB	147.68	8914-2190	74.10
3/11M1900JB	221.53	8914-3190	74.10
2/11M1950JB	151.50	8914-2195	76.10
3/11M1950JB	227.25	8914-3195	76.10
2/11M2000JB	155.44	8914-2200	78.00
3/11M2000JB	233.17	8914-3200	78.00
2/11M2060JB	158.92	8914-2206	80.40
3/11M2060JB	238.38	8914-3206	80.40
2/11M2120JB	163.52	8914-2212	82.80
3/11M2120JB	245.28	8914-3212	82.80
2/11M2180JB	168.13	8914-2218	85.10
3/11M2180JB	252.20	8914-3218	85.10
2/11M2240JB	172.30	8914-2224	87.50
3/11M2240JB	258.46	8914-3224	87.50
2/11M2300JB	176.79	8914-2230	89.90
3/11M2300JB	265.19	8914-3230	89.90

Poly Chain® GT®2 Belts

An innovative construction combined with the Gates' tooth profile makes Poly Chain® GT®2 Gates' most powerful synchronous belt. Compact and lightweight, Poly Chain® GT®2 belt drives deliver more power in less space.



Markets/Applications

All industrial markets, but particularly suited to replace roller chain. Useful for bringing overhung load (created by rubber belt drives) on a reducer into acceptable limits.

Features/Advantages

- Thirty percent higher load carrying capacity than its predecessor (Poly Chain® GT®).
- Gates **patented curvilinear tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Robust **aramid tensile cord** combines minimal stretch with extra-ordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Quieter than roller chain drives.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).

Recommended Sprockets
PolyChain®GT®2 Sprockets

Notes
Poly Chain® GT®2 can be used on existing drives as replacement for Poly Chain® GT®.

Poly Chain® GT®2 part numbers are comprised of pitch, pitch length and width. For example, part number 8MGT-1000-21 denotes an 8mm pitch, 1000mm pitch length and 21mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain® GT®2 belt lies within the tensile member.

WARNING: New designs must utilize the Poly Chain® GT®2 Sprockets because of the high torque capacity of the Poly Chain® GT®2 Belts.

WARNING: Never utilize a QD type Poly Chain® GT®2 Sprocket when designing a new Poly Chain® GT®2 system with the Poly Chain® GT®2 horsepower rating tables.

Product No. Series 9275

8mm Pitch — 12mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-12	$34.23	9275-0080	80	25.20	.08
8MGT-720-12	38.04	9275-0090	90	28.35	.08
8MGT-800-12	41.84	9275-0100	100	31.50	.10
8MGT-896-12	45.64	9275-0112	112	35.28	.12
8MGT-1000-12	49.44	9275-0125	125	39.37	.13
8MGT-1120-12	53.28	9275-0140	140	44.09	.15
8MGT-1200-12	54.57	9275-0150	150	47.24	.16
8MGT-1280-12	58.22	9275-0160	160	50.39	.17
8MGT-1440-12	61.27	9275-0180	180	56.69	.19
8MGT-1600-12	64.87	9275-0200	200	62.99	.21

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-1792-12	$72.07	9275-0224	224	70.55	.23
8MGT-2000-12	79.30	9275-0250	250	78.74	.26
8MGT-2240-12	93.70	9275-0280	280	88.19	.29
8MGT-2400-12	97.29	9275-0300	300	94.49	.31
8MGT-2520-12	99.94	9275-0315	315	99.21	.33
8MGT-2840-12	103.52	9275-0355	355	111.81	.37
8MGT-3200-12	121.47	9275-0400	400	125.98	.42
8MGT-3600-12	132.08	9275-0450	450	141.73	.47
8MGT-4000-12	146.35	9275-0500	500	157.48	.52
8MGT-4480-12	160.62	9275-0560	560	176.38	.58

Poly Chain® GT®2 Belts

Product No. Series 9275 (continued)

8mm Pitch — 21mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-21	$60.86	9275-1080	80	25.20	.15
8MGT-720-21	64.67	9275-1090	90	28.35	.16
8MGT-800-21	76.06	9275-1100	100	31.50	.18
8MGT-896-21	79.87	9275-1112	112	35.28	.20
8MGT-1000-21	87.49	9275-1125	125	39.37	.23
8MGT-1120-21	91.29	9275-1140	140	44.09	.26
8MGT-1200-21	94.59	9275-1150	150	47.24	.27
8MGT-1280-21	98.23	9275-1160	160	50.39	.29
8MGT-1440-21	104.52	9275-1180	180	56.69	.33
8MGT-1600-21	111.72	9275-1200	200	62.99	.36

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-1792-21	$122.52	9275-1224	224	70.55	.41
8MGT-2000-21	136.94	9275-1250	250	78.74	.46
8MGT-2240-21	162.16	9275-1280	280	88.19	.51
8MGT-2400-21	169.40	9275-1300	300	94.49	.55
8MGT-2520-21	171.34	9275-1315	315	99.21	.57
8MGT-2840-21	182.05	9275-1355	355	111.81	.65
8MGT-3200-21	210.59	9275-1400	400	125.98	.73
8MGT-3600-21	232.02	9275-1450	450	141.73	.82
8MGT-4000-21	253.43	9275-1500	500	157.48	.91
8MGT-4480-21	278.41	9275-1560	560	176.38	1.02

8mm Pitch — 36mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-36	$102.69	9275-2080	80	25.20	.25
8MGT-720-36	110.31	9275-2090	90	28.35	.28
8MGT-800-36	117.92	9275-2100	100	31.50	.31
8MGT-896-36	129.31	9275-2112	112	35.28	.35
8MGT-1000-36	144.53	9275-2125	125	39.37	.39
8MGT-1120-36	152.13	9275-2140	140	44.09	.44
8MGT-1200-36	152.81	9275-2150	150	47.24	.47
8MGT-1280-36	160.08	9275-2160	160	50.39	.50
8MGT-1440-36	172.99	9275-2180	180	56.69	.56
8MGT-1600-36	191.00	9275-2200	200	62.99	.62

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-1792-36	$208.99	9275-2224	224	70.55	.70
8MGT-2000-36	230.64	9275-2250	250	78.74	.78
8MGT-2240-36	266.67	9275-2280	280	88.19	.87
8MGT-2400-36	277.47	9275-2300	300	94.49	.94
8MGT-2520-36	285.53	9275-2315	315	99.21	.98
8MGT-2840-36	303.39	9275-2355	355	111.81	1.11
8MGT-3200-36	342.66	9275-2400	400	125.98	1.25
8MGT-3600-36	378.36	9275-2450	450	141.73	1.41
8MGT-4000-36	414.05	9275-2500	500	157.48	1.56
8MGT-4480-36	453.31	9275-2560	560	176.38	1.75

8mm Pitch — 62mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-62	$171.16	9275-3080	80	25.20	.43
8MGT-720-62	182.57	9275-3090	90	28.35	.48
8MGT-800-62	201.58	9275-3100	100	31.50	.54
8MGT-896-62	212.99	9275-3112	112	35.28	.60
8MGT-1000-62	243.42	9275-3125	125	39.37	.67
8MGT-1120-62	254.85	9275-3140	140	44.09	.75
8MGT-1200-62	258.30	9275-3150	150	47.24	.81
8MGT-1280-62	272.85	9275-3160	160	50.39	.86
8MGT-1440-62	295.50	9275-3180	180	56.69	.97
8MGT-1600-62	320.73	9275-3200	200	62.99	1.08

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-1792-62	$356.77	9275-3224	224	70.55	1.21
8MGT-2000-62	392.79	9275-3250	250	78.74	1.35
8MGT-2240-62	461.28	9275-3280	280	88.19	1.51
8MGT-2400-62	482.90	9275-3300	300	94.49	1.61
8MGT-2520-62	496.14	9275-3315	315	99.21	1.70
8MGT-2840-62	524.70	9275-3355	355	111.81	1.91
8MGT-3200-62	599.62	9275-3400	400	125.98	2.15
8MGT-3600-62	667.49	9275-3450	450	141.73	2.42
8MGT-4000-62	724.58	9275-3500	500	157.48	2.69
8MGT-4480-62	795.95	9275-3560	560	176.38	3.01

14mm Pitch — 20mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-20	$173.61	9275-4071	71	39.13	.33
14MGT-1120-20	190.97	9275-4080	80	44.09	.39
14MGT-1190-20	201.36	9275-4085	85	46.85	.40
14MGT-1260-20	208.33	9275-4090	90	49.61	.42
14MGT-1400-20	215.28	9275-4100	100	55.12	.47
14MGT-1568-20	225.69	9275-4112	112	61.73	.53
14MGT-1750-20	239.54	9275-4125	125	68.90	.59
14MGT-1890-20	249.48	9275-4130	135	74.41	.64
14MGT-1960-20	253.44	9275-4140	140	77.17	.66
14MGT-2100-20	274.28	9275-4150	150	82.68	.71

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2240-20	$291.64	9275-4160	160	88.19	.75
14MGT-2380-20	305.53	9275-4170	170	93.70	.80
14MGT-2520-20	319.42	9275-4180	180	99.21	.85
14MGT-2660-20	340.24	9275-4190	190	104.72	.89
14MGT-2800-20	357.61	9275-4200	200	110.24	.94
14MGT-3136-20	374.93	9275-4224	224	123.46	1.05
14MGT-3304-20	406.22	9275-4236	236	130.08	1.11
14MGT-3500-20	427.05	9275-4250	250	137.80	1.18
14MGT-3920-20	444.41	9275-4280	280	154.33	1.32
14MGT-4410-20	496.51	9275-4315	315	173.62	1.48

Poly Chain® GT®2 Belts

Product No. Series 9275 (continued)

14mm Pitch — 37mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-37	$319.42	9275-5071	71	39.13	.62
14MGT-1120-37	354.13	9275-5080	80	44.09	.69
14MGT-1190-37	368.04	9275-5085	85	46.85	.74
14MGT-1260-37	385.39	9275-5090	90	49.61	.78
14MGT-1400-37	399.28	9275-5100	100	55.12	.87
14MGT-1568-37	416.64	9275-5112	112	61.73	.97
14MGT-1750-37	444.41	9275-5125	125	68.90	1.08
14MGT-1890-37	459.86	9275-5130	135	74.41	1.16
14MGT-1960-37	465.24	9275-5140	140	77.17	1.21
14MGT-2100-37	506.89	9275-5150	150	82.68	1.30

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2240-37	$541.64	9275-5160	160	88.19	1.39
14MGT-2380-37	562.47	9275-5170	170	93.70	1.47
14MGT-2520-37	590.25	9275-5180	180	99.21	1.56
14MGT-2660-37	630.92	9275-5190	190	104.72	1.65
14MGT-2800-37	663.14	9275-5200	200	110.24	1.73
14MGT-3136-37	694.42	9275-5224	224	123.46	1.94
14MGT-3304-37	749.96	9275-5236	236	130.08	2.05
14MGT-3500-37	784.68	9275-5250	250	137.80	2.17
14MGT-3920-37	822.86	9275-5280	280	154.33	2.43
14MGT-4410-37	916.62	9275-5315	315	173.62	2.73

14mm Pitch — 68mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-68	$562.47	9275-6071	71	39.13	1.13
14MGT-1120-68	621.46	9275-6080	80	44.09	1.27
14MGT-1190-68	652.75	9275-6085	85	46.85	1.35
14MGT-1260-68	680.49	9275-6090	90	49.61	1.43
14MGT-1400-68	711.77	9275-6100	100	55.12	1.59
14MGT-1568-68	738.68	9275-6112	112	61.73	1.78
14MGT-1750-68	791.63	9275-6125	125	68.90	1.99
14MGT-1890-68	814.09	9275-6130	135	74.41	2.15
14MGT-1960-68	829.82	9275-6140	140	77.17	2.23
14MGT-2100-68	909.65	9275-6150	150	82.68	2.39

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2240-68	$968.66	9275-6160	160	88.19	2.55
14MGT-2380-68	1006.86	9275-6170	170	93.70	2.71
14MGT-2520-68	1058.97	9275-6180	180	99.21	2.87
14MGT-2660-68	1131.89	9275-6190	190	104.72	3.03
14MGT-2800-68	1190.91	9275-6200	200	110.24	3.19
14MGT-3136-68	1246.47	9275-6224	224	123.46	3.57
14MGT-3304-68	1350.59	9275-6236	236	130.08	3.76
14MGT-3500-68	1426.97	9275-6250	250	137.80	3.98
14MGT-3920-68	1499.89	9275-6280	280	154.33	4.46
14MGT-4410-68	1652.67	9275-6315	315	173.62	5.02

14mm Pitch — 90mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-90	$715.25	9275-7071	71	39.13	1.50
14MGT-1120-90	794.82	9275-7080	80	44.09	1.68
14MGT-1190-90	833.65	9275-7085	85	46.85	1.79
14MGT-1260-90	870.79	9275-7090	90	49.61	1.89
14MGT-1400-90	910.10	9275-7100	100	55.12	2.10
14MGT-1568-90	948.58	9275-7112	112	61.73	2.36
14MGT-1750-90	1013.94	9275-7125	125	68.90	2.63
14MGT-1890-90	1055.31	9275-7130	135	74.41	2.85
14MGT-1960-90	1066.98	9275-7140	140	77.17	2.95
14MGT-2100-90	1169.63	9275-7150	150	82.68	3.16

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2240-90	$1245.91	9275-7160	160	88.19	3.37
14MGT-2380-90	1297.65	9275-7170	170	93.70	3.59
14MGT-2520-90	1364.50	9275-7180	180	99.21	3.80
14MGT-2660-90	1461.55	9275-7190	190	104.72	4.01
14MGT-2800-90	1537.98	9275-7200	200	110.24	4.22
14MGT-3136-90	1612.31	9275-7224	224	123.46	4.72
14MGT-3304-90	1748.59	9275-7236	236	130.08	4.98
14MGT-3500-90	1845.06	9275-7250	250	137.80	5.27
14MGT-3920-90	1939.43	9275-7280	280	154.33	5.90
14MGT-4410-90	2145.79	9275-7315	315	173.62	6.64

14mm Pitch — 125mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-125	$958.28	9275-7320	71	39.13	2.08
14MGT-1120-125	1069.35	9275-7325	80	44.09	2.34
14MGT-1190-125	1121.44	9275-7330	85	46.85	2.49
14MGT-1260-125	1173.55	9275-7335	90	49.61	2.64
14MGT-1400-125	1225.64	9275-7340	100	55.12	2.93
14MGT-1568-125	1281.16	9275-7345	112	61.73	3.28
14MGT-1750-125	1367.96	9275-7350	125	68.90	3.66
14MGT-1890-125	1415.56	9275-7353	135	74.41	3.95
14MGT-1960-125	1444.34	9275-7355	140	77.17	4.10
14MGT-2100-125	1583.22	9275-7360	150	82.68	4.39

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2240-125	$1690.86	9275-7365	160	88.19	4.69
14MGT-2380-125	1760.30	9275-7370	170	93.70	4.98
14MGT-2520-125	1850.58	9275-7375	180	99.21	5.27
14MGT-2660-125	1985.98	9275-7380	190	104.72	5.57
14MGT-2800-125	2090.11	9275-7385	200	110.24	5.86
14MGT-3136-125	2194.30	9275-7390	224	123.46	6.56
14MGT-3304-125	2381.78	9275-7395	236	130.08	6.91
14MGT-3500-125	2510.21	9275-7400	250	137.80	7.32
14MGT-3920-125	2638.72	9275-7405	280	154.33	8.20
14MGT-4410-125	2930.34	9275-7410	315	173.62	9.23

Poly Chain® GT®2 Belts

The original Poly Chain® GT® construction utilizes a polyurethane body combined with aramid tensile cords for increased capacity and performance.



Markets/Applications

All industrial markets requiring high-density power. Especially targeted toward machine tool, roller chain, small conveyors and compact drives where space is a problem.

Features/Advantages

- Robust **aramid tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Gates' **patented tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Fully operational in temperature extremes of -65° F to +185° F (-54° C to +85° C).

Recommended Sprockets
5M Sprockets-PowerGrip® GT®2 and Poly Chain® GT®

Notes
5M Poly Chain® GT® belts require minimum order quantities (listed) and manufacturing lead times. Check with Customer Service for lead times.

5M Poly Chain® GT® part numbers are comprised of pitch, pitch length and width. For example, part number 5MGT-425-15 denotes a 5mm pitch, 425mm pitch length and 15mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain® GT® belt lies within the tensile member.

WARNING: 5M Poly Chain® GT® belts must be used with 5MGT sprockets. Consult your local Gates Field Representative for drive design assistance.

Product No. Series 9270

5mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)	Min. Order Qty.
5MGT-375-09	$28.11	9270-5200	75	14.76	.04	95
5MGT-425-09	28.58	9270-5400	85	16.73	.04	95

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)	Min. Order Qty.
5MGT-600-09	$30.40	9270-5500	120	23.62	.06	95
5MGT-815-09	33.27	9270-5600	163	32.09	.08	95

5mm Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)	Min. Order Qty.
5MGT-375-15	$37.54	9270-5250	75	14.76	.06	57
5MGT-425-15	38.27	9270-5425	85	16.73	.07	57

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)	Min. Order Qty.
5MGT-600-15	$41.18	9270-5525	120	23.62	.10	57
5MGT-815-15	44.69	9270-5625	163	32.09	.13	57

5mm Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)	Min. Order Qty.
5MGT-375-25	$62.86	9270-5300	75	14.76	.10	34
5MGT-425-25	64.31	9270-5450	85	16.73	.12	34

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)	Min. Order Qty.
5MGT-600-25	$69.04	9270-5550	120	23.62	.16	34
5MGT-815-25	74.97	9270-5650	163	32.09	.22	34

Poly Chain® GT® Belts – 8M Short Length

The original Poly Chain® GT® construction utilizes a polyurethane body combined with aramid tensile cords for increased capacity and performance.



Markets/Applications

All industrial markets requiring short center distance but high-density power. Particularly suited for replacing roller chain and Roll-to-Roll conveyors.

Features/Advantages

- Robust **aramid tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Gates' **patented tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Fully operational in temperature extremes of -65° F to +185° F (-54° C to +85° C).

Recommended Sprockets
Poly Chain® GT®2 Sprockets

Notes
Poly Chain®GT® belts must be used with sprockets of the same pitch and profile.

Poly Chain® GT® part numbers are comprised of pitch, pitch length and width. For example, part number 8M-248-12 denotes an 8mm pitch, 248mm pitch length and 12mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain®GT® belt lies within the tensile member.

Product No. Series 9270

8mm Pitch — 12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-248-12	$12.73	9270-0063	31	9.76	.03
8M-288-12	14.64	9270-0001	36	11.34	.04
8M-352-12	17.72	9270-0002	44	13.86	.04
8M-416-12	20.73	9270-0004	52	16.38	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-456-12	$22.49	9270-0060	57	17.95	.05
8M-480-12	23.43	9270-0015	60	18.90	.06
8M-544-12	26.30	9270-0006	68	21.42	.06
8M-608-12	29.09	9270-0050	76	23.94	.07

8mm Pitch — 21mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-248-21	$22.65	9270-0064	31	9.76	.05
8M-288-21	26.04	9270-0056	36	11.34	.07
8M-352-21	31.51	9270-0065	44	13.86	.07
8M-416-21	36.85	9270-0025	52	16.38	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-456-21	$40.00	9270-0069	57	17.95	.09
8M-480-21	41.67	9270-0023	60	18.90	.10
8M-544-21	46.77	9270-0070	68	21.42	.11
8M-608-21	51.73	9270-0071	76	23.94	.12

8mm Pitch — 36mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-248-36	$38.21	9270-0072	31	9.76	.08
8M-288-36	43.92	9270-0074	36	11.34	.11
8M-352-36	53.16	9270-0073	44	13.86	.12
8M-416-36	62.18	9270-0075	52	16.38	.14

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-456-36	$67.48	9270-0076	57	17.95	.15
8M-480-36	70.31	9270-0066	60	18.90	.16
8M-544-36	78.91	9270-0077	68	21.42	.18
8M-608-36	87.29	9270-0079	76	23.94	.20

Poly Chain® HTD® Belts

Gates original HTD® tooth profile combined with Poly Chain® construction.

Markets/Applications

Suitable for replacement of HTD® belts in HTD® sprockets.

Features/Advantages

- The durable **polyurethane body** resists chemicals, oil, pollutants and abrasion.
- Robust **aramid tensile cords** combine minimal stretch with extra-ordinary strength.
- **Nylon tooth facing** provides durable wear surface for long life.



Notes

Poly Chain® HTD® Belts are Standard/Non-Stock and may require manufacturing lead times. Contact Customer Service for availability.

Poly Chain® HTD® part numbers are comprised of pitch length, pitch and width. For example, part number PC1190-14M-55 denotes "PC" for Poly Chain®, 1190mm pitch length, 14mm pitch and 55mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain® HTD® belt lies within the tensile member.

Product No. Series 9258

14mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-20	$165.36	9258-0080	69	38.03	.42
PC1190-14M-20	181.91	9258-0087	85	46.85	.52
PC1400-14M-20	198.45	9258-0094	100	55.12	.60
PC1610-14M-20	211.67	9258-0101	115	63.38	.70
PC1778-14M-20	228.18	9258-0108	127	70.00	.76
PC1890-14M-20	238.14	9258-0115	135	74.40	.82
PC2100-14M-20	261.26	9258-0122	150	82.67	.92
PC2310-14M-20	277.81	9258-0129	165	90.94	1.00

14mm Pitch — 30mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-30	$248.04	9258-0081	69	38.03	.63
PC1190-14M-30	271.19	9258-0088	85	46.85	.78
PC1400-14M-30	294.35	9258-0095	100	55.12	.91
PC1610-14M-30	320.80	9258-0102	115	63.38	1.05
PC1778-14M-30	340.64	9258-0109	127	70.00	1.15
PC1890-14M-30	357.15	9258-0116	135	74.40	1.23
PC2100-14M-30	390.26	9258-0123	150	82.67	1.37
PC2310-14M-30	416.71	9258-0130	165	90.94	1.50

14mm Pitch — 40mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-40	$330.73	9258-0082	69	38.03	.84
PC1190-14M-40	360.49	9258-0089	85	46.85	1.03
PC1400-14M-40	393.53	9258-0096	100	55.12	1.21
PC1610-14M-40	426.64	9258-0103	115	63.38	1.40
PC1778-14M-40	453.11	9258-0110	127	70.00	1.54
PC1890-14M-40	476.25	9258-0117	135	74.40	1.64
PC2100-14M-40	519.21	9258-0124	150	82.67	1.82
PC2310-14M-40	555.60	9258-0131	165	90.94	2.00

14mm Pitch — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-55	$433.26	9258-0083	69	38.03	1.15
PC1190-14M-55	476.25	9258-0090	85	46.85	1.42
PC1400-14M-55	522.52	9258-0097	100	55.12	1.67
PC1610-14M-55	568.86	9258-0104	115	63.38	1.92
PC1778-14M-55	605.24	9258-0111	127	70.00	2.13
PC1890-14M-55	638.32	9258-0118	135	74.40	2.26
PC2100-14M-55	694.53	9258-0125	150	82.67	2.51
PC2310-14M-55	740.82	9258-0132	165	90.94	2.76

Poly Chain® HTD® Belts

Product No. Series 9258

14mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-85	$628.36	9258-0084	69	38.03	1.78
PC1190-14M-85	697.84	9258-0091	85	46.85	2.20
PC1400-14M-85	767.29	9258-0098	100	55.12	2.58
PC1610-14M-85	836.75	9258-0105	115	63.38	2.97
PC1778-14M-85	889.63	9258-0112	127	70.00	3.28
PC1890-14M-85	939.24	9258-0119	135	74.40	3.49
PC2100-14M-85	1028.55	9258-0126	150	82.67	3.88
PC2310-14M-85	1098.03	9258-0133	165	90.94	4.26

14mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-170	$1210.44	9258-0086	69	38.03	3.56
PC1190-14M-170	1346.04	9258-0093	85	46.85	4.39
PC1400-14M-170	1481.67	9258-0100	100	55.12	5.16
PC1610-14M-170	1620.55	9258-0107	115	63.38	5.95
PC1778-14M-170	1732.99	9258-0114	127	70.00	6.56
PC1890-14M-170	1881.81	9258-0121	135	74.40	6.97
PC2100-14M-170	2004.19	9258-0128	150	82.67	7.75
PC2310-14M-170	2139.80	9258-0135	165	90.94	8.53

14mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-115	$836.75	9258-0085	69	38.03	2.41
PC1190-14M-115	929.34	9258-0092	85	46.85	2.98
PC1400-14M-115	1021.95	9258-0099	100	55.12	3.30
PC1610-14M-115	1117.86	9258-0106	115	63.38	4.02
PC1778-14M-115	1193.91	9258-0113	127	70.00	4.45
PC1890-14M-115	1256.76	9258-0120	135	74.40	4.73
PC2100-14M-115	1379.11	9258-0127	150	82.67	5.25
PC2310-14M-115	1471.72	9258-0134	165	90.94	5.77

Eliminator™ Belts

Gates Eliminator™ belt eliminates the competition! It's a high-performance, polyurethane, synchronous belt designed to replace an RPP® belt of the same pitch, width and comparable length (within approximately +/-.5" on center distance maximum).



Markets/Applications

Any industrial applications utilizing RPP® belts and sprockets, including Good Year® Blackhawk Pd™, Browning® RPP® Panther®, Carlisle/Dayco® RPP® Panther® Ultra and TB Wood's® QT Power Chain®.

Features/Advantages

- With durable **polyurethane construction** and robust **aramid tensile**, the Eliminator™ belt will last a minimum of two times longer than competitive RPP® belts.
- The Eliminator™ **tooth profile** is designed to fit all RPP® sprocket grooves, therefore it's not necessary to change sprockets, saving money on transaction costs and reducing downtime.
- **Green nylon tooth facing** reduces friction and provides durable wear surface for long life.

Notes

Eliminator™ part numbers are comprised of pitch length, pitch and width. For example, part number 1280-8M-12E denotes a 1280mm pitch length, 8mm pitch, 12mm width and "E" for Eliminator™.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of an Eliminator™ belt lies within the tensile member.

Product No. Series 9307

8mm Pitch

Part No.	Sugg. List Price	Product No.	No. Of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs)
640-8M-12E	$30.47	9307-0080	80	640	25.197	12	.472	.08
640-8M-22E	59.25	9307-1080	80	640	25.197	22	.866	.14
640-8M-35E	90.70	9307-2080	80	640	25.197	35	1.378	.23
640-8M-60E	151.21	9307-3080	80	640	25.197	60	2.362	.39
720-8M-12E	33.58	9307-0090	90	720	28.346	12	0.472	.09
720-8M-22E	57.07	9307-1090	90	720	28.346	22	0.866	.16
720-8M-35E	97.43	9307-2090	90	720	28.346	35	1.378	.26
720-8M-60E	161.29	9307-3090	90	720	28.346	60	2.362	.44
800-8M-12E	36.92	9307-0100	100	800	31.496	12	0.472	.10
800-8M-22E	67.19	9307-1100	100	800	31.496	22	0.866	.18
800-8M-35E	104.11	9307-2100	100	800	31.496	35	1.378	.29
800-8M-60E	178.14	9307-3100	100	800	31.496	60	2.362	.49
896-8M-12E	39.42	9307-0112	112	896	35.276	12	0.472	.11
896-8M-22E	72.80	9307-1112	112	896	35.276	22	0.866	.20
896-8M-35E	110.12	9307-2112	112	896	35.276	35	1.378	.32
896-8M-60E	186.99	9307-3112	112	896	35.276	60	2.362	.55
960-8M-12E	42.00	9307-0120	120	960	37.795	12	0.472	.12
960-8M-22E	74.78	9307-1120	120	960	37.795	22	0.866	.22
960-8M-35E	122.44	9307-2120	120	960	37.795	35	1.378	.34
960-8M-60E	209.88	9307-3120	120	960	37.795	60	2.362	.59
1040-8M-12E	43.74	9307-0130	130	1040	40.945	12	0.472	.13
1040-8M-22E	76.34	9307-1130	130	1040	40.945	22	0.866	.23
1040-8M-35E	128.60	9307-2130	130	1040	40.945	35	1.378	.37
1040-8M-60E	217.74	9307-3130	130	1040	40.945	60	2.362	.64
1120-8M-12E	47.09	9307-0140	140	1120	44.094	12	0.472	.14
1120-8M-22E	80.61	9307-1140	140	1120	44.094	22	0.866	.25
1120-8M-35E	134.34	9307-2140	140	1120	44.094	35	1.378	.40
1120-8M-60E	225.14	9307-3140	140	1120	44.094	60	2.362	.69

Eliminator™ Belts

Product No. Series 9307 (continued)

8mm Pitch (continued)

Part No.	Sugg. List Price	Product No.	No. Of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs)
1200-8M-12E	$50.34	9307-0150	150	1200	47.244	12	0.472	.15
1200-8M-22E	87.35	9307-1150	150	1200	47.244	22	0.866	.27
1200-8M-35E	141.13	9307-2150	150	1200	47.244	35	1.378	.43
1200-8M-60E	238.56	9307-3150	150	1200	47.244	60	2.362	.74
1224-8M-12E	51.88	9307-0153	153	1224	48.189	12	0.472	.15
1224-8M-22E	89.70	9307-1153	153	1224	48.189	22	0.866	.28
1224-8M-35E	144.22	9307-2153	153	1224	48.189	35	1.378	.44
1224-8M-60E	243.47	9307-3153	153	1224	48.189	60	2.362	.75
1280-8M-12E	54.57	9307-0160	160	1280	50.394	12	0.472	.16
1280-8M-22E	95.19	9307-1160	160	1280	50.394	22	0.866	.29
1280-8M-35E	151.10	9307-2160	160	1280	50.394	35	1.378	.46
1280-8M-60E	257.67	9307-3160	160	1280	50.394	60	2.362	.78
1440-8M-12E	57.88	9307-0180	180	1440	56.693	12	0.472	.18
1440-8M-22E	99.04	9307-1180	180	1440	56.693	22	0.866	.32
1440-8M-35E	162.75	9307-2180	180	1440	56.693	35	1.378	.52
1440-8M-60E	281.37	9307-3180	180	1440	56.693	60	2.362	.88
1600-8M-12E	61.76	9307-0200	200	1600	62.992	12	0.472	.20
1600-8M-22E	105.87	9307-1200	200	1600	62.992	22	0.866	.36
1600-8M-35E	181.22	9307-2200	200	1600	62.992	35	1.378	.57
1600-8M-60E	306.32	9307-3200	200	1600	62.992	60	2.362	.98
1760-8M-12E	66.32	9307-0220	220	1760	69.291	12	0.472	.22
1760-8M-22E	112.04	9307-1220	220	1760	69.291	22	0.866	.40
1760-8M-35E	188.42	9307-2220	220	1760	69.291	35	1.378	.63
1760-8M-60E	321.26	9307-3220	220	1760	69.291	60	2.362	1.08
1792-8M-12E	68.99	9307-0224	224	1792	70.551	12	0.472	.22
1792-8M-22E	117.31	9307-1224	224	1792	70.551	22	0.866	.40
1792-8M-35E	200.16	9307-2224	224	1792	70.551	35	1.378	.64
1792-8M-60E	340.81	9307-3224	224	1792	70.551	60	2.362	1.10
2000-8M-12E	77.98	9307-0250	250	2000	78.740	12	0.472	.25
2000-8M-22E	135.00	9307-1250	250	2000	78.740	22	0.866	.45
2000-8M-35E	225.59	9307-2250	250	2000	78.740	35	1.378	.72
2000-8M-60E	386.49	9307-3250	250	2000	78.740	60	2.362	1.23
2200-8M-12E	83.88	9307-0275	275	2200	86.614	12	0.472	.27
2200-8M-22E	152.78	9307-1275	275	2200	86.614	22	0.866	.49
2200-8M-35E	246.62	9307-2275	275	2200	86.614	35	1.378	.79
2200-8M-60E	421.38	9307-3275	275	2200	86.614	60	2.362	1.35
2400-8M-12E	95.37	9307-0300	300	2400	94.488	12	0.472	.29
2400-8M-22E	159.55	9307-1300	300	2400	94.488	22	0.866	.54
2400-8M-35E	264.38	9307-2300	300	2400	94.488	35	1.378	.83
2400-8M-60E	458.26	9307-3300	300	2400	94.488	60	2.362	1.47
2600-8M-12E	96.24	9307-0325	325	2600	102.362	12	0.472	.32
2600-8M-22E	164.62	9307-1325	325	2600	102.362	22	0.866	.58
2600-8M-35E	277.30	9307-2325	325	2600	102.362	35	1.378	.93
2600-8M-60E	468.50	9307-3325	325	2600	102.362	60	2.362	1.59
2800-8M-12E	101.05	9307-0350	350	2800	110.236	12	0.472	.34
2800-8M-22E	169.94	9307-1350	350	2800	110.236	22	0.866	.63
2800-8M-35E	282.21	9307-2350	350	2800	110.236	35	1.378	1.00
2800-8M-60E	483.37	9307-3350	350	2800	110.236	60	2.362	1.72
3048-8M-12E	106.89	9307-0381	381	3048	120.000	12	0.472	.37
3048-8M-22E	185.53	9307-1381	381	3048	120.000	22	0.866	.69
3048-8M-35E	307.20	9307-2381	381	3048	120.000	35	1.378	1.09
3048-8M-60E	537.34	9307-3381	381	3048	120.000	60	2.362	1.87
3280-8M-12E	116.60	9307-0410	410	3280	129.134	12	0.472	.40
3280-8M-22E	199.66	9307-1410	410	3280	129.134	22	0.866	.74
3280-8M-35E	330.61	9307-2410	410	3280	129.134	35	1.378	1.17
3280-8M-60E	578.21	9307-3410	410	3280	129.134	60	2.362	2.01

Product No. Series 9307 (continued)

8mm Pitch (continued)

Part No.	Sugg. List Price	Product No.	No. Of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs)
3600-8M-12E	$124.27	9307-0450	450	3600	141.732	12	0.472	.44
3600-8M-22E	220.05	9307-1450	450	3600	141.732	22	0.866	.81
3600-8M-35E	356.14	9307-2450	450	3600	141.732	35	1.378	1.29
3600-8M-60E	628.36	9307-3450	450	3600	141.732	60	2.362	2.21
4400-8M-12E	147.87	9307-0550	550	4400	173.228	12	0.472	.54
4400-8M-22E	257.16	9307-1550	550	4400	173.228	22	0.866	.99
4400-8M-35E	420.00	9307-2550	550	4400	173.228	35	1.378	1.57
4400-8M-60E	734.97	9307-3550	550	4400	173.228	60	2.362	2.70

14mm Pitch

Part No.	Sugg. List Price	Product No.	No. Of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs)
994-14M-20E	$163.21	9307-4071	71	994	39.130	20	0.787	.34
994-14M-42E	290.58	9307-5071	71	994	39.130	42	1.654	.72
994-14M-65E	529.29	9307-6071	71	994	39.130	65	2.559	1.12
994-14M-90E	672.73	9307-7071	71	994	39.130	90	3.543	1.55
994-14M-120E	901.33	9307-8071	71	994	39.130	120	4.724	2.06
1190-14M-20E	194.86	9307-4085	85	1190	46.850	20	0.787	.41
1190-14M-42E	356.14	9307-5085	85	1190	46.850	42	1.654	.87
1190-14M-65E	631.70	9307-6085	85	1190	46.850	65	2.559	1.34
1190-14M-90E	806.83	9307-7085	85	1190	46.850	90	3.543	1.85
1190-14M-120E	1085.27	9307-8085	85	1190	46.850	120	4.724	2.47
1400-14M-20E	208.37	9307-4100	100	1400	55.118	20	0.787	.48
1400-14M-42E	386.70	9307-5100	100	1400	55.118	42	1.654	1.02
1400-14M-65E	688.78	9307-6100	100	1400	55.118	65	2.559	1.58
1400-14M-90E	880.81	9307-7100	100	1400	55.118	90	3.543	2.18
1400-14M-120E	1186.13	9307-8100	100	1400	55.118	120	4.724	2.91
1610-14M-20E	224.28	9307-4115	115	1610	63.386	20	0.787	.56
1610-14M-42E	413.96	9307-5115	115	1610	63.386	42	1.654	1.17
1610-14M-65E	734.69	9307-6115	115	1610	63.386	65	2.559	1.81
1610-14M-90E	940.84	9307-7115	115	1610	63.386	90	3.543	2.51
1610-14M-120E	1266.46	9307-8115	115	1610	63.386	120	4.724	3.34
1750-14M-20E	235.49	9307-4125	125	1750	68.898	20	0.787	.61
1750-14M-42E	437.22	9307-5125	125	1750	68.898	42	1.654	1.27
1750-14M-65E	835.85	9307-6125	125	1750	68.898	65	2.559	1.94
1750-14M-90E	996.64	9307-7125	125	1750	68.898	90	3.543	2.73
1750-14M-120E	1344.73	9307-8125	125	1750	68.898	120	4.724	3.64
1890-14M-20E	242.51	9307-4135	135	1890	74.409	20	0.787	.65
1890-14M-42E	464.77	9307-5135	135	1890	74.409	42	1.654	1.37
1890-14M-65E	791.62	9307-6135	135	1890	74.409	65	2.559	2.13
1890-14M-90E	1028.01	9307-7135	135	1890	74.409	90	3.543	2.94
1890-14M-120E	1356.73	9307-8135	135	1890	74.409	120	4.724	3.93
2100-14M-20E	265.49	9307-4150	150	2100	82.677	20	0.787	.73
2100-14M-42E	490.54	9307-5150	150	2100	82.677	42	1.654	1.53
2100-14M-65E	880.33	9307-6150	150	2100	82.677	65	2.559	2.36
2100-14M-90E	1131.94	9307-7150	150	2100	82.677	90	3.543	3.27
2100-14M-120E	1532.19	9307-8150	150	2100	82.677	120	4.724	4.36
2310-14M-20E	286.87	9307-4165	165	2310	90.945	20	0.787	.80
2310-14M-42E	534.09	9307-5165	165	2310	90.945	42	1.654	1.68
2310-14M-65E	956.19	9307-6165	165	2310	90.945	65	2.559	2.60
2310-14M-90E	1231.85	9307-7165	165	2310	90.945	90	3.543	3.60
2310-14M-120E	1670.54	9307-8165	165	2310	90.945	120	4.724	4.80

Eliminator™ Belts

Product No. Series 9307 (continued)

14mm Pitch (continued)

Part No.	Sugg. List Price	Product No.	No. Of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs)
2450-14M-20E	$300.71	9307-4175	175	2450	96.457	20	0.787	.85
2450-14M-42E	556.34	9307-5175	175	2450	96.457	42	1.654	1.78
2450-14M-65E	1002.29	9307-6175	175	2450	96.457	65	2.559	2.76
2450-14M-90E	1288.61	9307-7175	175	2450	96.457	90	3.543	3.82
2450-14M-120E	1748.01	9307-8175	175	2450	96.457	120	4.724	5.09
2590-14M-20E	317.85	9307-4185	185	2590	101.968	20	0.787	.90
2590-14M-42E	591.54	9307-5185	185	2590	101.968	42	1.654	1.88
2590-14M-65E	1002.20	9307-6185	185	2590	101.968	65	2.559	2.91
2590-14M-90E	1369.83	9307-7185	185	2590	101.968	90	3.543	4.04
2590-14M-120E	1855.42	9307-8185	185	2590	101.968	120	4.724	5.38
2800-14M-20E	346.06	9307-4200	200	2800	110.236	20	0.787	.97
2800-14M-42E	641.63	9307-5200	200	2800	110.236	42	1.654	2.04
2800-14M-65E	1152.56	9307-6200	200	2800	110.236	65	2.559	3.15
2800-14M-90E	1488.45	9307-7200	200	2800	110.236	90	3.543	4.36
2800-14M-120E	2022.81	9307-8200	200	2800	110.236	120	4.724	5.82
3136-14M-20E	365.04	9307-4224	224	3136	123.465	20	0.787	1.09
3136-14M-42E	674.93	9307-5224	224	3136	123.465	42	1.654	2.28
3136-14M-65E	1227.24	9307-6224	224	3136	123.465	65	2.559	3.53
3136-14M-90E	1567.85	9307-7224	224	3136	123.465	90	3.543	4.89
3136-14M-120E	2133.91	9307-8224	224	3136	123.465	120	4.724	6.51
3360-14M-20E	399.28	9307-4240	240	3360	132.283	20	0.787	1.16
3360-14M-42E	738.03	9307-5240	240	3360	132.283	42	1.654	2.44
3360-14M-65E	1325.43	9307-6240	240	3360	132.283	65	2.559	3.78
3360-14M-90E	1721.45	9307-7240	240	3360	132.283	90	3.543	5.23
3360-14M-120E	2339.16	9307-8240	240	3360	132.283	120	4.724	6.98
3500-14M-20E	413.35	9307-4250	250	3500	137.795	20	0.787	1.21
3500-14M-42E	759.37	9307-5250	250	3500	137.795	42	1.654	2.54
3500-14M-65E	1381.03	9307-6250	250	3500	137.795	65	2.559	3.94
3500-14M-90E	1784.78	9307-7250	250	3500	137.795	90	3.543	5.45
3500-14M-120E	2429.30	9307-8250	250	3500	137.795	120	4.724	7.27
3850-14M-20E	426.11	9307-4275	275	3850	151.575	20	0.787	1.33
3850-14M-42E	781.88	9307-5275	275	3850	151.575	42	1.654	2.80
3850-14M-65E	1443.76	9307-6275	275	3850	151.575	65	2.559	4.33
3850-14M-90E	1856.17	9307-7275	275	3850	151.575	90	3.543	6.00
3850-14M-120E	2535.35	9307-8275	275	3850	151.575	120	4.724	8.00
4326-14M-20E	471.93	9307-4309	309	4326	170.315	20	0.787	1.50
4326-14M-42E	870.07	9307-5309	309	4326	170.315	42	1.654	3.15
4326-14M-65E	1580.04	9307-6309	309	4326	170.315	65	2.559	4.87
4326-14M-90E	2037.18	9307-7309	309	4326	170.315	90	3.543	6.74
4326-14M-120E	2808.31	9307-8309	309	4326	170.315	120	4.724	8.99

Eliminator™ Competitive Crossover

Goodyear® BlackHawk Pd™	Carlisle/Dayco® Panther® Ultra	T.B. Wood's® QT Power Chain®	Browning® RPP® Panther®	Gates® Eliminator™
480 8M BH 12	480PTH8M-12	480 8M 12W	480PTH8M-12	—
480 8M BH 22	480PTH8M-22	480 8M 22W	480PTH8M-22	—
480 8M BH 35	480PTH8M-35	480 8M 35W	480PTH8M-35	—
480 8M BH 60	480PTH8M-60	480 8M 60W	480PTH8M-60	—
560 8M BH 12	560PTH8M-12	560 8M 12W	560PTH8M-12	—
560 8M BH 22	560PTH8M-22	560 8M 22W	560PTH8M-22	—
560 8M BH 35	560PTH8M-35	560 8M 35W	560PTH8M-35	—
560 8M BH 60	560PTH8M-60	560 8M 60W	560PTH8M-60	—
600 8M BH 12	600PTH8M-12	600 8M 12W	600PTH8M-12	—
600 8M BH 22	600PTH8M-22	600 8M 22W	600PTH8M-22	—
600 8M BH 35	600PTH8M-35	600 8M 35W	600PTH8M-35	—
600 8M BH 60	600PTH8M-60	600 8M 60W	600PTH8M-60	—
640 8M BH 12	640PTH8M-12	640 8M 12W	640PTH8M-12	640-8M-12E
640 8M BH 22	640PTH8M-22	640 8M 22W	640PTH8M-22	640-8M-22E
640 8M BH 35	640PTH8M-35	640 8M 35W	640PTH8M-35	640-8M-35E
640 8M BH 60	640PTH8M-60	640 8M 60W	640PTH8M-60	640-8M-60E
720 8M BH 12	720PTH8M-12	720 8M 12W	720PTH8M-12	720-8M-12E
720 8M BH 22	720PTH8M-22	720 8M 22W	720PTH8M-22	720-8M-22E
720 8M BH 35	720PTH8M-35	720 8M 35W	720PTH8M-35	720-8M-35E
720 8M BH 60	720PTH8M-60	720 8M 60W	720PTH8M-60	720-8M-60E
800 8M BH 12	800PTH8M-12	800 8M 12W	800PTH8M-12	800-8M-12E
800 8M BH 22	800PTH8M-22	800 8M 22W	800PTH8M-22	800-8M-22E
800 8M BH 35	800PTH8M-35	800 8M 35W	800PTH8M-35	800-8M-35E
800 8M BH 60	800PTH8M-60	800 8M 60W	800PTH8M-60	800-8M-60E
880 8M BH 12	880PTH8M-12	880 8M 12W	880PTH8M-12	896-8M-12E
880 8M BH 22	880PTH8M-22	880 8M 22W	880PTH8M-22	896-8M-22E
880 8M BH 35	880PTH8M-35	880 8M 35W	880PTH8M-35	896-8M-35E
880 8M BH 60	880PTH8M-60	880 8M 60W	880PTH8M-60	896-8M-60E
960 8M BH 12	960PTH8M-12	960 8M 12W	960PTH8M-12	960-8M-12E
960 8M BH 22	960PTH8M-22	960 8M 22W	960PTH8M-22	960-8M-22E
960 8M BH 35	960PTH8M-35	960 8M 35W	960PTH8M-35	960-8M-35E
960 8M BH 60	960PTH8M-60	960 8M 60W	960PTH8M-60	960-8M-60E
1040 8M BH 12	1040PTH8M-12	1040 8M 12W	1040PTH8M-12	1040-8M-12E
1040 8M BH 22	1040PTH8M-22	1040 8M 22W	1040PTH8M-22	1040-8M-22E
1040 8M BH 35	1040PTH8M-35	1040 8M 35W	1040PTH8M-35	1040-8M-35E
1040 8M BH 60	1040PTH8M-60	1040 8M 60W	1040PTH8M-60	1040-8M-60E
1120 8M BH 12	1120PTH8M-12	1120 8M 12W	1120PTH8M-12	1120-8M-12E
1120 8M BH 22	1120PTH8M-22	1120 8M 22W	1120PTH8M-22	1120-8M-22E
1120 8M BH 35	1120PTH8M-35	1120 8M 35W	1120PTH8M-35	1120-8M-35E
1120 8M BH 60	1120PTH8M-60	1120 8M 60W	1120PTH8M-60	1120-8M-60E
1200 8M BH 12	1200PTH8M-12	1200 8M 12W	1200PTH8M-12	1200-8M-12E
1200 8M BH 22	1200PTH8M-22	1200 8M 22W	1200PTH8M-22	1200-8M-22E
1200 8M BH 35	1200PTH8M-35	1200 8M 35W	1200PTH8M-35	1200-8M-35E
1200 8M BH 60	1200PTH8M-60	1200 8M 60W	1200PTH8M-60	1200-8M-60E
—	1224PTH8M-12	—	1224PTH8M-12	1224-8M-12E
—	1224PTH8M-22	—	1224PTH8M-22	1224-8M-22E
—	1224PTH8M-35	—	1224PTH8M-35	1224-8M-35E
—	1224PTH8M-60	—	1224PTH8M-60	1224-8M-60E
1280 8M BH 12	1280PTH8M-12	1280 8M 12W	1280PTH8M-12	1280-8M-12E
1280 8M BH 22	1280PTH8M-22	1280 8M 22W	1280PTH8M-22	1280-8M-22E
1280 8M BH 35	1280PTH8M-35	1280 8M 35W	1280PTH8M-35	1280-8M-35E
1280 8M BH 60	1280PTH8M-60	1280 8M 60W	1280PTH8M-60	1280-8M-60E
1440 8M BH 12	1440PTH8M-12	1440 8M 12W	1440PTH8M-12	1440-8M-12E
1440 8M BH 22	1440PTH8M-22	1440 8M 22W	1440PTH8M-22	1440-8M-22E
1440 8M BH 35	1440PTH8M-35	1440 8M 35W	1440PTH8M-35	1440-8M-35E
1440 8M BH 60	1440PTH8M-60	1440 8M 60W	1440PTH8M-60	1440-8M-62E
1600 8M BH 12	1600PTH8M-12	1600 8M 12W	1600PTH8M-12	1600-8M-12E
1600 8M BH 22	1600PTH8M-22	1600 8M 22W	1600PTH8M-22	1600-8M-22E
1600 8M BH 35	1600PTH8M-35	1600 8M 35W	1600PTH8M-35	1600-8M-35E
1600 8M BH 60	1600PTH8M-60	1600 8M 60W	1600PTH8M-60	1600-8M-60E

Prices Subject To Change Without Notice

Eliminator™ Competitive Crossover

Goodyear® BlackHawk Pd™	Carlisle/Dayco® Panther® Ultra	T.B. Wood's® QT Power Chain®	Browning® RPP® Panther®	Gates® Eliminator™
1760 8M BH 12	1760PTH8M-12	1760 8M 12W	1760PTH8M-12	1760-8M-12E
1760 8M BH 22	1760PTH8M-22	1760 8M 22W	1760PTH8M-22	1760-8M-22E
1760 8M BH 35	1760PTH8M-35	1760 8M 35W	1760PTH8M-35	1760-8M-35E
1760 8M BH 60	1760PTH8M-60	1760 8M 60W	1760PTH8M-60	1760-8M-60E
1800 8M BH 12	1800PTH8M-12	1800 8M 12W	1800PTH8M-12	1792-8M-12E
1800 8M BH 22	1800PTH8M-22	1800 8M 22W	1800PTH8M-22	1792-8M-22E
1800 8M BH 35	1800PTH8M-35	1800 8M 35W	1800PTH8M-35	1792-8M-35E
1800 8M BH 60	1800PTH8M-60	1800 8M 60W	1800PTH8M-60	1792-8M-60E
2000 8M BH 12	2000PTH8M-12	2000 8M 12W	2000PTH8M-12	2000-8M-12E
2000 8M BH 22	2000PTH8M-22	2000 8M 22W	2000PTH8M-22	2000-8M-22E
2000 8M BH 35	2000PTH8M-35	2000 8M 35W	2000PTH8M-35	2000-8M-35E
2000 8M BH 60	2000PTH8M-60	2000 8M 60W	2000PTH8M-60	2000-8M-60E
—	2200PTH8M-12	2200 8M 12W	2200PTH8M-12	2200-8M-12E
—	2200PTH8M-22	2200 8M 22W	2200PTH8M-22	2200-8M-22E
—	2200PTH8M-35	2200 8M 35W	2200PTH8M-35	2200-8M-35E
—	2200PTH8M-60	2200 8M 60W	2200PTH8M-60	2200-8M-60E
2400 8M BH 12	2400PTH8M-12	2400 8M 12W	2400PTH8M-12	2400-8M-12E
2400 8M BH 22	2400PTH8M-22	2400 8M 22W	2400PTH8M-22	2400-8M-22E
2400 8M BH 35	2400PTH8M-35	2400 8M 35W	2400PTH8M-35	2400-8M-35E
2400 8M BH 60	2400PTH8M-60	2400 8M 60W	2400PTH8M-60	2400-8M-60E
2600 8M BH 12	2600PTH8M-12	2600 8M 12W	2600PTH8M-12	2600-8M-12E
2600 8M BH 22	2600PTH8M-22	2600 8M 22W	2600PTH8M-22	2600-8M-22E
2600 8M BH 35	2600PTH8M-35	2600 8M 35W	2600PTH8M-35	2600-8M-35E
2600 8M BH 60	2600PTH8M-60	2600 8M 60W	2600PTH8M-60	2600-8M-60E
2800 8M BH 12	2800PTH8M-12	2800 8M 12W	2800PTH8M-12	2800-8M-12E
2800 8M BH 22	2800PTH8M-22	2800 8M 22W	2800PTH8M-22	2800-8M-22E
2800 8M BH 35	2800PTH8M-35	2800 8M 35W	2800PTH8M-35	2800-8M-35E
2800 8M BH 60	2800PTH8M-60	2800 8M 60W	2800PTH8M-60	2800-8M-60E
3048 8M BH 12	3048PTH8M-12	3048 8M 12W	3048PTH8M-12	3048-8M-12E
3048 8M BH 22	3048PTH8M-22	3048 8M 22W	3048PTH8M-22	3048-8M-22E
3048 8M BH 35	3048PTH8M-35	3048 8M 35W	3048PTH8M-35	3048-8M-35E
3048 8M BH 60	3048PTH8M-60	3048 8M 60W	3048PTH8M-60	3048-8M-60E
3280 8M BH 12	3280PTH8M-12	3280 8M 12W	3280PTH8M-12	3280-8M-12E
3280 8M BH 22	3280PTH8M-22	3280 8M 22W	3280PTH8M-22	3280-8M-22E
3280 8M BH 35	3280PTH8M-35	3280 8M 35W	3280PTH8M-35	3280-8M-35E
3280 8M BH 60	3280PTH8M-60	3280 8M 60W	3280PTH8M-60	3280-8M-60E
3600 8M BH 12	3600PTH8M-12	3600 8M 12W	3600PTH8M-12	3600-8M-12E
3600 8M BH 22	3600PTH8M-22	3600 8M 22W	3600PTH8M-22	3600-8M-22E
3600 8M BH 35	3600PTH8M-35	3600 8M 35W	3600PTH8M-35	3600-8M-35E
3600 8M BH 60	3600PTH8M-60	3600 8M 60W	3600PTH8M-60	3600-8M-60E
4400 8M BH 12	4400PTH8M-12	4400 8M 12W	4400PTH8M-12	4400-8M-12E
4400 8M BH 22	4400PTH8M-22	4400 8M 22W	4400PTH8M-22	4400-8M-22E
4400 8M BH 35	4400PTH8M-35	4400 8M 35W	4400PTH8M-35	4400-8M-35E
4400 8M BH 60	4400PTH8M-60	4400 8M 60W	4400PTH8M-60	4400-8M-60E
966 14M BH 20	966PTH14M-20	966 14M 20W	966PTH14M-20	994-14M-20E
966 14M BH 42	966PTH14M-42	966 14M 42W	966PTH14M-42	994-14M-42E
966 14M BH 65	966PTH14M-65	966 14M 65W	966PTH14M-65	994-14M-65E
966 14M BH 90	966PTH14M-90	966 14M 90W	966PTH14M-90	994-14M-90E
966 14M BH 120	966PTH14M-120	966 14M 120W	966PTH14M-120	994-14M-120E
1190 14M BH 20	1190PTH14M-20	1190 14M 20W	1190PTH14M-20	1190-14M-20E
1190 14M BH 42	1190PTH14M-42	1190 14M 42W	1190PTH14M-42	1190-14M-42E
1190 14M BH 65	1190PTH14M-65	1190 14M 65W	1190PTH14M-65	1190-14M-65E
1190 14M BH 90	1190PTH14M-90	1190 14M 90W	1190PTH14M-90	1190-14M-90E
1190 14M BH 120	1190PTH14M-120	1190 14M 120W	1190PTH14M-120	1190-14M-120E
1400 14M BH 20	1400PTH14M-20	1400 14M 20W	1400PTH14M-20	1400-14M-20E
1400 14M BH 42	1400PTH14M-42	1400 14M 42W	1400PTH14M-42	1400-14M-42E
1400 14M BH 65	1400PTH14M-65	1400 14M 65W	1400PTH14M-65	1400-14M-65E
1400 14M BH 90	1400PTH14M-90	1400 14M 90W	1400PTH14M-90	1400-14M-90E
1400 14M BH 120	1400PTH14M-120	1400 14M 120W	1400PTH14M-120	1400-14M-120E

Prices Subject To Change Without Notice

Eliminator™ Competitive Crossover

Goodyear® BlackHawk Pd™	Carlisle/Dayco® Panther® Ultra	T.B. Wood's® QT Power Chain®	Browning® RPP® Panther®	Gates® Eliminator™
1610 14M BH 20	1610PTH14M-20	1610 14M 20W	1610PTH14M-20	1610-14M-20E
1610 14M BH 42	1610PTH14M-42	1610 14M42W	1610PTH14M-42	1610-14M-42E
1610 14M BH 65	1610PTH14M-65	1610 14M 65W	1610PTH14M-65	1610-14M-65E
1610 14M BH 90	1610PTH14M-90	1610 14M 90W	1610PTH14M-90	1610-14M-90E
1610 14M BH 120	1610PTH14M-120	1610 14M 120W	1610PTH14M-120	1610-14M-120E
1778 14M BH 20	1778PTH14M-20	1778 14M 20W	1778PTH14M-20	1750-14M-20E
1778 14M BH 42	1778PTH14M-42	1778 14M 42W	1778PTH14M-42	1750-14M-42E
1778 14M BH 65	1778PTH14M-65	1778 14M 65W	1778PTH14M-65	1750-14M-65E
1778 14M BH 90	1778PTH14M-90	1778 14M 90W	1778PTH14M-90	1750-14M-90E
1778 14M BH 120	1778PTH14M-120	1778 14M 120W	1778PTH14M-120	1750-14M-120E
1890 14M BH 20	1890PTH14M-20	1890 14M 20W	1890PTH14M-20	1890-14M-20E
1890 14M BH 42	1890PTH14M-42	1890 14M 42W	1890PTH14M-42	1890-14M-42E
1890 14M BH 65	1890PTH14M-65	1890 14M 65W	1890PTH14M-65	1890-14M-65E
1890 14M BH 90	1890PTH14M-90	1890 14M 90W	1890PTH14M-90	1890-14M-90E
1890 14M BH 120	1890PTH14M-120	1890 14M 120W	1890PTH14M-120	1890-14M-120E
2100 14M BH 20	2100PTH14M-20	2100 14M 20W	2100PTH14M-20	2100-14M-20E
2100 14M BH 42	2100PTH14M-42	2100 14M 42W	2100PTH14M-42	2100-14M-42E
2100 14M BH 65	2100PTH14M-65	2100 14M 65W	2100PTH14M-65	2100-14M-65E
2100 14M BH 90	2100PTH14M-90	2100 14M 90W	2100PTH14M-90	2100-14M-90E
2100 14M BH 120	2100PTH14M-120	2100 14M 120W	2100PTH14M-120	2100-14M-120E
2310 14M BH 20	2310PTH14M-20	2310 14M 20W	2310PTH14M-20	2310-14M-20E
2310 14M BH 42	2310PTH14M-42	2310 14M 42W	2310PTH14M-42	2310-14M-42E
2310 14M BH 65	2310PTH14M-65	2310 14M 65W	2310PTH14M-65	2310-14M-65E
2310 14M BH 90	2310PTH14M-90	2310 14M 90W	2310PTH14M-90	2310-14M-90E
2310 14M BH 120	2310PTH14M-120	2310 14M120W	2310PTH14M-120	2310-14M-120E
2450 14M BH 20	2450PTH14M-20	2450 14M 20W	2450PTH14M-20	2450-14M-20E
2450 14M BH 42	2450PTH14M-42	2450 14M 42W	2450PTH14M-42	2450-14M-42E
2450 14M BH 65	2450PTH14M-65	2450 14M 65W	2450PTH14M-65	2450-14M-65E
2450 14M BH 90	2450PTH14M-90	2450 14M 90W	2450PTH14M-90	2450-14M-90E
2450 14M BH 120	2450PTH14M-120	2450 14M 120W	2450PTH14M-120	2450-14M-120E
2590 14M BH 20	2590PTH14M-20	2590 14M 20W	2590PTH14M-20	2590-14M-20E
2590 14M BH 42	2590PTH14M-42	2590 14M 42W	2590PTH14M-42	2590-14M-42E
2590 14M BH 65	2590PTH14M-65	2590 14M 65W	2590PTH14M-65	2590-14M-65E
2590 14M BH 90	2590PTH14M-90	2590 14M 90W	2590PTH14M-90	2590-14M-90E
2590 14M BH 120	2590PTH14M-120	2590 14M 120W	2590PTH14M-120	2590-14M-120E
2800 14M BH 20	2800PTH14M-20	2800 14M 20W	2800PTH14M-20	2800-14M-20E
2800 14M BH 42	2800PTH14M-42	2800 14M 42W	2800PTH14M-42	2800-14M-42E
2800 14M BH 65	2800PTH14M-65	2800 14M 65W	2800PTH14M-65	2800-14M-65E
2800 14M BH 90	2800PTH14M-90	2800 14M 90W	2800PTH14M-90	2800-14M-90E
2800 14M BH 120	2800PTH14M-120	2800 14M 120W	2800PTH14M-120	2800-14M-125E
3150 14M BH 20	3150PTH14M-20	3150 14M 20W	3150PTH14M-20	3136-14M-20E
3150 14M BH 42	3150PTH14M-42	3150 14M 42W	3150PTH14M-42	3136-14M-42E
3150 14M BH 65	3150PTH14M-65	3150 14M 65W	3150PTH14M-65	3136-14M-65E
3150 14M BH 90	3150PTH14M-90	3150 14M 90W	3150PTH14M-90	3136-14M-90E
3150 14M BH 120	3150PTH14M-120	3150 14M 120W	3150PTH14M-120	3136-14M-120E
3360 14M BH 20	3360PTH14M-20	3360 14M 20W	3360PTH14M-20	3360-14M-20E
3360 14M BH 42	3360PTH14M-42	3360 14M 42W	3360PTH14M-42	3360-14M-42E
3360 14M BH 65	3360PTH14M-65	3360 14M 65W	3360PTH14M-65	3360-14M-65E
3360 14M BH 90	3360PTH14M-90	3360 14M 90W	3360PTH14M-90	3360-14M-90E
3360 14M BH 120	3360PTH14M-120	3360 14M120W	3360PTH14M-120	3360-14M-120E
3500 14M BH 20	3500PTH14M-20	3500 14M 20W	3500PTH14M-20	3500-14M-20E
3500 14M BH 42	3500PTH14M-42	3500 14M 42W	3500PTH14M-42	3500-14M-42E
3500 14M BH 65	3500PTH14M-65	3500 14M 65W	3500PTH14M-65	3500-14M-65E
3500 14M BH 90	3500PTH14M-90	3500 14M 90W	3500PTH14M-90	3500-14M-90E
3500 14M BH 120	3500PTH14M-120	3500 14M120W	3500PTH14M-120	3500-14M-120E
3850 14M BH 20	3850PTH14M-20	3850 14M 20W	3850PTH14M-20	3850-14M-20E
3850 14M BH 42	3850PTH14M-42	3850 14M 42W	3850PTH14M-42	3850-14M-42E
3850 14M BH 65	3850PTH14M-65	3850 14M 65W	3850PTH14M-65	3850-14M-65E
3850 14M BH 90	3850PTH14M-90	3850 14M 90W	3850PTH14M-90	3850-14M-90E
3850 14M BH 120	3850PTH14M-120	3850 14M120W	3850PTH14M-120	3850-14M-120E

Eliminator™ Competitive Crossover

Goodyear® BlackHawk Pd™	Carlisle/Dayco® Panther® Ultra	T.B. Wood's® QT Power Chain®	Browning® RPP® Panther®	Gates® Eliminator™
4326 14M BH 20	4326PTH14M-20	4326 14M 20W	4326PTH14M-20	4326-14M-20E
4326 14M BH 42	4326PTH14M-42	4326 14M 42W	4326PTH14M-42	4326-14M-42E
4326 14M BH 65	4326PTH14M-65	4326 14M 65W	4326PTH14M-65	4326-14M-65E
4326 14M BH 90	4326PTH14M-90	4326 14M 90W	4326PTH14M-90	4326-14M-90E
4326 14M BH 120	4326PTH14M-120	4326 14M 120W	4326PTH14M-120	4326-14M-120E
4578 14M BH 20	4578PTH14M-20	4578 14M 20W	4578PTH14M-20	—
4578 14M BH 42	4578PTH14M-42	4578 14M 42W	4578PTH14M-42	—
4578 14M BH 65	4578PTH14M-65	4578 14M 65W	4578PTH14M-65	—
4578 14M BH 90	4578PTH14M-90	4578 14M 90W	4578PTH14M-90	—
4578 14M BH 120	4578PTH14M-120	4578 14M120W	4578PTH14M-120	—
4956 14M BH 20	4956PTH14M-20	4956 14M 20W	4956PTH14M-20	—
4956 14M BH 42	4956PTH14M-42	4956 14M 42W	4956PTH14M-42	—
4956 14M BH 65	4956PTH14M-65	4956 14M 65W	4956PTH14M-65	—
4956 14M BH 90	4956PTH14M-90	4956 14M 90W	4956PTH14M-90	—
4956 14M BH 120	4956PTH14M-120	4956 14M 120W	4956PTH14M-120	—

PowerGrip® GT®2 Belts – 2MR and 3MR

The PowerGrip® GT®2 belt has twice the load carrying capacity of its predecessor HTD®. In addition, less width is required compared to HTD®, allowing lighter, more compact drives.



Markets/Applications

PowerGrip® GT®2 belts are suitable for many applications including data storage, machine tool, hand power tools, postage handling, DC Stepper/Servo, food processors, office machines, centrifuges, money handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines, and vacuum cleaners.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates' **patented tooth profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip® GT2® greatly exceeds HTD® in tooth ratchet resistance.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- Power Grip® GT®2 belt/sprocket combinations match or exceed the positional accuracy of PowerGrip® Timing belt/pulley systems.

Recommended Sprockets
PowerGrip® GT®2 Sprockets-2MR and 3MR

Notes
PowerGrip® GT2® part numbers are comprised of pitch, pitch length and width. For example, 2MR-100-04 signifies 2mm pitch, 100mm pitch length and 4mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip® GT2® belt lies within the tensile member.

Product No. Series 9390

2MR Pitch — 4mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-04	$3.19	9390-0050	50	3.94	.01
2MR-112-04	3.19	9390-0056	56	4.41	.01
2MR-124-04	3.19	9390-0062	62	4.88	.01
2MR-126-04	3.19	9390-0063	63	4.96	.01
2MR-134-04	3.29	9390-0067	67	5.28	.01
2MR-136-04	3.29	9390-0068	68	5.35	.01
2MR-140-04	3.29	9390-0070	70	5.51	.01
2MR-152-04	3.29	9390-0076	76	5.98	.01
2MR-158-04	3.43	9390-0079	79	6.22	.01
2MR-160-04	3.43	9390-0080	80	6.30	.01
2MR-164-04	3.43	9390-0082	82	6.46	.01
2MR-166-04	3.43	9390-0083	83	6.54	.01
2MR-168-04	3.43	9390-0084	84	6.61	.01
2MR-172-04	3.43	9390-0086	86	6.77	.01
2MR-180-04	3.54	9390-0090	90	7.09	.01
2MR-186-04	3.54	9390-0093	93	7.32	.01
2MR-192-04	3.54	9390-0096	96	7.56	.01
2MR-200-04	3.54	9390-0100	100	7.87	.01
2MR-202-04	3.54	9390-0101	101	7.95	.01
2MR-210-04	3.64	9390-0105	105	8.27	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-212-04	$3.64	9390-0106	106	8.35	.01
2MR-216-04	3.64	9390-0108	108	8.50	.01
2MR-220-04	3.64	9390-0110	110	8.66	.01
2MR-232-04	3.77	9390-0116	116	9.13	.01
2MR-236-04	3.77	9390-0118	118	9.29	.01
2MR-240-04	3.77	9390-0120	120	9.45	.01
2MR-250-04	3.77	9390-0125	125	9.84	.01
2MR-252-04	3.77	9390-0126	126	9.92	.01
2MR-258-04	3.90	9390-0129	129	10.16	.01
2MR-278-04	3.90	9390-0139	139	10.94	.01
2MR-280-04	3.90	9390-0140	140	11.02	.01
2MR-300-04	4.01	9390-0150	150	11.81	.01
2MR-320-04	4.14	9390-0160	160	12.60	.01
2MR-322-04	4.14	9390-0161	161	12.68	.01
2MR-332-04	4.14	9390-0166	166	13.07	.01
2MR-346-04	4.26	9390-0173	173	13.62	.01
2MR-350-04	4.26	9390-0175	175	13.78	.01
2MR-364-04	4.36	9390-0182	182	14.33	.01
2MR-370-04	4.36	9390-0185	185	14.57	.01
2MR-380-04	4.36	9390-0190	190	14.96	.01

PowerGrip® GT®2 Belts – 2MR and 3MR

Product No. Series 9390 (continued)

2MR Pitch — 4mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-386-04	$4.49	9390-0193	193	15.20	.01
2MR-400-04	4.49	9390-0200	200	15.75	.01
2MR-406-04	4.49	9390-0203	203	15.98	.01
2MR-420-04	4.61	9390-0210	210	16.54	.01
2MR-456-04	4.73	9390-0228	228	17.95	.01
2MR-470-04	4.86	9390-0235	235	18.50	.01
2MR-474-04	4.86	9390-0237	237	18.66	.01
2MR-488-04	4.97	9390-0244	244	19.21	.01
2MR-504-04	4.97	9390-0252	252	19.84	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-528-04	$5.07	9390-0264	264	20.79	.01
2MR-552-04	5.21	9390-0276	276	21.73	.01
2MR-576-04	5.31	9390-0288	288	22.68	.01
2MR-600-04	5.45	9390-0300	300	23.62	.01
2MR-640-04	5.69	9390-0320	320	25.20	.01
2MR-696-04	5.92	9390-0348	348	27.40	.01
2MR-744-04	6.16	9390-0372	372	29.29	.01
2MR-848-04	6.64	9390-0424	424	33.39	.01
2MR-1164-04	8.08	9390-0582	582	45.83	.02

2MR Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-06	$4.57	9390-1050	50	3.94	.01
2MR-112-06	4.57	9390-1056	56	4.41	.01
2MR-124-06	4.57	9390-1062	62	4.88	.01
2MR-126-06	4.57	9390-1063	63	4.96	.01
2MR-134-06	4.73	9390-1067	67	5.28	.01
2MR-136-06	4.73	9390-1068	68	5.35	.01
2MR-140-06	4.73	9390-1070	70	5.51	.01
2MR-152-06	4.73	9390-1076	76	5.98	.01
2MR-158-06	4.85	9390-1079	79	6.22	.01
2MR-160-06	4.85	9390-1080	80	6.30	.01
2MR-164-06	4.85	9390-1082	82	6.46	.01
2MR-166-06	4.85	9390-1083	83	6.54	.01
2MR-168-06	4.85	9390-1084	84	6.61	.01
2MR-172-06	4.85	9390-1086	86	6.77	.01
2MR-180-06	4.99	9390-1090	90	7.09	.01
2MR-186-06	4.99	9390-1093	93	7.32	.01
2MR-192-06	4.99	9390-1096	96	7.56	.01
2MR-200-06	4.99	9390-1100	100	7.87	.01
2MR-202-06	4.99	9390-1101	101	7.95	.01
2MR-210-06	5.11	9390-1105	105	8.27	.01
2MR-212-06	5.11	9390-1106	106	8.35	.01
2MR-216-06	5.11	9390-1108	108	8.50	.01
2MR-220-06	5.11	9390-1110	110	8.66	.01
2MR-232-06	5.26	9390-1116	116	9.13	.01
2MR-236-06	5.26	9390-1118	118	9.29	.01
2MR-240-06	5.26	9390-1120	120	9.45	.01
2MR-250-06	5.26	9390-1125	125	9.84	.01
2MR-252-06	5.26	9390-1126	126	9.92	.01
2MR-258-06	5.45	9390-1129	129	10.16	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-278-06	$5.45	9390-1139	139	10.94	.01
2MR-280-06	5.45	9390-1140	140	11.02	.01
2MR-300-06	5.59	9390-1150	150	11.81	.01
2MR-320-06	5.71	9390-1160	160	12.60	.01
2MR-322-06	5.71	9390-1161	161	12.68	.01
2MR-332-06	5.71	9390-1166	166	13.07	.01
2MR-346-06	5.85	9390-1173	173	13.62	.01
2MR-350-06	5.85	9390-1175	175	13.78	.01
2MR-364-06	6.05	9390-1182	182	14.33	.01
2MR-370-06	6.05	9390-1185	185	14.57	.01
2MR-380-06	6.05	9390-1190	190	14.96	.01
2MR-386-06	6.17	9390-1193	193	15.20	.01
2MR-400-06	6.17	9390-1200	200	15.75	.01
2MR-406-06	6.17	9390-1203	203	15.98	.01
2MR-420-06	6.30	9390-1210	210	16.54	.01
2MR-456-06	6.44	9390-1228	228	17.95	.01
2MR-470-06	6.56	9390-1235	235	18.50	.01
2MR-474-06	6.56	9390-1237	237	18.66	.01
2MR-488-06	6.77	9390-1244	244	19.21	.01
2MR-504-06	6.77	9390-1252	252	19.84	.01
2MR-528-06	6.91	9390-1264	264	20.79	.01
2MR-552-06	7.04	9390-1276	276	21.73	.01
2MR-576-06	7.18	9390-1288	288	22.68	.01
2MR-600-06	7.37	9390-1300	300	23.62	.01
2MR-640-06	7.64	9390-1320	320	25.20	.01
2MR-696-06	7.90	9390-1348	348	27.40	.01
2MR-744-06	8.17	9390-1372	372	29.29	.01
2MR-848-06	8.78	9390-1424	424	33.39	.01
2MR-1164-06	10.56	9390-1582	582	45.83	.02

PowerGrip® GT®2 Belts – 2MR and 3MR

Product No. Series 9390 (continued)

2MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-09	$6.00	9390-2050	50	3.94	.01
2MR-112-09	6.00	9390-2056	56	4.41	.01
2MR-124-09	6.00	9390-2062	62	4.88	.01
2MR-126-09	6.00	9390-2063	63	4.96	.01
2MR-134-09	6.17	9390-2067	67	5.28	.01
2MR-136-09	6.17	9390-2068	68	5.35	.01
2MR-140-09	6.17	9390-2070	70	5.51	.01
2MR-152-09	6.17	9390-2076	76	5.98	.01
2MR-158-09	6.38	9390-2079	79	6.22	.01
2MR-160-09	6.38	9390-2080	80	6.30	.01
2MR-164-09	6.38	9390-2082	82	6.46	.01
2MR-166-09	6.38	9390-2083	83	6.54	.01
2MR-168-09	6.38	9390-2084	84	6.61	.01
2MR-172-09	6.38	9390-2086	86	6.77	.01
2MR-180-09	6.65	9390-2090	90	7.09	.01
2MR-186-09	6.65	9390-2093	93	7.32	.01
2MR-192-09	6.65	9390-2096	96	7.56	.01
2MR-200-09	6.65	9390-2100	100	7.87	.01
2MR-202-09	6.65	9390-2101	101	7.95	.01
2MR-210-09	6.82	9390-2105	105	8.27	.01
2MR-212-09	6.82	9390-2106	106	8.35	.01
2MR-216-09	6.82	9390-2108	108	8.50	.01
2MR-220-09	6.82	9390-2110	110	8.66	.01
2MR-232-09	7.04	9390-2116	116	9.13	.01
2MR-236-09	7.04	9390-2118	118	9.29	.01
2MR-240-09	7.04	9390-2120	120	9.45	.01
2MR-250-09	7.04	9390-2125	125	9.84	.01
2MR-252-09	7.04	9390-2126	126	9.92	.01
2MR-258-09	7.25	9390-2129	129	10.16	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-278-09	$7.25	9390-2139	139	10.94	.01
2MR-280-09	7.25	9390-2140	140	11.02	.01
2MR-300-09	7.51	9390-2150	150	11.81	.01
2MR-320-09	7.64	9390-2160	160	12.60	.01
2MR-322-09	7.64	9390-2161	161	12.68	.01
2MR-332-09	7.64	9390-2166	166	13.07	.02
2MR-346-09	7.90	9390-2173	173	13.62	.01
2MR-350-09	7.90	9390-2175	175	13.78	.01
2MR-364-09	8.09	9390-2182	182	14.33	.01
2MR-370-09	8.09	9390-2185	185	14.57	.01
2MR-380-09	8.09	9390-2190	190	14.96	.01
2MR-386-09	8.31	9390-2193	193	15.20	.01
2MR-400-09	8.31	9390-2200	200	15.75	.01
2MR-406-09	8.31	9390-2203	203	15.98	.01
2MR-420-09	8.57	9390-2210	210	16.54	.01
2MR-456-09	8.69	9390-2228	228	17.95	.01
2MR-470-09	8.96	9390-2235	235	18.50	.01
2MR-474-09	8.96	9390-2237	237	18.66	.01
2MR-488-09	9.17	9390-2244	244	19.21	.01
2MR-504-09	9.17	9390-2252	252	19.84	.01
2MR-528-09	9.36	9390-2264	264	20.79	.01
2MR-552-09	9.58	9390-2276	276	21.73	.02
2MR-576-09	9.84	9390-2288	288	22.68	.02
2MR-600-09	9.96	9390-2300	300	23.62	.02
2MR-640-09	10.44	9390-2320	320	25.20	.02
2MR-696-09	10.90	9390-2348	348	27.40	.02
2MR-744-09	11.29	9390-2372	372	29.29	.02
2MR-848-09	12.15	9390-2424	424	33.39	.02
2MR-1164-09	14.69	9390-2582	582	45.83	.02

3MR Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-99-06	$5.25	9390-3033	33	3.90	.01
3MR-111-06	5.25	9390-3037	37	4.37	.01
3MR-123-06	5.25	9390-3041	41	4.84	.01
3MR-129-06	5.44	9390-3043	43	5.08	.01
3MR-159-06	5.58	9390-3053	53	6.26	.01
3MR-165-06	5.58	9390-3055	55	6.50	.01
3MR-180-06	5.74	9390-3060	60	7.09	.01
3MR-183-06	5.74	9390-3061	61	7.20	.01
3MR-189-06	5.74	9390-3063	63	7.44	.01
3MR-201-06	5.74	9390-3067	67	7.91	.01
3MR-219-06	5.88	9390-3073	73	8.62	.01
3MR-225-06	5.88	9390-3075	75	8.86	.01
3MR-240-06	6.04	9390-3080	80	9.45	.01
3MR-243-06	6.04	9390-3081	81	9.57	.01
3MR-255-06	6.27	9390-3085	85	10.04	.01
3MR-267-06	6.27	9390-3089	89	10.51	.01
3MR-282-06	6.43	9390-3094	94	11.10	.01
3MR-291-06	6.43	9390-3097	97	11.46	.01
3MR-300-06	6.43	9390-3100	100	11.81	.01
3MR-339-06	6.73	9390-3113	113	13.35	.01
3MR-348-06	6.73	9390-3116	116	13.70	.01
3MR-357-06	6.96	9390-3119	119	14.06	.01
3MR-360-06	6.96	9390-3120	120	14.17	.01
3MR-375-06	6.96	9390-3125	125	14.76	.01
3MR-393-06	7.10	9390-3131	131	15.47	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-414-06	$7.24	9390-3138	138	16.30	.01
3MR-420-06	7.24	9390-3140	140	16.54	.02
3MR-447-06	7.40	9390-3149	149	17.60	.02
3MR-450-06	7.40	9390-3150	150	17.72	.02
3MR-474-06	7.54	9390-3158	158	18.66	.02
3MR-480-06	7.54	9390-3160	160	18.90	.02
3MR-483-06	7.79	9390-3161	161	19.02	.02
3MR-489-06	7.79	9390-3163	163	19.25	.02
3MR-504-06	7.79	9390-3168	168	19.84	.02
3MR-537-06	8.09	9390-3179	179	21.14	.02
3MR-552-06	8.09	9390-3184	184	21.73	.02
3MR-564-06	8.25	9390-3188	188	22.20	.02
3MR-600-06	8.48	9390-3200	200	23.62	.02
3MR-630-06	8.64	9390-3210	210	24.80	.02
3MR-684-06	8.94	9390-3228	228	26.93	.03
3MR-735-06	9.31	9390-3245	245	28.94	.03
3MR-750-06	9.39	9390-3250	250	29.53	.03
3MR-786-06	9.61	9390-3262	262	30.94	.03
3MR-840-06	10.10	9390-3280	280	33.07	.03
3MR-945-06	10.77	9390-3315	315	37.20	.03
3MR-1050-06	11.46	9390-3350	350	41.34	.04
3MR-1080-06	11.62	9390-3360	360	42.52	.04
3MR-1536-06	15.56	9390-3512	512	60.47	.04
3MR-1587-06	16.06	9390-3529	529	62.48	.04
3MR-2061-06	20.84	9390-3687	687	81.14	.05

PowerGrip® GT®2 Belts – 2MR and 3MR

Product No. Series 9390 (continued)

3MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-99-09	$6.90	9390-4033	33	3.90	.01
3MR-111-09	6.90	9390-4037	37	4.37	.01
3MR-123-09	6.90	9390-4041	41	4.84	.01
3MR-129-09	7.10	9390-4043	43	5.08	.01
3MR-159-09	7.34	9390-4053	53	6.26	.01
3MR-165-09	7.34	9390-4055	55	6.50	.01
3MR-180-09	7.65	9390-4060	60	7.09	.01
3MR-183-09	7.65	9390-4061	61	7.20	.01
3MR-189-09	7.65	9390-4063	63	7.44	.01
3MR-201-09	7.65	9390-4067	67	7.91	.01
3MR-219-09	7.85	9390-4073	73	8.62	.01
3MR-225-09	7.85	9390-4075	75	8.86	.01
3MR-240-09	8.09	9390-4080	80	9.45	.01
3MR-243-09	8.09	9390-4081	81	9.57	.01
3MR-255-09	8.34	9390-4085	85	10.04	.01
3MR-267-09	8.34	9390-4089	89	10.51	.01
3MR-282-09	8.64	9390-4094	94	11.10	.02
3MR-291-09	8.64	9390-4097	97	11.46	.02
3MR-300-09	8.64	9390-4100	100	11.81	.02
3MR-339-09	9.09	9390-4113	113	13.35	.02
3MR-348-09	9.09	9390-4116	116	13.70	.02
3MR-357-09	9.31	9390-4119	119	14.06	.02
3MR-360-09	9.31	9390-4120	120	14.17	.02
3MR-375-09	9.31	9390-4125	125	14.76	.02
3MR-393-09	9.55	9390-4131	131	15.47	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-414-09	$9.86	9390-4138	138	16.30	.02
3MR-420-09	9.86	9390-4140	140	16.54	.02
3MR-447-09	10.00	9390-4149	149	17.60	.02
3MR-450-09	10.00	9390-4150	150	17.72	.02
3MR-474-09	10.30	9390-4158	158	18.66	.02
3MR-480-09	10.30	9390-4160	160	18.90	.03
3MR-483-09	10.55	9390-4161	161	19.02	.02
3MR-489-09	10.55	9390-4163	163	19.25	.02
3MR-504-09	10.55	9390-4168	168	19.84	.02
3MR-537-09	11.01	9390-4179	179	21.14	.03
3MR-552-09	11.01	9390-4184	184	21.73	.03
3MR-564-09	11.32	9390-4188	188	22.20	.03
3MR-600-09	11.46	9390-4200	200	23.62	.03
3MR-630-09	11.76	9390-4210	210	24.80	.03
3MR-684-09	12.23	9390-4228	228	26.93	.04
3MR-735-09	12.76	9390-4245	245	28.94	.04
3MR-750-09	12.98	9390-4250	250	29.53	.04
3MR-786-09	13.22	9390-4262	262	30.94	.04
3MR-840-09	13.97	9390-4280	280	33.07	.05
3MR-945-09	14.89	9390-4315	315	37.20	.05
3MR-1050-09	15.88	9390-4350	350	41.34	.06
3MR-1080-09	16.18	9390-4360	360	42.52	.06
3MR-1536-09	21.70	9390-4512	512	60.47	.06
3MR-1587-09	22.39	9390-4529	529	62.48	.06
3MR-2061-09	28.92	9390-4687	687	81.14	.07

3MR Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-99-15	$11.07	9390-5033	33	3.90	.01
3MR-111-15	11.07	9390-5037	37	4.37	.01
3MR-123-15	11.08	9390-5041	41	4.84	.01
3MR-129-15	11.58	9390-5043	43	5.08	.01
3MR-159-15	12.01	9390-5053	53	6.26	.01
3MR-165-15	12.01	9390-5055	55	6.50	.02
3MR-180-15	12.41	9390-5060	60	7.09	.01
3MR-183-15	12.41	9390-5061	61	7.20	.01
3MR-189-15	12.41	9390-5063	63	7.44	.02
3MR-201-15	12.41	9390-5067	67	7.91	.02
3MR-219-15	12.84	9390-5073	73	8.62	.02
3MR-225-15	12.84	9390-5075	75	8.86	.02
3MR-240-15	13.34	9390-5080	80	9.45	.02
3MR-243-15	13.34	9390-5081	81	9.57	.02
3MR-255-15	13.69	9390-5085	85	10.04	.01
3MR-267-15	13.69	9390-5089	89	10.51	.02
3MR-282-15	14.12	9390-5094	94	11.10	.03
3MR-291-15	14.12	9390-5097	97	11.46	.03
3MR-300-15	14.12	9390-5100	100	11.81	.03
3MR-339-15	14.97	9390-5113	113	13.35	.03
3MR-348-15	14.97	9390-5116	116	13.70	.03
3MR-357-15	15.47	9390-5119	119	14.06	.03
3MR-360-15	15.47	9390-5120	120	14.17	.03
3MR-375-15	15.47	9390-5125	125	14.76	.03
3MR-393-15	15.90	9390-5131	131	15.47	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-414-15	$16.22	9390-5138	138	16.30	.03
3MR-420-15	16.22	9390-5140	140	16.54	.04
3MR-447-15	16.65	9390-5149	149	17.60	.04
3MR-450-15	16.65	9390-5150	150	17.72	.04
3MR-474-15	17.08	9390-5158	158	18.66	.04
3MR-480-15	17.08	9390-5160	160	18.90	.04
3MR-483-15	17.60	9390-5161	161	19.02	.04
3MR-489-15	17.60	9390-5163	163	19.25	.04
3MR-504-15	17.60	9390-5168	168	19.84	.02
3MR-537-15	18.44	9390-5179	179	21.14	.05
3MR-552-15	18.44	9390-5184	184	21.73	.03
3MR-564-15	18.80	9390-5188	188	22.20	.03
3MR-600-15	19.23	9390-5200	200	23.62	.06
3MR-630-15	19.73	9390-5210	210	24.80	.06
3MR-684-15	20.58	9390-5228	228	26.93	.06
3MR-735-15	21.36	9390-5245	245	28.94	.04
3MR-750-15	21.86	9390-5250	250	29.53	.07
3MR-786-15	22.31	9390-5262	262	30.94	.05
3MR-840-15	23.48	9390-5280	280	33.07	.08
3MR-945-15	25.25	9390-5315	315	37.20	.09
3MR-1050-15	26.95	9390-5350	350	41.34	.10
3MR-1080-15	27.40	9390-5360	360	42.52	.10
3MR-1536-15	37.03	9390-5512	512	60.47	.10
3MR-1587-15	38.23	9390-5529	529	62.48	.06
3MR-2061-15	49.40	9390-5687	687	81.14	.10

PowerGrip® GT®2 Belts – 5MR

The highest density 5mm rubber belt, the PowerGrip® GT®2 belt has twice the load carrying capacity of its predecessor HTD®. In addition, less width is required compared to HTD®, allowing lighter, more compact drives.



Markets/Applications

PowerGrip® GT®2 belts are suitable for many applications such as HVAC, office machines, machine tools, hand power tools, postage handling, spindle drives, food processors, sewing machines, robotics, linear and light package conveyor.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates' **patented tooth profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip® GT®2 has more tooth ratchet resistance than HTD®.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- Power Grip® GT®2 belt/sprocket combinations match or exceed the positional accuracy of PowerGrip® Timing belt/pulley systems.

Recommended Sprockets
5M Sprockets-PowerGrip® GT®2 and Poly Chain® GT®

Notes
PowerGrip® GT®2 part numbers are comprised of pitch, pitch length and width. For example, 5MR-400-09 signifies 5mm pitch, 400mm pitch length and 9mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip® GT®2 belt lies within the tensile member.

Product No. Series 9390

5MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-09	$11.22	9390-6060	60	11.81	.02
5MR-355-09	11.97	9390-6071	71	13.98	.03
5MR-375-09	12.35	9390-6075	75	14.76	.03
5MR-400-09	12.74	9390-6080	80	15.75	.03
5MR-405-09	12.74	9390-6081	81	15.95	.03
5MR-425-09	13.04	9390-6085	85	16.73	.03
5MR-450-09	13.41	9390-6090	90	17.72	.04
5MR-500-09	14.18	9390-6100	100	19.69	.04
5MR-535-09	14.87	9390-6107	107	21.06	.04
5MR-565-09	15.27	9390-6113	113	22.24	.05
5MR-575-09	15.27	9390-6115	115	22.64	.05
5MR-580-09	15.27	9390-6116	116	22.83	.05
5MR-600-09	15.56	9390-6120	120	23.62	.05
5MR-625-09	15.94	9390-6125	125	24.61	.05
5MR-650-09	16.27	9390-6130	130	25.59	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-09	$17.04	9390-6140	140	27.56	.06
5MR-750-09	17.71	9390-6150	150	29.53	.06
5MR-800-09	18.48	9390-6160	160	31.50	.07
5MR-815-09	18.84	9390-6163	163	32.09	.07
5MR-850-09	19.17	9390-6170	170	33.46	.07
5MR-900-09	19.94	9390-6180	180	35.43	.07
5MR-1000-09	21.38	9390-6200	200	39.37	.08
5MR-1150-09	23.46	9390-6230	230	45.28	.09
5MR-1300-09	25.39	9390-6260	260	51.18	.11
5MR-1450-09	27.44	9390-6290	290	57.09	.12
5MR-1600-09	29.65	9390-6320	320	62.99	.13
5MR-1720-09	31.11	9390-6344	344	67.72	.14
5MR-1755-09	31.78	9390-6351	351	69.09	.15
5MR-2100-09	36.83	9390-6420	420	82.68	.17

PowerGrip® GT®2 Belts–5MR

Product No. Series 9390 (continued)

5MR Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-15	$16.93	9390-7060	60	11.81	.04
5MR-355-15	18.23	9390-7071	71	13.98	.05
5MR-375-15	18.86	9390-7075	75	14.76	.05
5MR-400-15	19.47	9390-7080	80	15.75	.05
5MR-405-15	19.47	9390-7081	81	15.95	.06
5MR-425-15	20.10	9390-7085	85	16.73	.06
5MR-450-15	20.73	9390-7090	90	17.72	.06
5MR-500-15	22.02	9390-7100	100	19.69	.07
5MR-535-15	23.26	9390-7107	107	21.06	.07
5MR-565-15	23.87	9390-7113	113	22.24	.08
5MR-575-15	23.87	9390-7115	115	22.64	.08
5MR-580-15	23.87	9390-7116	116	22.83	.08
5MR-600-15	24.52	9390-7120	120	23.62	.08
5MR-625-15	25.19	9390-7125	125	24.61	.09
5MR-650-15	25.74	9390-7130	130	25.59	.09

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-15	$26.99	9390-7140	140	27.56	.09
5MR-750-15	28.29	9390-7150	150	29.53	.10
5MR-800-15	29.53	9390-7160	160	31.50	.11
5MR-815-15	30.14	9390-7163	163	32.09	.11
5MR-850-15	30.77	9390-7170	170	33.46	.12
5MR-900-15	32.00	9390-7180	180	35.43	.12
5MR-1000-15	34.56	9390-7200	200	39.37	.14
5MR-1150-15	38.35	9390-7230	230	45.28	.16
5MR-1300-15	41.43	9390-7260	260	51.18	.18
5MR-1450-15	45.17	9390-7290	290	57.09	.20
5MR-1600-15	48.94	9390-7320	320	62.99	.22
5MR-1720-15	51.41	9390-7344	344	67.72	.23
5MR-1755-15	52.75	9390-7351	351	69.09	.24
5MR-2100-15	61.45	9390-7420	420	82.68	.28

5MR Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-25	$26.79	9390-8060	60	11.81	.07
5MR-355-25	28.94	9390-8071	71	13.98	.08
5MR-375-25	30.06	9390-8075	75	14.76	.08
5MR-400-25	31.05	9390-8080	80	15.75	.09
5MR-405-25	31.05	9390-8081	81	15.95	.10
5MR-425-25	32.14	9390-8085	85	16.73	.10
5MR-450-25	33.26	9390-8090	90	17.72	.10
5MR-500-25	35.39	9390-8100	100	19.69	.11
5MR-535-25	37.50	9390-8107	107	21.06	.12
5MR-565-25	38.57	9390-8113	113	22.24	.13
5MR-575-25	38.57	9390-8115	115	22.64	.14
5MR-580-25	38.57	9390-8116	116	22.83	.14
5MR-600-25	39.67	9390-8120	120	23.62	.14
5MR-625-25	40.76	9390-8125	125	24.61	.15
5MR-650-25	41.82	9390-8130	130	25.59	.15

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-25	$43.95	9390-8140	140	27.56	.16
5MR-750-25	46.12	9390-8150	150	29.53	.17
5MR-800-25	48.27	9390-8160	160	31.50	.18
5MR-815-25	49.38	9390-8163	163	32.09	.18
5MR-850-25	50.40	9390-8170	170	33.46	.20
5MR-900-25	52.55	9390-8180	180	35.43	.20
5MR-1000-25	56.85	9390-8200	200	39.37	.23
5MR-1150-25	63.26	9390-8230	230	45.28	.26
5MR-1300-25	68.75	9390-8260	260	51.18	.29
5MR-1450-25	75.16	9390-8290	290	57.09	.33
5MR-1600-25	81.59	9390-8320	320	62.99	.36
5MR-1720-25	85.87	9390-8344	344	67.72	.39
5MR-1755-25	88.04	9390-8351	351	69.09	.41
5MR-2100-25	103.05	9390-8420	420	82.68	.47

PowerGrip® GT®2 Belts–8M and 14M

Reduce both aquisition costs and transaction costs by designing with PowerGrip® GT®2. The PowerGrip® GT®2 belt has 200% the rating of competitive RPP® belts, and its predecessors PowerGrip® GT® and HTD® belts. PowerGrip® GT®2 drive systems offer the largest selection of belts and sprockets in the industry. At reduced widths, PowerGrip® GT®2 belts can be used as a direct replacement for most 1.0 and 1.5 rated 8mm and 14mm pitch rubber curvilinear synchronous belts.



Markets/Applications

PowerGrip® GT®2 belts are suitable for many applications such as HVAC, textile, printing, machine tools, food processing, conveyors, packaging, agriculture, pumps, compressors, centrifuges, laundry, pulp and paper.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates' **Patented Tooth Profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip® GT®2 has more tooth ratchet resistance than HTD®.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- PowerGrip® GT®2 ACHE belts are available in 14mm pitch. A single twist cord helps prevent the belt from moving downward on vertical shaft ACHE applications.

Recommended Sprockets
PowerGrip® GT®2 Sprockets-8M and 14M

Notes
PowerGrip® GT®2 part numbers are comprised of pitch length, pitch and width. For example 3150-14MGT-55 denotes 3150mm pitch length, 14mm pitch and 55mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip® GT®2 belt lies withing the tensile member.

WARNING: New drive designs must use the PowerGrip® GT®2 sprockets, because of the high torque capacity of PowerGrip® GT®2 belts.

WARNING: Do not use HTD® or RPP® profiled sprockets in new designs. PowerGrip® GT®2 belts can be used on existing HTD® or HT100® sprockets as replacement belts, usually at the next narrowest width.

Product No. Series 9207

8mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-20	$26.40	9207-1021	48	15.12	.11
480-8MGT-20	27.02	9207-0001	60	18.90	.13
560-8MGT-20	29.37	9207-0005	70	22.05	.16
600-8MGT-20	30.86	9207-0009	75	23.62	.17
640-8MGT-20	31.70	9207-0013	80	25.20	.18
720-8MGT-20	34.05	9207-0017	90	28.35	.20
800-8MGT-20	37.25	9207-0021	100	31.50	.22
840-8MGT-20	38.72	9207-1025	105	33.07	.23
880-8MGT-20	39.59	9207-0025	110	34.65	.25
920-8MGT-20	40.42	9207-1001	115	36.22	.26
960-8MGT-20	41.92	9207-0029	120	37.80	.27
1040-8MGT-20	44.27	9207-0033	130	40.94	.29
1064-8MGT-20	44.68	9207-1005	133	41.89	.30
1104-8MGT-20	45.96	9207-1037	138	43.46	.31
1120-8MGT-20	46.60	9207-0037	140	44.09	.31
1160-8MGT-20	47.65	9207-1009	145	45.83	.33
1200-8MGT-20	49.16	9207-0041	150	47.24	.34

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1224-8MGT-20	$50.50	9207-1029	153	48.19	.35
1280-8MGT-20	51.49	9207-0045	160	50.39	.36
1440-8MGT-20	56.18	9207-0049	180	56.69	.40
1512-8MGT-20	57.87	9207-1013	189	59.53	.42
1584-8MGT-20	61.07	9207-1017	198	62.36	.44
1600-8MGT-20	61.07	9207-0053	200	62.99	.45
1760-8MGT-20	65.74	9207-0057	220	69.29	.49
1800-8MGT-20	67.26	9207-0061	225	70.87	.50
2000-8MGT-20	73.64	9207-0065	250	78.74	.56
2200-8MGT-20	80.00	9207-1033	275	86.62	.61
2400-8MGT-20	86.19	9207-0069	300	94.49	.67
2600-8MGT-20	93.21	9207-0077	325	102.36	.73
2800-8MGT-20	98.96	9207-0073	350	110.24	.78
3048-8MGT-20	106.82	9207-0081	381	120.00	.85
3280-8MGT-20	114.07	9207-0085	410	129.13	.92
3600-8MGT-20	126.19	9207-0089	450	141.73	1.01
4400-8MGT-20	150.66	9207-0093	550	173.23	1.23

PowerGrip® GT®2 Belts–8M and 14M

Product No. Series 9207 (continued)

8mm Pitch — 30mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-30	$36.00	9207-1022	48	15.12	.17
480-8MGT-30	38.34	9207-0002	60	18.90	.20
560-8MGT-30	41.92	9207-0006	70	22.05	.23
600-8MGT-30	44.27	9207-0010	75	23.62	.25
640-8MGT-30	45.33	9207-0014	80	25.20	.27
720-8MGT-30	48.72	9207-0018	90	28.35	.30
800-8MGT-30	53.62	9207-0022	100	31.50	.33
840-8MGT-30	54.67	9207-1026	105	33.07	.35
880-8MGT-30	57.04	9207-0026	110	34.65	.37
920-8MGT-30	58.09	9207-1002	115	36.22	.39
960-8MGT-30	60.43	9207-0030	120	37.80	.40
1040-8MGT-30	64.06	9207-0034	130	40.94	.43
1064-8MGT-30	64.67	9207-1006	133	41.89	.44
1104-8MGT-30	66.38	9207-1038	138	43.46	.46
1120-8MGT-30	67.45	9207-0038	140	44.09	.47
1160-8MGT-30	68.50	9207-1010	146	45.83	.48
1200-8MGT-30	71.07	9207-0042	150	47.24	.50

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1224-8MGT-30	$72.12	9207-1030	153	48.19	.50
1280-8MGT-30	74.48	9207-0046	160	50.39	.53
1440-8MGT-30	81.50	9207-0050	180	56.69	.60
1512-8MGT-30	83.82	9207-1014	189	59.53	.63
1584-8MGT-30	88.53	9207-1018	198	62.36	.66
1600-8MGT-30	88.53	9207-0054	200	62.99	.67
1760-8MGT-30	95.54	9207-0058	220	69.29	.73
1800-8MGT-30	97.66	9207-0062	225	70.87	.75
2000-8MGT-30	107.04	9207-0066	250	78.74	.83
2200-8MGT-30	116.37	9207-1034	275	86.61	.92
2400-8MGT-30	125.77	9207-0070	300	94.49	1.00
2600-8MGT-30	135.35	9207-0078	325	102.36	1.09
2800-8MGT-30	144.27	9207-0074	350	110.24	1.17
3048-8MGT-30	155.98	9207-0082	381	120.00	1.27
3280-8MGT-30	161.95	9207-0086	410	129.13	1.37
3600-8MGT-30	179.39	9207-0090	450	141.73	1.51
4400-8MGT-30	214.50	9207-0094	550	173.23	1.84

8mm Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-50	$60.19	9207-1023	48	15.12	.28
480-8MGT-50	61.07	9207-0003	60	18.90	.34
560-8MGT-50	67.03	9207-0007	70	22.05	.39
600-8MGT-50	70.87	9207-0011	75	23.62	.42
640-8MGT-50	72.78	9207-0015	80	25.20	.45
720-8MGT-50	78.73	9207-0019	90	28.35	.50
800-8MGT-50	86.61	9207-0023	100	31.50	.56
840-8MGT-50	88.71	9207-1027	105	33.07	.58
880-8MGT-50	92.57	9207-0027	110	34.65	.61
920-8MGT-50	94.45	9207-1003	115	36.22	.65
960-8MGT-50	98.52	9207-0031	120	37.80	.67
1040-8MGT-50	104.27	9207-0035	130	40.94	.74
1064-8MGT-50	105.31	9207-1007	133	41.89	.75
1104-8MGT-50	108.28	9207-1039	138	43.46	.77
1120-8MGT-50	110.23	9207-0039	140	44.09	.78
1160-8MGT-50	112.34	9207-1011	146	45.83	.80
1200-8MGT-50	116.20	9207-0043	150	47.24	.84

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1224-8MGT-50	$118.08	9207-1031	153	48.19	.87
1280-8MGT-50	122.14	9207-0047	160	50.39	.89
1440-8MGT-50	133.85	9207-0051	180	56.69	1.01
1512-8MGT-50	137.87	9207-1015	189	59.53	1.05
1584-8MGT-50	145.76	9207-1019	198	62.36	1.09
1600-8MGT-50	145.76	9207-0055	200	62.99	1.11
1760-8MGT-50	157.47	9207-0059	220	69.29	1.23
1800-8MGT-50	161.50	9207-0063	225	70.87	1.25
2000-8MGT-50	177.27	9207-0067	250	78.74	1.39
2200-8MGT-50	192.96	9207-1035	275	86.61	1.53
2400-8MGT-50	208.76	9207-0071	300	94.49	1.67
2600-8MGT-50	227.05	9207-0079	325	102.36	1.81
2800-8MGT-50	240.23	9207-0075	350	110.24	1.95
3048-8MGT-50	258.13	9207-0083	381	120.00	1.95
3280-8MGT-50	274.93	9207-0087	410	129.13	2.29
3600-8MGT-50	304.94	9207-0091	450	141.73	2.51
4400-8MGT-50	365.17	9207-0095	550	173.23	3.07

PowerGrip® GT®2 Belts–8M and 14M

Product No. Series 9207 (continued)

8mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-85	$100.75	9207-1024	48	15.12	.48
480-8MGT-85	101.49	9207-0004	60	18.90	.57
560-8MGT-85	111.50	9207-0008	70	22.05	.66
600-8MGT-85	118.21	9207-0012	75	23.62	.71
640-8MGT-85	121.51	9207-0016	80	25.20	.76
720-8MGT-85	131.52	9207-0020	90	28.35	.85
800-8MGT-85	144.93	9207-0024	100	31.50	.95
840-8MGT-85	148.29	9207-1028	105	33.07	.99
880-8MGT-85	154.92	9207-0028	110	34.65	1.04
920-8MGT-85	158.28	9207-1004	115	36.22	1.09
960-8MGT-85	164.92	9207-0032	120	37.80	1.14
1040-8MGT-85	174.91	9207-0036	130	40.94	1.23
1064-8MGT-85	176.58	9207-1008	133	41.89	1.25
1104-8MGT-85	181.68	9207-1040	138	43.46	1.30
1120-8MGT-85	184.91	9207-0040	140	44.09	1.33
1160-8MGT-85	191.70	9207-1012	146	45.83	1.38
1200-8MGT-85	194.93	9207-0044	150	47.24	1.42

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1224-8MGT-85	$198.28	9207-1032	153	48.19	1.45
1280-8MGT-85	204.92	9207-0048	160	50.39	1.52
1440-8MGT-85	224.93	9207-0052	180	56.69	1.71
1512-8MGT-85	231.68	9207-1016	189	59.53	1.78
1584-8MGT-85	245.14	9207-1020	198	62.36	1.85
1600-8MGT-85	245.14	9207-0056	200	62.99	1.90
1760-8MGT-85	264.93	9207-0060	220	69.29	2.08
1800-8MGT-85	271.74	9207-0064	225	70.87	2.13
2000-8MGT-85	298.33	9207-0068	250	78.74	2.37
2200-8MGT-85	325.09	9207-1036	275	86.61	2.60
2400-8MGT-85	351.75	9207-0072	300	94.49	2.84
2600-8MGT-85	379.62	9207-0080	325	102.36	3.09
2800-8MGT-85	405.15	9207-0076	350	110.24	3.32
3048-8MGT-85	438.79	9207-0084	381	120.00	3.62
3280-8MGT-85	472.41	9207-0088	410	129.13	3.89
3600-8MGT-85	524.32	9207-0092	450	141.73	4.27
4400-8MGT-85	628.39	9207-0096	550	173.23	5.22

14mm Pitch — 40mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-40	$202.80	9207-0100	69	38.03	.84
1190-14MGT-40	223.02	9207-0105	85	46.85	1.03
1400-14MGT-40	242.59	9207-0110	100	55.12	1.21
1610-14MGT-40	262.58	9207-0115	115	63.39	1.40
1778-14MGT-40	280.25	9207-0120	127	70.00	1.54
1890-14MGT-40	294.30	9207-0125	135	74.41	1.64
2100-14MGT-40	320.68	9207-0130	150	82.68	1.82
2310-14MGT-40	341.54	9207-0135	165	90.94	2.00
2450-14MGT-40	355.59	9207-0140	175	96.46	2.13
2590-14MGT-40	372.81	9207-0145	185	101.97	2.25
2800-14MGT-40	398.77	9207-0150	200	110.24	2.43

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-40	$437.71	9207-0155	225	124.02	2.73
3360-14MGT-40	458.36	9207-0180	240	132.28	2.91
3500-14MGT-40	472.63	9207-0160	250	137.80	3.03
3850-14MGT-40	520.29	9207-0165	275	151.57	3.33
4326-14MGT-40	577.96	9207-0170	309	170.31	3.74
4578-14MGT-40	610.73	9207-0175	327	180.24	3.96
4956-14MGT-40	661.15	9207-0185	354	195.12	4.29
5320-14MGT-40	709.89	9207-0190	380	209.45	4.61
5740-14MGT-40	765.85	9207-0195	410	225.98	4.97
6160-14MGT-40	821.62	9207-0200	440	242.52	5.33
6860-14MGT-40	915.25	9207-0205	490	270.08	5.94

14mm Pitch — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-55	$266.21	9207-0101	69	38.03	1.15
1190-14MGT-55	294.08	9207-0106	85	46.85	1.42
1400-14MGT-55	321.32	9207-0111	100	55.12	1.67
1610-14MGT-55	350.05	9207-0116	115	63.39	1.92
1778-14MGT-55	373.03	9207-0121	127	70.00	2.13
1890-14MGT-55	392.38	9207-0126	135	74.41	2.26
2100-14MGT-55	428.78	9207-0131	150	82.68	2.51
2310-14MGT-55	456.67	9207-0136	165	90.94	2.76
2450-14MGT-55	475.38	9207-0141	175	96.46	2.93
2590-14MGT-55	499.42	9207-0146	185	101.97	3.10
2800-14MGT-55	535.40	9207-0151	200	110.24	3.34

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-55	$589.02	9207-0156	225	124.02	3.77
3360-14MGT-55	618.59	9207-0181	240	132.28	4.02
3500-14MGT-55	637.97	9207-0161	250	137.80	4.19
3850-14MGT-55	708.83	9207-0166	275	151.57	4.60
4326-14MGT-55	781.39	9207-0171	309	170.31	5.17
4578-14MGT-55	828.62	9207-0176	327	180.24	5.48
4956-14MGT-55	896.93	9207-0186	354	195.12	5.90
5320-14MGT-55	963.12	9207-0191	380	209.45	6.33
5740-14MGT-55	1039.09	9207-0196	410	225.98	6.83
6160-14MGT-55	1114.84	9207-0201	440	242.52	7.33
6860-14MGT-55	1241.67	9207-0206	490	270.08	8.16

PowerGrip® GT®2 Belts–8M and 14M

Product No. Series 9207 (continued)

14mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-85	$387.51	9207-0102	69	38.03	1.78
1190-14MGT-85	430.07	9207-0107	85	46.85	2.20
1400-14MGT-85	471.96	9207-0112	100	55.12	2.58
1610-14MGT-85	514.96	9207-0117	115	63.39	2.97
1778-14MGT-85	549.24	9207-0122	127	70.00	3.28
1890-14MGT-85	578.81	9207-0127	135	74.41	3.49
2100-14MGT-85	634.35	9207-0132	150	82.68	3.88
2310-14MGT-85	676.69	9207-0137	165	90.94	4.26
2450-14MGT-85	704.78	9207-0142	175	96.46	4.52
2590-14MGT-85	740.75	9207-0147	185	101.97	4.78
2800-14MGT-85	794.80	9207-0152	200	110.24	5.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-85	$876.94	9207-0157	225	124.02	5.82
3360-14MGT-85	920.77	9207-0182	240	132.28	6.20
3500-14MGT-85	950.14	9207-0162	250	137.80	6.46
3850-14MGT-85	1051.86	9207-0167	275	151.57	7.10
4326-14MGT-85	1169.09	9207-0172	309	170.31	8.00
4578-14MGT-85	1233.79	9207-0177	327	180.24	8.45
4956-14MGT-85	1320.84	9207-0187	354	195.12	9.11
5320-14MGT-85	1434.02	9207-0192	380	209.45	9.28
5740-14MGT-85	1547.03	9207-0197	410	225.98	10.55
6160-14MGT-85	1660.03	9207-0202	440	242.52	11.32
6860-14MGT-85	1848.97	9207-0207	490	270.08	12.61

14mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-115	$515.19	9207-0103	69	38.03	2.41
1190-14MGT-115	573.70	9207-0108	85	46.85	2.98
1400-14MGT-115	630.30	9207-0113	100	55.12	3.50
1610-14MGT-115	688.62	9207-0118	115	63.39	4.02
1778-14MGT-115	735.43	9207-0123	127	70.00	4.45
1890-14MGT-115	775.42	9207-0128	135	74.41	4.73
2100-14MGT-115	850.54	9207-0133	150	82.68	5.25
2310-14MGT-115	907.36	9207-0138	165	90.94	5.77
2450-14MGT-115	945.23	9207-0143	175	96.46	6.13
2590-14MGT-115	993.76	9207-0148	185	101.97	6.47
2800-14MGT-115	1066.53	9207-0153	200	110.24	7.00

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-115	$1178.05	9207-0158	225	124.02	7.87
3360-14MGT-115	1237.84	9207-0183	240	132.28	8.39
3500-14MGT-115	1278.48	9207-0163	250	137.80	8.75
3850-14MGT-115	1416.80	9207-0168	275	151.57	9.62
4326-14MGT-115	1574.70	9207-0173	309	170.31	10.80
4578-14MGT-115	1666.19	9207-0178	327	180.24	11.42
4956-14MGT-115	1803.66	9207-0188	354	195.12	12.33
5320-14MGT-115	1936.66	9207-0193	380	209.45	13.24
5740-14MGT-115	2089.23	9207-0198	410	225.98	14.29
6160-14MGT-115	2241.81	9207-0203	440	242.52	15.34
6860-14MGT-115	2496.94	9207-0208	490	270.08	17.08

14mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-170	$745.20	9207-0104	69	38.03	3.56
1190-14MGT-170	830.33	9207-0109	85	46.85	4.39
1400-14MGT-170	913.95	9207-0114	100	55.12	5.16
1610-14MGT-170	999.30	9207-0119	115	63.39	5.95
1778-14MGT-170	1067.40	9207-0124	127	70.00	6.56
1890-14MGT-170	1125.68	9207-0129	135	74.41	6.97
2100-14MGT-170	1235.93	9207-0134	150	82.68	7.75
2310-14MGT-170	1319.12	9207-0139	165	90.94	8.53
2450-14MGT-170	1374.67	9207-0144	175	96.46	9.04
2590-14MGT-170	1445.73	9207-0149	185	101.97	9.55
2800-14MGT-170	1552.57	9207-0154	200	110.24	10.33

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-170	$1717.69	9207-0159	225	124.02	11.62
3360-14MGT-170	1805.35	9207-0184	240	132.28	12.39
3500-14MGT-170	1863.45	9207-0164	250	137.80	12.90
3850-14MGT-170	2060.93	9207-0169	275	151.57	14.20
4326-14MGT-170	2299.90	9207-0174	309	170.31	15.96
4578-14MGT-170	2388.63	9207-0179	327	180.24	16.90
4956-14MGT-170	2585.47	9207-0189	354	195.12	18.23
5320-14MGT-170	2776.35	9207-0194	380	209.45	19.57
5740-14MGT-170	2995.10	9207-0199	410	225.98	21.12
6160-14MGT-170	3213.64	9207-0204	440	242.52	22.67
6860-14MGT-170	3579.45	9207-0209	490	270.08	25.25

14mm Pitch PowerGrip® GT®2 ACHE Belts — 40, 55 and 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-40F	$437.71	9207-0589	225	124.01	2.73
3360-14MGT-40F	458.36	9207-0590	240	132.28	2.91
3500-14MGT-40F	472.63	9207-0591	250	137.79	3.03
3850-14MGT-40F	520.29	9207-0592	275	151.57	3.33
3150-14MGT-55F	589.02	9207-0593	225	124.01	3.77
3360-14MGT-55F	618.59	9207-0594	240	132.28	4.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3500-14MGT-55F	$637.97	9207-0595	250	137.79	4.19
3850-14MGT-55F	708.83	9207-0596	275	151.57	4.60
3150-14MGT-85F	876.94	9207-0597	225	124.01	5.82
3360-14MGT-85F	920.77	9207-0598	240	132.28	6.20
3500-14MGT-85F	950.14	9207-0599	250	137.79	6.46
3850-14MGT-85F	1051.86	9207-0600	275	151.57	7.10

PowerGrip® HTD® Belts

PowerGrip® HTD® belts have a larger, more robust tooth profile for increased capacity, as compared to timing belts.



Markets/Applications

Power Grip® HTD® belts are suitable for many applications including data storage, hand power tools, postage handling, food processors, office machines, centrifuges, money handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Thirty percent increase in horsepower ratings, as compared to traditional timing belts.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.

Recommended Sprockets
PowerGrip® HTD® Sprockets

Notes
PowerGrip® HTD® part numbers are comprised of pitch length, pitch and width. For example 900-3M-15 denotes 900 pitch length, 3mm pitch and 15mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip HTD® belt lies withing the tensile member.

Product No. Series 9293

3mm Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
87-3M-06	$4.57	9293-2000	29	3.43	.01
102-3M-06	4.57	9293-2001	34	4.02	.01
105-3M-06	4.57	9293-2002	35	4.13	.01
111-3M-06	4.57	9293-2003	37	4.37	.01
123-3M-06	4.57	9293-2004	41	4.84	.01
144-3M-06	4.73	9293-2005	48	5.67	.01
147-3M-06	4.73	9293-2006	49	5.79	.01
150-3M-06	4.73	9293-0300	50	5.91	.01
156-3M-06	4.85	9293-2007	52	6.14	.01
159-3M-06	4.85	9293-0301	53	6.26	.01
165-3M-06	4.85	9293-2008	55	6.50	.01
168-3M-06	4.85	9293-0302	56	6.61	.01
174-3M-06	4.85	9293-2009	58	6.85	.01
177-3M-06	4.85	9293-0303	59	6.97	.01
180-3M-06	5.00	9293-2010	60	7.09	.01
183-3M-06	5.00	9293-2011	61	7.20	.01
189-3M-06	5.00	9293-0304	63	7.44	.01
195-3M-06	5.00	9293-2012	65	7.68	.01
201-3M-06	5.00	9293-0305	67	7.91	.01
204-3M-06	5.12	9293-2013	68	8.03	.01
207-3M-06	5.12	9293-2014	69	8.15	.01
213-3M-06	5.12	9293-0306	71	8.39	.01
216-3M-06	5.12	9293-2015	72	8.50	.01
222-3M-06	5.12	9293-2016	74	8.74	.01
225-3M-06	5.12	9293-0307	75	8.86	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
228-3M-06	$5.12	9293-2017	76	8.98	.01
234-3M-06	5.25	9293-2018	78	9.21	.01
237-3M-06	5.25	9293-2019	79	9.33	.01
240-3M-06	5.25	9293-0308	80	9.45	.01
246-3M-06	5.25	9293-2020	82	9.69	.01
252-3M-06	5.25	9293-0309	84	9.92	.01
255-3M-06	5.45	9293-0310	85	10.04	.01
258-3M-06	5.45	9293-2021	86	10.16	.01
261-3M-06	5.45	9293-2022	87	10.28	.01
264-3M-06	5.45	9293-2023	88	10.39	.01
267-3M-06	5.45	9293-0311	89	10.51	.01
276-3M-06	5.45	9293-2024	92	10.87	.01
282-3M-06	5.59	9293-2025	94	11.10	.01
285-3M-06	5.59	9293-0312	95	11.22	.01
288-3M-06	5.59	9293-2026	96	11.34	.01
291-3M-06	5.59	9293-2027	97	11.46	.01
297-3M-06	5.59	9293-2028	99	11.69	.01
300-3M-06	5.59	9293-0313	100	11.81	.01
312-3M-06	5.71	9293-0314	104	12.28	.01
315-3M-06	5.71	9293-2029	105	12.40	.01
318-3M-06	5.71	9293-0315	106	12.52	.01
324-3M-06	5.71	9293-2030	108	12.76	.01
330-3M-06	5.71	9293-2031	110	12.99	.01
333-3M-06	5.86	9293-2032	111	13.11	.01
336-3M-06	5.86	9293-2033	112	13.23	.01

PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

3mm Pitch — 6mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
339-3M-06	$5.86	9293-0316	113	13.35	.01
345-3M-06	5.86	9293-2034	115	13.58	.01
357-3M-06	6.05	9293-0317	119	14.06	.01
360-3M-06	6.05	9293-2035	120	14.17	.01
363-3M-06	6.05	9293-0318	121	14.29	.01
366-3M-06	6.05	9293-2036	122	14.41	.01
369-3M-06	6.05	9293-2037	123	14.53	.01
381-3M-06	6.17	9293-2038	127	15.00	.01
384-3M-06	6.17	9293-0319	128	15.12	.01
387-3M-06	6.17	9293-2039	129	15.24	.01
390-3M-06	6.17	9293-0320	130	15.35	.01
396-3M-06	6.17	9293-2040	132	15.59	.01
399-3M-06	6.17	9293-0321	133	15.71	.01
405-3M-06	6.17	9293-2041	135	15.94	.01
411-3M-06	6.29	9293-2042	137	16.18	.01
417-3M-06	6.29	9293-2043	139	16.42	.01
420-3M-06	6.29	9293-0322	140	16.54	.01
426-3M-06	6.29	9293-2044	142	16.77	.01
432-3M-06	6.44	9293-2045	144	17.01	.01
435-3M-06	6.44	9293-2046	145	17.13	.01
438-3M-06	6.44	9293-2047	146	17.24	.01
444-3M-06	6.44	9293-2048	148	17.48	.01
447-3M-06	6.44	9293-0323	149	17.60	.01
459-3M-06	6.56	9293-2049	153	18.07	.01
468-3M-06	6.56	9293-2050	156	18.43	.01
471-3M-06	6.56	9293-2051	157	18.54	.01
474-3M-06	6.56	9293-0324	158	18.66	.01
480-3M-06	6.56	9293-2052	160	18.90	.01
486-3M-06	6.78	9293-0325	162	19.13	.02
489-3M-06	6.78	9293-2053	163	19.25	.02
492-3M-06	6.78	9293-2054	164	19.37	.02
501-3M-06	6.78	9293-0326	167	19.72	.02
510-3M-06	6.91	9293-2055	170	20.08	.02
513-3M-06	6.91	9293-0327	171	20.20	.02
519-3M-06	6.91	9293-2056	173	20.43	.02
525-3M-06	6.91	9293-2057	175	20.67	.02
528-3M-06	6.91	9293-2058	176	20.79	.02
531-3M-06	6.91	9293-0328	177	20.91	.02
537-3M-06	7.04	9293-2059	179	21.14	.02
558-3M-06	7.04	9293-2060	186	21.97	.02
564-3M-06	7.18	9293-0329	188	22.20	.02
570-3M-06	7.18	9293-2061	190	22.44	.02
576-3M-06	7.18	9293-2062	192	22.68	.02
585-3M-06	7.37	9293-2063	195	23.03	.02
591-3M-06	7.37	9293-2064	197	23.27	.02
597-3M-06	7.37	9293-0330	199	23.50	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
600-3M-06	$7.37	9293-2065	200	23.62	.02
606-3M-06	7.37	9293-2066	202	23.86	.02
609-3M-06	7.37	9293-2067	203	23.98	.02
612-3M-06	7.52	9293-2068	204	24.09	.02
627-3M-06	7.52	9293-2069	209	24.69	.02
633-3M-06	7.52	9293-0331	211	24.92	.02
639-3M-06	7.64	9293-2070	213	25.16	.02
645-3M-06	7.64	9293-2071	215	25.39	.02
648-3M-06	7.64	9293-2072	216	25.51	.02
654-3M-06	7.64	9293-2073	218	25.75	.02
657-3M-06	7.64	9293-2074	219	25.87	.02
663-3M-06	7.77	9293-2075	221	26.10	.02
669-3M-06	7.77	9293-0332	223	26.34	.02
684-3M-06	7.77	9293-2076	228	26.93	.02
687-3M-06	7.90	9293-2077	229	27.05	.02
696-3M-06	7.90	9293-2078	232	27.40	.02
711-3M-06	7.90	9293-0333	237	27.99	.02
735-3M-06	8.09	9293-2079	245	28.94	.02
738-3M-06	8.16	9293-2080	246	29.06	.02
753-3M-06	8.16	9293-0334	251	29.65	.02
795-3M-06	8.52	9293-0335	265	31.30	.02
822-3M-06	8.69	9293-2081	274	32.36	.02
837-3M-06	8.69	9293-2082	279	32.95	.02
843-3M-06	8.78	9293-0336	281	33.19	.02
873-3M-06	8.96	9293-2083	291	34.37	.02
882-3M-06	8.96	9293-0337	294	34.72	.02
891-3M-06	9.10	9293-2084	297	35.08	.02
900-3M-06	9.10	9293-2085	300	35.43	.02
915-3M-06	9.31	9293-2086	305	36.02	.02
945-3M-06	9.36	9293-0338	315	37.20	.02
951-3M-06	9.36	9293-2087	317	37.44	.02
981-3M-06	9.49	9293-2088	327	38.62	.02
1002-3M-06	9.70	9293-0339	334	39.45	.02
1026-3M-06	9.84	9293-2089	342	40.39	.02
1035-3M-06	9.84	9293-2090	345	40.75	.02
1062-3M-06	9.97	9293-0340	354	41.81	.02
1125-3M-06	10.44	9293-0341	375	44.29	.03
1155-3M-06	10.56	9293-2091	385	45.47	.03
1191-3M-06	10.71	9293-0342	397	46.89	.03
1263-3M-06	11.09	9293-0343	421	49.72	.04
1500-3M-06	13.31	9293-2092	500	59.06	.05
1512-3M-06	13.31	9293-2093	504	59.53	.05
1587-3M-06	13.97	9293-2094	529	62.48	.07
1956-3M-06	17.11	9293-2095	652	77.01	.09
2004-3M-06	17.52	9293-2096	668	78.90	.10

Product No. Series 9293 (continued)

3mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
87-3M-09	$6.00	9293-2200	29	3.43	.01
102-3M-09	6.00	9293-2201	34	4.02	.01
105-3M-09	6.00	9293-2202	35	4.13	.01
111-3M-09	6.00	9293-2203	37	4.37	.01
123-3M-09	6.00	9293-2204	41	4.84	.01
144-3M-09	6.17	9293-2205	48	5.67	.01
147-3M-09	6.17	9293-2206	49	5.79	.01
150-3M-09	6.17	9293-0344	50	5.91	.01
156-3M-09	6.38	9293-2207	52	6.14	.01
159-3M-09	6.38	9293-0345	53	6.26	.01
165-3M-09	6.38	9293-2208	55	6.50	.01
168-3M-09	6.38	9293-0346	56	6.61	.01
174-3M-09	6.38	9293-2209	58	6.85	.01
177-3M-09	6.38	9293-0347	59	6.97	.01
180-3M-09	6.65	9293-2210	60	7.09	.01
183-3M-09	6.65	9293-2211	61	7.20	.01
189-3M-09	6.65	9293-0348	63	7.44	.01
195-3M-09	6.65	9293-2212	65	7.68	.01
201-3M-09	6.65	9293-0349	67	7.91	.01
204-3M-09	6.84	9293-2213	68	8.03	.01
207-3M-09	6.84	9293-2214	69	8.15	.01
213-3M-09	6.84	9293-0350	71	8.39	.01
216-3M-09	6.84	9293-2215	72	8.50	.01
222-3M-09	6.84	9293-2216	74	8.74	.01
225-3M-09	6.84	9293-0351	75	8.86	.01
228-3M-09	6.84	9293-2217	76	8.98	.01
234-3M-09	7.04	9293-2218	78	9.21	.01
237-3M-09	7.04	9293-2219	79	9.33	.01
240-3M-09	7.04	9293-0352	80	9.45	.01
246-3M-09	7.04	9293-2220	82	9.69	.01
252-3M-09	7.04	9293-0353	84	9.92	.01
255-3M-09	7.25	9293-0354	85	10.04	.01
258-3M-09	7.25	9293-2221	86	10.16	.01
261-3M-09	7.25	9293-2222	87	10.28	.01
264-3M-09	7.25	9293-2223	88	10.39	.01
267-3M-09	7.25	9293-0355	89	10.51	.01
276-3M-09	7.25	9293-2224	92	10.87	.01
282-3M-09	7.52	9293-2225	94	11.10	.01
285-3M-09	7.52	9293-0356	95	11.22	.01
288-3M-09	7.52	9293-2226	96	11.34	.01
291-3M-09	7.52	9293-2227	97	11.46	.01
297-3M-09	7.52	9293-2228	99	11.69	.01
300-3M-09	7.52	9293-0357	100	11.81	.02
312-3M-09	7.64	9293-0358	104	12.28	.02
315-3M-09	7.64	9293-2229	105	12.40	.02
318-3M-09	7.64	9293-0359	106	12.52	.02
324-3M-09	7.64	9293-2230	108	12.76	.02
330-3M-09	7.64	9293-2231	110	12.99	.02
333-3M-09	7.90	9293-2232	111	13.11	.02
336-3M-09	7.90	9293-2233	112	13.23	.02
339-3M-09	7.90	9293-0360	113	13.35	.02
345-3M-09	7.90	9293-2234	115	13.58	.02
357-3M-09	8.10	9293-0361	119	14.06	.02
360-3M-09	8.10	9293-2235	120	14.17	.02
363-3M-09	8.10	9293-0362	121	14.29	.02
366-3M-09	8.10	9293-2236	122	14.41	.02
369-3M-09	8.10	9293-2237	123	14.53	.02
381-3M-09	8.31	9293-2238	127	15.00	.02
384-3M-09	8.31	9293-0363	128	15.12	.02
387-3M-09	8.31	9293-2239	129	15.24	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
390-3M-09	$8.31	9293-0364	130	15.35	.02
396-3M-09	8.31	9293-2240	132	15.59	.02
399-3M-09	8.31	9293-0365	133	15.71	.02
405-3M-09	8.31	9293-2241	135	15.94	.02
411-3M-09	8.57	9293-2242	137	16.18	.02
417-3M-09	8.57	9293-2243	139	16.42	.02
420-3M-09	8.57	9293-0366	140	16.54	.02
426-3M-09	8.57	9293-2244	142	16.77	.02
432-3M-09	8.69	9293-2245	144	17.01	.02
435-3M-09	8.69	9293-2246	145	17.13	.02
438-3M-09	8.69	9293-2247	146	17.24	.02
444-3M-09	8.69	9293-2248	148	17.48	.02
447-3M-09	8.69	9293-0367	149	17.60	.02
459-3M-09	8.96	9293-2249	153	18.07	.02
468-3M-09	8.96	9293-2250	156	18.43	.02
471-3M-09	8.96	9293-2251	157	18.54	.02
474-3M-09	8.96	9293-0368	158	18.66	.02
480-3M-09	8.96	9293-2252	160	18.90	.02
486-3M-09	9.17	9293-0369	162	19.13	.03
489-3M-09	9.17	9293-2253	163	19.25	.03
492-3M-09	9.17	9293-2254	164	19.37	.03
501-3M-09	9.17	9293-0370	167	19.72	.03
510-3M-09	9.36	9293-2255	170	20.08	.03
513-3M-09	9.36	9293-0371	171	20.20	.03
519-3M-09	9.36	9293-2256	173	20.43	.03
525-3M-09	9.36	9293-2257	175	20.67	.03
528-3M-09	9.36	9293-2258	176	20.79	.03
531-3M-09	9.36	9293-0372	177	20.91	.03
537-3M-09	9.58	9293-2259	179	21.14	.03
558-3M-09	9.58	9293-2260	186	21.97	.03
564-3M-09	9.84	9293-0373	188	22.20	.03
570-3M-09	9.84	9293-2261	190	22.44	.03
576-3M-09	9.84	9293-2262	192	22.68	.03
585-3M-09	9.97	9293-2263	195	23.03	.03
591-3M-09	9.97	9293-2264	197	23.27	.03
597-3M-09	9.97	9293-0374	199	23.50	.03
600-3M-09	9.97	9293-2265	200	23.62	.03
612-3M-09	10.23	9293-2268	204	24.09	.03
627-3M-09	10.23	9293-2269	209	24.69	.03
633-3M-09	10.23	9293-0375	211	24.92	.03
639-3M-09	10.44	9293-2270	213	25.16	.03
645-3M-09	10.44	9293-2271	215	25.39	.03
648-3M-09	10.44	9293-2272	216	25.51	.03
654-3M-09	10.44	9293-2273	218	25.75	.03
657-3M-09	10.44	9293-2274	219	25.87	.03
663-3M-09	10.64	9293-2275	221	26.10	.03
669-3M-09	10.64	9293-0376	223	26.34	.03
684-3M-09	10.64	9293-2276	228	26.93	.04
687-3M-09	10.90	9293-2277	229	27.05	.04
696-3M-09	10.90	9293-2278	232	27.40	.04
711-3M-09	10.90	9293-0377	237	27.99	.04
735-3M-09	11.09	9293-2279	245	28.94	.04
738-3M-09	11.29	9293-2280	246	29.06	.04
753-3M-09	11.29	9293-0378	251	29.65	.04
795-3M-09	11.72	9293-0379	265	31.30	.04
822-3M-09	11.89	9293-2281	274	32.36	.04
837-3M-09	11.89	9293-2282	279	32.95	.04
843-3M-09	12.15	9293-0380	281	33.19	.04
873-3M-09	12.30	9293-2283	291	34.37	.05
882-3M-09	12.30	9293-0381	294	34.72	.05

PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

3mm Pitch — 9mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
891-3M-09	$12.56	9293-2284	297	35.08	.05
900-3M-09	12.56	9293-2285	300	35.43	.05
915-3M-09	12.82	9293-2286	305	36.02	.05
945-3M-09	12.95	9293-0382	315	37.20	.05
951-3M-09	12.95	9293-2287	317	37.44	.05
981-3M-09	13.21	9293-2288	327	38.62	.05
1002-3M-09	13.42	9293-0383	334	39.45	.05
1026-3M-09	13.63	9293-2289	342	40.39	.05
1035-3M-09	13.63	9293-2290	345	40.75	.05
1062-3M-09	13.81	9293-0384	354	41.81	.05
1125-3M-09	$14.48	9293-0385	375	44.29	.06
1155-3M-09	14.69	9293-2291	385	45.47	.06
1191-3M-09	14.86	9293-0386	397	46.89	.06
1263-3M-09	15.56	9293-0387	421	49.72	.07
1500-3M-09	18.57	9293-2292	500	59.06	.07
1512-3M-09	18.57	9293-2293	504	59.53	.07
1587-3M-09	19.47	9293-2294	529	62.48	.08
1956-3M-09	23.79	9293-2295	652	77.01	.13
2004-3M-09	24.36	9293-2296	668	78.90	.14

3mm Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
87-3M-15	$9.63	9293-2400	29	3.43	.01
102-3M-15	9.63	9293-2401	34	4.02	.01
105-3M-15	9.63	9293-2402	35	4.13	.01
111-3M-15	9.63	9293-2403	37	4.37	.01
144-3M-15	10.07	9293-2405	48	5.67	.01
147-3M-15	10.07	9293-2406	49	5.79	.01
150-3M-15	10.07	9293-0388	50	5.91	.01
156-3M-15	10.44	9293-2407	52	6.14	.01
159-3M-15	10.44	9293-0389	53	6.26	.01
165-3M-15	10.44	9293-2408	55	6.50	.01
168-3M-15	10.44	9293-0390	56	6.61	.01
174-3M-15	10.44	9293-2409	58	6.85	.01
177-3M-15	10.44	9293-0391	59	6.97	.01
180-3M-15	10.81	9293-2410	60	7.09	.01
183-3M-15	10.81	9293-2411	61	7.20	.01
189-3M-15	10.81	9293-0392	63	7.44	.02
195-3M-15	10.81	9293-2412	65	7.68	.02
201-3M-15	10.81	9293-0393	67	7.91	.02
204-3M-15	11.17	9293-2413	68	8.03	.02
207-3M-15	11.17	9293-2414	69	8.15	.02
213-3M-15	11.17	9293-0394	71	8.39	.02
216-3M-15	11.17	9293-2415	72	8.50	.02
222-3M-15	11.17	9293-2416	74	8.74	.02
225-3M-15	11.17	9293-0395	75	8.86	.02
228-3M-15	11.17	9293-2417	76	8.98	.02
234-3M-15	11.60	9293-2418	78	9.21	.02
237-3M-15	11.60	9293-2419	79	9.33	.02
240-3M-15	11.60	9293-0396	80	9.45	.02
246-3M-15	11.60	9293-2420	82	9.69	.02
252-3M-15	11.60	9293-0397	84	9.92	.02
255-3M-15	11.91	9293-0398	85	10.04	.02
258-3M-15	11.91	9293-2421	86	10.16	.02
261-3M-15	11.91	9293-2422	87	10.28	.02
264-3M-15	11.91	9293-2423	88	10.39	.02
267-3M-15	11.91	9293-0399	89	10.51	.02
276-3M-15	11.91	9293-2424	92	10.87	.02
282-3M-15	12.28	9293-2425	94	11.10	.02
285-3M-15	12.28	9293-0400	95	11.22	.02
288-3M-15	12.28	9293-2426	96	11.34	.02
291-3M-15	12.28	9293-2427	97	11.46	.03
297-3M-15	$12.28	9293-2428	99	11.69	.03
300-3M-15	12.28	9293-0401	100	11.81	.03
312-3M-15	12.64	9293-0402	104	12.28	.03
315-3M-15	12.64	9293-2429	105	12.40	.03
318-3M-15	12.64	9293-0403	106	12.52	.03
324-3M-15	12.64	9293-2430	108	12.76	.03
330-3M-15	12.64	9293-2431	110	12.99	.03
333-3M-15	13.01	9293-2432	111	13.11	.03
336-3M-15	13.01	9293-2433	112	13.23	.03
339-3M-15	13.01	9293-0404	113	13.35	.03
345-3M-15	13.01	9293-2434	115	13.58	.03
357-3M-15	13.45	9293-0405	119	14.06	.03
360-3M-15	13.45	9293-2435	120	14.17	.03
363-3M-15	13.45	9293-0406	121	14.29	.03
366-3M-15	13.45	9293-2436	122	14.41	.03
369-3M-15	13.45	9293-2437	123	14.53	.03
381-3M-15	13.83	9293-2438	127	15.00	.03
384-3M-15	13.83	9293-0407	128	15.12	.03
387-3M-15	13.83	9293-2439	129	15.24	.03
390-3M-15	13.83	9293-0408	130	15.35	.03
396-3M-15	13.83	9293-2440	132	15.59	.03
399-3M-15	13.83	9293-0409	133	15.71	.03
405-3M-15	13.83	9293-2441	135	15.94	.03
411-3M-15	14.11	9293-2442	137	16.18	.04
417-3M-15	14.11	9293-2443	139	16.42	.04
420-3M-15	14.11	9293-0410	140	16.54	.04
426-3M-15	14.11	9293-2444	142	16.77	.04
432-3M-15	14.48	9293-2445	144	17.01	.04
435-3M-15	14.48	9293-2446	145	17.13	.04
438-3M-15	14.48	9293-2447	146	17.24	.04
444-3M-15	14.48	9293-2448	148	17.48	.04
447-3M-15	14.48	9293-0411	149	17.60	.04
459-3M-15	14.85	9293-2449	153	18.07	.04
468-3M-15	14.85	9293-2450	156	18.43	.05
471-3M-15	14.85	9293-2451	157	18.54	.05
474-3M-15	14.85	9293-0412	158	18.66	.04
480-3M-15	14.85	9293-2452	160	18.90	.05
486-3M-15	15.31	9293-0413	162	19.13	.04
489-3M-15	15.31	9293-2453	164	19.25	.05
492-3M-15	15.31	9293-2454	164	19.37	.05

Product No. Series 9293 (continued)

3mm Pitch — 15mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
501-3M-15	$15.31	9293-0414	167	19.72	.04
510-3M-15	15.68	9293-2455	170	20.08	.05
513-3M-15	15.68	9293-0415	171	20.20	.04
519-3M-15	15.68	9293-2456	173	20.43	.05
525-3M-15	15.68	9293-2457	175	20.67	.05
528-3M-15	15.68	9293-2458	176	20.79	.05
531-3M-15	15.68	9293-0416	177	20.91	.05
537-3M-15	16.03	9293-2459	179	21.14	.05
558-3M-15	16.03	9293-2460	186	21.97	.05
564-3M-15	16.35	9293-0417	188	22.20	.05
570-3M-15	16.35	9293-2461	190	22.44	.05
576-3M-15	16.35	9293-2462	192	22.68	.05
585-3M-15	16.72	9293-2463	195	23.03	.05
591-3M-15	16.72	9293-2464	197	23.27	.05
597-3M-15	16.72	9293-0418	199	23.50	.05
600-3M-15	16.72	9293-2465	200	23.62	.05
606-3M-15	16.72	9293-2466	202	23.86	.05
609-3M-15	16.72	9293-2467	203	23.98	.05
612-3M-15	17.16	9293-2468	204	24.09	.05
627-3M-15	17.16	9293-2469	209	24.69	.05
633-3M-15	17.16	9293-0419	211	24.92	.05
639-3M-15	17.53	9293-2470	213	25.16	.05
645-3M-15	17.53	9293-2471	215	25.39	.05
648-3M-15	17.53	9293-2472	216	25.51	.05
654-3M-15	17.53	9293-2473	218	25.75	.05
657-3M-15	17.53	9293-2474	219	25.87	.05
663-3M-15	17.90	9293-2475	221	26.10	.05
669-3M-15	17.90	9293-0420	223	26.34	.06
684-3M-15	17.90	9293-2476	228	26.93	.06
687-3M-15	18.27	9293-2477	229	27.05	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
696-3M-15	$18.27	9293-2478	232	27.40	.06
711-3M-15	18.27	9293-0421	237	27.99	.06
735-3M-15	18.57	9293-2479	245	28.94	.06
738-3M-15	19.01	9293-2480	246	29.06	.06
753-3M-15	19.01	9293-0422	251	29.65	.06
795-3M-15	19.73	9293-0423	265	31.30	.07
822-3M-15	20.12	9293-2481	274	32.36	.07
837-3M-15	20.12	9293-2482	279	32.95	.07
843-3M-15	20.42	9293-0424	281	33.19	.07
873-3M-15	20.84	9293-2483	291	34.37	.07
882-3M-15	20.84	9293-0425	294	34.72	.08
891-3M-15	21.23	9293-2484	297	35.08	.08
900-3M-15	21.23	9293-2485	300	35.43	.08
915-3M-15	21.60	9293-2486	305	36.02	.08
945-3M-15	21.95	9293-0426	315	37.20	.08
951-3M-15	21.95	9293-2487	317	37.44	.08
981-3M-15	22.34	9293-2488	327	38.62	.09
1002-3M-15	22.71	9293-0427	334	39.45	.09
1026-3M-15	23.10	9293-2489	342	40.39	.09
1035-3M-15	23.10	9293-2490	345	40.75	.10
1062-3M-15	23.44	9293-0428	354	41.81	.09
1125-3M-15	24.64	9293-0429	375	44.29	.10
1155-3M-15	24.94	9293-2491	385	40.47	.10
1191-3M-15	25.29	9293-0430	397	46.89	.10
1263-3M-15	26.48	9293-0431	421	49.72	.11
1500-3M-15	31.69	9293-2492	500	59.06	.12
1512-3M-15	31.69	9293-2493	504	59.53	.13
1587-3M-15	33.24	9293-2494	529	62.48	.15
1956-3M-15	40.63	9293-2495	652	77.01	.17
2004-3M-15	41.59	9293-2496	668	78.90	.17

PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

5mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
200-5M-09	$8.78	9293-2600	40	7.87	.02
240-5M-09	9.10	9293-2601	48	9.45	.02
260-5M-09	9.45	9293-2602	52	10.24	.02
270-5M-09	9.45	9293-2603	54	10.63	.02
285-5M-09	9.75	9293-2604	57	11.22	.03
300-5M-09	9.75	9293-2605	60	11.81	.03
310-5M-09	10.07	9293-2606	62	12.20	.03
320-5M-09	10.07	9293-2607	64	12.60	.03
350-5M-09	10.43	9293-0500	70	13.78	.03
375-5M-09	10.74	9293-0501	75	14.76	.03
400-5M-09	11.08	9293-0502	80	15.75	.03
415-5M-09	11.32	9293-2608	83	16.34	.03
425-5M-09	11.32	9293-0503	85	16.73	.04
450-5M-09	11.66	9293-0504	90	17.72	.04
460-5M-09	12.00	9293-2609	92	18.11	.04
475-5M-09	12.00	9293-0505	95	18.70	.04
480-5M-09	12.00	9293-2610	96	18.90	.04
495-5M-09	12.34	9293-2611	99	19.49	.04
500-5M-09	12.34	9293-0506	100	19.69	.04
520-5M-09	12.61	9293-2612	104	20.47	.05
535-5M-09	12.92	9293-0507	107	21.06	.05
555-5M-09	12.92	9293-2613	111	21.85	.05
565-5M-09	13.28	9293-0508	113	22.24	.05
580-5M-09	13.28	9293-2614	116	22.83	.05
585-5M-09	13.53	9293-2615	117	23.03	.05
600-5M-09	13.53	9293-0509	120	23.62	.05
615-5M-09	13.86	9293-2616	123	24.21	.06
635-5M-09	14.15	9293-0510	127	25.00	.06
655-5M-09	14.15	9293-2617	131	25.79	.06
665-5M-09	14.55	9293-2618	133	26.18	.06
670-5M-09	14.55	9293-0511	134	26.38	.06
680-5M-09	14.55	9293-2619	136	26.77	.06
685-5M-09	14.55	9293-2620	137	26.97	.06
695-5M-09	14.82	9293-2621	139	27.36	.06
710-5M-09	14.82	9293-0512	142	27.95	.06
740-5M-09	15.41	9293-0513	148	29.13	.06
745-5M-09	15.41	9293-2622	149	29.33	.06
765-5M-09	15.75	9293-2623	153	30.12	.07
790-5M-09	16.06	9293-2624	158	31.10	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
800-5M-09	$16.06	9293-0514	160	31.50	.07
830-5M-09	16.38	9293-2625	166	32.68	.07
835-5M-09	16.38	9293-2626	167	32.87	.07
850-5M-09	16.67	9293-0515	170	33.46	.07
870-5M-09	17.00	9293-2627	174	34.25	.08
890-5M-09	17.34	9293-0516	178	35.04	.08
925-5M-09	17.67	9293-2628	185	36.42	.08
950-5M-09	17.92	9293-0517	190	37.40	.08
975-5M-09	18.27	9293-2629	195	38.39	.09
985-5M-09	18.27	9293-2630	197	38.78	.09
1000-5M-09	18.60	9293-0518	200	39.37	.09
1050-5M-09	19.21	9293-0519	210	41.34	.09
1115-5M-09	19.80	9293-2631	223	43.90	.10
1125-5M-09	20.14	9293-0520	225	44.29	.10
1195-5M-09	21.12	9293-0521	239	47.05	.10
1250-5M-09	21.66	9293-2632	250	49.21	.11
1270-5M-09	22.08	9293-0522	254	50.00	.11
1295-5M-09	22.08	9293-2633	259	50.98	.12
1375-5M-09	23.28	9293-2634	275	54.13	.12
1420-5M-09	23.28	9293-0523	284	55.91	.12
1575-5M-09	25.78	9293-2635	315	62.01	.14
1595-5M-09	25.78	9293-0524	319	62.80	.14
1635-5M-09	26.36	9293-2636	327	64.37	.14
1690-5M-09	27.05	9293-0525	338	66.54	.14
1720-5M-09	27.05	9293-2637	344	67.72	.16
1790-5M-09	28.29	9293-0526	358	70.47	.16
1800-5M-09	28.29	9293-2638	360	70.87	.16
1895-5M-09	29.56	9293-0527	379	74.61	.16
1945-5M-09	30.16	9293-2639	389	76.57	.17
1980-5M-09	30.16	9293-2640	396	77.95	.17
2000-5M-09	30.82	9293-0528	400	78.74	.17
2110-5M-09	32.12	9293-2641	422	83.07	.18
2250-5M-09	34.18	9293-0529	450	88.58	.18
2525-5M-09	38.34	9293-0530	505	99.40	.19
2760-5M-09	41.68	9293-2642	552	108.66	.24
3120-5M-09	47.12	9293-2643	624	122.83	.28
3170-5M-09	47.88	9293-2644	634	124.80	.30
3430-5M-09	51.81	9293-2645	686	135.04	.32
3800-5M-09	57.40	9293-2646	760	149.61	.36

Product No. Series 9293 (continued)

5mm Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
200-5M-15	$12.91	9293-2700	40	7.87	.03
240-5M-15	13.51	9293-2701	48	9.45	.04
260-5M-15	14.27	9293-2702	52	10.24	.04
270-5M-15	14.27	9293-2703	54	10.63	.04
285-5M-15	14.73	9293-2704	57	11.22	.04
300-5M-15	14.73	9293-2705	60	11.81	.04
310-5M-15	15.33	9293-2706	62	12.20	.05
320-5M-15	15.33	9293-2707	64	12.60	.05
350-5M-15	15.86	9293-0531	70	13.78	.05
375-5M-15	16.40	9293-0532	75	14.76	.06
400-5M-15	16.95	9293-0533	80	15.75	.06
415-5M-15	17.47	9293-2708	83	16.34	.06
425-5M-15	17.47	9293-0534	85	16.73	.06
450-5M-15	18.02	9293-0535	90	17.72	.07
460-5M-15	18.56	9293-2709	92	18.11	.07
475-5M-15	18.56	9293-0536	95	18.70	.07
480-5M-15	18.56	9293-2710	96	18.90	.07
495-5M-15	19.15	9293-2711	99	19.49	.07
500-5M-15	19.15	9293-0537	100	19.69	.07
520-5M-15	19.70	9293-2712	104	20.47	.08
535-5M-15	20.23	9293-0538	107	21.06	.08
555-5M-15	20.23	9293-2713	111	21.85	.08
565-5M-15	20.65	9293-0539	113	22.24	.08
580-5M-15	20.65	9293-2714	116	22.83	.08
585-5M-15	21.30	9293-2715	117	23.03	.08
600-5M-15	21.30	9293-0540	120	23.62	.09
615-5M-15	21.90	9293-2716	123	24.21	.09
635-5M-15	22.38	9293-0541	127	25.00	.09
655-5M-15	22.38	9293-2717	131	25.79	.10
665-5M-15	23.00	9293-2718	133	26.18	.10
670-5M-15	23.00	9293-0542	134	26.38	.10
680-5M-15	23.00	9293-2719	136	26.77	.10
685-5M-15	23.00	9293-2720	137	26.97	.10
695-5M-15	23.48	9293-2721	139	27.36	.10
710-5M-15	23.48	9293-0543	142	27.95	.10
740-5M-15	24.61	9293-0544	148	29.13	.11
745-5M-15	24.61	9293-2722	149	29.33	.11
765-5M-15	25.08	9293-2723	153	30.12	.11
790-5M-15	25.68	9293-2724	158	31.10	.12

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
800-5M-15	$25.68	9293-0545	160	31.50	.12
830-5M-15	26.21	9293-2725	166	32.68	.12
835-5M-15	26.21	9293-2726	167	32.87	.12
850-5M-15	26.76	9293-0546	170	33.46	.12
870-5M-15	27.28	9293-2727	174	34.25	.13
890-5M-15	27.83	9293-0547	178	35.04	.13
925-5M-15	28.43	9293-2728	185	36.42	.14
950-5M-15	28.91	9293-0548	190	37.40	.14
975-5M-15	29.52	9293-2729	195	38.39	.15
985-5M-15	29.52	9293-2730	197	38.78	.15
1000-5M-15	30.05	9293-0549	200	39.37	.15
1050-5M-15	31.11	9293-0550	210	41.34	.15
1115-5M-15	32.20	9293-2731	223	43.90	.16
1125-5M-15	32.74	9293-0551	225	44.29	.16
1195-5M-15	34.35	9293-0552	239	47.05	.17
1250-5M-15	35.43	9293-2732	250	49.21	.18
1270-5M-15	36.03	9293-0553	254	50.00	.19
1295-5M-15	36.03	9293-2733	259	50.98	.20
1375-5M-15	38.18	9293-2734	275	54.13	.20
1420-5M-15	38.18	9293-0554	284	55.91	.21
1575-5M-15	42.56	9293-2735	315	62.01	.23
1595-5M-15	42.56	9293-0555	319	62.80	.23
1635-5M-15	43.70	9293-2736	327	64.37	.24
1690-5M-15	44.69	9293-0556	338	66.54	.24
1720-5M-15	44.69	9293-2737	344	67.72	.25
1790-5M-15	46.92	9293-0557	358	70.47	.26
1800-5M-15	46.92	9293-2738	360	70.87	.27
1895-5M-15	49.13	9293-0558	379	74.61	.28
1945-5M-15	50.23	9293-2739	389	76.57	.28
1980-5M-15	50.23	9293-2740	396	77.95	.28
2000-5M-15	51.02	9293-0559	400	78.74	.28
2110-5M-15	53.44	9293-2741	422	83.07	.29
2250-5M-15	56.74	9293-0560	450	88.58	.30
2525-5M-15	62.17	9293-0561	505	99.40	.32
2760-5M-15	69.90	9293-2742	552	108.66	.36
3120-5M-15	79.02	9293-2743	624	122.83	.42
3170-5M-15	80.29	9293-2744	634	124.80	.49
3430-5M-15	86.88	9293-2745	686	135.04	.52
3800-5M-15	96.25	9293-2746	760	149.61	.60

PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

5mm Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
200-5M-25	$20.53	9293-2800	40	7.87	.06
240-5M-25	21.81	9293-2801	48	9.45	.06
260-5M-25	22.34	9293-2802	52	10.24	.07
270-5M-25	22.34	9293-2803	54	10.63	.07
285-5M-25	23.30	9293-2804	57	11.22	.07
300-5M-25	23.30	9293-2805	60	11.81	.08
310-5M-25	24.25	9293-2806	62	12.20	.08
320-5M-25	24.25	9293-2807	64	12.60	.08
350-5M-25	25.17	9293-0562	70	13.78	.09
375-5M-25	26.15	9293-0563	75	14.76	.09
400-5M-25	27.00	9293-0564	80	15.75	.10
415-5M-25	27.96	9293-2808	83	16.34	.10
425-5M-25	27.96	9293-0565	85	16.73	.10
450-5M-25	28.92	9293-0566	90	17.72	.11
460-5M-25	29.83	9293-2809	92	18.11	.11
475-5M-25	29.83	9293-0567	95	18.70	.12
480-5M-25	29.83	9293-2810	96	18.90	.12
495-5M-25	30.76	9293-2811	99	19.49	.12
500-5M-25	30.76	9293-0568	100	19.69	.12
520-5M-25	31.74	9293-2812	104	20.47	.13
535-5M-25	32.60	9293-0569	107	21.06	.13
555-5M-25	32.60	9293-2813	111	21.85	.13
565-5M-25	33.54	9293-0570	113	22.24	.14
580-5M-25	33.54	9293-2814	116	22.83	.14
585-5M-25	34.50	9293-2815	117	23.03	.15
600-5M-25	34.50	9293-0571	120	23.62	.15
615-5M-25	35.45	9293-2816	123	24.21	.16
635-5M-25	36.38	9293-0572	127	25.00	.16
655-5M-25	36.38	9293-2817	131	25.79	.16
665-5M-25	37.32	9293-2818	133	26.18	.16
670-5M-25	37.32	9293-0573	134	26.38	.16
680-5M-25	37.32	9293-2819	136	26.77	.17
685-5M-25	37.32	9293-2820	137	26.97	.17
695-5M-25	38.21	9293-2821	139	27.36	.17
710-5M-25	38.21	9293-0574	142	27.95	.17
740-5M-25	40.11	9293-0575	148	29.13	.18
745-5M-25	40.11	9293-2822	149	29.33	.18
765-5M-25	41.06	9293-2823	153	30.12	.19
790-5M-25	41.98	9293-2824	158	31.10	.20

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
800-5M-25	$41.98	9293-0576	160	31.50	.20
830-5M-25	41.98	9293-2824	166	32.68	.21
835-5M-25	42.94	9293-2826	167	32.87	.21
850-5M-25	43.83	9293-0577	170	33.46	.21
870-5-M25	44.60	9293-2827	174	34.25	.22
890-5M-25	45.70	9293-0578	178	35.04	.22
925-5M-25	46.65	9293-2828	185	36.42	.23
950-5M-25	47.63	9293-0579	190	37.40	.23
975-5M-25	48.53	9293-2829	195	38.39	.24
985-5M-25	48.53	9293-2830	197	38.78	.24
1000-5M-25	49.44	9293-0580	200	39.37	.24
1050-5M-25	51.31	9293-0581	210	41.34	.26
1115-5M-25	53.21	9293-2831	223	43.90	.27
1125-5M-25	54.17	9293-0582	225	44.29	.27
1195-5M-25	56.91	9293-0583	239	47.05	.28
1250-5M-25	58.80	9293-2832	250	49.21	.29
1270-5M-25	59.79	9293-0584	254	50.00	.31
1295-5M-25	59.79	9293-2833	259	50.98	.31
1375-5M-25	63.46	9293-2834	275	54.13	.33
1420-5M-25	63.46	9293-0585	284	55.91	.34
1575-5M-25	70.95	9293-2835	315	62.01	.38
1595-5M-25	70.95	9293-0586	319	62.84	.39
1635-5M-25	72.78	9293-2836	327	64.37	.40
1690-5M-25	74.67	9293-0587	338	66.54	.41
1720-5M-25	74.67	9293-2837	344	67.72	.42
1790-5M-25	78.39	9293-0588	358	70.47	.43
1800-5M-25	78.39	9293-2838	360	70.87	.45
1895-5M-25	82.15	9293-0589	379	74.61	.46
1945-5M-25	84.00	9293-2839	389	76.57	.47
1980-5M-25	84.00	9293-2840	396	77.95	.47
2000-5M-25	85.88	9293-0590	400	78.74	.47
2110-5M-25	89.61	9293-2841	422	83.07	.49
2250-5M-25	95.21	9293-0591	450	88.58	.50
2525-5M-25	104.59	9293-0592	505	99.40	.53
2760-5M-25	117.21	9293-2842	552	108.66	.56
3120-5M-25	132.50	9293-2843	624	122.83	.62
3170-5M-25	134.62	9293-2844	634	124.80	.75
3430-5M-25	145.66	9293-2845	686	135.04	.80
3800-5M-25	161.37	9293-2846	760	149.61	.96

Product No. Series 9293 (continued)

20mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-115	$1066.74	9293-0700	100	78.74	6.00
2500-20M-115	1254.01	9293-0702	125	98.43	8.00
3400-20M-115	1628.31	9293-0703	170	133.86	11.00
3800-20M-115	1782.17	9293-0704	190	149.61	12.00
4200-20M-115	2047.09	9293-0705	210	165.35	13.00
4600-20M-115	2206.28	9293-0706	230	181.10	15.00
5000-20M-115	2365.65	9293-0707	250	196.85	16.00
5200-20M-115	2455.65	9293-0708	260	204.72	16.00

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-115	$2555.46	9293-0709	270	212.60	17.00
5600-20M-115	2645.97	9293-0710	280	220.47	18.00
5800-20M-115	2744.43	9293-0711	290	228.35	18.00
6000-20M-115	2846.57	9293-0775	300	236.22	19.00
6200-20M-115	2933.17	9293-0712	310	244.09	20.00
6400-20M-115	3025.00	9293-0713	320	251.97	20.00
6600-20M-115	3122.56	9293-0714	330	259.84	21.00

20mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-170	$1553.19	9293-0715	100	78.74	9.00
2500-20M-170	1823.66	9293-0717	125	98.43	11.00
3400-20M-170	2374.81	9293-0718	170	133.86	16.00
3800-20M-170	2679.33	9293-0719	190	149.61	18.00
4200-20M-170	2989.79	9293-0720	210	165.35	20.00
4600-20M-170	3190.24	9293-0721	230	181.10	21.00
5000-20M-170	3378.06	9293-0722	250	196.85	23.00
5200-20M-170	3520.18	9293-0723	260	204.72	24.00

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-170	$3663.51	9293-0724	270	212.60	25.00
5600-20M-170	3793.12	9293-0725	280	220.47	26.00
5800-20M-170	3934.38	9293-0726	290	228.35	27.00
6000-20M-170	4083.13	9293-0776	300	236.22	28.00
6200-20M-170	4204.85	9293-0727	310	244.09	29.00
6400-20M-170	4336.25	9293-0728	320	251.97	30.00
6600-20M-170	4476.16	9293-0729	330	259.84	31.00

20mm Pitch — 230mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-230	$2101.36	9293-0730	100	78.74	12.00
2500-20M-230	2467.37	9293-0732	125	98.43	15.00
3400-20M-230	3213.00	9293-0733	170	133.86	22.00
3800-20M-230	3624.98	9293-0734	190	149.61	24.00
4200-20M-230	4045.03	9293-0735	210	165.35	27.00
4600-20M-230	4316.35	9293-0736	230	181.10	29.00
5000-20M-230	4587.67	9293-0737	250	196.85	32.00
5200-20M-230	4762.59	9293-0738	260	204.72	33.00

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-230	$4956.43	9293-0739	270	212.60	34.00
5600-20M-230	5131.88	9293-0740	280	220.47	35.00
5800-20M-230	5323.09	9293-0741	290	228.35	37.00
6000-20M-230	5524.07	9293-0777	300	236.22	38.00
6200-20M-230	5688.88	9293-0742	310	244.09	39.00
6400-20M-230	5866.70	9293-0743	320	251.97	40.00
6600-20M-230	6055.95	9293-0744	330	259.84	42.00

20mm Pitch — 290mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-290	$2642.28	9293-0745	100	78.74	16.00
2500-20M-290	3110.85	9293-0747	125	98.43	20.00
3400-20M-290	4051.22	9293-0748	170	133.86	27.00
3800-20M-290	4570.63	9293-0749	190	149.61	30.00
4200-20M-290	5100.30	9293-0750	210	165.35	34.00
4600-20M-290	5442.25	9293-0751	230	181.10	37.00
5000-20M-290	5784.43	9293-0752	250	196.85	40.00
5200-20M-290	6005.00	9293-0753	260	204.72	41.00

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-290	$6249.50	9293-0754	270	212.60	43.00
5600-20M-290	6470.64	9293-0755	280	220.47	44.00
5800-20M-290	6711.59	9293-0756	290	228.35	46.00
6000-20M-290	6965.42	9293-0778	300	236.22	48.00
6200-20M-290	7172.93	9293-0757	310	244.09	50.00
6400-20M-290	7397.13	9293-0758	320	251.97	51.00
6600-20M-290	7635.76	9293-0759	330	259.84	53.00

20mm Pitch — 340mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-340	$3106.40	9293-0760	100	78.74	19.00
2500-20M-340	3647.32	9293-0762	125	98.43	24.00
3400-20M-340	4749.60	9293-0763	170	133.86	32.00
3800-20M-340	5358.63	9293-0764	190	149.61	35.00
4200-20M-340	5979.56	9293-0765	210	165.35	39.00
4600-20M-340	6380.68	9293-0766	230	181.10	43.00
5000-20M-340	6781.80	9293-0767	250	196.85	47.00
5200-20M-340	7040.35	9293-0768	260	204.72	49.00

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-340	$7326.99	9293-0769	270	212.60	51.00
5600-20M-340	7586.27	9293-0770	280	220.47	52.00
5800-20M-340	7868.77	9293-0771	290	228.35	54.00
6000-20M-340	8166.27	9293-0779	300	236.22	56.00
6200-20M-340	8409.69	9293-0772	310	244.09	58.00
6400-20M-340	8672.49	9293-0773	320	251.97	60.00
6600-20M-340	8952.33	9293-0774	330	259.84	62.00

PowerGrip® Timing Belts

The trapezoidal tooth profile makes this belt well suited for use in positioning applications.



Markets/Applications

PowerGrip® Timing Belts are suitable for office machines, machine tools, postage equipment, sewing machines, vending machines, agriculture, outdoor power equipment, food processing, HVAC, oil fields, wood, paper, sand and gravel.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.

Recommended Pulleys
PowerGrip® Timing Pulleys

Notes
Gates PowerGrip® Timing belts are measured by:
Length-The length of a PowerGrip® Timing Belt is shown in the first part of the belt designation. This first number is the pitch length in tenths of an inch. A **300**L075 has a 30.0" pitch length.
Pitch-The pitch is the distance from center to center of the teeth (in inches). It is shown in the second part of the belt designation by a letter or letters. Part number 300**L**075 has a .375" pitch. The letters correspond to pitches as follows:

MXL = Mini Extra Light = 0.080" pitch
XL = Extra Light = 0.200" pitch
L = Light = 0.375" pitch
H = Heavy = 0.500" pitch
XH = Extra Heavy = 0.875" pitch
XXH = Double Extra Heavy = 1.250" pitch

Width-The width is shown in the last part of the belt designation. Part number 300L**075** is .75" wide.

Product No. Series 9257

2/25" Pitch (.080"/MXL) —1/8" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
32MXL012	$2.07	9257-0129	40	3.20	.01
34MXL012	2.07	9257-0130	42	3.36	.01
36MXL012	2.07	9257-0119	45	3.60	.01
38MXL012	2.07	9257-0131	47	3.76	.01
40MXL012	2.17	9257-0120	50	4.00	.01
43MXL012	2.17	9257-0132	54	4.32	.01
44MXL012	2.17	9257-0121	55	4.40	.01
45MXL012	2.17	9257-0133	56	4.48	.01
47MXL012	2.17	9257-0134	59	4.72	.01
48MXL012	2.17	9257-0122	60	4.80	.01
51MXL012	2.23	9257-0135	64	5.12	.01
52MXL012	2.23	9257-0136	65	5.20	.01
53MXL012	2.23	9257-0137	67	5.36	.01
54MXL012	2.23	9257-0138	68	5.44	.01
56MXL012	2.23	9257-0104	70	5.60	.01
57MXL012	2.23	9257-0139	71	5.68	.01
58MXL012	2.23	9257-0140	72	5.76	.01
59MXL012	2.23	9257-0141	74	5.92	.01
61MXL012	2.23	9257-0142	76	6.08	.01
62MXL012	2.23	9257-0143	77	6.16	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
63MXL012	$2.23	9257-0144	79	6.32	.01
64MXL012	2.23	9257-0105	80	6.40	.01
66MXL012	2.23	9257-0145	83	6.64	.01
68MXL012	2.23	9257-0123	85	6.80	.01
69MXL012	2.23	9257-0146	87	6.96	.01
70MXL012	2.30	9257-0147	88	7.04	.01
72MXL012	2.30	9257-0106	90	7.20	.01
74MXL012	2.30	9257-0148	92	7.36	.01
75MXL012	2.30	9257-0149	94	7.52	.01
76MXL012	2.30	9257-0124	95	7.60	.01
80MXL012	2.38	9257-0107	100	8.00	.01
81MXL012	2.38	9257-0150	102	8.16	.01
82MXL012	2.38	9257-0151	103	8.24	.01
84MXL012	2.38	9257-0152	106	8.48	.01
85MXL012	2.38	9257-0153	107	8.56	.01
86MXL012	2.38	9257-0154	108	8.64	.01
87MXL012	2.38	9257-0155	109	8.72	.01
88MXL012	2.38	9257-0108	110	8.80	.01
90MXL012	2.42	9257-0156	112	8.96	.01
91MXL012	2.42	9257-0157	114	9.12	.01

Product No. Series 9257 (continued)

2/25″ Pitch (.080″/MXL) —1/8″ Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
96MXL012	$2.42	9257-0100	120	9.60	.01
98MXL012	2.42	9257-0158	123	9.84	.01
100MXL012	2.48	9257-0159	125	10.00	.01
101MXL012	2.48	9257-0160	126	10.08	.01
104MXL012	2.48	9257-0109	130	10.40	.01
106MXL012	2.48	9257-0161	132	10.56	.01
112MXL012	2.48	9257-0110	140	11.20	.01
115MXL012	2.48	9257-0162	144	11.52	.01
120MXL012	2.57	9257-0111	150	12.00	.01
122MXL012	2.57	9257-0163	153	12.24	.01
124MXL012	2.57	9257-0164	155	12.40	.01
132MXL012	2.66	9257-0125	165	13.20	.01
133MXL012	2.66	9257-0165	166	13.28	.01
136MXL012	2.66	9257-0166	170	13.60	.01
140MXL012	2.68	9257-0112	175	14.00	.01
147MXL012	2.68	9257-0167	184	14.72	.01
152MXL012	2.81	9257-0126	190	15.20	.01
156MXL012	2.81	9257-0168	195	15.60	.01
160MXL012	2.83	9257-0113	200	16.00	.01
166MXL012	2.83	9257-0169	208	16.64	.01
168MXL012	2.85	9257-0127	210	16.80	.01
170MXL012	2.85	9257-0170	212	16.96	.01
177MXL012	2.85	9257-0171	221	17.68	.01
178MXL012	2.85	9257-0172	222	17.76	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
180MXL012	$2.88	9257-0114	225	18.00	.01
184MXL012	2.88	9257-0173	230	18.40	.01
196MXL012	2.97	9257-0174	245	19.60	.01
198MXL012	2.97	9257-0175	248	19.84	.01
200MXL012	3.03	9257-0115	250	20.00	.01
208MXL012	3.03	9257-0116	260	20.80	.01
212MXL012	3.09	9257-0176	265	21.20	.01
224MXL012	3.09	9257-0177	280	22.40	.01
236MXL012	3.20	9257-0128	295	23.60	.01
240MXL012	3.24	9257-0117	300	24.00	.01
252MXL012	3.28	9257-0178	315	25.20	.01
278MXL012	3.38	9257-0179	347	27.76	.01
297MXL012	3.48	9257-0180	371	29.68	.01
298MXL012	3.48	9257-0181	372	29.76	.01
320MXL012	3.63	9257-0118	400	32.00	.01
330MXL012	3.69	9257-0182	412	32.96	.01
339MXL012	3.69	9257-0183	424	33.92	.01
347MXL012	3.79	9257-0184	434	34.72	.01
348MXL012	3.79	9257-0185	435	34.80	.01
390MXL012	4.04	9257-0186	487	38.96	.01
398MXL012	4.04	9257-0187	498	39.84	.01
480MXL012	4.60	9257-0188	600	48.00	.01
490MXL012	4.60	9257-0189	612	48.96	.01
518MXL012	4.69	9257-0190	648	51.84	.01

2/25″ Pitch (.080″/MXL) —3/16″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
32MXL019	$2.59	9257-0229	40	3.20	.01
34MXL019	2.59	9257-0230	42	3.36	.01
36MXL019	2.59	9257-0219	45	3.60	.01
38MXL019	2.59	9257-0231	47	3.76	.01
40MXL019	2.63	9257-0220	50	4.00	.01
43MXL019	2.63	9257-0232	54	4.32	.01
44MXL019	2.63	9257-0221	55	4.40	.01
45MXL019	2.63	9257-0233	56	4.48	.01
47MXL019	2.63	9257-0234	59	4.72	.01
48MXL019	2.63	9257-0222	60	4.80	.01
51MXL019	2.68	9257-0235	64	5.12	.01
52MXL019	2.68	9257-0236	65	5.20	.01
53MXL019	2.68	9257-0237	67	5.36	.01
54MXL019	2.68	9257-0238	68	5.44	.01
56MXL019	2.68	9257-0204	70	5.60	.01
57MXL019	2.68	9257-0239	71	5.68	.01
58MXL019	2.68	9257-0240	72	5.76	.01
59MXL019	2.68	9257-0241	74	5.92	.01
61MXL019	2.81	9257-0242	76	6.08	.01
62MXL019	2.81	9257-0243	77	6.16	.01
63MXL019	2.81	9257-0244	79	6.32	.01
64MXL019	2.81	9257-0205	80	6.40	.01
66MXL019	2.81	9257-0245	83	6.64	.01
68MXL019	2.81	9257-0223	85	6.80	.01
69MXL019	2.81	9257-0246	87	6.96	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
70MXL019	$2.90	9257-0247	88	7.04	.01
72MXL019	2.90	9257-0206	90	7.20	.01
74MXL019	2.90	9257-0248	92	7.36	.01
75MXL019	2.90	9257-0249	94	7.52	.01
76MXL019	2.90	9257-0224	95	7.60	.01
80MXL019	2.98	9257-0207	100	8.00	.01
81MXL019	2.98	9257-0250	102	8.16	.01
82MXL019	2.98	9257-0251	103	8.24	.01
84MXL019	2.98	9257-0252	106	8.48	.01
85MXL019	2.98	9257-0253	107	8.56	.01
86MXL019	2.98	9257-0254	108	8.64	.01
87MXL019	2.98	9257-0255	109	8.72	.01
88MXL019	2.98	9257-0208	110	8.80	.01
90MXL019	3.03	9257-0256	112	8.96	.01
91MXL019	3.03	9257-0257	114	9.12	.01
96MXL019	3.03	9257-0200	120	9.60	.01
98MXL019	3.03	9257-0258	123	9.84	.01
100MXL019	3.09	9257-0259	125	10.00	.01
101MXL019	3.09	9257-0260	126	10.08	.01
104MXL019	3.09	9257-0209	130	10.40	.01
106MXL019	3.09	9257-0261	132	10.56	.01
112MXL019	3.18	9257-0210	140	11.20	.01
115MXL019	3.18	9257-0262	144	11.52	.01
120MXL019	3.24	9257-0211	150	12.00	.01
122MXL019	3.24	9257-0263	153	12.24	.01

PowerGrip® Timing Belts

Product No. Series 9257 (continued)

2/25″ Pitch (.080″/MXL) —3/16″ Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124MXL019	$3.24	9257-0264	155	12.40	.01
132MXL019	3.31	9257-0225	165	13.20	.01
133MXL019	3.31	9257-0265	166	13.28	.01
136MXL019	3.31	9257-0266	170	13.60	.01
140MXL019	3.39	9257-0212	175	14.00	.01
147MXL019	3.39	9257-0267	184	14.72	.01
152MXL019	3.53	9257-0226	190	15.20	.01
156MXL019	3.53	9257-0268	195	15.60	.01
160MXL019	3.61	9257-0213	200	16.00	.01
166MXL019	3.61	9257-0269	208	16.64	.01
168MXL019	3.61	9257-0227	210	16.80	.01
170MXL019	3.63	9257-0270	212	16.96	.01
177MXL019	3.63	9257-0271	221	17.68	.01
178MXL019	3.63	9257-0272	222	17.76	.01
180MXL019	3.69	9257-0214	225	18.00	.01
184MXL019	3.69	9257-0273	230	18.40	.01
196MXL019	3.79	9257-0274	245	19.60	.01
198MXL019	3.79	9257-0275	248	19.84	.01
200MXL019	3.84	9257-0215	250	20.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
208MXL019	$3.84	9257-0216	260	20.80	.01
212MXL019	3.89	9257-0276	265	21.20	.01
224MXL019	3.99	9257-0277	280	22.40	.01
236MXL019	4.11	9257-0228	295	23.60	.01
240MXL019	4.19	9257-0217	300	24.00	.01
252MXL019	4.24	9257-0278	315	25.20	.01
278MXL019	4.39	9257-0279	347	27.76	.01
297MXL019	4.49	9257-0280	371	29.68	.01
298MXL019	4.49	9257-0281	372	29.76	.01
320MXL019	4.80	9257-0218	400	32.00	.01
330MXL019	4.86	9257-0282	412	32.96	.01
339MXL019	4.86	9257-0283	424	33.92	.02
347MXL019	4.90	9257-0284	434	34.72	.02
348MXL019	4.90	9257-0285	435	34.80	.02
390MXL019	5.30	9257-0286	487	38.96	.02
398MXL019	5.30	9257-0287	498	39.84	.02
480MXL019	6.01	9257-0288	600	48.00	.02
490MXL019	6.06	9257-0289	612	48.96	.02
518MXL019	6.22	9257-0290	648	51.84	.02

2/25″ Pitch (.080″/MXL) —1/4″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
32MXL025	$3.39	9257-0329	40	3.20	.01
34MXL025	3.39	9257-0330	42	3.36	.01
36MXL025	3.39	9257-0319	45	3.60	.01
38MXL025	3.39	9257-0331	47	3.76	.01
40MXL025	3.44	9257-0320	50	4.00	.01
43MXL025	3.44	9257-0332	54	4.32	.01
44MXL025	3.44	9257-0321	55	4.40	.01
45MXL025	3.44	9257-0333	56	4.48	.01
47MXL025	3.44	9257-0334	59	4.72	.01
48MXL025	3.44	9257-0322	60	4.80	.01
51MXL025	3.61	9257-0335	64	5.12	.01
52MXL025	3.61	9257-0336	65	5.20	.01
53MXL025	3.61	9257-0337	67	5.36	.01
54MXL025	3.61	9257-0338	68	5.44	.01
56MXL025	3.61	9257-0304	70	5.60	.01
57MXL025	3.61	9257-0339	71	5.68	.01
58MXL025	3.61	9257-0340	72	5.76	.01
59MXL025	3.61	9257-0341	74	5.92	.01
61MXL025	3.72	9257-0342	76	6.08	.01
62MXL025	3.72	9257-0343	77	6.16	.01
63MXL025	3.72	9257-0344	79	6.32	.01
64MXL025	3.72	9257-0305	80	6.40	.01
66MXL025	3.72	9257-0345	83	6.64	.01
68MXL025	3.72	9257-0323	85	6.80	.01
69MXL025	3.72	9257-0346	87	6.96	.01
70MXL025	3.81	9257-0347	88	7.04	.01
72MXL025	3.81	9257-0306	90	7.20	.01
74MXL025	3.81	9257-0348	92	7.36	.01
75MXL025	3.81	9257-0349	94	7.52	.01
76MXL025	3.81	9257-0324	95	7.60	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
80MXL025	$3.89	9257-0307	100	8.00	.01
81MXL025	3.89	9257-0350	102	8.16	.01
82MXL025	3.89	9257-0351	103	8.24	.01
84MXL025	3.89	9257-0352	106	8.48	.01
85MXL025	3.89	9257-0353	107	8.56	.01
86MXL025	3.89	9257-0354	108	8.64	.01
87MXL025	3.89	9257-0355	109	8.72	.01
88MXL025	3.89	9257-0308	110	8.80	.01
90MXL025	4.00	9257-0356	112	8.96	.01
91MXL025	4.00	9257-0357	114	9.12	.01
96MXL025	4.00	9257-0300	120	9.60	.01
98MXL025	4.00	9257-0358	123	9.84	.01
100MXL025	4.15	9257-0359	125	10.00	.01
101MXL025	4.15	9257-0360	126	10.08	.01
104MXL025	4.15	9257-0309	130	10.40	.01
106MXL025	4.15	9257-0361	132	10.56	.01
112MXL025	4.24	9257-0310	140	11.20	.01
115MXL025	4.24	9257-0362	144	11.52	.01
120MXL025	4.35	9257-0311	150	12.00	.01
122MXL025	4.35	9257-0363	153	12.24	.01
124MXL025	4.35	9257-0364	155	12.40	.01
132MXL025	4.49	9257-0325	165	13.20	.01
133MXL025	4.49	9257-0365	166	13.28	.01
136MXL025	4.49	9257-0366	170	13.60	.01
140MXL025	4.60	9257-0312	175	14.00	.01
147MXL025	4.60	9257-0367	184	14.72	.01
152MXL025	4.74	9257-0326	190	15.20	.01
156MXL025	4.74	9257-0368	195	15.60	.01
160MXL025	4.83	9257-0313	200	16.00	.01
166MXL025	4.83	9257-0369	208	16.64	.01

Product No. Series 9257 (continued)

2/25″ Pitch (.080″/MXL) —1/4″ Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
168MXL025	$4.83	9257-0327	210	16.80	.01
170MXL025	4.90	9257-0370	212	16.96	.01
177MXL025	4.90	9257-0371	221	17.68	.01
178MXL025	4.90	9257-0372	222	17.76	.01
180MXL025	5.00	9257-0314	225	18.00	.01
184MXL025	5.00	9257-0373	230	18.40	.01
196MXL025	5.15	9257-0374	245	19.60	.01
198MXL025	5.15	9257-0375	248	19.84	.01
200MXL025	5.25	9257-0315	250	20.00	.01
208MXL025	5.25	9257-0316	260	20.80	.01
212MXL025	5.36	9257-0376	265	21.20	.01
224MXL025	5.45	9257-0377	280	22.40	.01
236MXL025	5.66	9257-0328	295	23.60	.01
240MXL025	5.71	9257-0317	300	24.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
252MXL025	$5.81	9257-0378	315	25.20	.01
278MXL025	6.01	9257-0379	347	27.76	.01
297MXL025	6.27	9257-0380	371	29.68	.01
298MXL025	6.27	9257-0381	372	29.76	.01
320MXL025	6.62	9257-0318	400	32.00	.01
330MXL025	6.73	9257-0382	412	32.96	.02
339MXL025	6.73	9257-0383	424	33.92	.02
347MXL025	6.87	9257-0384	434	34.72	.02
348MXL025	6.87	9257-0385	435	34.80	.02
390MXL025	7.44	9257-0386	487	38.96	.02
398MXL025	7.44	9257-0387	498	39.84	.02
480MXL025	8.45	9257-0388	600	48.00	.02
490MXL025	8.62	9257-0389	612	48.96	.02
518MXL025	8.77	9257-0390	648	51.84	.02

1/5″ Pitch (.200″/XL) — 1/4″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
42XL025	$3.44	9257-1141	21	4.20	.01
50XL025	3.61	9257-1121	25	5.00	.01
54XL025	3.61	9257-1142	27	5.40	.01
56XL025	3.61	9257-1143	28	5.60	.01
58XL025	3.61	9257-1144	29	5.80	.01
60XL025	3.72	9257-1100	30	6.00	.01
62XL025	3.72	9257-1145	31	6.20	.01
64XL025	3.72	9257-1146	32	6.40	.01
66XL025	3.72	9257-1147	33	6.60	.01
68XL025	3.72	9257-1148	34	6.80	.01
70XL025	3.81	9257-1101	35	7.00	.01
72XL025	3.81	9257-1149	36	7.20	.01
74XL025	3.81	9257-1150	37	7.40	.01
76XL025	3.81	9257-1151	38	7.60	.01
78XL025	3.81	9257-1152	39	7.80	.01
80XL025	3.89	9257-1102	40	8.00	.01
82XL025	3.89	9257-1153	41	8.20	.01
84XL025	3.89	9257-1154	42	8.40	.01
86XL025	3.89	9257-1155	43	8.60	.01
88XL025	3.89	9257-1156	44	8.80	.01
90XL025	4.00	9257-1103	45	9.00	.01
92XL025	4.00	9257-1157	46	9.20	.01
94XL025	4.00	9257-1158	47	9.40	.01
96XL025	4.00	9257-1159	48	9.60	.01
98XL025	4.00	9257-1160	49	9.80	.01
100XL025	4.15	9257-1104	50	10.00	.01
102XL025	4.15	9257-1161	51	10.20	.01
106XL025	4.15	9257-1162	53	10.60	.01
108XL025	4.15	9257-1163	54	10.80	.01
110XL025	4.24	9257-1105	55	11.00	.01
112XL025	4.24	9257-1164	56	11.20	.01
114XL025	4.24	9257-1165	57	11.40	.01
116XL025	4.24	9257-1166	58	11.60	.01
120XL025	4.35	9257-1106	60	12.00	.01
122XL025	4.35	9257-1167	61	12.20	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124XL025	$4.35	9257-1168	62	12.40	.01
126XL025	4.35	9257-1169	63	12.60	.01
128XL025	4.35	9257-1170	64	12.80	.01
130XL025	4.49	9257-1107	65	13.00	.01
132XL025	4.49	9257-1171	66	13.20	.01
134XL025	4.49	9257-1172	67	13.40	.01
136XL025	4.49	9257-1173	68	13.60	.01
138XL025	4.49	9257-1174	69	13.80	.01
140XL025	4.60	9257-1108	70	14.00	.01
142XL025	4.60	9257-1175	71	14.20	.01
144XL025	4.60	9257-1176	72	14.40	.01
146XL025	4.60	9257-1177	73	14.60	.01
148XL025	4.60	9257-1178	74	14.80	.01
150XL025	4.74	9257-1109	75	15.00	.01
152XL025	4.74	9257-1179	76	15.20	.01
154XL025	4.74	9257-1180	77	15.40	.01
156XL025	4.74	9257-1181	78	15.60	.01
158XL025	4.74	9257-1182	79	15.80	.01
160XL025	4.83	9257-1110	80	16.00	.01
162XL025	4.83	9257-1183	81	16.20	.01
164XL025	4.83	9257-1184	82	16.40	.01
166XL025	4.83	9257-1185	83	16.60	.01
168XL025	4.83	9257-1186	84	16.80	.01
170XL025	4.90	9257-1111	85	17.00	.01
172XL025	4.90	9257-1187	86	17.20	.02
174XL025	4.90	9257-1188	87	17.40	.02
176XL025	4.90	9257-1189	88	17.60	.02
178XL025	4.90	9257-1190	89	17.80	.02
180XL025	5.00	9257-1112	90	18.00	.02
182XL025	5.00	9257-1191	91	18.20	.02
184XL025	5.00	9257-1192	92	18.40	.02
186XL025	5.00	9257-1193	93	18.60	.02
188XL025	5.00	9257-1194	94	18.80	.02
190XL025	5.15	9257-1113	95	19.00	.02
192XL025	5.15	9257-1195	96	19.20	.02

PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/5″ Pitch (.200″/XL) — 1/4″ Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
194XL025	$5.15	9257-1196	97	19.40	.02
200XL025	5.25	9257-1114	100	20.00	.02
202XL025	5.25	9257-1197	101	20.20	.02
204XL025	5.25	9257-1198	102	20.40	.02
206XL025	5.25	9257-1199	103	20.60	.02
210XL025	5.36	9257-1115	105	21.00	.02
212XL025	5.36	9257-8100	106	21.20	.02
214XL025	5.36	9257-8101	107	21.40	.02
218XL025	5.36	9257-8102	109	21.80	.02
220XL025	5.45	9257-1116	110	22.00	.02
222XL025	5.45	9257-8103	111	22.20	.02
226XL025	5.45	9257-8104	113	22.60	.02
228XL025	5.45	9257-8105	114	22.80	.02
230XL025	5.66	9257-1117	115	23.00	.02
232XL025	5.66	9257-8106	116	23.20	.02
234XL025	5.66	9257-8107	117	23.40	.02
236XL025	5.66	9257-8108	118	23.60	.02
240XL025	5.71	9257-1118	120	24.00	.02
244XL025	5.71	9257-8109	122	24.40	.02
246XL025	5.71	9257-8110	123	24.60	.02
250XL025	5.81	9257-1119	125	25.00	.02
254XL025	5.81	9257-8111	127	25.40	.02
258XL025	5.81	9257-8112	129	25.80	.02
260XL025	5.91	9257-1120	130	26.00	.02
262XL025	5.91	9257-8113	131	26.20	.02
264XL025	5.91	9257-8114	132	26.40	.02
266XL025	5.91	9257-8115	133	26.60	.02
268XL025	5.91	9257-8116	134	26.80	.02
274XL025	6.01	9257-8117	137	27.40	.02
280XL025	6.21	9257-1122	140	28.00	.02
286XL025	6.21	9257-8118	143	28.60	.03
290XL025	6.27	9257-1123	145	29.00	.03
296XL025	6.27	9257-8119	148	29.60	.03
300XL025	6.42	9257-1124	150	30.00	.03
306XL025	6.42	9257-8120	153	30.60	.03
310XL025	6.51	9257-1125	155	31.00	.03
316XL025	6.51	9257-8121	158	31.60	.03
320XL025	6.62	9257-8122	160	32.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
322XL025	$6.62	9257-8123	161	32.20	.03
330XL025	6.73	9257-1126	165	33.00	.03
338XL025	6.73	9257-8124	169	33.80	.03
340XL025	6.87	9257-1127	170	34.00	.03
344XL025	6.87	9257-8125	172	34.40	.03
348XL025	6.87	9257-8126	174	34.80	.03
350XL025	6.99	9257-1128	175	35.00	.03
362XL025	7.07	9257-8127	181	36.20	.04
370XL025	7.19	9257-1129	185	37.00	.04
380XL025	7.29	9257-1130	190	38.00	.04
384XL025	7.29	9257-8128	192	38.40	.04
390XL025	7.44	9257-1131	195	39.00	.04
400XL025	7.54	9257-1132	200	40.00	.04
412XL025	7.58	9257-8129	206	41.20	.04
420XL025	7.75	9257-1133	210	42.00	.05
424XL025	7.75	9257-8130	212	42.40	.05
432XL025	7.83	9257-8131	216	43.20	.05
438XL025	7.83	9257-8132	219	43.80	.05
444XL025	7.97	9257-8133	222	44.40	.05
450XL025	8.11	9257-1134	225	45.00	.05
454XL025	8.11	9257-8134	227	45.40	.05
460XL025	8.20	9257-1135	230	46.00	.05
468XL025	8.20	9257-8135	234	46.80	.05
480XL025	8.45	9257-1136	240	48.00	.05
492XL025	8.43	9257-8136	246	49.20	.05
498XL025	8.43	9257-8137	249	49.80	.05
500XL025	8.67	9257-1137	250	50.00	.05
506XL025	8.67	9257-8138	253	50.60	.05
524XL025	8.94	9257-8139	262	52.40	.05
570XL025	9.89	9257-1138	285	57.00	.05
580XL025	9.95	9257-8140	290	58.00	.05
592XL025	10.13	9257-8141	296	59.20	.05
612XL025	10.48	9257-8142	306	61.20	.05
630XL025	10.90	9257-1139	315	63.00	.05
672XL025	11.52	9257-8143	336	67.20	.05
690XL025	11.67	9257-8144	345	69.00	.05
770XL025	13.35	9257-1140	385	77.00	.06
850XL025	14.59	9257-8145	425	85.00	.06

PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/5″ Pitch (.200″/XL) — 3/8″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
42XL037	$4.53	9257-1341	21	4.20	.01
50XL037	4.74	9257-1321	25	5.00	.01
54XL037	4.74	9257-1342	27	5.40	.01
56XL037	4.74	9257-1343	28	5.60	.01
58XL037	4.74	9257-1344	29	5.80	.01
60XL037	4.85	9257-1300	30	6.00	.01
62XL037	4.85	9257-1345	31	6.20	.01
64XL037	4.85	9257-1346	32	6.40	.01
66XL037	4.85	9257-1347	33	6.60	.01
68XL037	4.85	9257-1348	34	6.80	.01
70XL037	5.06	9257-1301	35	7.00	.01
72XL037	5.06	9257-1349	36	7.20	.01
74XL037	5.06	9257-1350	37	7.40	.01
76XL037	5.06	9257-1351	38	7.60	.01
78XL037	5.06	9257-1352	39	7.80	.01
80XL037	5.21	9257-1302	40	8.00	.01
82XL037	5.21	9257-1353	41	8.20	.01
84XL037	5.21	9257-1354	42	8.40	.01
86XL037	5.21	9257-1355	43	8.60	.01
88XL037	5.21	9257-1356	44	8.80	.01
90XL037	5.36	9257-1303	45	9.00	.01
92XL037	5.36	9257-1357	46	9.20	.01
94XL037	5.36	9257-1358	47	9.40	.01
96XL037	5.36	9257-1359	48	9.60	.01
98XL037	5.36	9257-1360	49	9.80	.01
100XL037	5.51	9257-1304	50	10.00	.01
102XL037	5.51	9257-1361	51	10.20	.01
106XL037	5.51	9257-1362	53	10.60	.01
108XL037	5.51	9257-1363	54	10.80	.01
110XL037	5.71	9257-1305	55	11.00	.01
112XL037	5.71	9257-1364	56	11.20	.02
114XL037	5.71	9257-1365	57	11.40	.02
116XL037	5.71	9257-1366	58	11.60	.02
120XL037	5.81	9257-1306	60	12.00	.02
122XL037	5.81	9257-1367	61	12.20	.02
124XL037	5.81	9257-1368	62	12.40	.02
126XL037	5.81	9257-1369	63	12.60	.02
128XL037	5.81	9257-1370	64	12.80	.02
130XL037	6.01	9257-1307	65	13.00	.02
132XL037	6.01	9257-1371	66	13.20	.02
134XL037	6.01	9257-1372	67	13.40	.02
136XL037	6.01	9257-1373	68	13.60	.02
138XL037	6.01	9257-1374	69	13.80	.02
140XL037	6.16	9257-1308	70	14.00	.02
142XL037	6.16	9257-1375	71	14.20	.02
144XL037	6.16	9257-1376	72	14.40	.02
146XL037	6.16	9257-1377	73	14.60	.02
148XL037	6.16	9257-1378	74	14.80	.02
150XL037	6.31	9257-1309	75	15.00	.02
152XL037	6.31	9257-1379	76	15.20	.02
154XL037	6.31	9257-1380	77	15.40	.02
156XL037	6.31	9257-1381	78	15.60	.02
158XL037	6.31	9257-1382	79	15.80	.02
160XL037	6.51	9257-1310	80	16.00	.02
162XL037	6.51	9257-1383	81	16.20	.02
164XL037	$6.51	9257-1384	82	16.40	.02
166XL037	6.51	9257-1385	83	16.60	.02
168XL037	6.51	9257-1386	84	16.80	.02
170XL037	6.62	9257-1311	85	17.00	.02
172XL037	6.62	9257-1387	86	17.20	.02
174XL037	6.62	9257-1388	87	17.40	.02
176XL037	6.62	9257-1389	88	17.60	.02
178XL037	6.62	9257-1390	89	17.80	.02
180XL037	6.82	9257-1312	90	18.00	.02
182XL037	6.82	9257-1391	91	18.20	.02
184XL037	6.82	9257-1392	92	18.40	.02
186XL037	6.82	9257-1393	93	18.60	.02
188XL037	6.82	9257-1394	94	18.80	.02
190XL037	6.98	9257-1313	95	19.00	.02
192XL037	6.98	9257-1395	96	19.20	.02
194XL037	6.98	9257-1396	97	19.40	.02
200XL037	7.13	9257-1314	100	20.00	.03
202XL037	7.13	9257-1397	101	20.20	.03
204XL037	7.13	9257-1398	102	20.40	.03
206XL037	7.13	9257-1399	103	20.60	.03
210XL037	7.28	9257-1315	105	21.00	.03
212XL037	7.28	9257-8300	106	21.20	.03
214XL037	7.28	9257-8301	107	21.40	.03
218XL037	7.28	9257-8302	109	21.80	.03
220XL037	7.48	9257-1316	110	22.00	.03
222XL037	7.48	9257-8303	111	22.20	.03
226XL037	7.48	9257-8304	113	22.60	.03
228XL037	7.48	9257-8305	114	22.80	.03
230XL037	7.58	9257-1317	115	23.00	.03
232XL037	7.58	9257-8306	116	23.20	.03
234XL037	7.58	9257-8307	117	23.40	.03
236XL037	7.58	9257-8308	118	23.60	.03
240XL037	7.78	9257-1318	120	24.00	.03
244XL037	7.78	9257-8309	122	24.40	.03
246XL037	7.78	9257-8310	123	24.60	.03
250XL037	7.93	9257-1319	125	25.00	.03
254XL037	7.93	9257-8311	127	25.40	.03
258XL037	7.93	9257-8312	129	25.80	.03
260XL037	8.09	9257-1320	130	26.00	.03
262XL037	8.08	9257-8313	131	26.20	.03
264XL037	8.08	9257-8314	132	26.40	.03
266XL037	8.08	9257-8315	133	26.60	.03
268XL037	8.08	9257-8316	134	26.80	.03
274XL037	8.28	9257-8317	137	27.40	.04
280XL037	8.52	9257-1322	140	28.00	.04
286XL037	8.52	9257-8318	143	28.60	.04
290XL037	8.67	9257-1323	145	29.00	.04
296XL037	8.67	9257-8319	148	29.60	.04
300XL037	8.82	9257-1324	150	30.00	.04
306XL037	8.82	9257-8320	153	30.60	.04
310XL037	8.97	9257-1325	155	31.00	.04
316XL037	8.97	9257-8321	158	31.60	.04
320XL037	9.04	9257-8322	160	32.00	.04
322XL037	9.04	9257-8323	161	32.20	.04
330XL037	9.32	9257-1326	165	33.00	.04

PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/5″ Pitch (.200″/XL) — 3/8″ Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
338XL037	$9.32	9257-8324	169	33.80	.04
340XL037	9.42	9257-1327	170	34.00	.04
344XL037	9.42	9257-8325	172	34.40	.05
348XL037	9.42	9257-8326	174	34.80	.05
350XL037	9.62	9257-1328	175	35.00	.05
362XL037	9.75	9257-8327	181	36.20	.05
370XL037	9.93	9257-1329	185	37.00	.05
380XL037	10.14	9257-1330	190	38.00	.05
384XL037	10.14	9257-8328	192	38.40	.05
390XL037	10.29	9257-1331	195	39.00	.05
400XL037	10.45	9257-1332	200	40.00	.05
412XL037	10.51	9257-8329	206	41.20	.05
420XL037	10.80	9257-1333	210	42.00	.06
424XL037	10.80	9257-8330	212	42.40	.06
432XL037	10.80	9257-8331	216	43.20	.06
438XL037	10.80	9257-8332	219	43.80	.06
444XL037	11.25	9257-8334	222	44.40	.06
450XL037	11.25	9257-1334	225	45.00	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
454XL037	$11.41	9257-8335	227	45.40	.06
460XL037	11.41	9257-1335	230	46.00	.06
468XL037	11.41	9257-8335	234	46.80	.06
480XL037	11.71	9257-1336	240	48.00	.06
492XL037	11.82	9257-8336	246	49.20	.06
498XL037	11.82	9257-8337	249	49.80	.06
500XL037	12.08	9257-1337	250	50.00	.07
506XL037	12.08	9257-8338	253	50.60	.07
524XL037	12.45	9257-8339	262	52.40	.07
570XL037	13.76	9257-1338	285	57.00	.07
580XL037	13.89	9257-8340	290	58.00	.07
592XL037	14.12	9257-8341	296	59.20	.07
612XL037	14.59	9257-8342	306	61.20	.07
630XL037	15.20	9257-1339	315	63.00	.08
672XL037	16.04	9257-8343	336	67.20	.08
690XL037	16.29	9257-8344	345	69.00	.08
770XL037	18.59	9257-1340	385	77.00	.09
850XL037	20.36	9257-8345	425	85.00	.09

3/8″ Pitch (.375″/L) — 1/2″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124L050	$9.70	9257-2100	33	12.38	.03
135L050	10.14	9257-2120	36	13.50	.04
150L050	10.71	9257-2101	40	15.00	.04
154L050	10.71	9257-2127	41	15.38	.04
158L050	10.71	9257-2128	42	15.75	.04
165L050	11.10	9257-2121	44	16.50	.05
173L050	11.37	9257-2129	46	17.25	.05
176L050	11.37	9257-7133	47	17.63	.05
187L050	11.67	9257-2102	50	18.75	.05
195L050	12.13	9257-2122	52	19.50	.05
199L050	12.13	9257-7134	53	19.88	.05
203L050	12.38	9257-7135	54	20.25	.05
210L050	12.69	9257-2103	56	21.00	.05
218L050	12.69	9257-7136	58	21.75	.05
225L050	13.04	9257-2104	60	22.50	.05
240L050	13.70	9257-2105	64	24.00	.06
248L050	13.70	9257-7137	66	24.75	.06
255L050	13.99	9257-2106	68	25.50	.06
263L050	14.34	9257-7138	70	26.25	.06
270L050	14.66	9257-2107	72	27.00	.06
285L050	15.01	9257-2108	76	28.50	.07
300L050	15.66	9257-2109	80	30.00	.07
315L050	16.09	9257-2123	84	31.50	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
322L050	$16.32	9257-2110	86	32.25	.08
345L050	16.97	9257-2111	92	34.50	.08
367L050	17.58	9257-2112	98	36.75	.09
375L050	17.93	9257-7139	100	37.50	.09
390L050	18.59	9257-2113	104	39.00	.09
420L050	19.55	9257-2114	112	42.00	.10
446L050	20.21	9257-7140	119	44.63	.11
450L050	20.56	9257-2115	120	45.00	.11
480L050	21.58	9257-2116	128	48.00	.12
510L050	22.23	9257-2117	136	51.00	.13
540L050	23.54	9257-2118	144	54.00	.13
566L050	24.19	9257-7141	151	56.63	.14
570L050	24.19	9257-7142	152	57.00	.14
581L050	24.85	9257-7143	155	58.13	.15
600L050	25.51	9257-2119	160	60.00	.15
630L050	26.17	9257-7144	168	63.00	.15
660L050	27.70	9257-2124	176	66.00	.15
720L050	29.45	9257-7145	192	72.00	.15
731L050	29.45	9257-7146	195	73.13	.15
817L050	32.39	9257-2125	218	81.75	.15
900L050	35.65	9257-2126	240	90.00	.17
915L050	35.65	9257-7147	244	91.50	.17
945L050	36.68	9257-7148	252	94.50	.18

Product No. Series 9257 (continued)

3/8″ Pitch (.375″/L) — 3/4″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124L075	$13.79	9257-2200	33	12.38	.05
135L075	14.36	9257-2220	36	13.50	.06
150L075	15.31	9257-2201	40	15.00	.06
154L075	15.31	9257-2227	41	15.38	.06
158L075	15.31	9257-2228	42	15.75	.06
165L075	15.94	9257-2221	44	16.50	.06
173L075	16.32	9257-2229	46	17.25	.06
176L075	16.32	9257-7233	47	17.63	.06
187L075	16.82	9257-2202	50	18.75	.07
195L075	17.48	9257-2222	52	19.50	.07
199L075	17.48	9257-7234	53	19.88	.07
203L075	17.83	9257-7235	54	20.25	.08
210L075	18.34	9257-2203	56	21.00	.08
218L075	18.34	9257-7236	58	21.75	.08
225L075	18.85	9257-2204	60	22.50	.08
240L075	19.85	9257-2205	64	24.00	.09
248L075	19.85	9257-7237	66	24.75	.09
255L075	20.36	9257-2206	68	25.50	.09
263L075	20.91	9257-7238	70	26.25	.10
270L075	21.38	9257-2207	72	27.00	.10
285L075	21.93	9257-2208	76	28.50	.10
300L075	22.89	9257-2209	80	30.00	.11
315L075	23.64	9257-2223	84	31.50	.11

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
322L075	$23.95	9257-2210	86	32.25	.12
345L075	24.95	9257-2211	92	34.50	.13
367L075	25.97	9257-2212	98	36.75	.13
375L075	26.46	9257-7239	100	37.50	.10
390L075	27.48	9257-2213	104	39.00	.14
420L075	29.00	9257-2214	112	42.00	.15
446L075	30.06	9257-7240	119	44.63	.16
450L075	30.57	9257-2215	120	45.00	.16
480L075	32.08	9257-2216	128	48.00	.17
510L075	33.10	9257-2217	136	51.00	.20
540L075	35.11	9257-2218	144	54.00	.20
566L075	36.12	9257-7241	151	56.63	.21
570L075	36.12	9257-7242	152	57.00	.21
581L075	37.19	9257-7243	155	58.13	.22
600L075	38.20	9257-2219	160	60.00	.23
630L075	39.21	9257-7244	168	63.00	.24
660L075	41.56	9257-2224	176	66.00	.26
720L075	44.30	9257-7245	192	72.00	.34
731L075	44.30	9257-7246	195	73.13	.35
817L075	48.73	9257-2225	218	81.75	.41
900L075	53.87	9257-2226	240	90.00	.47
915L075	53.87	9257-7247	244	91.50	.48
945L075	55.47	9257-7248	252	94.50	.53

3/8″ Pitch (.375″/L) — 1″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124L100	$17.68	9257-2300	33	12.38	.07
135L100	18.51	9257-2320	36	13.50	.07
150L100	19.70	9257-2301	40	15.00	.08
154L100	19.70	9257-2327	41	15.38	.08
158L100	19.70	9257-2328	42	15.75	.08
165L100	20.55	9257-2321	44	16.50	.09
173L100	21.09	9257-2329	46	17.25	.09
176L100	21.09	9257-7333	47	17.63	.09
187L100	21.77	9257-2302	50	18.75	.10
195L100	22.64	9257-2322	52	19.50	.10
199L100	22.64	9257-7334	53	19.88	.10
203L100	23.17	9257-7335	54	20.25	.10
210L100	23.80	9257-2303	56	21.00	.10
218L100	23.80	9257-7336	58	21.75	.11
225L100	24.48	9257-2304	60	22.50	.11
240L100	25.87	9257-2305	64	24.00	.12
248L100	25.87	9257-7337	66	24.75	.12
255L100	26.55	9257-2306	68	25.50	.13
263L100	27.22	9257-7338	70	26.25	.13
270L100	27.89	9257-2307	72	27.00	.13
285L100	28.58	9257-2308	76	28.50	.14
300L100	29.96	9257-2309	80	30.00	.15
315L100	30.88	9257-2323	84	31.50	.15

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
322L100	$31.33	9257-2310	86	32.25	.16
345L100	32.67	9257-2311	92	34.50	.17
367L100	34.03	9257-2312	98	36.75	.18
375L100	34.73	9257-7339	100	37.50	.18
390L100	36.05	9257-2313	104	39.00	.19
420L100	38.12	9257-2314	112	42.00	.21
446L100	39.50	9257-7340	119	44.63	.22
450L100	40.15	9257-2315	120	45.00	.22
480L100	42.22	9257-2316	128	48.00	.24
510L100	43.61	9257-2317	136	51.00	.26
540L100	46.31	9257-2318	144	54.00	.26
566L100	47.68	9257-7341	151	56.63	.28
570L100	47.68	9257-7342	152	57.00	.29
581L100	49.00	9257-7343	155	58.13	.30
600L100	50.40	9257-2319	160	60.00	.31
630L100	51.75	9257-7344	168	63.00	.32
660L100	54.92	9257-2324	176	66.00	.33
720L100	58.57	9257-7345	192	72.00	.36
731L100	58.57	9257-7346	195	73.13	.42
817L100	64.54	9257-2325	218	81.75	.48
900L100	71.39	9257-2326	240	90.00	.58
915L100	71.39	9257-7347	244	91.50	.59
945L100	73.53	9257-7348	252	94.50	.64

PowerGrip® Timing Belts

Product No. Series 9257 (continued)

½″ Pitch (.500″/H) — ¾″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H075	$19.15	9257-3125	42	21.00	.14
220H075	19.65	9257-3126	44	22.00	.14
225H075	19.65	9257-3145	45	22.50	.14
230H075	20.22	9257-3127	46	23.00	.14
240H075	20.56	9257-3100	48	24.00	.14
270H075	22.14	9257-3101	54	27.00	.15
300H075	23.70	9257-3102	60	30.00	.17
310H075	24.25	9257-3146	62	31.00	.17
315H075	24.25	9257-3147	63	31.50	.18
320H075	24.95	9257-3128	64	32.00	.18
330H075	25.32	9257-3103	66	33.00	.19
340H075	26.03	9257-3129	68	34.00	.19
350H075	26.59	9257-3130	70	35.00	.19
360H075	26.88	9257-3104	72	36.00	.20
370H075	27.60	9257-3131	74	37.00	.20
390H075	28.45	9257-3105	78	39.00	.22
400H075	29.23	9257-3132	80	40.00	.22
410H075	29.74	9257-3133	82	41.00	.23
415H075	29.74	9257-3148	83	41.50	.23
420H075	30.01	9257-3106	84	42.00	.24
445H075	31.07	9257-3149	89	44.50	.25
450H075	31.63	9257-3107	90	45.00	.25
455H075	31.63	9257-8150	91	45.50	.25
465H075	32.20	9257-8151	93	46.50	.26
480H075	33.19	9257-3108	96	48.00	.27
490H075	33.97	9257-3134	98	49.00	.27
495H075	33.97	9257-8152	99	49.50	.27
510H075	34.25	9257-3109	102	51.00	.29
525H075	35.31	9257-8153	105	52.50	.29
540H075	36.32	9257-3110	108	54.00	.30
555H075	36.32	9257-8154	111	55.50	.32
560H075	37.38	9257-3135	112	56.00	.32
570H075	37.38	9257-3111	114	57.00	.32
585H075	38.45	9257-3136	117	58.50	.33
600H075	39.51	9257-3112	120	60.00	.34
605H075	39.51	9257-8155	121	60.50	.34

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H075	$40.58	9257-3113	126	63.00	.35
645H075	41.64	9257-3137	129	64.50	.36
655H075	41.64	9257-8156	131	65.50	.37
660H075	42.64	9257-3114	132	66.00	.37
670H075	42.64	9257-8157	134	67.00	.38
700H075	44.77	9257-3115	140	70.00	.39
730H075	45.83	9257-3138	146	73.00	.40
750H075	46.89	9257-3116	150	75.00	.42
775H075	47.93	9257-8158	155	77.50	.44
780H075	48.96	9257-3139	156	78.00	.44
800H075	50.03	9257-3117	160	80.00	.45
810H075	50.03	9257-8159	162	81.00	.46
820H075	51.09	9257-3140	164	82.00	.46
840H075	52.15	9257-3141	168	84.00	.47
850H075	52.15	9257-3118	170	85.00	.48
900H075	55.28	9257-3119	180	90.00	.51
950H075	57.39	9257-8160	190	95.00	.53
960H075	58.46	9257-3142	192	96.00	.54
1000H075	60.58	9257-3120	200	100.00	.56
1100H075	65.83	9257-3121	220	110.00	.62
1140H075	65.83	9257-3143	228	114.00	.67
1180H075	68.45	9257-8161	236	118.00	.68
1250H075	73.77	9257-3122	250	125.00	.70
1325H075	76.38	9257-8162	265	132.50	.75
1350H075	79.00	9257-8163	270	135.00	.77
1365H075	79.00	9257-8164	273	136.50	.78
1400H075	81.65	9257-3123	280	140.00	.79
1510H075	86.89	9257-8165	302	151.00	.85
1550H075	89.53	9257-3144	310	155.00	.89
1645H075	92.14	9257-8166	329	164.50	.93
1680H075	94.77	9257-8167	336	168.00	.94
1700H075	97.46	9257-3124	340	170.00	.95
2090H075	119.25	9257-8168	418	209.00	1.06
2100H075	119.82	9257-8169	420	210.00	1.10
2120H075	120.96	9257-8170	424	212.00	1.14
2330H075	132.94	9257-8171	466	233.00	1.34

PowerGrip® Timing Belts

Product No. Series 9257 (continued)

½″ Pitch (.500″/H) — 1″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H100	$24.41	9257-3225	42	21.00	.15
220H100	25.11	9257-3226	44	22.00	.16
225H100	25.11	9257-3245	45	22.50	.15
230H100	25.82	9257-3227	46	23.00	.17
240H100	26.53	9257-3200	48	24.00	.19
270H100	28.60	9257-3201	54	27.00	.21
300H100	30.72	9257-3202	60	30.00	.23
310H100	31.42	9257-3246	62	31.00	.23
315H100	31.42	9257-3247	63	31.50	.24
320H100	32.13	9257-3228	64	32.00	.24
330H100	32.79	9257-3203	66	33.00	.25
340H100	33.49	9257-3229	68	34.00	.27
350H100	34.20	9257-3230	70	35.00	.27
360H100	34.92	9257-3204	72	36.00	.28
370H100	35.63	9257-3231	74	37.00	.29
390H100	36.99	9257-3205	78	39.00	.30
400H100	37.69	9257-3232	80	40.00	.31
410H100	38.40	9257-3233	82	41.00	.31
415H100	38.40	9257-3248	83	41.50	.31
420H100	39.11	9257-3206	84	42.00	.32
445H100	40.51	9257-3249	89	44.50	.35
450H100	41.18	9257-3207	90	45.00	.35
455H100	41.18	9257-8250	91	45.50	.35
465H100	41.87	9257-8251	93	46.50	.36
480H100	43.30	9257-3208	96	48.00	.37
490H100	44.00	9257-3234	98	49.00	.38
495H100	44.00	9257-8252	99	49.50	.38
510H100	44.71	9257-3209	102	51.00	.39
525H100	46.07	9257-8253	105	52.50	.40
540H100	47.50	9257-3210	108	54.00	.41
555H100	47.50	9257-8254	111	55.50	.43
560H100	48.91	9257-3235	112	56.00	.43
570H100	48.91	9257-3211	114	57.00	.44
585H100	50.27	9257-3236	117	58.50	.45
600H100	51.69	9257-3212	120	60.00	.46
605H100	51.69	9257-8255	121	60.50	.46

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H100	$53.10	9257-3213	126	63.00	.48
645H100	54.49	9257-3237	129	64.50	.50
655H100	54.49	9257-8256	131	65.50	.51
660H100	55.89	9257-3214	132	66.00	.51
670H100	55.89	9257-8257	134	67.00	.52
700H100	58.66	9257-3215	140	70.00	.54
730H100	60.08	9257-3238	146	73.00	.56
750H100	61.49	9257-3216	150	75.00	.58
775H100	62.84	9257-8258	155	77.50	.58
780H100	64.27	9257-3239	156	78.00	.59
800H100	65.68	9257-3217	160	80.00	.61
810H100	65.68	9257-8259	162	81.00	.62
820H100	66.79	9257-3240	164	82.00	.63
840H100	67.91	9257-3241	168	84.00	.64
850H100	68.47	9257-3218	170	85.00	.65
900H100	72.66	9257-3219	180	90.00	.69
950H100	75.42	9257-8260	190	95.00	.71
960H100	76.86	9257-3242	192	96.00	.72
1000H100	79.63	9257-3220	200	100.00	.77
1100H100	86.61	9257-3221	220	110.00	.84
1140H100	89.40	9257-3243	228	114.00	.90
1180H100	90.07	9257-8261	236	118.00	.91
1250H100	97.11	9257-3222	250	125.00	.96
1325H100	100.58	9257-8262	265	132.50	1.04
1350H100	104.06	9257-8263	270	135.00	1.05
1365H100	104.06	9257-8264	273	136.50	1.06
1400H100	107.56	9257-3223	280	140.00	1.07
1510H100	114.57	9257-8265	302	151.00	1.15
1550H100	118.07	9257-3244	310	155.00	1.20
1645H100	121.55	9257-8266	329	164.50	1.27
1680H100	125.03	9257-8267	336	168.00	1.28
1700H100	128.53	9257-3224	340	170.00	1.31
2090H100	157.38	9257-8268	418	209.00	1.44
2100H100	158.13	9257-8269	420	210.00	1.48
2120H100	159.64	9257-8270	424	212.00	1.52
2330H100	175.44	9257-8271	466	233.00	1.80

PowerGrip® Timing Belts

½″ Pitch (.500″/H) — 1½″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H150	$35.22	9257-3325	42	21.00	.25
220H150	36.28	9257-3326	44	22.00	.26
225H150	36.28	9257-3345	45	22.50	.26
230H150	37.34	9257-3327	46	23.00	.27
240H150	38.35	9257-3300	48	24.00	.28
270H150	41.53	9257-3301	54	27.00	.31
300H150	44.67	9257-3302	60	30.00	.35
310H150	45.66	9257-3346	62	31.00	.36
315H150	45.66	9257-3347	63	31.50	.36
320H150	46.74	9257-3328	64	32.00	.37
330H150	47.80	9257-3303	66	33.00	.38
340H150	48.86	9257-3329	68	34.00	.38
350H150	49.87	9257-3330	70	35.00	.40
360H150	50.93	9257-3304	72	36.00	.42
370H150	51.99	9257-3331	74	37.00	.43
390H150	54.07	9257-3305	78	39.00	.45
400H150	55.13	9257-3332	80	40.00	.47
410H150	56.19	9257-3333	82	41.00	.48
415H150	56.19	9257-3348	83	41.50	.48
420H150	57.19	9257-3306	84	42.00	.49
445H150	59.30	9257-3349	89	44.50	.51
450H150	60.32	9257-3307	90	45.00	.52
455H150	60.32	9257-8350	91	45.50	.53
465H150	61.38	9257-8351	93	46.50	.54
480H150	63.46	9257-3308	96	48.00	.56
490H150	64.52	9257-3334	98	49.00	.58
495H150	64.52	9257-8352	99	49.50	.58
510H150	65.58	9257-3309	102	51.00	.59
525H150	67.64	9257-8353	105	52.50	.61
540H150	69.77	9257-3310	108	54.00	.63
555H150	69.77	9257-8354	111	55.50	.64
560H150	71.85	9257-3335	112	56.00	.64
570H150	71.85	9257-3311	114	57.00	.66
585H150	73.97	9257-3336	117	58.50	.68
600H150	76.04	9257-3312	120	60.00	.70
605H150	76.04	9257-8355	121	60.50	.71

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H150	$78.11	9257-3313	126	63.00	.73
645H150	80.23	9257-3337	129	64.50	.75
655H150	80.23	9257-8356	131	65.50	.76
660H150	82.31	9257-3314	132	66.00	.77
670H150	82.31	9257-8357	134	67.00	.78
700H150	86.50	9257-3315	140	70.00	.81
730H150	88.57	9257-3338	146	73.00	.85
750H150	90.70	9257-3316	150	75.00	.87
775H150	92.75	9257-8358	155	77.50	.88
780H150	94.87	9257-3339	156	78.00	.89
800H150	97.40	9257-3317	160	80.00	.93
810H150	97.40	9257-8359	162	81.00	.94
820H150	99.07	9257-3340	164	82.00	.95
840H150	101.16	9257-3341	168	84.00	.98
850H150	101.16	9257-3318	170	85.00	.99
900H150	107.41	9257-3319	180	90.00	1.04
950H150	111.58	9257-8360	190	95.00	1.08
960H150	113.68	9257-3342	192	96.00	1.10
1000H150	117.87	9257-3320	200	100.00	1.16
1100H150	132.53	9257-3321	220	110.00	1.27
1140H150	132.53	9257-3343	228	114.00	1.37
1180H150	133.56	9257-8361	236	118.00	1.40
1250H150	144.05	9257-3322	250	125.00	1.45
1325H150	149.22	9257-8362	265	132.50	1.53
1350H150	154.48	9257-8363	270	135.00	1.55
1365H150	154.48	9257-8364	273	136.50	1.58
1400H150	159.71	9257-3323	280	140.00	1.62
1510H150	170.14	9257-8365	302	151.00	1.70
1550H150	175.43	9257-3344	310	155.00	1.74
1645H150	180.59	9257-8366	329	164.50	1.83
1680H150	185.84	9257-8367	336	168.00	1.86
1700H150	191.08	9257-3324	340	170.00	1.90
2090H150	233.96	9257-8368	418	209.00	2.31
2100H150	235.08	9257-8369	420	210.00	2.32
2120H150	237.32	9257-8370	424	212.00	2.38
2330H150	260.83	9257-8371	466	233.00	2.62

Product No. Series 9257 (continued)

½″ Pitch (.500″/H) — 2″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H200	$46.03	9257-3425	42	21.00	.34
220H200	47.44	9257-3426	44	22.00	.35
225H200	47.44	9257-3445	45	22.50	.36
230H200	48.80	9257-3427	46	23.00	.37
240H200	50.22	9257-3400	48	24.00	.38
270H200	54.37	9257-3401	54	27.00	.44
300H200	58.56	9257-3402	60	30.00	.47
310H200	59.96	9257-3446	62	31.00	.48
315H200	59.96	9257-3447	63	31.50	.49
320H200	61.34	9257-3428	64	32.00	.49
330H200	62.75	9257-3403	66	33.00	.51
340H200	64.12	9257-3429	68	34.00	.53
350H200	65.53	9257-3430	70	35.00	.54
360H200	66.94	9257-3404	72	36.00	.56
370H200	68.32	9257-3431	74	37.00	.58
390H200	71.09	9257-3405	78	39.00	.61
400H200	72.51	9257-3432	80	40.00	.63
410H200	73.87	9257-3433	82	41.00	.63
415H200	73.87	9257-3448	83	41.50	.64
420H200	75.28	9257-3406	84	42.00	.65
445H200	78.05	9257-3449	89	44.50	.69
450H200	79.48	9257-3407	90	45.00	.70
455H200	79.48	9257-8450	91	45.50	.71
465H200	80.83	9257-8451	93	46.50	.76
480H200	83.62	9257-3408	96	48.00	.75
490H200	85.03	9257-3434	98	49.00	.77
495H200	85.03	9257-8452	99	49.50	.78
510H200	86.45	9257-3409	102	51.00	.79
525H200	89.22	9257-8453	105	52.50	.53
540H200	92.01	9257-3410	108	54.00	.84
555H200	92.01	9257-8454	111	55.50	.86
560H200	94.78	9257-3435	112	56.00	.87
570H200	94.78	9257-3411	114	57.00	.89
585H200	97.57	9257-3436	117	58.50	.90
600H200	100.34	9257-3412	120	60.00	.93
605H200	100.34	9257-8455	121	60.50	.94

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H200	$103.13	9257-3413	126	63.00	.98
645H200	105.90	9257-3437	129	64.50	1.01
655H200	105.90	9257-8456	131	65.50	1.02
660H200	108.73	9257-3414	132	66.00	1.02
670H200	108.73	9257-8457	134	67.00	1.03
700H200	114.29	9257-3415	140	70.00	1.09
730H200	117.07	9257-3438	146	73.00	1.10
750H200	119.84	9257-3416	150	75.00	1.16
775H200	122.60	9257-8458	155	77.50	1.18
780H200	125.40	9257-3439	156	78.00	1.19
800H200	128.23	9257-3417	160	80.00	1.24
810H200	128.23	9257-8459	162	81.00	1.25
820H200	130.46	9257-3440	164	82.00	1.27
840H200	133.79	9257-3441	168	84.00	1.28
850H200	133.79	9257-3418	170	85.00	1.32
900H200	142.13	9257-3419	180	90.00	1.40
950H200	147.70	9257-8460	190	95.00	1.48
960H200	150.52	9257-3442	192	96.00	1.50
1000H200	156.08	9257-3420	200	100.00	1.55
1100H200	170.02	9257-3421	220	110.00	1.71
1140H200	170.02	9257-3443	228	114.00	1.82
1180H200	176.96	9257-8461	236	118.00	1.89
1250H200	190.89	9257-3422	250	125.00	1.94
1325H200	197.83	9257-8462	265	132.50	2.07
1350H200	204.79	9257-8463	270	135.00	2.10
1365H200	204.79	9257-8464	273	136.50	2.12
1400H200	211.81	9257-3423	280	140.00	2.17
1510H200	225.65	9257-8465	302	151.00	3.77
1550H200	232.67	9257-3444	310	155.00	3.87
1645H200	239.60	9257-8466	329	164.50	4.11
1680H200	246.57	9257-8467	336	168.00	4.19
1700H200	253.59	9257-3424	340	170.00	4.24
2090H200	310.57	9257-8468	418	209.00	5.21
2100H200	312.06	9257-8469	420	210.00	5.23
2120H200	315.03	9257-8470	424	212.00	5.28
2330H200	346.24	9257-8471	466	233.00	5.80

PowerGrip® Timing Belts

Product No. Series 9257 (continued)

½″ Pitch (.500″/H) — 3″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H300	$67.65	9257-3525	42	21.00	.52
220H300	69.77	9257-3526	44	22.00	.55
225H300	69.77	9257-3545	45	22.50	.56
230H300	71.85	9257-3527	46	23.00	.57
240H300	73.92	9257-3500	48	24.00	.58
270H300	80.19	9257-3501	54	27.00	.63
300H300	86.45	9257-3502	60	30.00	.70
310H300	88.50	9257-3546	63	31.50	.71
315H300	88.50	9257-3547	83	41.50	.72
320H300	90.64	9257-3528	64	32.00	.73
330H300	92.71	9257-3503	66	33.00	.77
340H300	94.78	9257-3529	68	34.00	.79
350H300	96.86	9257-3530	70	35.00	.80
360H300	98.98	9257-3504	72	36.00	.84
370H300	101.05	9257-3531	74	37.00	.87
390H300	105.25	9257-3505	78	39.00	.91
400H300	107.32	9257-3532	80	40.00	.93
410H300	109.39	9257-3533	82	41.00	.95
415H300	109.39	9257-3548	83	41.50	.97
420H300	111.51	9257-3506	84	42.00	.98
445H300	115.63	9257-3549	89	44.50	1.03
450H300	117.72	9257-3507	90	45.00	1.05
455H300	117.72	9257-8550	91	45.50	1.07
465H300	119.82	9257-8551	93	46.50	1.08
480H300	123.99	9257-3508	96	48.00	1.12
490H300	126.11	9257-3534	98	49.00	1.15
495H300	126.11	9257-8552	99	49.50	1.16
510H300	128.18	9257-3509	102	51.00	1.19
525H300	132.35	9257-8553	105	52.50	1.22
540H300	136.51	9257-3510	108	54.00	1.26
555H300	136.51	9257-8554	111	55.50	1.27
560H300	140.71	9257-3535	112	56.00	1.29
570H300	140.71	9257-3511	114	57.00	1.33
585H300	144.86	9257-3536	117	58.50	1.37
600H300	149.05	9257-3512	120	60.00	1.40
605H300	149.05	9257-8555	121	60.50	1.42

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H300	$153.24	9257-3513	126	63.00	1.47
645H300	157.39	9257-3537	129	64.50	1.49
655H300	157.39	9257-8556	131	65.50	1.50
660H300	161.59	9257-3514	132	66.00	1.54
670H300	161.59	9257-8557	134	67.00	1.56
700H300	169.92	9257-3515	140	70.00	1.64
730H300	174.11	9257-3538	146	73.00	1.67
750H300	178.26	9257-3516	150	75.00	1.75
775H300	182.40	9257-8558	155	77.50	1.78
780H300	186.59	9257-3539	156	78.00	1.80
800H300	190.78	9257-3517	160	80.00	1.87
810H300	190.78	9257-8559	162	81.00	1.89
820H300	194.97	9257-3540	164	82.00	1.91
840H300	199.12	9257-3541	168	84.00	1.94
850H300	199.12	9257-3518	170	85.00	1.99
900H300	211.66	9257-3519	180	90.00	2.10
950H300	219.94	9257-8560	190	95.00	2.20
960H300	224.18	9257-3542	192	96.00	2.23
1000H300	232.52	9257-3520	200	100.00	2.35
1100H300	253.39	9257-3521	220	110.00	2.57
1140H300	253.39	9257-3543	228	114.00	2.85
1180H300	263.79	9257-8561	236	118.00	2.89
1250H300	284.71	9257-3522	250	125.00	2.92
1325H300	295.07	9257-8562	265	132.50	3.09
1350H300	305.52	9257-8563	270	135.00	3.15
1365H300	305.52	9257-8564	273	136.50	3.19
1400H300	315.98	9257-3523	280	140.00	3.27
1510H300	336.79	9257-8565	302	151.00	4.10
1550H300	347.31	9257-3544	310	155.00	4.21
1645H300	357.65	9257-8566	329	164.50	4.47
1680H300	368.11	9257-8567	336	168.00	4.57
1700H300	378.59	9257-3524	340	170.00	4.63
2090H300	463.74	9257-8568	418	209.00	5.69
2100H300	465.96	9257-8569	420	210.00	5.72
2120H300	470.39	9257-8570	424	212.00	5.77
2330H300	516.99	9257-8571	466	233.00	6.34

Product No. Series 9257 (continued)

7/8″ Pitch (.875″/XH) — 2″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
507XH200	$206.90	9257-4100	58	50.75	2.28
560XH200	221.35	9257-4101	64	56.00	2.52
630XH200	235.81	9257-4102	72	63.00	2.83
700XH200	255.05	9257-4103	80	70.00	3.14
770XH200	269.50	9257-4104	88	77.00	3.45
840XH200	288.80	9257-4105	96	84.00	3.77

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
980XH200	$322.51	9257-4106	112	98.00	4.39
1120XH200	351.41	9257-4107	128	112.00	5.02
1260XH200	387.53	9257-4108	144	126.00	5.64
1400XH200	423.65	9257-4109	160	140.00	6.26
1540XH200	447.76	9257-4110	176	154.00	6.89
1750XH200	507.93	9257-4111	200	175.00	7.83

7/8″ Pitch (.875″/XH) — 3″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
507XH300	$291.18	9257-4200	58	50.75	3.46
560XH300	312.20	9257-4201	64	56.00	3.82
630XH300	333.21	9257-4202	72	63.00	4.29
700XH300	361.25	9257-4203	80	70.00	4.76
770XH300	382.27	9257-4204	88	77.00	5.24
840XH300	410.35	9257-4205	96	84.00	5.71

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
980XH300	$459.32	9257-4206	112	98.00	6.66
1120XH300	501.37	9257-4207	128	112.00	7.60
1260XH300	553.91	9257-4208	144	126.00	8.50
1400XH300	606.45	9257-4209	160	140.00	9.50
1540XH300	641.47	9257-4210	176	154.00	10.45
1750XH300	729.08	9257-4211	200	175.00	11.87

7/8″ Pitch (.875″/XH) — 4″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
507XH400	$375.50	9257-4300	58	50.75	4.64
560XH400	403.09	9257-4301	64	56.00	5.11
630XH400	430.68	9257-4302	72	63.00	5.75
700XH400	467.47	9257-4303	80	70.00	6.38
770XH400	495.04	9257-4304	88	77.00	7.02
840XH400	531.83	9257-4305	96	84.00	7.66

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
980XH400	$596.20	9257-4306	112	98.00	7.92
1120XH400	651.37	9257-4307	128	112.00	10.19
1260XH400	720.34	9257-4308	144	126.00	11.47
1400XH400	789.31	9257-4309	160	140.00	12.73
1540XH400	835.29	9257-4310	176	154.00	14.00
1750XH400	950.23	9257-4311	200	175.00	15.91

1 1/4″ Pitch (1.250″/XXH) — 2″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
700XXH200	$306.21	9257-5100	56	70.00	4.19
800XXH200	335.18	9257-5101	64	80.00	4.79
900XXH200	364.21	9257-5102	72	90.00	5.38
1000XXH200	393.25	9257-5103	80	100.00	5.98

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200XXH200	$444.68	9257-5104	96	120.00	7.17
1400XXH200	502.73	9257-5105	112	140.00	8.36
1600XXH200	560.74	9257-5106	128	160.00	9.55
1800XXH200	623.99	9257-5107	144	180.00	10.74

1 1/4″ Pitch (1.250″/XXH) — 3″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
700XXH300	$433.44	9257-5200	56	70.00	6.36
800XXH300	475.47	9257-5201	64	80.00	7.26
900XXH300	517.50	9257-5202	72	90.00	8.17
1000XXH300	559.55	9257-5203	80	100.00	9.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200XXH300	$643.62	9257-5204	96	120.00	10.88
1400XXH300	727.69	9257-5205	112	140.00	12.68
1600XXH300	811.77	9257-5206	128	160.00	14.49
1800XXH300	895.84	9257-5207	144	180.00	16.29

PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1¼″ Pitch (1.250″/XXH) — 4″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
700XXH400	$560.55	9257-5300	56	70.00	8.53
800XXH400	615.25	9257-5301	64	80.00	9.74
900XXH400	669.97	9257-5302	72	90.00	10.95
1000XXH400	724.69	9257-5303	80	100.00	12.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200XXH400	$834.17	9257-5304	96	120.00	14.59
1400XXH400	943.62	9257-5305	112	140.00	17.01
1600XXH400	1053.10	9257-5306	128	160.00	19.43
1800XXH400	1167.84	9257-5307	144	180.00	21.85

1¼″ Pitch (1.250″/XXH) — 5″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
700XXH500	$688.36	9257-5400	56	70.00	10.70
800XXH500	756.67	9257-5401	64	80.00	12.22
900XXH500	824.98	9257-5402	72	90.00	13.74
1000XXH500	893.29	9257-5403	80	100.00	15.26

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200XXH500	$1029.91	9257-5404	96	120.00	18.30
1400XXH500	1166.54	9257-5405	112	140.00	21.33
1600XXH500	1303.16	9257-5406	128	160.00	24.37
1800XXH500	1439.78	9257-5407	144	180.00	27.41

Cotton Cleaner Belts

Cotton Cleaner belts have a trapezoidal tooth profile and steel tensile cords.

Markets/Applications

Cotton Cleaner belts are specifically designed for use on Cotton Gin and inclined cleaner machines.

Features/Advantages

- **Steel tensile cords** for added capacity, minimal elongation, and reduced maintenance.
- Long service life in harsh environments.

Product No. Series 9259

1″ Pitch

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
61CCB142	$203.76	9259-2589	60	61.07	2.00
63CCB165	207.93	9259-2590	63	63.00	2.00
64CCB170	207.93	9259-2565	64	63.95	2.00
65CCB175	212.10	9259-1975	65	64.95	2.00

PowerGrip® GT®2 Twin-Power® Belts – 3MR and 5MR

Twin Power® belts have teeth on both sides to provide synchronization from both driving surfaces.



Markets/Applications

PowerGrip® GT®2 Twin Power® belts are ideal for many applications including data storage, machine tool, hand power tools, postage handling, medical diagnostic, sewing machines, ticket dispensers, robotoics, vending machines and vacuum cleaners.

Features/Advantages

- Gates Twin Power® belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of belt.
- Belt capacity is equal to standard single-sided PowerGrip® belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drive.

Recommended Sprockets
PowerGrip® GT®2 Sprockets-3MR
5M Sprockets-PowerGrip®GT®2 and Poly Chain®GT®

Notes
PowerGrip® GT®2 Twin Power® belts in standard widths are Standard/Non-Stock. Minimum order quantities are not required on standard widths.

3MR GT®2 Standard Belt Widths		
Belt Width Code	Belt Width (mm)	Belt Width (In.)
06	6	0.236
09	9	0.354
15	15	0.591

5MR GT®2 Standard Belt Widths		
Belt Width Code	Belt Width (mm)	Belt Width (In.)
09	9	0.354
15	15	0.591
25	25	0.984

3MR Aluminum Barstock can be used with 3MR PowerGrip® GT®2 Twin Power® Belts.

PowerGrip® GT®2 Twin Power® part numbers are comprised of pitch, pitch length and width. For example, TP3MR-426-06 denotes "TP" for Twin Power®, 3mm pitch, 426mm pitch length and 6mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip® GT®2 belt lies within the tensile member.

Product No. Series 9232

3MR — Twin Power Belts

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-375	125	14.7638	375
TP3MR-381	127	15.0000	381
TP3MR-384	128	15.1181	384
TP3MR-387	129	15.2362	387
TP3MR-390	130	15.3543	390
TP3MR-393	131	15.4724	393
TP3MR-396	132	15.5905	396
TP3MR-399	133	15.7086	399
TP3MR-405	135	15.9449	405
TP3MR-411	137	16.1811	411
TP3MR-414	138	16.2992	414
TP3MR-417	139	16.4173	417
TP3MR-420	140	16.5354	420
TP3MR-426	142	16.7716	426
TP3MR-432	144	17.0078	432

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-435	145	17.1260	435
TP3MR-438	146	17.2441	438
TP3MR-444	148	17.4803	444
TP3MR-447	149	17.5984	447
TP3MR-459	153	18.0708	459
TP3MR-465	155	18.3071	465
TP3MR-468	156	18.4252	468
TP3MR-471	157	18.5433	471
TP3MR-474	158	18.6614	474
TP3MR-480	160	18.8976	480
TP3MR-483	161	19.0157	483
TP3MR-486	162	19.1338	486
TP3MR-489	163	19.2519	489
TP3MR-492	164	19.3700	492
TP3MR-501	167	19.7244	501

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-504	168	19.8425	504
TP3MR-510	170	20.0787	510
TP3MR-513	171	20.1968	513
TP3MR-519	173	20.4330	519
TP3MR-525	175	20.6693	525
TP3MR-528	176	20.7874	528
TP3MR-531	177	20.9055	531
TP3MR-537	179	21.1417	537
TP3MR-552	184	21.7322	552
TP3MR-558	186	21.9685	558
TP3MR-564	188	22.2047	564
TP3MR-570	190	22.4409	570
TP3MR-576	192	22.6771	576
TP3MR-585	195	23.0315	585
TP3MR-591	197	23.2677	591

PowerGrip® GT®2 Twin-Power® Belts – 3MR and 5MR

Product No. Series 9232 (continued)

3MR — Twin Power Belts (continued)

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-597	199	23.5039	597
TP3MR-600	200	23.6220	600
TP3MR-606	202	23.8582	606
TP3MR-609	203	23.9763	609
TP3MR-612	204	24.0944	612
TP3MR-627	209	24.6850	627
TP3MR-633	211	24.9212	633
TP3MR-639	213	25.1574	639
TP3MR-645	215	25.3937	645
TP3MR-648	216	25.5118	648
TP3MR-654	218	25.7480	654
TP3MR-657	219	25.8661	657
TP3MR-663	221	26.1023	663
TP3MR-669	223	26.3385	669
TP3MR-684	228	26.9291	684
TP3MR-687	229	27.0472	687
TP3MR-696	232	27.4015	696
TP3MR-711	237	27.9921	711
TP3MR-735	245	28.9370	735

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-738	246	29.0551	738
TP3MR-750	250	29.5275	750
TP3MR-753	251	29.6456	753
TP3MR-786	262	30.9448	786
TP3MR-795	265	31.2992	795
TP3MR-822	274	32.3621	822
TP3MR-837	279	32.9527	837
TP3MR-840	280	33.0708	840
TP3MR-843	281	33.1889	843
TP3MR-873	291	34.3700	873
TP3MR-882	294	34.7243	882
TP3MR-891	297	35.0787	891
TP3MR-900	300	35.4330	900
TP3MR-915	305	36.0236	915
TP3MR-945	315	37.2047	945
TP3MR-951	317	37.4409	951
TP3MR-981	327	38.6220	981
TP3MR-1002	334	39.4487	1002
TP3MR-1026	342	40.3936	1026

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-1035	345	40.7480	1035
TP3MR-1050	350	41.3385	1050
TP3MR-1056	352	41.5747	1056
TP3MR-1062	354	41.8109	1062
TP3MR-1080	360	42.5196	1080
TP3MR-1125	375	44.2913	1125
TP3MR-1155	385	45.4724	1155
TP3MR-1191	397	46.8897	1191
TP3MR-1263	421	49.7243	1263
TP3MR-1335	445	52.5590	1335
TP3MR-1500	500	59.0550	1500
TP3MR-1512	504	59.5274	1512
TP3MR-1536	512	60.4723	1536
TP3MR-1587	529	62.4802	1587
TP3MR-1956	652	77.0077	1956
TP3MR-2004	668	78.8975	2004
TP3MR-2061	687	81.1416	2061

5MR — Twin Power Belts

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP5MR-400	80	15.75	400
TP5MR-405	81	15.95	405
TP5MR-425	85	16.73	425
TP5MR-450	90	17.72	450
TP5MR-500	100	19.69	500
TP5MR-535	107	21.06	535
TP5MR-565	113	22.24	565
TP5MR-575	115	22.64	575
TP5MR-580	116	22.83	580
TP5MR-600	120	23.62	600
TP5MR-625	130	24.61	625
TP5MR-650	130	25.69	650
TP5MR-700	140	27.5590	700
TP5MR-710	142	27.9527	710
TP5MR-740	148	29.1338	740
TP5MR-745	149	29.3307	745
TP5MR-750	150	29.5275	750
TP5MR-765	153	30.1181	765
TP5MR-790	158	31.1023	790
TP5MR-800	160	31.4960	800
TP5MR-815	163	32.0866	815
TP5MR-830	166	32.6771	830

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP5MR-835	167	32.8740	835
TP5MR-850	170	33.4645	850
TP5MR-870	174	34.2519	870
TP5MR-890	178	35.0393	890
TP5MR-900	180	35.4330	900
TP5MR-925	185	36.4173	925
TP5MR-950	190	37.4015	950
TP5MR-975	195	38.3858	975
TP5MR-985	197	38.7795	985
TP5MR-1000	200	39.3700	1000
TP5MR-1050	210	41.3385	1050
TP5MR-1115	223	43.8975	1115
TP5MR-1125	225	44.2913	1125
TP5MR-1150	230	45.2755	1150
TP5MR-1195	239	47.0472	1195
TP5MR-1250	250	49.2125	1250
TP5MR-1270	254	49.9999	1270
TP5MR-1295	259	50.9842	1295
TP5MR-1300	260	51.1810	1300
TP5MR-1375	275	54.1338	1375
TP5MR-1420	284	55.9054	1420
TP5MR-1450	290	57.0865	1450

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP5MR-1575	315	62.0078	1575
TP5MR-1595	319	62.7952	1595
TP5MR-1600	320	62.9920	1600
TP5MR-1635	327	64.3700	1635
TP5MR-1690	338	66.5353	1690
TP5MR-1720	344	67.7164	1720
TP5MR-1755	351	69.0944	1755
TP5MR-1790	358	70.4723	1790
TP5MR-1800	360	70.8660	1800
TP5MR-1895	379	74.6062	1895
TP5MR-1945	389	76.5747	1945
TP5MR-1980	396	77.9526	1980
TP5MR-2000	400	78.7400	2000
TP5MR-2110	422	83.0707	2110
TP5MR-2250	450	88.5825	2250
TP5MR-2525	505	99.4093	2525
TP5MR-2760	552	108.6612	2760
TP5MR-3120	624	122.8344	3120
TP5MR-3170	634	124.8029	3170
TP5MR-3200	640	125.9840	3200
TP5MR-3430	686	135.0391	3430
TP5MR-3800	760	149.6060	3800

PowerGrip® GT®2 Twin Power® Belts

Twin Power® belts have teeth on both sides to provide synchronization from both driving surfaces.



Markets/Applications

PowerGrip® GT®2 Twin Power® belts are ideal for serpentine applications requiring rotation reversal or synchronization of driven shafts. Ideal for use in industries such a textile, paper, packaging and printing.

Features/Advantages

- Gates Twin Power® belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of belt.
- Belt capacity is equal to standard single-sided PowerGrip® belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grease, grime, oil and moisture.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drive.

Recommended Sprockets
PowerGrip® GT®2 Sprockets-8M and 14M

Notes
If you currently use PowerGrip® HTD® Twin Power® belts, consider PowerGrip® GT®2 Twin Power® belts at reduced widths to lower your costs.

PowerGrip® GT®2 Twin Power® part numbers are comprised of pitch length, pitch and width. For example, TP4400-8MGT-30 denotes "TP" for Twin Power®, 4400mm pitch length, 8mm pitch and 30mm width.

Belt **pitch** is the distance in millimeter between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip® GT®2 belt lies within the tensile member.

Product No. Series 9232

8mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP560-8MGT-20	$73.43	9232-0005	70	22.05	.32
TP600-8MGT-20	77.15	9232-0009	75	23.62	.34
TP640-8MGT-20	79.25	9232-0013	80	25.20	.36
TP720-8MGT-20	85.13	9232-0017	90	28.35	.40
TP800-8MGT-20	95.55	9232-0021	100	31.50	.44
TP840-8MGT-20	98.87	9232-1025	105	33.08	.47
TP880-8MGT-20	102.43	9232-0025	110	34.65	.50
TP920-8MGT-20	104.69	9232-1001	115	36.23	.52
TP960-8MGT-20	110.57	9232-0029	120	37.80	.54
TP1040-8MGT-20	116.39	9232-0033	130	40.95	.59
TP1064-8MGT-20	119.08	9232-1005	133	41.89	.60
TP1120-8MGT-20	122.77	9232-0037	140	44.10	.63
TP1160-8MGT-20	122.84	9232-2049	146	45.83	.66
TP1200-8MGT-20	122.90	9232-0041	150	47.25	.68
TP1224-8MGT-20	128.59	9232-1029	153	48.20	.69

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1280-8MGT-20	$128.73	9232-0045	160	50.40	.72
TP1440-8MGT-20	140.47	9232-0049	180	56.70	.80
TP1512-8MGT-20	144.68	9232-1013	189	59.53	.84
TP1600-8MGT-20	152.68	9232-0053	200	63.00	.90
TP1760-8MGT-20	164.37	9232-0057	220	69.30	.98
TP1800-8MGT-20	168.15	9232-0061	225	70.88	1.00
TP2000-8MGT-20	184.11	9232-0065	250	78.75	1.12
TP2200-8MGT-20	215.26	9232-1033	275	86.63	1.24
TP2400-8MGT-20	215.49	9232-0069	300	94.50	1.34
TP2600-8MGT-20	233.04	9232-0077	325	102.38	1.46
TP2800-8MGT-20	247.42	9232-0073	350	110.25	1.56
TP3048-8MGT-20	267.07	9232-0081	381	120.02	1.70
TP3280-8MGT-20	285.19	9232-0085	410	129.15	1.84
TP3600-8MGT-20	315.52	9232-0089	450	141.75	2.02
TP4400-8MGT-20	376.68	9232-0093	550	173.25	2.46

PowerGrip® GT®2 Twin Power® Belts

Product No. Series 9232 (continued)

8mm Pitch — 30mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP560-8MGT-30	$104.80	9232-0006	70	22.05	.46
TP600-8MGT-30	110.68	9232-0010	75	23.62	.50
TP640-8MGT-30	113.33	9232-0014	80	25.20	.54
TP720-8MGT-30	121.80	9232-0018	90	28.35	.60
TP800-8MGT-30	134.05	9232-0022	100	31.50	.66
TP840-8MGT-30	141.19	9232-1026	105	33.08	.70
TP880-8MGT-30	145.43	9232-0026	110	34.65	.73
TP920-8MGT-30	149.61	9232-1002	115	36.23	.77
TP960-8MGT-30	154.06	9232-0030	120	37.80	.80
TP1040-8MGT-30	163.31	9232-0034	130	40.95	.87
TP1064-8MGT-30	167.08	9232-1006	133	41.89	.88
TP1120-8MGT-30	171.95	9232-0038	140	44.10	.93
TP1160-8MGT-30	174.82	9232-1010	146	45.83	.96
TP1200-8MGT-30	177.68	9232-0042	150	47.25	1.00
TP1224-8MGT-30	183.60	9232-1030	153	48.20	1.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1280-8MGT-30	$186.21	9232-0046	160	50.40	1.06
TP1440-8MGT-30	203.78	9232-0050	180	56.70	1.20
TP1512-8MGT-30	209.44	9232-1014	189	59.53	1.26
TP1600-8MGT-30	221.34	9232-0054	200	63.00	1.34
TP1760-8MGT-30	238.86	9232-0058	220	69.30	1.46
TP1800-8MGT-30	244.17	9232-0062	225	70.88	1.50
TP2000-8MGT-30	267.63	9232-0066	250	78.75	1.66
TP2200-8MGT-30	296.88	9232-1034	275	86.63	1.83
TP2400-8MGT-30	314.45	9232-0070	300	94.50	2.00
TP2600-8MGT-30	338.40	9232-0078	325	102.38	2.18
TP2800-8MGT-30	360.71	9232-0074	350	110.25	2.34
TP3048-8MGT-30	389.99	9232-0082	381	120.02	2.54
TP3280-8MGT-30	404.91	9232-0086	410	129.15	2.74
TP3600-8MGT-30	448.51	9232-0090	450	141.75	3.02
TP4400-8MGT-30	536.30	9232-0094	550	173.25	3.68

8mm Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP560-8MGT-50	$167.58	9232-0007	70	22.05	.78
TP600-8MGT-50	177.18	9232-0011	75	23.62	.84
TP640-8MGT-50	181.95	9232-0015	80	25.20	.85
TP720-8MGT-50	196.83	9232-0019	90	28.35	1.00
TP800-8MGT-50	216.53	9232-0023	100	31.50	1.12
TP840-8MGT-50	230.07	9232-1027	105	33.08	1.18
TP880-8MGT-50	236.00	9232-0027	110	34.65	1.23
TP920-8MGT-50	243.28	9232-1003	115	36.23	1.29
TP960-8MGT-50	251.17	9232-0031	120	37.80	1.34
TP1040-8MGT-50	265.84	9232-0035	130	40.95	1.46
TP1064-8MGT-50	271.97	9232-1007	133	41.89	1.50
TP1120-8MGT-50	281.03	9232-0039	140	44.10	1.57
TP1160-8MGT-50	285.78	9232-1011	146	45.83	1.60
TP1200-8MGT-50	290.52	9232-0043	150	47.25	1.68
TP1224-8MGT-50	300.84	9232-1031	153	48.20	1.71

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1280-8MGT-50	$305.38	9232-0047	160	50.40	1.78
TP1440-8MGT-50	334.66	9232-0051	180	56.70	2.02
TP1512-8MGT-50	354.25	9232-1015	189	59.53	2.10
TP1600-8MGT-50	364.43	9232-0055	200	63.00	2.22
TP1760-8MGT-50	393.71	9232-0059	220	69.30	2.46
TP1800-8MGT-50	403.79	9232-0063	225	70.88	2.50
TP2000-8MGT-50	443.22	9232-0067	250	78.75	2.78
TP2200-8MGT-50	493.06	9232-1035	275	86.63	3.08
TP2400-8MGT-50	521.94	9232-0071	300	94.50	3.34
TP2600-8MGT-50	567.67	9232-0079	325	102.38	3.62
TP2800-8MGT-50	600.63	9232-0075	350	110.25	3.90
TP3048-8MGT-50	645.38	9232-0083	381	120.02	3.90
TP3280-8MGT-50	687.39	9232-0087	410	129.15	4.58
TP3600-8MGT-50	762.42	9232-0091	450	141.75	5.02
TP4400-8MGT-50	913.01	9232-0095	550	173.25	6.14

8mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP560-8MGT-85	$278.78	9232-0008	70	22.05	1.32
TP600-8MGT-85	295.53	9232-0012	75	23.62	1.42
TP640-8MGT-85	303.78	9232-0016	80	25.20	1.52
TP720-8MGT-85	328.80	9232-0020	90	28.35	1.70
TP800-8MGT-85	362.33	9232-0024	100	31.50	1.90
TP840-8MGT-85	383.77	9232-1028	105	33.08	1.98
TP880-8MGT-85	394.96	9232-0028	110	34.65	2.08
TP920-8MGT-85	410.25	9232-1004	115	36.23	2.17
TP960-8MGT-85	420.45	9232-1008	120	37.80	2.27
TP1040-8MGT-85	445.93	9232-0036	130	40.95	2.46
TP1064-8MGT-85	456.22	9232-2048	133	41.89	2.50
TP1120-8MGT-85	471.42	9232-0040	140	44.10	2.65
TP1160-8MGT-85	479.40	9232-1012	146	45.83	2.76
TP1200-8MGT-85	487.37	9232-0044	150	47.25	2.84
TP1224-8MGT-85	503.51	9232-1032	153	48.20	2.89

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1280-8MGT-85	$512.34	9232-0048	160	50.40	3.04
TP1440-8MGT-85	562.38	9232-0052	180	56.70	3.42
TP1512-8MGT-85	579.20	9232-1016	189	59.53	3.56
TP1600-8MGT-85	612.90	9232-0056	200	63.00	3.80
TP1760-8MGT-85	662.39	9232-0060	220	69.30	4.16
TP1800-8MGT-85	679.41	9232-0064	225	70.88	4.26
TP2000-8MGT-85	745.89	9232-0068	250	78.75	4.74
TP2200-8MGT-85	828.28	9232-1036	275	86.63	5.20
TP2400-8MGT-85	879.47	9232-0072	300	94.50	5.68
TP2600-8MGT-85	949.13	9232-0080	325	102.38	6.18
TP2800-8MGT-85	1010.45	9232-0076	350	110.25	6.64
TP3048-8MGT-85	1097.07	9232-0084	381	120.02	7.24
TP3280-8MGT-85	1181.13	9232-0088	410	129.15	7.78
TP3600-8MGT-85	1310.91	9232-0092	450	141.75	8.54
TP4400-8MGT-85	1571.10	9232-0096	550	173.25	10.44

PowerGrip® GT®2 Twin Power® Belts

Product No. Series 9232 (continued)

14mm Pitch — 40mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP966-14MGT-40	$525.65	9232-0100	69	38.03	1.68
TP1190-14MGT-40	578.06	9232-0105	85	46.85	2.07
TP1400-14MGT-40	628.79	9232-0110	100	55.12	2.43
TP1610-14MGT-40	656.46	9232-0115	115	63.38	2.80
TP1778-14MGT-40	700.62	9232-0120	127	70.00	3.08
TP1890-14MGT-40	735.75	9232-0125	135	74.41	3.28
TP2100-14MGT-40	801.71	9232-0130	150	82.67	3.64
TP2310-14MGT-40	853.85	9232-0135	165	90.94	4.00
TP2450-14MGT-40	888.98	9232-0140	175	96.45	4.26
TP2590-14MGT-40	932.02	9232-0145	185	101.96	4.50
TP2800-14MGT-40	996.91	9232-0150	200	110.23	4.86

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP3150-14MGT-40	$1094.27	9232-0155	225	124.01	5.46
TP3360-14MGT-40	1145.89	9232-0180	240	132.28	5.82
TP3500-14MGT-40	1181.58	9232-0160	250	137.79	6.06
TP3850-14MGT-40	1300.72	9232-0165	275	151.57	6.66
TP4326-14MGT-40	1444.89	9232-0170	309	170.31	7.48
TP4578-14MGT-40	1526.83	9232-0175	327	180.23	7.92
TP4956-14MGT-40	1652.88	9232-0185	354	195.12	11.80
TP5320-14MGT-40	1774.73	9232-0190	380	209.45	12.66
TP5740-14MGT-40	1914.63	9232-0195	410	225.98	13.66
TP6160-14MGT-40	2054.05	9232-0200	440	242.52	14.66
TP6860-14MGT-40	2288.13	9232-0205	490	270.08	16.32

14mm Pitch — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP966-14MGT-55	$704.39	9232-0101	69	38.03	2.30
TP1190-14MGT-55	778.15	9232-0106	85	46.85	2.84
TP1400-14MGT-55	850.20	9232-0111	100	55.12	3.34
TP1610-14MGT-55	875.12	9232-0116	115	63.38	3.84
TP1778-14MGT-55	932.58	9232-0121	127	70.00	4.26
TP1890-14MGT-55	980.95	9232-0126	135	74.41	4.52
TP2100-14MGT-55	1071.95	9232-0131	150	82.67	5.02
TP2310-14MGT-55	1141.66	9232-0136	165	90.94	5.52
TP2450-14MGT-55	1188.45	9232-0141	175	96.45	5.86
TP2590-14MGT-55	1248.54	9232-0146	185	101.96	6.20
TP2800-14MGT-55	1338.49	9232-0151	200	110.23	6.68

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP3150-14MGT-55	$1472.54	9232-0156	225	124.01	7.54
TP3360-14MGT-55	1546.47	9232-0181	240	132.28	8.04
TP3500-14MGT-55	1594.91	9232-0161	250	137.79	8.38
TP3850-14MGT-55	1772.08	9232-0166	275	151.57	9.20
TP4326-14MGT-55	1953.47	9232-0171	309	170.31	10.34
TP4578-14MGT-55	2071.53	9232-0176	327	180.23	10.96
TP4956-14MGT-55	2242.32	9232-0186	354	195.12	11.80
TP5320-14MGT-55	2407.80	9232-0191	380	209.45	12.66
TP5740-14MGT-55	2597.73	9232-0196	410	225.98	13.66
TP6160-14MGT-55	2787.10	9232-0201	440	242.52	14.66
TP6860-14MGT-55	3104.18	9232-0206	490	270.08	16.32

14mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP966-14MGT-85	$1025.34	9232-0102	69	38.03	3.56
TP1190-14MGT-85	1137.96	9232-0107	85	46.85	4.39
TP1400-14MGT-85	1248.80	9232-0112	100	55.12	5.16
TP1610-14MGT-85	1287.39	9232-0117	115	63.38	5.94
TP1778-14MGT-85	1373.10	9232-0122	127	70.00	6.56
TP1890-14MGT-85	1447.02	9232-0127	135	74.41	6.98
TP2100-14MGT-85	1585.87	9232-0132	150	82.67	7.76
TP2310-14MGT-85	1691.72	9232-0137	165	90.94	8.52
TP2450-14MGT-85	1761.95	9232-0142	175	96.45	9.04
TP2590-14MGT-85	1851.87	9232-0147	185	101.96	9.56
TP2800-14MGT-85	1986.99	9232-0152	200	110.23	10.34

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP3150-14MGT-85	$2192.35	9232-0157	225	124.01	11.64
TP3360-14MGT-85	2301.91	9232-0182	240	132.28	12.40
TP3500-14MGT-85	2375.34	9232-0162	250	137.79	12.92
TP3850-14MGT-85	2629.64	9232-0167	275	151.57	14.20
TP4326-14MGT-85	2922.72	9232-0172	309	170.31	16.00
TP4578-14MGT-85	3084.47	9232-0177	327	180.23	16.90
TP4956-14MGT-85	3302.10	9232-0187	354	195.12	11.80
TP5320-14MGT-85	3585.05	9232-0192	380	209.45	12.66
TP5740-14MGT-85	3867.58	9232-0197	410	225.98	13.66
TP6160-14MGT-85	4150.08	9232-0202	440	242.52	14.66
TP6860-14MGT-85	4622.43	9232-0207	490	270.08	16.32

PowerGrip® GT®2 Twin Power® Belts

Product No. Series 9232 (continued)

14mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP966-14MGT-115	$1363.19	9232-0103	69	38.03	4.82
TP1190-14MGT-115	1518.01	9232-0108	85	46.85	5.94
TP1400-14MGT-115	1667.77	9232-0113	100	55.12	6.99
TP1610-14MGT-115	1721.53	9232-0118	115	63.38	8.04
TP1778-14MGT-115	1838.58	9232-0123	127	70.00	8.90
TP1890-14MGT-115	1938.53	9232-0128	135	74.41	9.46
TP2100-14MGT-115	2126.35	9232-0133	150	82.67	10.50
TP2310-14MGT-115	2268.39	9232-0138	165	90.94	11.54
TP2450-14MGT-115	2363.07	9232-0143	175	96.45	12.26

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP2590-14MGT-115	$2484.39	9232-0148	185	101.96	12.94
TP2800-14MGT-115	2666.32	9232-0153	200	110.23	14.00
TP3150-14MGT-115	2945.11	9232-0158	225	124.01	15.74
TP3360-14MGT-115	3094.59	9232-0183	240	132.28	16.78
TP3500-14MGT-115	3196.20	9232-0163	250	137.79	17.50
TP3850-14MGT-115	3541.99	9232-0168	275	151.57	19.24
TP4326-14MGT-115	3936.73	9232-0173	309	170.31	21.60
TP4578-14MGT-115	4165.46	9232-0178	327	180.23	22.84

14mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP966-14MGT-170	$2012.04	9232-0104	69	38.03	7.13
TP1190-14MGT-170	2241.90	9232-0109	85	46.85	8.79
TP1400-14MGT-170	2467.67	9232-0114	100	55.12	10.34
TP1610-14MGT-170	2498.24	9232-0119	115	63.38	11.90
TP1778-14MGT-170	2668.49	9232-0124	127	70.00	13.12
TP1890-14MGT-170	2814.20	9232-0129	135	74.41	13.94
TP2100-14MGT-170	3089.82	9232-0134	150	82.67	15.50
TP2310-14MGT-170	3297.78	9232-0139	165	90.94	17.06
TP2450-14MGT-170	3436.65	9232-0144	175	96.45	18.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP2590-14MGT-170	$3614.32	9232-0149	185	101.96	19.10
TP2800-14MGT-170	3881.40	9232-0154	200	110.23	20.66
TP3150-14MGT-170	4294.21	9232-0159	225	124.01	23.24
TP3360-14MGT-170	4513.36	9232-0184	240	132.28	24.78
TP3500-14MGT-170	4658.61	9232-0164	250	137.79	25.80
TP3850-14MGT-170	5152.31	9232-0169	275	151.57	28.40
TP4326-14MGT-170	5749.73	9232-0174	309	170.31	31.92
TP4578-14MGT-170	5971.56	9232-0179	327	180.23	33.80

PowerGrip® HTD® Twin Power® Belts

Twin Power® belts have teeth on both sides to provide synchronization from both driving surfaces.



Markets/Applications

PowerGrip® HTD® Twin Power® belts are suitable for many applications including data storage, hand power tools, postage handling, food processors, office machines, centrifuges, money handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.

Features/Advantages

- Gates Twin Power® belts have **nylon facing** on both tooth surfaces. providing equal load carrying capabilities on either side of the belt.
- Belt capacity is equal to standard single-sided PowerGrip® belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Quieter than roller chain drives and eliminates lubrication and re-tensioning to reduce maintenance and labor.

Recommended Sprockets
PowerGrip® HTD® Sprockets

Notes
PowerGrip® HTD® Twin Power® belts in standard widths are Standard/Non-Stock. Minimum order quantities are not required on standard widths.

3M HTD® Standard Belt Widths		
Belt Width Code	Belt Width (mm)	Belt Width (In.)
06	6	0.236
09	9	0.354
15	15	0.591

5M HTD® Standard Belt Widths		
Belt Width Code	Belt Width (mm)	Belt Width (In.)
09	9	0.354
15	15	0.591
25	25	0.984

PowerGrip® HTD® Twin Power® part numbers are comprised of pitch length, pitch and width. For example, TP444-3M-09 denotes "TP" for Twin Power, 444mm pitch length, 3mm pitch and 9mm width.

Belt **pitch** is the distance in millimeter between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip® HTD® belt lies within the tensile member.

Product No. Series 9252

3mm Pitch

Part No.	No. Of Teeth	Pitch Length (In.)
TP381-3M	127	15.00
TP384-3M	128	15.12
TP387-3M	129	15.24
TP390-3M	130	15.35
TP396-3M	132	15.59
TP399-3M	133	15.71
TP405-3M	135	15.94
TP411-3M	137	16.18
TP417-3M	139	16.42
TP420-3M	140	16.54
TP426-3M	142	16.77
TP432-3M	144	17.01
TP435-3M	145	17.13
TP438-3M	146	17.24
TP444-3M	148	17.48

Part No.	No. Of Teeth	Pitch Length (In.)
TP447-3M	149	17.60
TP459-3M	153	18.07
TP468-3M	156	18.43
TP471-3M	157	18.54
TP474-3M	158	18.66
TP480-3M	160	18.90
TP486-3M	162	19.13
TP489-3M	163	19.25
TP492-3M	164	19.37
TP501-3M	167	19.72
TP510-3M	170	20.08
TP513-3M	171	20.20
TP519-3M	173	20.43
TP525-3M	175	20.67
TP528-3M	176	20.79

Part No.	No. Of Teeth	Pitch Length (In.)
TP531-3M	177	20.91
TP537-3M	179	21.14
TP558-3M	186	21.97
TP564-3M	188	22.20
TP570-3M	190	22.44
TP576-3M	192	22.68
TP585-3M	195	23.03
TP591-3M	197	23.27
TP597-3M	199	23.50
TP600-3M	200	23.62
TP606-3M	202	23.86
TP609-3M	203	23.98
TP612-3M	204	24.09
TP627-3M	209	24.69
TP633-3M	211	24.92

PowerGrip® HTD® Twin Power® Belts

Product No. Series 9252 (continued)

3mm Pitch (continued)

Part No.	No. Of Teeth	Pitch Length (In.)
TP639-3M	213	25.16
TP645-3M	215	25.39
TP648-3M	216	25.51
TP654-3M	218	25.75
TP657-3M	219	25.87
TP663-3M	221	26.10
TP669-3M	223	26.34
TP684-3M	228	26.93
TP687-3M	229	27.05
TP696-3M	232	27.40
TP711-3M	237	27.99
TP735-3M	245	28.94
TP738-3M	246	29.06

Part No.	No. Of Teeth	Pitch Length (In.)
TP753-3M	251	29.65
TP795-3M	265	31.30
TP822-3M	274	32.36
TP837-3M	279	32.95
TP843-3M	281	33.19
TP873-3M	291	34.37
TP882-3M	294	34.72
TP891-3M	297	35.08
TP900-3M	300	35.43
TP915-3M	305	36.02
TP945-3M	315	37.20
TP951-3M	317	37.44
TP981-3M	327	38.62

Part No.	No. Of Teeth	Pitch Length (In.)
TP1002-3M	334	39.45
TP1026-3M	342	40.39
TP1035-3M	345	40.75
TP1062-3M	354	41.81
TP1125-3M	375	44.29
TP1155-3M	385	45.47
TP1191-3M	397	46.89
TP1263-3M	421	49.72
TP1500-3M	500	59.06
TP1512-3M	504	59.53
TP1587-3M	529	62.48
TP1956-3M	652	77.01
TP2004-3M	668	78.90

5mm Pitch

Part No.	No. Of Teeth	Pitch Length (In.)
TP400-5M	80	15.75
TP415-5M	83	16.34
TP425-5M	85	16.73
TP425-5M	90	17.72
TP450-5M	92	18.11
TP460-5M	95	18.70
TP475-5M	96	18.90
TP480-5M	99	19.49
TP495-5M	100	19.69
TP500-5M	104	20.47
TP520-5M	107	21.06
TP535-5M	111	21.85
TP555-5M	113	22.24
TP565-5M	116	22.83
TP580-5M	117	23.03
TP585-5M	120	23.62
TP600-5M	123	24.21
TP615-5M	127	25.00
TP635-5M	131	25.79
TP655-5M	133	26.18
TP670-5M	134	26.38
TP680-5M	136	26.77
TP685-5M	137	26.97

Part No.	No. Of Teeth	Pitch Length (In.)
TP695-5M	139	27.36
TP710-5M	142	27.95
TP740-5M	148	29.13
TP745-5M	149	29.33
TP765-5M	153	30.12
TP790-5M	158	31.10
TP800-5M	160	34.50
TP830-5M	166	52.68
TP835-5M	167	32.87
TP850-5M	170	33.46
TP870-5M	174	34.25
TP890-5M	178	35.04
TP925-5M	185	36.42
TP950-5M	190	37.40
TP975-5M	195	38.39
TP985-5M	197	38.78
TP1000-5M	200	39.37
TP1050-5M	210	41.34
TP1115-5M	223	43.90
TP1125-5M	225	44.29
TP1195-5M	239	47.05
TP1250-5M	250	49.21
TP1270-5M	254	50.00

Part No.	No. Of Teeth	Pitch Length (In.)
TP1295-5M	259	50.98
TP1375-5M	275	54.13
TP1420-5M	284	55.91
TP1575-5M	315	62.01
TP1595-5M	319	62.80
TP1635-5M	327	64.37
TP1690-5M	338	66.54
TP1720-5M	344	67.72
TP1790-5M	358	70.47
TP1800-5M	360	70.87
TP1895-5M	379	74.61
TP1945-5M	389	76.57
TP1980-5M	396	77.95
TP2000-5M	400	78.74
TP2110-5M	422	83.07
TP2250-5M	450	88.58
TP2525-5M	505	99.41
TP2760-5M	552	108.66
TP3120-5M	624	122.83
TP3170-5M	634	124.80
TP3430-5M	686	135.04
TP3800-5M	760	149.61

PowerGrip® Twin Power® Timing Belts

Twin Power® belts have teeth on both sides to provide synchronization from both driving surfaces.



Markets/Applications

PowerGrip® Twin Power® Timing Belts are suitable for all industrial serpentine applications requiring rotation reversal in some driven shafts.

Features/Advantages

- Gates Twin Power® belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of belt.
- Belt capacity is equal to standard single-sided PowerGrip® belts
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- Quieter than roller chain drives and eliminates lubrication and re-tensioning to reduce maintenance and labor.

Recommended Pulleys
PowerGrip® Timing Pulleys

Notes
Gates PowerGrip® Twin Power® Timing belt part numbers are comprised of pitch length, pitch and width. TP--denotes Twin Power.

Length-The length is shown in the first part of the belt designation. This first number is the pitch length in tenths of an inch. A TP**300**L075 has a 30.0" pitch length.

Pitch-The pitch of a PowerGrip Timing Belt is the distance from center to center of the teeth (in inches). It is shown in the second part of the belt designation by a letter or letters. Part number TP300**L**075 has a .375" pitch. The letters correspond to pitches as follows:

XL = Extra Light = 0.200" pitch
L = Light = 0.375" pitch
H = Heavy = 0.500" pitch

Width-The width is shown in the last part of the belt designation. Part number TP300L**075** is .75" wide.

Product No. Series 9246

1/5" Pitch (.200"/XL) — 1/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP124XL025	$10.88	9246-1168	62	12.40	.01
TP126XL025	10.88	9246-1169	63	12.60	.01
TP128XL025	10.88	9246-1170	64	12.80	.01
TP130XL025	11.23	9246-1107	65	13.00	.01
TP132XL025	11.23	9246-1171	66	13.20	.01
TP134XL025	11.23	9246-1172	67	13.40	.01
TP136XL025	11.23	9246-1173	68	13.60	.01
TP138XL025	11.23	9246-1174	69	13.80	.01
TP140XL025	12.65	9246-1108	70	14.00	.01
TP142XL025	12.65	9246-1175	71	14.20	.01
TP144XL025	12.65	9246-1176	72	14.40	.01
TP146XL025	12.65	9246-1177	73	14.60	.01
TP148XL025	12.65	9246-1178	74	14.80	.01
TP150XL025	12.95	9246-1109	75	15.00	.01
TP152XL025	12.95	9246-1179	76	15.20	.01
TP154XL025	12.95	9246-1180	77	15.40	.01
TP156XL025	12.95	9246-1181	78	15.60	.01
TP158XL025	12.95	9246-1182	79	15.80	.01
TP160XL025	13.23	9246-1110	80	16.00	.01
TP162XL025	13.23	9246-1183	81	16.20	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP164XL025	$13.23	9246-1184	82	16.40	.01
TP166XL025	13.23	9246-1185	83	16.60	.01
TP168XL025	13.23	9246-1186	84	16.80	.01
TP170XL025	13.51	9246-1111	85	17.00	.01
TP172XL025	13.51	9246-1187	86	17.20	.02
TP174XL025	13.51	9246-1188	87	17.40	.02
TP176XL025	13.51	9246-1189	88	17.60	.02
TP178XL025	13.51	9246-1190	89	17.80	.02
TP180XL025	13.79	9246-1112	90	18.00	.03
TP182XL025	13.79	9246-1191	91	18.20	.03
TP184XL025	13.79	9246-1192	92	18.40	.03
TP186XL025	13.79	9246-1193	93	18.60	.03
TP188XL025	13.79	9246-1194	94	18.80	.03
TP190XL025	14.21	9246-1113	95	19.00	.03
TP192XL025	14.21	9246-1195	96	19.20	.03
TP194XL025	14.21	9246-1196	97	19.40	.03
TP200XL025	14.49	9246-1114	100	20.00	.03
TP202XL025	14.49	9246-1197	101	20.20	.03
TP204XL025	14.49	9246-1198	102	20.40	.03
TP206XL025	14.49	9246-1199	103	20.60	.03

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/5″ Pitch (.200″/XL) — 1/4″ Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210XL025	$14.77	9246-1115	105	21.00	.03
TP212XL025	14.77	9246-8100	106	21.20	.03
TP214XL025	14.77	9246-8101	107	21.40	.03
TP218XL025	14.77	9246-8102	109	21.80	.03
TP220XL025	15.05	9246-1116	110	22.00	.03
TP222XL025	15.05	9246-8103	111	22.20	.03
TP226XL025	15.05	9246-8104	113	22.60	.03
TP228XL025	15.05	9246-8105	114	22.80	.03
TP230XL025	15.46	9246-1117	115	23.00	.03
TP232XL025	15.46	9246-8106	116	23.20	.03
TP234XL025	15.46	9246-8107	117	23.40	.03
TP236XL025	15.46	9246-8108	118	23.60	.03
TP240XL025	15.74	9246-1118	120	24.00	.03
TP244XL025	15.74	9246-8109	122	24.40	.03
TP246XL025	15.74	9246-8110	123	24.60	.03
TP250XL025	16.02	9246-1119	125	25.00	.03
TP254XL025	16.02	9246-8111	127	25.40	.03
TP258XL025	16.02	9246-8112	129	25.80	.03
TP260XL025	16.30	9246-1120	130	26.00	.03
TP262XL025	16.30	9246-8113	131	26.20	.03
TP264XL025	16.30	9246-8114	132	26.40	.03
TP266XL025	16.30	9246-8115	133	26.60	.03
TP268XL025	16.30	9246-8116	134	26.80	.03
TP270XL025	16.53	9246-8148	135	27.00	.03
TP274XL025	16.53	9246-8117	137	27.40	.03
TP280XL025	17.00	9246-1122	140	28.00	.03
TP286XL025	17.00	9246-8118	143	28.60	.03
TP290XL025	17.14	9246-1123	145	29.00	.03
TP296XL025	17.14	9246-8119	148	29.60	.04
TP300XL025	17.56	9246-1124	150	30.00	.04
TP306XL025	17.56	9246-8120	153	30.60	.04
TP310XL025	17.84	9246-1125	155	31.00	.04
TP316XL025	17.84	9246-8121	158	31.60	.04
TP320XL025	18.06	9246-8122	160	32.00	.04
TP322XL025	18.06	9246-8123	161	32.20	.04
TP330XL025	18.40	9246-1126	165	33.00	.04
TP338XL025	18.40	9246-8124	169	33.80	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP340XL025	$18.81	9246-1128	170	34.00	.04
TP344XL025	18.81	9246-8125	172	34.40	.05
TP348XL025	18.81	9246-8126	174	34.80	.05
TP350XL025	18.81	9246-1128	175	35.00	.05
TP352XL025	19.36	9246-8146	176	35.20	.05
TP362XL025	19.92	9246-8127	181	36.20	.05
TP370XL025	20.47	9246-1129	185	37.00	.05
TP380XL025	21.02	9246-1130	190	38.00	.05
TP384XL025	21.02	9246-8128	192	38.40	.05
TP390XL025	21.58	9246-1131	195	39.00	.05
TP400XL025	22.13	9246-1132	200	40.00	.06
TP412XL025	22.68	9246-8129	206	41.20	.06
TP420XL025	23.24	9246-1133	210	42.00	.06
TP424XL025	23.24	9246-8130	212	42.40	.06
TP432XL025	23.79	9246-8131	216	43.20	.06
TP438XL025	23.79	9246-8132	219	43.80	.06
TP444XL025	24.34	9246-8133	222	44.40	.06
TP450XL025	25.60	9246-1134	225	45.00	.06
TP454XL025	25.36	9246-8134	227	45.40	.07
TP460XL025	25.92	9246-1135	230	46.00	.07
TP468XL025	25.92	9246-8135	234	46.80	.07
TP480XL025	27.07	9246-1136	240	48.00	.08
TP492XL025	27.61	9246-8136	246	49.20	.08
TP498XL025	27.61	9246-8137	249	49.80	.08
TP500XL025	28.17	9246-1137	250	50.00	.08
TP506XL025	28.17	9246-8138	253	50.60	.08
TP524XL025	29.30	9246-8139	262	52.40	.08
TP570XL025	32.12	9246-1138	285	57.00	.08
TP580XL025	32.68	9246-8140	290	58.00	.09
TP592XL025	33.25	9246-8141	296	59.20	.09
TP612XL025	34.37	9246-8142	306	61.20	.09
TP630XL025	35.50	9246-1139	315	63.00	.09
TP672XL025	37.76	9246-8143	336	67.20	.10
TP690XL025	38.88	9246-8147	345	69.00	.10
TP770XL025	43.39	9246-1140	385	77.00	.12
TP850XL025	47.90	9246-8145	425	85.00	.14

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/5″ Pitch (.200″/XL) — 3/8″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP124XL037	$13.87	9246-1368	62	12.40	.02
TP126XL037	13.87	9246-1369	63	12.60	.02
TP128XL037	13.87	9246-1370	64	12.80	.02
TP130XL037	15.03	9246-1307	65	13.00	.02
TP132XL037	15.03	9246-1371	66	13.20	.02
TP134XL037	15.03	9246-1372	67	13.40	.02
TP136XL037	15.03	9246-1373	68	13.60	.02
TP138XL037	15.03	9246-1374	69	13.80	.02
TP140XL037	16.94	9246-1308	70	14.00	.02
TP142XL037	16.94	9246-1375	71	14.20	.02
TP144XL037	16.94	9246-1376	72	14.40	.02
TP146XL037	16.94	9246-1377	73	14.60	.02
TP148XL037	16.94	9246-1378	74	14.80	.02
TP150XL037	17.42	9246-1309	75	15.00	.02
TP152XL037	17.42	9246-1379	76	15.20	.02
TP154XL037	17.42	9246-1380	77	15.40	.02
TP156XL037	17.42	9246-1381	78	15.60	.02
TP158XL037	17.42	9246-1382	79	15.80	.02
TP160XL037	17.98	9246-1310	80	16.00	.02
TP162XL037	17.98	9246-1383	81	16.20	.02
TP164XL037	17.98	9246-1384	82	16.40	.02
TP166XL037	17.98	9246-1385	83	16.60	.02
TP168XL037	17.98	9246-1386	84	16.80	.02
TP170XL037	18.26	9246-1311	85	17.00	.02
TP172XL037	18.26	9246-1387	86	17.20	.03
TP174XL037	18.26	9246-1388	87	17.40	.03
TP176XL037	18.26	9246-1389	88	17.60	.03
TP178XL037	18.26	9246-1390	89	17.80	.03
TP180XL037	18.81	9246-1312	90	18.00	.03
TP182XL037	18.81	9246-1391	91	18.20	.03
TP184XL037	18.81	9246-1392	92	18.40	.03
TP186XL037	18.81	9246-1393	93	18.60	.03
TP188XL037	18.81	9246-1394	94	18.80	.04
TP190XL037	19.22	9246-1313	95	19.00	.03
TP192XL037	19.22	9246-1395	96	19.20	.04
TP194XL037	19.22	9246-1396	97	19.40	.04
TP200XL037	19.64	9246-1314	100	20.00	.04
TP202XL037	19.64	9246-1397	101	20.20	.04
TP204XL037	19.64	9246-1398	102	20.40	.04
TP206XL037	19.64	9246-1399	103	20.60	.04
TP210XL037	20.06	9246-1315	105	21.00	.04
TP212XL037	20.06	9246-8300	106	21.20	.04
TP214XL037	20.06	9246-8301	107	21.40	.04
TP218XL037	20.06	9246-8302	109	21.80	.04
TP220XL037	20.62	9246-1316	110	22.00	.04
TP222XL037	20.62	9246-8303	111	22.20	.04
TP226XL037	20.62	9246-8304	113	22.60	.04
TP228XL037	20.62	9246-8305	114	22.80	.04
TP230XL037	20.90	9246-1317	115	23.00	.04
TP232XL037	20.90	9246-8306	116	23.20	.04
TP234XL037	20.90	9246-8307	117	23.40	.05
TP236XL037	20.90	9246-8308	118	23.60	.05
TP240XL037	21.46	9246-1318	120	24.00	.05
TP244XL037	21.46	9246-8309	122	24.40	.05
TP246XL037	21.46	9246-8310	123	24.60	.05
TP250XL037	21.88	9246-1319	125	25.00	.05
TP254XL037	21.88	9246-8311	127	25.40	.05
TP258XL037	$21.88	9246-8312	129	25.80	.05
TP260XL037	22.29	9246-1320	130	26.00	.05
TP262XL037	22.29	9246-8313	131	26.20	.05
TP264XL037	22.29	9246-8314	132	26.40	.05
TP266XL037	22.29	9246-8315	133	26.60	.05
TP268XL037	22.29	9246-8316	134	26.80	.05
TP270XL037	22.77	9246-8348	135	27.00	.05
TP274XL037	22.77	9246-8317	137	27.40	.05
TP280XL037	23.27	9246-1322	140	28.00	.05
TP286XL037	23.27	9246-8318	143	28.60	.05
TP290XL037	23.68	9246-1323	145	29.00	.05
TP296XL037	23.68	9246-8319	148	29.60	.06
TP300XL037	24.10	9246-1324	150	30.00	.06
TP306XL037	24.10	9246-8320	153	30.60	.06
TP310XL037	24.52	9246-1325	155	31.00	.06
TP316XL037	24.52	9246-8321	158	31.60	.06
TP320XL037	25.01	9246-8322	160	32.00	.06
TP322XL037	25.01	9246-8323	161	32.20	.06
TP330XL037	25.50	9246-1327	165	33.00	.06
TP338XL037	25.50	9246-8324	169	33.80	.06
TP340XL037	25.77	9246-1328	170	34.00	.06
TP344XL037	25.77	9246-8325	172	34.40	.06
TP348XL037	25.77	9246-8326	174	34.80	.06
TP350XL037	25.77	9246-1328	175	35.00	.06
TP352XL037	26.53	9246-8346	176	35.20	.06
TP362XL037	27.29	9246-8327	181	36.20	.06
TP370XL037	28.04	9246-1329	185	37.00	.07
TP380XL037	28.80	9246-1330	190	38.00	.07
TP384XL037	28.80	9246-8328	192	38.40	.07
TP390XL037	29.56	9246-1331	195	39.00	.07
TP400XL037	30.32	9246-1332	200	40.00	.08
TP412XL037	31.08	9246-8329	206	41.20	.08
TP420XL037	31.84	9246-1333	210	42.00	.08
TP424XL037	31.84	9246-8330	212	42.40	.08
TP432XL037	32.60	9246-8331	216	43.20	.08
TP438XL037	32.60	9246-8332	219	43.80	.08
TP444XL037	33.36	9246-8333	222	44.40	.09
TP450XL037	34.12	9246-1334	225	45.00	.09
TP454XL037	34.12	9246-8334	227	45.40	.09
TP460XL037	34.88	9246-1335	230	46.00	.09
TP468XL037	34.88	9246-8335	234	46.80	.09
TP480XL037	36.40	9246-1336	240	48.00	.09
TP492XL037	37.16	9246-8336	246	49.20	.10
TP498XL037	37.16	9246-8337	249	49.80	.10
TP500XL037	37.92	9246-1337	250	50.00	.10
TP506XL037	37.92	9246-8338	253	50.60	.10
TP524XL037	39.44	9246-8339	262	52.40	.11
TP570XL037	43.23	9246-1338	285	57.00	.11
TP580XL037	43.99	9246-8340	290	58.00	.12
TP592XL037	44.75	9246-8341	296	59.20	.12
TP612XL037	46.27	9246-8342	306	61.20	.12
TP630XL037	47.79	9246-1339	315	63.00	.13
TP672XL037	50.82	9246-8343	336	67.20	.13
TP690XL037	52.34	9246-8347	345	69.00	.14
TP770XL037	58.41	9246-1340	385	77.00	.15
TP850XL037	64.48	9246-8345	425	85.00	.17

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

3/8″ Pitch (.375″/L) — 1/2″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP150L050	$29.53	9246-2101	40	15.00	.06
TP154L050	29.53	9246-2127	41	15.38	.06
TP158L050	29.53	9246-2128	42	15.75	.06
TP165L050	30.53	9246-2121	44	16.50	.06
TP173L050	31.36	9246-2129	46	17.25	.06
TP176L050	31.36	9246-7133	47	17.63	.06
TP187L050	32.19	9246-2102	50	18.75	.06
TP195L050	33.36	9246-2122	52	19.50	.07
TP199L050	33.36	9246-7134	53	19.88	.07
TP203L050	34.17	9246-7135	54	20.25	.07
TP210L050	34.97	9246-2103	56	21.00	.07
TP218L050	34.97	9246-7136	58	21.75	.07
TP225L050	35.95	9246-2104	60	22.50	.07
TP240L050	37.76	9246-2105	64	24.00	.08
TP248L050	37.76	9246-7137	66	24.75	.08
TP255L050	38.60	9246-2106	68	25.50	.08
TP263L050	39.50	9246-7138	70	26.25	.09
TP270L050	40.40	9246-2107	72	27.00	.09
TP285L050	41.38	9246-2108	76	28.50	.09
TP300L050	43.19	9246-2109	80	30.00	.10
TP315L050	44.10	9246-2123	84	31.50	.10
TP322L050	45.00	9246-2110	86	32.25	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP345L050	$46.81	9246-2111	92	34.50	.11
TP367L050	48.49	9246-2112	98	36.75	.12
TP375L050	49.88	9246-7139	100	37.50	.12
TP390L050	51.27	9246-2113	104	39.00	.13
TP420L050	53.92	9246-2114	112	42.00	.14
TP446L050	55.44	9246-7140	119	44.63	.15
TP450L050	56.70	9246-2115	120	45.00	.15
TP480L050	59.50	9246-2116	128	48.00	.16
TP510L050	61.30	9246-2117	136	51.00	.17
TP540L050	64.09	9246-2118	144	54.00	.18
TP566L050	66.46	9246-7141	151	56.63	.19
TP570L050	67.65	9246-7142	152	57.00	.19
TP581L050	68.84	9246-7143	155	58.13	.20
TP600L050	70.35	9246-2119	160	60.00	.20
TP630L050	73.07	9246-7144	168	63.00	.21
TP660L050	75.79	9246-2120	176	66.00	.22
TP720L050	82.68	9246-7145	192	72.00	.24
TP731L050	83.83	9246-7146	195	73.13	.25
TP817L050	89.07	9246-2125	218	81.75	.27
TP900L050	89.13	9246-2126	240	90.00	.30
TP915L050	100.07	9246-7147	244	91.50	.31
TP945L050	103.34	9246-7148	252	94.50	.33

3/8″ Pitch (.375″/L) — 3/4″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP150L075	$42.22	9246-2201	40	15.00	.08
TP154L075	42.22	9246-2227	41	15.38	.08
TP158L075	42.22	9246-2228	42	15.75	.08
TP165L075	43.84	9246-2221	44	16.50	.08
TP173L075	45.12	9246-2229	46	17.25	.08
TP176L075	45.12	9246-7223	47	17.63	.08
TP187L075	46.39	9246-2202	50	18.75	.08
TP195L075	48.07	9246-2222	52	19.50	.10
TP199L075	48.07	9246-7234	53	19.88	.10
TP203L075	49.32	9246-7235	54	20.25	.10
TP210L075	50.57	9246-2203	56	21.00	.10
TP218L075	50.57	9246-7236	58	21.75	.10
TP225L075	51.97	9246-2204	60	22.50	.10
TP240L075	54.76	9246-2205	64	24.00	.12
TP248L075	54.76	9246-7237	66	24.75	.12
TP255L075	56.15	9246-2206	68	25.50	.12
TP263L075	57.55	9246-7238	70	26.25	.13
TP270L075	58.94	9246-2207	72	27.00	.13
TP285L075	60.46	9246-2208	76	28.50	.13
TP300L075	63.12	9246-2209	80	30.00	.14
TP315L075	64.58	9246-2223	84	31.50	.15
TP322L075	66.04	9246-2210	86	32.25	.16

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP345L075	$68.83	9246-2211	92	34.50	.17
TP367L075	71.61	9246-2212	98	36.75	.17
TP375L075	73.70	9246-7239	100	37.50	.17
TP390L075	75.79	9246-2213	104	39.00	.18
TP420L075	79.98	9246-2214	112	42.00	.20
TP446L075	82.42	9246-7240	119	44.63	.20
TP450L075	84.29	9246-2215	120	45.00	.20
TP480L075	88.47	9246-2216	128	48.00	.22
TP510L075	91.25	9246-2217	136	51.00	.26
TP540L075	96.83	9246-2218	144	54.00	.26
TP566L075	100.42	9246-7241	151	56.63	.27
TP570L075	102.21	9246-7242	152	57.00	.28
TP581L075	104.00	9246-7243	155	58.13	.29
TP600L075	105.33	9246-2219	160	60.00	.30
TP630L075	109.51	9246-7244	168	63.00	.32
TP660L075	113.69	9246-2220	176	66.00	.33
TP720L075	124.03	9246-7245	192	72.00	.36
TP731L075	125.75	9246-7246	195	73.13	.37
TP817L075	134.01	9246-2225	218	81.75	.41
TP900L075	148.90	9246-2226	240	90.00	.45
TP915L075	150.55	9246-7247	244	91.50	.46
TP945L075	155.51	9246-7248	252	94.50	.47

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

3/8″ Pitch (.375″/L) — 1″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP150L100	$54.34	9246-2301	40	15.00	.11
TP154L100	54.34	9246-2327	41	15.38	.11
TP158L100	54.34	9246-2328	42	15.75	.11
TP165L100	56.51	9246-2321	44	16.50	.12
TP173L100	58.28	9246-2329	46	17.25	.12
TP176L100	58.28	9246-7333	47	17.63	.12
TP187L100	60.04	9246-2302	50	18.75	.12
TP195L100	62.26	9246-2322	52	19.50	.13
TP199L100	62.26	9246-7334	53	19.88	.13
TP203L100	63.94	9246-7335	54	20.25	.13
TP210L100	65.62	9246-2303	56	21.00	.13
TP218L100	65.62	9246-7336	58	21.75	.13
TP225L100	67.51	9246-2304	60	22.50	.14
TP240L100	71.33	9246-2305	64	24.00	.16
TP248L100	71.33	9246-7337	66	24.75	.17
TP255L100	73.23	9246-2306	68	25.50	.17
TP263L100	75.07	9246-7338	70	26.25	.17
TP270L100	76.91	9246-2307	72	27.00	.17
TP285L100	78.80	9246-2308	76	28.50	.18
TP300L100	82.62	9246-2309	80	30.00	.20
TP315L100	84.50	9246-2323	84	31.50	.21
TP322L100	86.38	9246-2310	86	32.25	.21

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP345L100	$90.09	9246-2311	92	34.50	.22
TP367L100	93.85	9246-2312	98	36.75	.23
TP375L100	96.64	9246-7339	100	37.50	.24
TP390L100	99.42	9246-2313	104	39.00	.25
TP420L100	105.14	9246-2314	112	42.00	.27
TP446L100	107.93	9246-7340	119	44.63	.28
TP450L100	110.71	9246-2315	120	45.00	.29
TP480L100	116.42	9246-2316	128	48.00	.31
TP510L100	120.24	9246-2317	136	51.00	.34
TP540L100	127.71	9246-2318	144	54.00	.34
TP566L100	131.02	9246-7341	151	56.63	.36
TP570L100	133.36	9246-7342	152	57.00	.38
TP581L100	135.70	9246-7343	155	58.13	.39
TP600L100	139.00	9246-2319	160	60.00	.40
TP630L100	144.64	9246-7344	168	63.00	.42
TP660L100	150.27	9246-2320	176	66.00	.44
TP720L100	163.88	9246-7345	192	72.00	.48
TP731L100	166.16	9246-7346	195	73.13	.50
TP817L100	177.49	9246-2325	218	81.75	.55
TP900L100	197.21	9246-2326	240	90.00	.61
TP915L100	199.40	9246-7347	244	91.50	.63
TP945L100	205.97	9246-7348	252	94.50	.65

1/2″ Pitch (.500″/H) — 3/4″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H075	$49.61	9246-3125	42	21.00	.16
TP220H075	51.97	9246-3126	44	22.00	.16
TP225H075	51.97	9246-3145	45	22.50	.17
TP230H075	54.33	9246-3127	46	23.00	.17
TP240H075	56.70	9246-3100	48	24.00	.18
TP270H075	61.02	9246-3101	54	27.00	.20
TP300H075	65.34	9246-3102	60	30.00	.22
TP310H075	67.52	9246-3103	62	31.00	.23
TP315H075	67.52	9246-3147	63	31.50	.23
TP320H075	68.67	9246-3128	64	32.00	.24
TP330H075	69.81	9246-3124	66	33.00	.24
TP340H075	71.47	9246-3129	68	34.00	.25
TP350H075	73.12	9246-3130	70	35.00	.25
TP360H075	74.12	9246-3104	72	36.00	.26
TP370H075	76.16	9246-3131	74	37.00	.27
TP390H075	78.44	9246-3105	78	39.00	.29
TP400H075	80.38	9246-3132	80	40.00	.30
TP410H075	81.57	9246-3133	82	41.00	.30
TP415H075	81.57	9246-3148	83	41.50	.31
TP420H075	82.76	9246-3106	84	42.00	.31
TP445H075	85.28	9246-3149	89	44.50	.31
TP450H075	87.22	9246-3107	90	45.00	.33
TP455H075	87.22	9246-8150	91	45.50	.32
TP465H075	88.41	9246-8151	93	46.50	.33
TP480H075	91.53	9246-3108	96	48.00	.35

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP490H075	$93.44	9246-3134	98	49.00	.34
TP495H075	93.44	9246-8152	99	49.50	.34
TP510H075	94.46	9246-3109	102	51.00	.35
TP525H075	96.31	9246-8153	105	52.50	.36
TP540H075	100.18	9246-3110	108	54.00	.37
TP555H075	102.04	9246-8154	111	55.50	.38
TP560H075	102.57	9246-3135	112	56.00	.39
TP570H075	103.10	9246-3111	114	57.00	.42
TP585H075	104.91	9246-3136	117	58.50	.40
TP600H075	108.95	9246-3112	120	60.00	.44
TP605H075	108.95	9246-8155	121	60.50	.43
TP630H075	111.87	9246-3113	126	63.00	.46
TP645H075	113.65	9246-3137	129	64.50	.45
TP655H075	115.82	9246-8156	131	65.50	.45
TP660H075	117.60	9246-3114	132	66.00	.48
TP700H075	123.44	9246-3115	140	70.00	.51
TP730H075	128.73	9246-3138	146	73.00	.54
TP750H075	129.29	9246-3116	150	75.00	.55
TP775H075	132.74	9246-8158	155	77.50	.55
TP780H075	134.49	9246-3139	156	78.00	.57
TP800H075	137.94	9246-3117	160	80.00	.59
TP820H075	141.39	9246-3140	164	82.00	.60
TP840H075	142.09	9246-3141	168	84.00	.61
TP850H075	143.78	9246-3118	170	85.00	.62
TP900H075	152.43	9246-3119	180	90.00	.66

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

½″ Pitch (.500″/H) — ¾″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP960H075	$161.42	9246-3142	192	96.00	.70
TP1000H075	167.05	9246-3120	200	100.00	.73
TP1100H075	181.54	9246-3121	220	110.00	.81
TP1140H075	188.14	9246-3143	228	114.00	.83
TP1180H075	194.74	9246-8161	236	118.00	.86
TP1250H075	203.42	9246-3122	250	125.00	.91
TP1400H075	225.15	9246-3123	280	140.00	1.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1510H075	$242.84	9246-8165	302	151.00	1.09
TP1550H075	249.27	9246-3144	310	155.00	1.13
TP1645H075	259.35	9246-8166	329	164.50	1.18
TP1680H075	264.87	9246-8167	336	168.00	1.21
TP1700H075	268.02	9246-3146	340	170.00	1.23
TP2120H075	334.24	9246-8170	424	212.00	1.54
TP2330H075	367.35	9246-8171	466	233.00	1.68

½″ Pitch (.500″/H) — 1″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H100	$64.01	9246-3225	42	21.00	.22
TP220H100	67.06	9246-3226	44	22.00	.23
TP225H100	67.06	9246-3245	45	22.50	.24
TP230H100	70.11	9246-3227	46	23.00	.25
TP240H100	73.15	9246-3200	48	24.00	.25
TP270H100	78.86	9246-3201	54	27.00	.27
TP300H100	84.71	9246-3202	60	30.00	.30
TP310H100	87.57	9246-3203	62	31.00	.31
TP315H100	87.57	9246-3247	63	31.50	.31
TP320H100	89.00	9246-3228	64	32.00	.32
TP330H100	90.43	9246-3224	66	33.00	.33
TP340H100	92.24	9246-3229	68	34.00	.34
TP350H100	94.05	9246-3230	70	35.00	.34
TP360H100	96.28	9246-3204	72	36.00	.36
TP370H100	98.95	9246-3231	74	37.00	.37
TP390H100	101.98	9246-3205	78	39.00	.39
TP400H100	103.65	9246-3232	80	40.00	.40
TP410H100	105.75	9246-3233	82	41.00	.41
TP415H100	105.75	9246-3248	83	41.50	.42
TP420H100	107.84	9246-3206	84	42.00	.42
TP445H100	112.98	9246-3249	89	44.50	.45
TP450H100	113.55	9246-3207	90	45.00	.46
TP455H100	113.55	9246-8250	91	45.50	.46
TP465H100	115.22	9246-8251	93	46.50	.47
TP480H100	119.40	9246-3208	96	48.00	.48
TP490H100	121.89	9246-3234	98	49.00	.50
TP495H100	121.89	9246-8252	99	49.50	.50
TP510H100	123.30	9246-3209	102	51.00	.51
TP525H100	125.72	9246-8253	105	52.50	.52
TP540H100	130.97	9246-3210	108	54.00	.53
TP555H100	131.74	9246-8254	111	55.50	.55
TP560H100	132.50	9246-3235	112	56.00	.56

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP570H100	$134.87	9246-3211	114	57.00	.57
TP585H100	137.24	9246-3236	117	58.50	.59
TP600H100	142.53	9246-3212	120	60.00	.60
TP605H100	142.53	9246-8255	121	60.50	.61
TP630H100	146.43	9246-3213	126	63.00	.62
TP645H100	148.75	9246-3237	129	64.50	.64
TP655H100	151.42	9246-8256	131	65.50	.65
TP660H100	154.09	9246-3214	132	66.00	.66
TP700H100	161.76	9246-3215	140	70.00	.70
TP730H100	165.05	9246-3238	146	73.00	.73
TP750H100	169.57	9246-3216	150	75.00	.75
TP775H100	174.09	9246-8258	155	77.50	.77
TP780H100	176.35	9246-3239	156	78.00	.78
TP800H100	181.12	9246-3217	160	80.00	.79
TP820H100	185.62	9246-3240	164	82.00	.82
TP840H100	186.86	9246-3241	168	84.00	.84
TP850H100	188.09	9246-3218	170	85.00	.85
TP900H100	200.36	9246-3219	180	90.00	.90
TP960H100	212.18	9246-3242	192	96.00	.96
TP1000H100	219.58	9246-3220	200	100.00	1.00
TP1100H100	238.80	9246-3221	220	110.00	1.09
TP1140H100	247.48	9246-3243	228	114.00	1.10
TP1180H100	256.16	9246-8261	236	118.00	1.12
TP1250H100	276.14	9246-3222	250	125.00	1.25
TP1400H100	296.62	9246-3223	280	140.00	1.39
TP1510H100	316.65	9246-8265	302	151.00	1.50
TP1550H100	325.04	9246-3244	310	155.00	1.54
TP1645H100	343.91	9246-8266	329	164.50	1.63
TP1680H100	352.30	9246-8267	336	168.00	1.67
TP1700H100	353.46	9246-3246	340	170.00	1.69
TP2120H100	440.79	9246-8270	424	212.00	2.11
TP2330H100	484.45	9246-8271	466	233.00	2.32

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

½″ Pitch (.500″/H) — 1½″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H150	$92.53	9246-3325	42	21.00	.33
TP220H150	96.94	9246-3326	44	22.00	.35
TP225H150	96.94	9246-3345	45	22.50	.36
TP230H150	101.35	9246-3327	46	23.00	.37
TP240H150	105.75	9246-3300	48	24.00	.38
TP270H150	114.53	9246-3301	54	27.00	.40
TP300H150	123.16	9246-3302	60	30.00	.46
TP310H150	127.27	9246-3303	62	31.00	.48
TP315H150	127.27	9246-3347	63	31.50	.49
TP320H150	129.54	9246-3328	64	32.00	.50
TP330H150	131.81	9246-3324	66	33.00	.52
TP340H150	134.48	9246-3329	68	34.00	.54
TP350H150	137.14	9246-3330	70	35.00	.56
TP360H150	140.44	9246-3304	72	36.00	.59
TP370H150	144.34	9246-3331	74	37.00	.59
TP390H150	149.07	9246-3305	78	39.00	.59
TP400H150	151.61	9246-3332	80	40.00	.61
TP410H150	154.67	9246-3333	82	41.00	.62
TP415H150	154.67	9246-3348	83	41.50	.63
TP420H150	157.72	9246-3306	84	42.00	.64
TP445H150	162.65	9246-3349	89	44.50	.67
TP450H150	166.35	9246-3307	90	45.00	.68
TP455H150	166.35	9246-8350	91	45.50	.69
TP465H150	168.83	9246-8351	93	46.50	.71
TP480H150	174.99	9246-3308	96	48.00	.73
TP490H150	178.64	9246-3334	98	49.00	.74
TP495H150	178.64	9246-8352	99	49.50	.75
TP510H150	180.84	9246-3309	102	51.00	.77
TP525H150	184.39	9246-8353	105	52.50	.80
TP540H150	192.41	9246-3310	108	54.00	.82
TP555H150	193.53	9246-8354	111	55.50	.84
TP560H150	194.64	9246-3335	112	56.00	.85

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP570H150	$198.12	9246-3311	114	57.00	.86
TP585H150	202.70	9246-3336	117	58.50	.89
TP600H150	209.69	9246-3312	120	60.00	.91
TP605H150	209.69	9246-8355	121	60.50	.92
TP630H150	215.40	9246-3313	126	63.00	.95
TP645H150	218.82	9246-3337	129	64.50	.97
TP655H150	222.24	9246-8356	131	65.50	.99
TP660H150	226.97	9246-3314	132	66.00	1.00
TP700H150	238.52	9246-3315	140	70.00	1.05
TP730H150	243.42	9246-3338	146	73.00	1.09
TP750H150	250.09	9246-3316	150	75.00	1.13
TP775H150	256.68	9246-8358	155	77.50	1.17
TP780H150	260.01	9246-3339	156	78.00	1.18
TP800H150	261.66	9246-3317	160	80.00	1.21
TP820H150	268.66	9246-3340	164	82.00	1.25
TP840H150	275.66	9246-3341	168	84.00	1.27
TP850H150	278.94	9246-3318	170	85.00	1.29
TP900H150	296.21	9246-3319	180	90.00	1.35
TP960H150	313.90	9246-3342	192	96.00	1.45
TP1000H150	325.05	9246-3320	200	100.00	1.51
TP1100H150	353.89	9246-3321	220	110.00	1.65
TP1140H150	366.76	9246-3343	228	114.00	1.71
TP1180H150	379.63	9246-8361	236	118.00	1.77
TP1250H150	397.22	9246-3322	250	125.00	1.89
TP1400H150	440.40	9246-3323	280	140.00	2.11
TP1510H150	470.48	9246-8365	302	151.00	2.28
TP1550H150	482.94	9246-3344	310	155.00	2.34
TP1645H150	506.93	9246-8366	329	164.50	2.48
TP1680H150	519.29	9246-8367	336	168.00	2.53
TP1700H150	525.47	9246-3346	340	170.00	2.56
TP2120H150	655.29	9246-8370	424	212.00	3.20
TP2330H150	720.20	9246-8371	466	233.00	3.52

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

½″ Pitch (.500″/H) — 2″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H200	$121.19	9246-3425	42	21.00	.43
TP220H200	126.96	9246-3426	44	22.00	.45
TP225H200	126.96	9246-3445	45	22.50	.46
TP230H200	132.73	9246-3427	46	23.00	.47
TP240H200	138.50	9246-3400	48	24.00	.49
TP270H200	149.91	9246-3401	54	27.00	.57
TP300H200	161.48	9246-3402	60	30.00	.61
TP310H200	166.86	9246-3403	62	31.00	.63
TP315H200	166.86	9246-3447	63	31.50	.64
TP320H200	169.96	9246-3428	64	32.00	.66
TP330H200	173.05	9246-3424	66	33.00	.68
TP340H200	176.63	9246-3429	68	34.00	.69
TP350H200	180.21	9246-3430	70	35.00	.70
TP360H200	184.61	9246-3404	72	36.00	.73
TP370H200	189.74	9246-3431	74	37.00	.75
TP390H200	196.03	9246-3405	78	39.00	.79
TP400H200	199.40	9246-3432	80	40.00	.80
TP410H200	203.50	9246-3433	82	41.00	.83
TP415H200	203.50	9246-3448	83	41.50	.84
TP420H200	207.59	9246-3406	84	42.00	.85
TP445H200	214.29	9246-3449	89	44.50	.90
TP450H200	219.16	9246-3407	90	45.00	.91
TP455H200	219.16	9246-8450	91	45.50	.92
TP465H200	222.46	9246-8451	93	46.50	.94
TP480H200	230.59	9246-3408	96	48.00	.98
TP490H200	234.49	9246-3434	98	49.00	.99
TP495H200	234.49	9246-8452	99	49.50	1.00
TP510H200	238.38	9246-3409	102	51.00	1.03
TP525H200	243.05	9246-8453	105	52.50	1.06
TP540H200	253.71	9246-3410	108	54.00	1.09
TP555H200	257.55	9246-8454	111	55.50	1.12
TP560H200	259.47	9246-3435	112	56.00	1.13

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP570H200	$261.38	9246-3411	114	57.00	1.16
TP585H200	269.04	9246-3436	117	58.50	1.18
TP600H200	276.70	9246-3412	120	60.00	1.21
TP605H200	276.70	9246-8455	121	60.50	1.22
TP630H200	284.36	9246-3413	126	63.00	1.27
TP645H200	288.87	9246-3437	129	64.50	1.29
TP655H200	294.36	9246-8456	131	65.50	1.32
TP660H200	299.84	9246-3414	132	66.00	1.33
TP700H200	315.16	9246-3415	140	70.00	1.42
TP730H200	322.83	9246-3438	146	73.00	1.47
TP750H200	330.49	9246-3416	150	75.00	1.51
TP775H200	342.05	9246-8458	155	77.50	1.56
TP780H200	346.49	9246-3439	156	78.00	1.57
TP800H200	353.61	9246-3417	160	80.00	1.61
TP820H200	361.27	9246-3440	164	82.00	1.65
TP840H200	364.59	9246-3441	168	84.00	1.69
TP850H200	368.93	9246-3418	170	85.00	1.72
TP900H200	391.93	9246-3419	180	90.00	1.82
TP960H200	415.48	9246-3442	192	96.00	1.94
TP1000H200	430.37	9246-3420	200	100.00	2.02
TP1100H200	468.83	9246-3421	220	110.00	2.22
TP1140H200	483.22	9246-3443	228	114.00	2.30
TP1180H200	497.60	9246-8461	236	118.00	2.38
TP1250H200	526.37	9246-3422	250	125.00	2.52
TP1400H200	584.06	9246-3423	280	140.00	2.82
TP1510H200	624.19	9246-8465	302	151.00	3.04
TP1550H200	640.72	9246-3444	310	155.00	3.12
TP1645H200	677.92	9246-8466	329	164.50	3.31
TP1680H200	694.45	9246-8467	336	168.00	3.38
TP1700H200	697.37	9246-3446	340	170.00	3.42
TP2120H200	869.65	9246-8470	424	212.00	4.26
TP2330H200	955.79	9246-8471	466	233.00	4.68

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

½″ Pitch (.500″/H) — 3″ Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H300	$178.36	9246-3525	42	21.00	.66
TP220H300	186.85	9246-3526	44	22.00	.69
TP225H300	186.85	9246-3545	45	22.50	.71
TP230H300	195.34	9246-3527	46	23.00	.73
TP240H300	203.84	9246-3500	48	24.00	.75
TP270H300	221.11	9246-3501	54	27.00	.82
TP300H300	238.38	9246-3502	60	30.00	.91
TP310H300	244.04	9246-3503	62	31.00	.94
TP315H300	244.04	9246-3547	63	31.50	.95
TP320H300	249.70	9246-3528	64	32.00	.96
TP330H300	255.66	9246-3524	66	33.00	.98
TP340H300	261.02	9246-3529	68	34.00	1.01
TP350H300	266.37	9246-3530	70	35.00	1.04
TP360H300	272.94	9246-3504	72	36.00	1.09
TP370H300	280.52	9246-3531	74	37.00	1.14
TP390H300	290.21	9246-3505	78	39.00	1.18
TP400H300	295.13	9246-3532	80	40.00	1.23
TP410H300	301.31	9246-3533	82	41.00	1.25
TP415H300	301.31	9246-3548	83	41.50	1.26
TP420H300	307.49	9246-3506	84	42.00	1.27
TP445H300	319.69	9246-3549	89	44.50	1.36
TP450H300	324.63	9246-3507	90	45.00	1.37
TP455H300	324.63	9246-8550	91	45.50	1.39
TP465H300	329.68	9246-8551	93	46.50	1.42
TP480H300	341.90	9246-3508	96	48.00	1.46
TP490H300	347.69	9246-3534	98	49.00	1.48
TP495H300	347.69	9246-8552	99	49.50	1.49
TP510H300	353.47	9246-3509	102	51.00	1.55
TP525H300	364.97	9246-8553	105	52.50	1.60
TP540H300	376.46	9246-3510	108	54.00	1.64
TP555H300	382.22	9246-8554	111	55.50	1.68
TP560H300	385.13	9246-3535	112	56.00	1.70

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP570H300	$388.03	9246-3511	114	57.00	1.73
TP585H300	399.52	9246-3536	117	58.50	1.77
TP600H300	411.01	9246-3512	120	60.00	1.82
TP605H300	411.01	9246-8555	121	60.50	1.84
TP630H300	422.58	9246-3513	126	63.00	1.91
TP645H300	429.29	9246-3537	129	64.50	1.95
TP655H300	438.82	9246-8556	131	65.50	1.97
TP660H300	445.57	9246-3514	132	66.00	2.00
TP700H300	468.55	9246-3515	140	70.00	2.13
TP730H300	480.05	9246-3538	146	73.00	2.23
TP750H300	491.55	9246-3516	150	75.00	2.28
TP775H300	504.66	9246-8558	155	77.50	2.36
TP780H300	512.94	9246-3539	156	78.00	2.38
TP800H300	526.09	9246-3517	160	80.00	2.43
TP820H300	539.25	9246-3540	164	82.00	2.49
TP840H300	542.63	9246-3541	168	84.00	2.54
TP850H300	549.09	9246-3518	170	85.00	2.59
TP900H300	583.64	9246-3519	180	90.00	2.73
TP960H300	618.86	9246-3542	192	96.00	2.94
TP1000H300	641.18	9246-3520	200	100.00	3.06
TP1100H300	698.72	9246-3521	220	110.00	3.34
TP1140H300	724.13	9246-3543	228	114.00	3.45
TP1180H300	749.54	9246-8561	236	118.00	3.63
TP1250H300	785.11	9246-3522	250	125.00	3.80
TP1400H300	871.35	9246-3523	280	140.00	4.25
TP1510H300	931.56	9246-8565	302	151.00	4.59
TP1550H300	956.24	9246-3544	310	155.00	4.71
TP1645H300	1011.76	9246-8566	329	164.50	5.00
TP1680H300	1036.44	9246-8567	336	168.00	5.11
TP1700H300	1041.12	9246-3546	340	170.00	5.16
TP2120H300	1298.34	9246-8570	424	212.00	6.43
TP2330H300	1426.95	9246-8571	466	233.00	7.07

Long-Length Poly Chain® GT®2 Belting

An innovative construction combined with the Gates' tooth profile makes Poly Chain® GT®2 Gates' most powerful synchronous belt. Compact and lightweight, Poly Chain® GT®2 belt drives deliver more power in less space.

Markets/Applications

Long length Poly Chain® GT®2 belting is a cost effective, low maintenence drive alternative that is well suited for linear movement, positioning and conveying applications.

Features/Advantages

- Gates **patented curvilinear tooth profile** provides excellent positioning characteristics, noise reduction, high shear strength, and improved load carrying capacity.
- Robust **aramid tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C)

Recommended Sprockets
Poly Chain® GT®2 Sprockets

Notes
Minimum order length for Poly Chain® GT®2 belting is 50 feet, ordered in 50 foot increments thereafter. Continuous lengths, if needed, must be specified when ordering.

Poly Chain® GT® 2 can be used on existing drives as replacement for Poly Chain® GT®.

Product No. Series 9305

Long-Length Poly Chain® GT®2 Belting

8mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL8MGT012	$16.37	9305-1000	12	.03	50 ft.	900 ft.
LL8MGT021	29.52	9305-1100	21	.06	50 ft.	504 ft.
LL8MGT036	51.82	9305-1200	36	.11	50 ft.	285 ft.

14mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL14MGT020	$33.63	9305-1300	20	.10	50 ft.	522 ft.
LL14MGT037	64.32	9305-1400	37	.19	50 ft.	298 ft.

Long-Length PowerGrip® GT®2 Belting

Long length PowerGrip® GT®2 belting is a cost effective, low maintenance drive alternative.

Markets/Applications

Well suited for linear movement, positioning and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation. **Steel tensile** cord is available in some belt types for added length stability.
- **Neoprene body** provides provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- The PowerGrip® GT®2 **belt tooth** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip® GT®2 has more tooth ratchet resistance than HTD®.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- Power Grip® GT®2 belt/sprocket combinations match or exceed the positional accuracy of PowerGrip® Timing belt/pulley systems.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).

Recommended Sprockets
PowerGrip® GT®2 Sprockets

Notes
Minimum order lengths for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.
Minimum order lengths for steel tensile cord belting is 98 feet, ordered in 98 foot increments thereafter.
Continuous lengths, if needed, must be specified when ordering.

Product No. Series 9396

Long-Length PowerGrip® GT®2 Belting

2mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL2MR04	$1.86	9396-0033	4	.01	50 ft.	300 ft.
LL2MR06	3.44	9396-0009	6	.01	50 ft.	300 ft.
LL2MR09	3.52	9396-0052	9	.01	50 ft.	300 ft.

3mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL3MR06	$3.53	9396-0002	6	.01	50 ft.	600 ft.
LL3MR09	5.08	9396-0012	9	.01	50 ft.	385 ft.
LL3MR15	8.19	9396-0021	15	.01	50 ft.	240 ft.

5mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL5MR09	$5.58	9396-0020	9	.01	50 ft.	360 ft.
LL5MR15	9.00	9396-0025	15	.01	50 ft.	230 ft.
LL5MR25	16.23	9396-0018	25	.05	50 ft.	130 ft.

8mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL8MR20	$12.23	9396-0029	20	.08	50 ft.	300 ft.
LL8MR30	18.35	9396-0030	30	.13	50 ft.	300 ft.
LL8MR50	30.58	9396-0031	50	.21	50 ft.	300 ft.
LL8MR85	51.98	9396-0032	85	.36	50 ft.	300 ft.

Long-Length PowerGrip® GT®2 Belting—Steel Tensile

5mm Pitch Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL5MR15ST	$12.69	9396-10043	15	.18	98 ft.	492 ft.
LL5MR25ST	19.97	9396-40417	25	.23	98 ft.	492 ft.

8mm Pitch Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL8MR20ST	$28.02	9396-10049	20	.29	98 ft.	492 ft.
LL8MR30ST	33.76	9396-10050	30	.37	98 ft.	492 ft.
LL8MR50ST	55.05	9396-40433	50	.53	98 ft.	492 ft.

Prices Subject To Change Without Notice

Long-Length PowerGrip® HTD® Belting

PowerGrip® HTD® belting has a larger, more robust tooth profile for increased capacity, as compared to timing belts.



Markets/Applications

Long length PowerGrip® HTD® belting is a cost effective, low maintenance drive alternative that is well suited for linear movement, positioning and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation. **Steel tensile cord** is available in some belt types for added length stability.
- **Neoprene body** provides protection against grease, grime, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life. Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.

Recommended Sprockets
PowerGrip® HTD® Sprockets

Notes
Minimum order length for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.
Minimum order length for steel tensile cord belting is 98 feet, ordered in 98 foot increments thereafter.
Continuous lengths, if needed, must be specified when ordering.

Product No. Series 9308

Long-Length PowerGrip® HTD® Belting

3mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL3M06	$2.50	9308-0044	6	.01	50 ft.	300 ft.
LL3M09	3.36	9308-0003	9	.01	50 ft.	300 ft.
LL3M15	5.60	9308-0084	15	.01	50 ft.	185 ft.

5mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL5M09	$3.71	9308-0045	9	.01	50 ft.	300 ft.
LL5M15	8.60	9308-0033	15	.01	50 ft.	185 ft.
LL5M25	14.34	9308-0025	25	.05	50 ft.	100 ft.

8mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL8M20	$10.32	9308-0001	20	.08	50 ft.	300 ft.
LL8M30	15.53	9308-0004	30	.13	50 ft.	300 ft.
LL8M50	25.87	9308-0005	50	.21	50 ft.	300 ft.
LL8M85	43.99	9308-0006	85	.36	50 ft.	300 ft.

14mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL14M40	$65.31	9308-10009	40	.26	50 ft.	250 ft.
LL14M55	85.61	9308-10020	55	.35	50 ft.	250 ft.
LL14M85	119.37	9308-10057	85	.55	50 ft.	250 ft.

Long-Length PowerGrip® HTD® Belting—Steel Tensile 14mm Pitch Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL14M40ST	$71.38	9308-10016	40	.76	98 ft.	492 ft.
LL14M55ST	97.85	9308-10051	55	1.02	98 ft.	492 ft.
LL14M85ST	161.07	9308-10084	85	1.51	98 ft.	492 ft.

Long-Length PowerGrip® Timing Belting

The trapezoidal tooth profile makes this belting well suited for use in positioning applications.

Markets/Applications

Long length PowerGrip® Timing belting is a cost effective, low maintenance drive alternative that is well suited for linear movement, positioning and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation. **Steel tensile** cord is available in some belt types for added length stability.
- **Neoprene body** provides protection against grease, grime, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.

Recommended Pulleys
PowerGrip® Timing Pulleys

Notes
Minimum order length for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.
Minimum order length for steel tensile cord belting is 98 feet, ordered in 98 foot increments thereafter.
Continuous lengths, if needed, must be specified when ordering.

Product No. Series 9314

Long-Length PowerGrip® Timing Belting

MXL (.080″ Pitch)

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL025MXL	$2.42	9314-2020	1/4	.01	50 ft.	300 ft.
LL037MXL	3.34	9314-2014	3/8	.02	50 ft.	300 ft.
LL050MXL	4.85	9314-2038	1/2	.02	50 ft.	300 ft.

XL (.200″ Pitch)

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL025XL	$2.43	9314-0001	1/4	.01	50 ft.	300 ft.
LL037XL	3.34	9314-0002	3/8	.01	50 ft.	225 ft.
LL050XL	4.61	9314-2012	1/2	.03	50 ft.	150 ft.

L (.375″ Pitch)

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL037L	$4.04	9314-2089	3/8	.02	50 ft.	300 ft.
LL050L	5.25	9314-0004	1/2	.02	50 ft.	300 ft.
LL075L	7.07	9314-0007	3/4	.04	50 ft.	300 ft.
LL100L	10.59	9314-0015	1	.05	50 ft.	300 ft.

H (.500″ Pitch)

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL050H	$5.60	9314-0003	1/2	.04	50 ft.	500 ft.
LL075H	8.28	9314-0006	3/4	.06	50 ft.	500 ft.
LL100H	10.89	9314-0008	1	.12	50 ft.	500 ft.
LL150H	16.19	9314-0017	1 1/2	.12	50 ft.	500 ft.
LL200H	21.59	9314-0021	2	.16	50 ft.	500 ft.
LL300H	32.13	9314-0025	3	.24	50 ft.	500 ft.

Long-Length PowerGrip® Timing Belting—Steel Tensile

XL (.200 Pitch) Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL025XLST	$9.82	9314-10028	1/4	.06	98 ft.	492 ft.
LL037XLST	14.53	9314-10029	3/8	.07	98 ft.	492 ft.
LL050XLST	17.10	9314-10030	1/2	.08	98 ft.	492 ft.

L (.375 Pitch) Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL050LST	$10.81	9314-10035	1/2	.16	98 ft.	492 ft.
LL075LST	13.68	9314-10036	3/4	.19	98 ft.	492 ft.

H (.500 Pitch) Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.*	Max. Cont. Length
LL075HST	$25.59	9314-10011	3/4	.22	98 ft.	492 ft.
LL100HST	31.71	9314-10037	1	.25	98 ft.	492 ft.

Prices Subject To Change Without Notice

Synchro-Power® Polyurethane Belting

Urethane belting can be modified in a variety of ways to suit users needs.

Markets/Applications

Synchro-Power® belting is ideal for various applications such as, vacuum conveyors, linear positioning, assembly conveyors, robotics, packaging conveying, glass conveyors, incline conveyors, paper transfer, wafer conveying, food and beverage and indexing.

Features/Advantages

- Modifications include molded profiles, tensile cords, lamination with various backings, and FDA and USDA constructions.
- Can be welded endless.
- Wide range of widths up to 18 inches.
- **Steel tensile cord** for length stability.
- **Polyurethane body** is abrasion, chemical and wear resistant for extended life.



Notes
Synchro-Power® belting must be ordered in increments of the roll lengths listed in the following tables.

Product No. Series 7787

T5 Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
[18]T5-10-100M-LLUS	$18.55	7787-3000	10	100
[18]T5-10-50M-LLUS	20.92	7787-3001	10	50
[18]T5-15-100M-LLUS	27.85	7787-3002	15	100
[18]T5-15-50M-LLUS	31.42	7787-3003	15	50
[18]T5-20-100M-LLUS	35.59	7787-3004	20	100
[18]T5-20-50M-LLUS	40.15	7787-3016	20	50
[18]T5-25-100M-LLUS	40.56	7787-3006	25	100
[18]T5-25-50M-LLUS	45.76	7787-3007	25	50
[18]T5-32-100M-LLUS	52.00	7787-3008	32	100
[18]T5-32-50M-LLUS	58.67	7787-3009	32	50
[18]T5-50-100M-LLUS	77.31	7787-3010	50	100
[18]T5-50-50M-LLUS	87.22	7787-3011	50	50
T5-75-100M-LLUS	115.96	7787-3012	75	100
[18]T5-75-50M-LLUS	130.83	7787-3013	75	50
T5-100-100M-LLUS	154.67	7787-3014	100	100
[18]T5-100-50M-LLUS	174.50	7787-3015	100	50

T5 Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
[18]T5-10-60M-LLUSNT	$21.32	7787-3018	10	60
[18]T5-10-30M-LLUSNT	24.05	7787-3019	10	30
[18]T5-15-60M-LLUSNT	32.01	7787-3020	15	60
[18]T5-15-30M-LLUSNT	36.11	7787-3021	15	30
T5-20-60M-LLUSNT	40.91	7787-3022	20	60
[18]T5-20-30M-LLUSNT	46.15	7787-3023	20	30
[18]T5-25-60M-LLUSNT	46.68	7787-3024	25	60
[18]T5-25-30M-LLUSNT	52.67	7787-3025	25	30
T5-32-60M-LLUSNT	59.74	7787-3026	32	60
[18]T5-32-30M-LLUSNT	67.40	7787-3027	32	30
T5-50-60M-LLUSNT	88.92	7787-3028	50	60
[18]T5-50-30M-LLUSNT	100.32	7787-3029	50	30
T5-75-60M-LLUSNT	133.41	7787-3030	75	60
T5-75-30M-LLUSNT	150.51	7787-3031	75	30
T5-100-60M-LLUSNT	177.84	7787-3032	100	60
T5-100-30M-LLUSNT	200.64	7787-3033	100	30

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T5 Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSNB	$20.40	7787-3035	10	60
T5-10-30M-LLUSNB	23.01	7787-3036	10	30
T5-15-60M-LLUSNB	30.62	7787-3037	15	60
T5-15-30M-LLUSNB	34.55	7787-3038	15	30
T5-20-60M-LLUSNB	39.12	7787-3039	20	60
T5-20-30M-LLUSNB	44.13	7787-3040	20	30
T5-25-60M-LLUSNB	44.66	7787-3041	25	60
T5-25-30M-LLUSNB	50.39	7787-3042	25	30
T5-32-60M-LLUSNB	57.14	7787-3043	32	60
T5-32-30M-LLUSNB	64.47	7787-3044	32	30
T5-50-60M-LLUSNB	85.05	7787-3045	50	60
T5-50-30M-LLUSNB	95.95	7787-3046	50	30
T5-75-60M-LLUSNB	127.57	7787-3047	75	60
T5-75-30M-LLUSNB	143.93	7787-3048	75	30
T5-100-60M-LLUSNB	170.10	7787-3049	100	60
T5-100-30M-LLUSNB	191.91	7787-3050	100	30

T5 Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUSHB	$23.32	7787-3087	10	100
T5-10-50M-LLUSHB	26.34	7787-3088	10	50
T5-15-100M-LLUSHB	35.01	7787-3089	15	100
T5-15-50M-LLUSHB	39.54	7787-3090	15	50
T5-20-100M-LLUSHB	44.77	7787-3091	20	100
T5-20-50M-LLUSHB	50.57	7787-3092	20	50
T5-25-100M-LLUSHB	51.05	7787-3093	25	100
T5-25-50M-LLUSHB	57.66	7787-3094	25	50
T5-32-100M-LLUSHB	65.36	7787-3095	32	100
T5-32-50M-LLUSHB	73.82	7787-3096	32	50
T5-50-100M-LLUSHB	97.28	7787-3097	50	100
T5-50-50M-LLUSHB	109.87	7787-3098	50	50
T5-75-100M-LLUSHB	145.89	7787-3099	75	100
T5-75-50M-LLUSHB	164.78	7787-3100	75	50
T5-100-100M-LLUSHB	194.56	7787-3101	100	100
T5-100-50M-LLUSHB	219.75	7787-3102	100	50

T5 Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSNTB	$23.17	7787-3053	10	60
T5-10-30M-LLUSNTB	26.14	7787-3054	10	30
T5-15-60M-LLUSNTB	34.78	7787-3055	15	60
T5-15-30M-LLUSNTB	39.24	7787-3056	15	30
T5-20-60M-LLUSNTB	44.49	7787-3057	20	60
T5-20-30M-LLUSNTB	50.19	7787-3058	20	30
T5-25-60M-LLUSNTB	50.73	7787-3059	25	60
T5-25-30M-LLUSNTB	57.23	7787-3060	25	30
T5-32-60M-LLUSNTB	64.94	7787-3061	32	60
T5-32-30M-LLUSNTB	73.27	7787-3062	32	30
T5-50-60M-LLUSNTB	96.66	7787-3063	50	60
T5-50-30M-LLUSNTB	109.05	7787-3064	50	30
T5-75-60M-LLUSNTB	144.96	7787-3065	75	60
T5-75-30M-LLUSNTB	163.55	7787-3066	75	30
T5-100-60M-LLUSNTB	193.32	7787-3067	100	60
T5-100-30M-LLUSNTB	218.11	7787-3068	100	30

T5 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSHBNT	$26.17	7787-3105	10	60
T5-10-30M-LLUSHBNT	29.55	7787-3106	10	30
T5-15-60M-LLUSHBNT	39.25	7787-3107	15	60
T5-15-30M-LLUSHBNT	44.33	7787-3108	15	30
T5-20-60M-LLUSHBNT	50.12	7787-3109	20	60
T5-20-30M-LLUSHBNT	56.61	7787-3110	20	30
T5-25-60M-LLUSHBNT	57.22	7787-3111	25	60
T5-25-30M-LLUSHBNT	64.62	7787-3112	25	30
T5-32-60M-LLUSHBNT	73.21	7787-3113	32	60
T5-32-30M-LLUSHBNT	82.68	7787-3114	32	30
T5-50-60M-LLUSHBNT	108.97	7787-3115	50	60
T5-50-30M-LLUSHBNT	123.07	7787-3116	50	30
T5-75-60M-LLUSHBNT	163.40	7787-3117	75	60
T5-75-30M-LLUSHBNT	184.54	7787-3118	75	30
T5-100-60M-LLUSHBNT	217.88	7787-3119	100	60
T5-100-30M-LLUSHBNT	246.08	7787-3120	100	30

T5 Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUSFDA	$23.17	7787-3070	10	100
T5-10-50M-LLUSFDA	26.14	7787-3071	10	50
T5-15-100M-LLUSFDA	34.78	7787-3072	15	100
T5-15-50M-LLUSFDA	39.24	7787-3073	15	50
T5-20-100M-LLUSFDA	44.49	7787-3074	20	100
T5-20-50M-LLUSFDA	50.19	7787-3075	20	50
T5-25-100M-LLUSFDA	50.73	7787-3076	25	100
T5-25-50M-LLUSFDA	57.23	7787-3077	25	50
T5-32-100M-LLUSFDA	64.94	7787-3078	32	100
T5-32-50M-LLUSFDA	73.27	7787-3079	32	50
T5-50-100M-LLUSFDA	96.66	7787-3080	50	100
T5-50-50M-LLUSFDA	109.05	7787-3081	50	50
T5-75-100M-LLUSFDA	144.96	7787-3082	75	100
T5-75-50M-LLUSFDA	163.55	7787-3083	75	50
T5-100-100M-LLUSFDA	193.32	7787-3084	100	100
T5-100-50M-LLUSFDA	218.11	7787-3085	100	50

T5 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSHBNB	$25.24	7787-3123	10	60
T5-10-30M-LLUSHBNB	28.50	7787-3124	10	30
T5-15-60M-LLUSHBNB	37.80	7787-3125	15	60
T5-15-30M-LLUSHBNB	42.69	7787-3126	15	30
T5-20-60M-LLUSHBNB	48.32	7787-3127	20	60
T5-20-30M-LLUSHBNB	54.58	7787-3128	20	30
T5-25-60M-LLUSHBNB	55.18	7787-3129	25	60
T5-25-30M-LLUSHBNB	62.32	7787-3130	25	30
T5-32-60M-LLUSHBNB	70.59	7787-3131	32	60
T5-32-30M-LLUSHBNB	79.73	7787-3132	32	30
T5-50-60M-LLUSHBNB	105.07	7787-3133	50	60
T5-50-30M-LLUSHBNB	118.67	7787-3134	50	30
T5-75-60M-LLUSHBNB	157.58	7787-3135	75	60
T5-75-30M-LLUSHBNB	177.98	7787-3136	75	30
T5-100-60M-LLUSHBNB	210.15	7787-3137	100	60
T5-100-30M-LLUSHBNB	237.35	7787-3138	100	30

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T5 Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSHBNTB	$28.03	7787-3140	10	60
T5-10-30M-LLUSHBNTB	31.65	7787-3141	10	30
T5-15-60M-LLUSHBNTB	42.04	7787-3142	15	60
T5-15-30M-LLUSHBNTB	47.48	7787-3143	15	30
T5-20-60M-LLUSHBNTB	53.67	7787-3144	20	60
T5-20-30M-LLUSHBNTB	60.62	7787-3145	20	30
T5-25-60M-LLUSHBNTB	61.29	7787-3146	25	60
T5-25-30M-LLUSHBNTB	69.22	7787-3147	25	30
T5-32-60M-LLUSHBNTB	78.44	7787-3148	32	60
T5-32-30M-LLUSHBNTB	88.59	7787-3149	32	30
T5-50-60M-LLUSHBNTB	116.70	7787-3150	50	60
T5-50-30M-LLUSHBNTB	131.81	7787-3151	50	30
T5-75-60M-LLUSHBNTB	175.08	7787-3152	75	60
T5-75-30M-LLUSHBNTB	197.74	7787-3153	75	30
T5-100-60M-LLUSHBNTB	233.46	7787-3154	100	60
T5-100-30M-LLUSHBNTB	263.68	7787-3155	100	30

T5 Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUSHBFDA	$27.85	7787-3158	10	100
T5-10-50M-LLUSHBFDA	31.42	7787-3159	10	50
T5-15-100M-LLUSHBFDA	41.77	7787-3160	15	100
T5-15-50M-LLUSHBFDA	47.13	7787-3161	15	50
T5-20-100M-LLUSHBFDA	53.33	7787-3162	20	100
T5-20-50M-LLUSHBFDA	60.17	7787-3163	20	50
T5-25-100M-LLUSHBFDA	60.90	7787-3164	25	100
T5-25-50M-LLUSHBFDA	68.71	7787-3165	25	50
T5-32-100M-LLUSHBFDA	77.94	7787-3166	32	100
T5-32-50M-LLUSHBFDA	87.93	7787-3167	32	50
T5-50-100M-LLUSHBFDA	115.96	7787-3168	50	100
T5-50-50M-LLUSHBFDA	130.83	7787-3169	50	50
T5-75-100M-LLUSHBFDA	173.97	7787-3170	75	100
T5-75-50M-LLUSHBFDA	196.27	7787-3171	75	50
T5-100-100M-LLUSHBFDA	231.98	7787-3172	100	100
T5-100-50M-LLUSHBFDA	261.72	7787-3173	100	50

T5 Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
[18]T5-10-100M-LLUK	$20.40	7787-3175	10	100
[18]T5-10-50M-LLUK	22.44	7787-3176	10	50
[18]T5-15-100M-LLUK	30.62	7787-3177	15	100
[18]T5-15-50M-LLUK	33.68	7787-3178	15	50
[18]T5-20-100M-LLUK	39.12	7787-3179	20	100
[18]T5-20-50M-LLUK	43.03	7787-3180	20	50
[18]T5-25-100M-LLUK	44.66	7787-3181	25	100
[18]T5-25-50M-LLUK	49.13	7787-3182	25	50
[18]T5-32-100M-LLUK	57.14	7787-3183	32	100
[18]T5-32-50M-LLUK	62.86	7787-3184	32	50
[18]T5-50-100M-LLUK	85.05	7787-3185	50	100
[18]T5-50-50M-LLUK	93.55	7787-3186	50	50
[18]T5-75-100M-LLUK	127.57	7787-3187	75	100
T5-75-50M-LLUK	140.33	7787-3188	75	50
[18]T5-100-100M-LLUK	170.10	7787-3189	100	100
T5-100-50M-LLUK	187.11	7787-3190	100	50

[18]Stocked Product

T5 Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKNT	$23.17	7787-3192	10	60
T5-10-30M-LLUKNT	25.49	7787-3193	10	30
T5-15-60M-LLUKNT	34.78	7787-3194	15	60
T5-15-30M-LLUKNT	38.26	7787-3195	15	30
T5-20-60M-LLUKNT	44.49	7787-3196	20	60
T5-20-30M-LLUKNT	48.94	7787-3197	20	30
T5-25-60M-LLUKNT	50.73	7787-3198	25	60
T5-25-30M-LLUKNT	55.80	7787-3199	25	30
T5-32-60M-LLUKNT	64.94	7787-3200	32	60
T5-32-30M-LLUKNT	71.44	7787-3201	32	30
T5-50-60M-LLUKNT	96.66	7787-3202	50	60
T5-50-30M-LLUKNT	106.33	7787-3203	50	30
T5-75-60M-LLUKNT	144.96	7787-3204	75	60
T5-75-30M-LLUKNT	159.46	7787-3205	75	30
T5-100-60M-LLUKNT	193.32	7787-3206	100	60
T5-100-30M-LLUKNT	212.66	7787-3207	100	30

T5 Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKNB	$22.30	7787-3210	10	60
T5-10-30M-LLUKNB	24.53	7787-3211	10	30
T5-15-60M-LLUKNB	33.40	7787-3212	15	60
T5-15-30M-LLUKNB	36.74	7787-3213	15	30
T5-20-60M-LLUKNB	42.70	7787-3214	20	60
T5-20-30M-LLUKNB	46.97	7787-3215	20	30
T5-25-60M-LLUKNB	48.71	7787-3216	25	60
T5-25-30M-LLUKNB	53.58	7787-3217	25	30
T5-32-60M-LLUKNB	62.34	7787-3218	32	60
T5-32-30M-LLUKNB	68.58	7787-3219	32	30
T5-50-60M-LLUKNB	92.79	7787-3220	50	60
T5-50-30M-LLUKNB	102.07	7787-3221	50	30
T5-75-60M-LLUKNB	139.19	7787-3222	75	60
T5-75-30M-LLUKNB	153.11	7787-3223	75	30
T5-100-60M-LLUKNB	185.58	7787-3224	100	60
T5-100-30M-LLUKNB	204.14	7787-3225	100	30

T5 Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKNTB	$25.08	7787-3227	10	60
T5-10-30M-LLUKNTB	27.58	7787-3228	10	30
T5-15-60M-LLUKNTB	37.56	7787-3229	15	60
T5-15-30M-LLUKNTB	41.31	7787-3230	15	30
T5-20-60M-LLUKNTB	48.01	7787-3231	20	60
T5-20-30M-LLUKNTB	52.81	7787-3232	20	30
T5-25-60M-LLUKNTB	54.83	7787-3233	25	60
T5-25-30M-LLUKNTB	60.31	7787-3234	25	30
T5-32-60M-LLUKNTB	70.14	7787-3235	32	60
T5-32-30M-LLUKNTB	77.16	7787-3236	32	30
T5-50-60M-LLUKNTB	104.40	7787-3237	50	60
T5-50-30M-LLUKNTB	114.84	7787-3238	50	30
T5-75-60M-LLUKNTB	156.58	7787-3239	75	60
T5-75-30M-LLUKNTB	172.24	7787-3240	75	30
T5-100-60M-LLUKNTB	208.81	7787-3241	100	60
T5-100-30M-LLUKNTB	229.69	7787-3242	100	30

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T5 Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUKFDA	$25.08	7787-3245	10	100
T5-10-50M-LLUKFDA	27.58	7787-3246	10	50
T5-15-100M-LLUKFDA	37.56	7787-3247	15	100
T5-15-50M-LLUKFDA	41.31	7787-3248	15	50
T5-20-100M-LLUKFDA	48.01	7787-3249	20	100
T5-20-50M-LLUKFDA	52.81	7787-3250	20	50
T5-25-100M-LLUKFDA	54.83	7787-3251	25	100
T5-25-50M-LLUKFDA	60.31	7787-3252	25	50
T5-32-100M-LLUKFDA	70.14	7787-3253	32	100
T5-32-50M-LLUKFDA	77.16	7787-3254	32	50
T5-50-100M-LLUKFDA	104.40	7787-3255	50	100
T5-50-50M-LLUKFDA	114.84	7787-3256	50	50
T5-75-100M-LLUKFDA	156.58	7787-3257	75	100
T5-75-50M-LLUKFDA	172.24	7787-3258	75	50
T5-100-100M-LLUKFDA	208.81	7787-3259	100	100
T5-100-50M-LLUKFDA	229.69	7787-3260	100	50

T5 Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUKHB	$25.24	7787-3262	10	100
T5-10-50M-LLUKHB	28.50	7787-3263	10	50
T5-15-100M-LLUKHB	37.80	7787-3264	15	100
T5-15-50M-LLUKHB	42.69	7787-3265	15	50
T5-20-100M-LLUKHB	48.32	7787-3266	20	100
T5-20-50M-LLUKHB	54.58	7787-3267	20	50
T5-25-100M-LLUKHB	55.18	7787-3268	25	100
T5-25-50M-LLUKHB	62.32	7787-3269	25	50
T5-32-100M-LLUKHB	70.59	7787-3270	32	100
T5-32-50M-LLUKHB	79.73	7787-3271	32	50
T5-50-100M-LLUKHB	105.07	7787-3272	50	100
T5-50-50M-LLUKHB	118.67	7787-3273	50	50
T5-75-100M-LLUKHB	157.58	7787-3274	75	100
T5-75-50M-LLUKHB	177.98	7787-3275	75	50
T5-100-100M-LLUKHB	210.15	7787-3276	100	100
T5-100-50M-LLUKHB	237.35	7787-3277	100	50

T5 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKHBNT	$28.03	7787-3280	10	60
T5-10-30M-LLUKHBNT	31.65	7787-3281	10	30
T5-15-60M-LLUKHBNT	42.04	7787-3282	15	60
T5-15-30M-LLUKHBNT	47.48	7787-3283	15	30
T5-20-60M-LLUKHBNT	53.67	7787-3284	20	60
T5-20-30M-LLUKHBNT	60.62	7787-3285	20	30
T5-25-60M-LLUKHBNT	61.29	7787-3286	25	60
T5-25-30M-LLUKHBNT	69.22	7787-3287	25	30
T5-32-60M-LLUKHBNT	78.44	7787-3288	32	60
T5-32-30M-LLUKHBNT	88.59	7787-3289	32	30
T5-50-60M-LLUKHBNT	116.70	7787-3290	50	60
T5-50-30M-LLUKHBNT	131.81	7787-3291	50	30
T5-75-60M-LLUKHBNT	175.08	7787-3292	75	60
T5-75-30M-LLUKHBNT	197.74	7787-3293	75	30
T5-100-60M-LLUKHBNT	233.46	7787-3294	100	60
T5-100-30M-LLUKHBNT	263.68	7787-3295	100	30

T5 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKHBNB	$27.10	7787-3297	10	60
T5-10-30M-LLUKHBNB	30.60	7787-3298	10	30
T5-15-60M-LLUKHBNB	40.59	7787-3299	15	60
T5-15-30M-LLUKHBNB	45.84	7787-3300	15	30
T5-20-60M-LLUKHBNB	51.93	7787-3301	20	60
T5-20-30M-LLUKHBNB	58.65	7787-3302	20	30
T5-25-60M-LLUKHBNB	59.25	7787-3303	25	60
T5-25-30M-LLUKHBNB	66.92	7787-3304	25	30
T5-32-60M-LLUKHBNB	75.83	7787-3305	32	60
T5-32-30M-LLUKHBNB	85.64	7787-3306	32	30
T5-50-60M-LLUKHBNB	112.81	7787-3307	50	60
T5-50-30M-LLUKHBNB	127.41	7787-3308	50	30
T5-75-60M-LLUKHBNB	169.27	7787-3309	75	60
T5-75-30M-LLUKHBNB	191.18	7787-3310	75	30
T5-100-60M-LLUKHBNB	225.67	7787-3311	100	60
T5-100-30M-LLUKHBNB	254.88	7787-3312	100	30

T5 Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKHBNTB	$29.89	7787-3315	10	60
T5-10-30M-LLUKHBNTB	33.76	7787-3316	10	30
T5-15-60M-LLUKHBNTB	44.83	7787-3317	15	60
T5-15-30M-LLUKHBNTB	50.63	7787-3318	15	30
T5-20-60M-LLUKHBNTB	57.28	7787-3319	20	60
T5-20-30M-LLUKHBNTB	64.69	7787-3320	20	30
T5-25-60M-LLUKHBNTB	65.36	7787-3321	25	60
T5-25-30M-LLUKHBNTB	73.82	7787-3322	25	30
T5-32-60M-LLUKHBNTB	83.68	7787-3323	32	60
T5-32-30M-LLUKHBNTB	94.50	7787-3324	32	30
T5-50-60M-LLUKHBNTB	124.50	7787-3325	50	60
T5-50-30M-LLUKHBNTB	140.61	7787-3326	50	30
T5-75-60M-LLUKHBNTB	186.77	7787-3327	75	60
T5-75-30M-LLUKHBNTB	210.95	7787-3328	75	30
T5-100-60M-LLUKHBNTB	249.05	7787-3329	100	60
T5-100-30M-LLUKHBNTB	281.28	7787-3330	100	30

T5 Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUKHBFDA	$29.89	7787-3333	10	100
T5-10-50M-LLUKHBFDA	33.76	7787-3334	10	50
T5-15-100M-LLUKHBFDA	44.83	7787-3335	15	100
T5-15-50M-LLUKHBFDA	50.63	7787-3336	15	50
T5-20-100M-LLUKHBFDA	57.28	7787-3337	20	100
T5-20-50M-LLUKHBFDA	64.69	7787-3338	20	50
T5-25-100M-LLUKHBFDA	65.36	7787-3339	25	100
T5-25-50M-LLUKHBFDA	73.82	7787-3340	25	50
T5-32-100M-LLUKHBFDA	83.68	7787-3341	32	100
T5-32-50M-LLUKHBFDA	94.50	7787-3342	32	50
T5-50-100M-LLUKHBFDA	124.50	7787-3343	50	100
T5-50-50M-LLUKHBFDA	140.61	7787-3344	50	50
T5-75-100M-LLUKHBFDA	186.77	7787-3345	75	100
T5-75-50M-LLUKHBFDA	210.95	7787-3346	75	50
T5-100-100M-LLUKHBFDA	249.05	7787-3347	100	100
T5-100-50M-LLUKHBFDA	281.28	7787-3348	100	50

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUS	$33.77	7787-3350	20	100
[18]T10-20-50M-LLUS	37.15	7787-3351	20	50
[18]T10-25-100M-LLUS	40.51	7787-3352	25	100
[18]T10-25-50M-LLUS	44.56	7787-3353	25	50
[18]T10-32-100M-LLUS	49.54	7787-3354	32	100
[18]T10-32-50M-LLUS	54.50	7787-3355	32	50
[18]T10-50-100M-LLUS	73.97	7787-3356	50	100
[18]T10-50-50M-LLUS	81.37	7787-3357	50	50
T10-75-100M-LLUS	110.90	7787-3358	75	100
[18]T10-75-50M-LLUS	121.99	7787-3359	75	50
T10-100-100M-LLUS	140.84	7787-3360	100	100
[18]T10-100-50M-LLUS	154.92	7787-3361	100	50
T10-150-100M-LLUS	211.29	7787-3362	150	100
T10-150-50M-LLUS	232.41	7787-3363	150	50

T10 Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSNT	$38.90	7787-3365	20	60
[18]T10-20-30M-LLUSNT	42.80	7787-3366	20	30
[18]T10-25-60M-LLUSNT	46.57	7787-3367	25	60
[18]T10-25-30M-LLUSNT	51.23	7787-3368	25	30
T10-32-60M-LLUSNT	57.03	7787-3369	32	60
[18]T10-32-30M-LLUSNT	62.73	7787-3370	32	30
T10-50-60M-LLUSNT	85.05	7787-3371	50	60
[18]T10-50-30M-LLUSNT	93.55	7787-3372	50	30
T10-75-60M-LLUSNT	127.54	7787-3373	75	60
[18]T10-75-30M-LLUSNT	140.29	7787-3374	75	30
T10-100-60M-LLUSNT	161.99	7787-3375	100	60
[18]T10-100-30M-LLUSNT	178.19	7787-3376	100	30
T10-150-60M-LLUSNT	242.95	7787-3377	150	60
T10-150-30M-LLUSNT	267.25	7787-3378	150	30

T10 Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSNB	$37.17	7787-3380	20	60
T10-20-30M-LLUSNB	40.89	7787-3381	20	30
T10-25-60M-LLUSNB	44.53	7787-3382	25	60
T10-25-30M-LLUSNB	48.99	7787-3383	25	30
T10-32-60M-LLUSNB	54.55	7787-3384	32	60
T10-32-30M-LLUSNB	60.01	7787-3385	32	30
T10-50-60M-LLUSNB	81.34	7787-3386	50	60
T10-50-30M-LLUSNB	89.47	7787-3387	50	30
T10-75-60M-LLUSNB	121.97	7787-3388	75	60
T10-75-30M-LLUSNB	134.17	7787-3389	75	30
T10100-60M-LLUSNB	154.94	7787-3390	100	60
T10-100-30M-LLUSNB	170.43	7787-3391	100	30
T10-150-60M-LLUSNB	232.38	7787-3392	150	60
T10-150-30M-LLUSNB	255.62	7787-3393	150	30

T10 Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSNTB	$42.24	7787-3395	20	60
T10-20-30M-LLUSNTB	46.47	7787-3396	20	30
T10-25-60M-LLUSNTB	50.59	7787-3397	25	60
T10-25-30M-LLUSNTB	55.65	7787-3398	25	30
T10-32-60M-LLUSNTB	61.98	7787-3399	32	60
T10-32-30M-LLUSNTB	68.17	7787-3400	32	30
T10-50-60M-LLUSNTB	92.41	7787-3401	50	60
T10-50-30M-LLUSNTB	101.65	7787-3402	50	30
T10-75-60M-LLUSNTB	138.61	7787-3403	75	60
T10-75-30M-LLUSNTB	152.47	7787-3404	75	30
T10-100-60M-LLUSNTB	176.03	7787-3405	100	60
T10-100-30M-LLUSNTB	193.63	7787-3406	100	30
T10-150-60M-LLUSNTB	264.11	7787-3407	150	60
T10-150-30M-LLUSNTB	290.52	7787-3408	150	30

T10 Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUSFDA	$42.50	7787-3410	20	100
T10-20-50M-LLUSFDA	46.75	7787-3411	20	50
T10-25-100M-LLUSFDA	50.90	7787-3412	25	100
T10-25-50M-LLUSFDA	55.99	7787-3413	25	50
T10-32-100M-LLUSFDA	62.35	7787-3414	32	100
T10-32-50M-LLUSFDA	68.58	7787-3415	32	50
T10-50-100M-LLUSFDA	92.96	7787-3416	50	100
T10-50-50M-LLUSFDA	102.26	7787-3417	50	50
T10-75-100M-LLUSFDA	139.44	7787-3418	75	100
T10-75-50M-LLUSFDA	153.38	7787-3419	75	50
T10-100-100M-LLUSFDA	177.08	7787-3420	100	100
T10-100-50M-LLUSFDA	194.79	7787-3421	100	50
T10-150-100M-LLUSFDA	265.69	7787-3422	150	100
T10-150-50M-LLUSFDA	292.26	7787-3423	150	50

T10 Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUSHB	$42.50	7787-3435	20	100
T10-20-50M-LLUSHB	46.75	7787-3436	20	50
T10-25-100M-LLUSHB	50.90	7787-3437	25	100
T10-25-50M-LLUSHB	55.99	7787-3438	25	50
T10-32-100M-LLUSHB	62.35	7787-3439	32	100
T10-32-50M-LLUSHB	68.58	7787-3440	32	50
T10-50-100M-LLUSHB	92.96	7787-3441	50	100
T10-50-50M-LLUSHB	102.26	7787-3442	50	50
T10-75-100M-LLUSHB	139.44	7787-3443	75	100
T10-75-50M-LLUSHB	153.38	7787-3444	75	50
T10-100-100M-LLUSHB	177.08	7787-3445	100	100
T10-100-50M-LLUSHB	194.79	7787-3446	100	50
T10-150-100M-LLUSHB	265.69	7787-3447	150	100
T10-150-50M-LLUSHB	292.26	7787-3448	150	50

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSHBNT	$47.60	7787-3450	20	60
T10-20-30M-LLUSHBNT	52.36	7787-3451	20	30
T10-25-60M-LLUSHBNT	57.06	7787-3452	25	60
T10-25-30M-LLUSHBNT	62.76	7787-3453	25	30
T10-32-60M-LLUSHBNT	69.81	7787-3454	32	60
T10-32-30M-LLUSHBNT	76.79	7787-3455	32	30
T10-50-60M-LLUSHBNT	104.16	7787-3456	50	60
T10-50-30M-LLUSHBNT	114.58	7787-3457	50	30
T10-75-60M-LLUSHBNT	156.24	7787-3458	75	60
T10-75-30M-LLUSHBNT	171.86	7787-3459	75	30
T10-100-60M-LLUSHBNT	198.36	7787-3460	100	60
T10-100-30M-LLUSHBNT	218.20	7787-3461	100	30
T10-150-60M-LLUSHBNT	297.55	7787-3462	150	60
T10-150-30M-LLUSHBNT	327.30	7787-3463	150	30

T10 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSHBNB	$45.92	7787-3465	20	60
T10-20-30M-LLUSHBNB	50.51	7787-3466	20	30
T10-25-60M-LLUSHBNB	55.00	7787-3467	25	60
T10-25-30M-LLUSHBNB	60.50	7787-3468	25	30
T10-32-60M-LLUSHBNB	67.32	7787-3469	32	60
T10-32-30M-LLUSHBNB	74.06	7787-3470	32	30
T10-50-60M-LLUSHBNB	100.43	7787-3471	50	60
T10-50-30M-LLUSHBNB	110.47	7787-3472	50	30
T10-75-60M-LLUSHBNB	150.64	7787-3473	75	60
T10-75-30M-LLUSHBNB	165.70	7787-3474	75	30
T10-100-60M-LLUSHBNB	191.27	7787-3475	100	60
T10-100-30M-LLUSHBNB	210.40	7787-3476	100	30
T10-150-60M-LLUSHBNB	286.91	7787-3477	150	60
T10-150-30M-LLUSHBNB	315.60	7787-3478	150	30

T10 Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSHBNTB	$51.02	7787-3480	20	60
T10-20-30ML-LUSHBNTB	56.12	7787-3481	20	30
T10-25-60M-LLUSHBNTB	61.10	7787-3482	25	60
T10-25-30M-LLUSHBNTB	67.21	7787-3483	25	30
T10-32-60M-LLUSHBNTB	74.79	7787-3484	32	60
T10-32-30M-LLUSHBNTB	82.27	7787-3485	32	30
T10-50-60M-LLUSHBNTB	111.56	7787-3486	50	60
T10-50-30M-LLUSHBNTB	122.72	7787-3487	50	30
T10-75-60M-LLUSHBNTB	167.38	7787-3488	75	60
T10-75-30M-LLUSHBNTB	184.12	7787-3489	75	30
T10-100-60M-LLUSHBNTB	212.55	7787-3490	100	60
T10-100-30M-LLUSHBNTB	233.81	7787-3491	100	30
T10-150-60M-LLUSHBNTB	318.76	7787-3492	150	60
T10-150-30M-LLUSHBNTB	350.64	7787-3493	150	30

T10 Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUSHBFDA	$51.02	7787-3495	20	100
T10-20-50M-LLUSHBFDA	56.12	7787-3496	20	50
T10-25-100M-LLUSHBFDA	61.10	7787-3497	25	100
T10-25-50M-LLUSHBFDA	67.21	7787-3498	25	50
T10-32-100M-LLUSHBFDA	74.79	7787-3499	32	100
T10-32-50M-LLUSHBFDA	82.27	7787-3500	32	50
T10-50-100M-LLUSHBFDA	111.56	7787-3501	50	100
T10-50-50M-LLUSHBFDA	122.72	7787-3502	50	50
T10-75-100M-LLUSHBFDA	167.38	7787-3503	75	100
T10-75-50M-LLUSHBFDA	184.12	7787-3504	75	50
T10-100-100M-LLUSHBFDA	212.55	7787-3505	100	100
T10-100-50M-LLUSHBFDA	233.81	7787-3506	100	50
T10-150-100M-LLUSHBFDA	318.76	7787-3507	150	100
T10-150-50M-LLUSHBFDA	350.64	7787-3508	150	50

T10 Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUK	$37.40	7787-3510	20	100
T10-20-50M-LLUK	41.14	7787-3511	20	50
T10-25-100M-LLUK	44.80	7787-3512	25	100
T10-25-50M-LLUK	49.28	7787-3513	25	50
T10-32-100M-LLUK	54.88	7787-3514	32	100
T10-32-50M-LLUK	60.37	7787-3515	32	50
T10-50-100M-LLUK	81.82	7787-3516	50	100
T10-50-50M-LLUK	90.00	7787-3517	50	50
T10-75-100M-LLUK	122.70	7787-3518	75	100
T10-75-50M-LLUK	134.97	7787-3519	75	50
T10-100-100M-LLUK	155.87	7787-3520	100	100
T10-100-50M-LLUK	171.45	7787-3521	100	50
T10-150-100M-LLUK	233.77	7787-3522	150	100
T10-150-50M-LLUK	257.15	7787-3523	150	50

T10 Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKNT	$42.50	7787-3525	20	60
T10-20-30M-LLUKNT	46.75	7787-3526	20	30
T10-25-60M-LLUKNT	50.90	7787-3527	25	60
T10-25-30M-LLUKNT	55.99	7787-3528	25	30
T10-32-60M-LLUKNT	62.35	7787-3529	32	60
T10-32-30M-LLUKNT	68.58	7787-3530	32	30
T10-50-60M-LLUKNT	92.96	7787-3531	50	60
T10-50-30M-LLUKNT	102.26	7787-3532	50	30
T10-75-60M-LLUKNT	139.44	7787-3533	75	60
T10-75-30M-LLUKNT	153.38	7787-3534	75	30
T10-100-60M-LLUKNT	177.08	7787-3535	100	60
T10-100-30M-LLUKNT	194.79	7787-3536	100	30
T10-150-60M-LLUKNT	265.69	7787-3537	150	60
T10-150-30M-LLUKNT	292.26	7787-3538	150	30

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKNB	$40.82	7787-3540	20	60
T10-20-30M-LLUKNB	44.90	7787-3541	20	30
T10-25-60M-LLUKNB	48.91	7787-3542	25	60
T10-25-30M-LLUKNB	53.80	7787-3543	25	30
T10-32-60M-LLUKNB	59.86	7787-3544	32	60
T10-32-30M-LLUKNB	65.84	7787-3545	32	30
T10-50-60M-LLUKNB	89.29	7787-3546	50	60
T10-50-30M-LLUKNB	98.22	7787-3547	50	30
T10-75-60M-LLUKNB	133.90	7787-3548	75	60
T10-75-30M-LLUKNB	147.29	7787-3549	75	30
T10-100-60ML-LUKNB	169.99	7787-3550	100	60
T10-100-30M-LLUKNB	186.99	7787-3551	100	30
T10-150-60M-LLUKNB	255.05	7787-3552	150	60
T10-150-30M-LLUKNB	280.55	7787-3553	150	30

T10 Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUKHB	$45.92	7787-3585	20	100
T10-20-50M-LLUKHB	50.51	7787-3586	20	50
T10-25-100M-LLUKHB	55.00	7787-3587	25	100
T10-25-50M-LLUKHB	60.50	7787-3588	25	50
T10-32-100M-LLUKHB	67.32	7787-3589	32	100
T10-32-50M-LLUKHB	74.06	7787-3590	32	50
T10-50-100M-LLUKHB	100.43	7787-3591	50	100
T10-50-50M-LLUKHB	110.47	7787-3592	50	50
T10-75-100M-LLUKHB	150.64	7787-3593	75	100
T10-75-50M-LLUKHB	165.70	7787-3594	75	50
T10-100-100M-LLUKHB	191.27	7787-3595	100	100
T10-100-50M-LLUKHB	210.40	7787-3596	100	50
T10-150-100M-LLUKHB	286.91	7787-3597	150	100
T10-150-50M-LLUKHB	315.60	7787-3598	150	50

T10 Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKNTB	$45.92	7787-3555	20	60
T10-20-30M-LLUKNTB	50.51	7787-3556	20	30
T10-25-60M-LLUKNTB	55.00	7787-3557	25	60
T10-25-30M-LLUKNTB	60.50	7787-3558	25	30
T10-32-60M-LLUKNTB	67.32	7787-3559	32	60
T10-32-30M-LLUKNTB	74.06	7787-3560	32	30
T10-50-60M-LLUKNTB	100.43	7787-3561	50	60
T10-50-30M-LLUKNTB	110.47	7787-3562	50	30
T10-75-60M-LLUKNTB	150.64	7787-3563	75	60
T10-75-30M-LLUKNTB	165.70	7787-3564	75	30
T10-100-60M-LLUKNTB	191.27	7787-3565	100	60
T10-100-30M-LLUKNTB	210.40	7787-3566	100	30
T10-150-60M-LLUKNTB	286.91	7787-3567	150	60
T10-150-30M-LLUKNTB	315.60	7787-3568	150	30

T10 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKHBNT	$51.02	7787-3600	20	60
T10-20-30M-LLUKHBNT	56.12	7787-3601	20	30
T10-25-60M-LLUKHBNT	61.10	7787-3602	25	60
T10-25-30M-LLUKHBNT	67.21	7787-3603	25	30
T10-32-60M-LLUKHBNT	74.79	7787-3604	32	60
T10-32-30M-LLUKHBNT	82.27	7787-3605	32	30
T10-50-60M-LLUKHBNT	111.56	7787-3606	50	60
T10-50-30M-LLUKHBNT	122.72	7787-3607	50	30
T10-75-60M-LLUKHBNT	167.38	7787-3608	75	60
T10-75-30M-LLUKHBNT	184.12	7787-3609	75	30
T10-100-60M-LLUKHBNT	212.55	7787-3610	100	60
T10-100-30M-LLUKHBNT	233.81	7787-3611	100	30
T10-150-60M-LLUKHBNT	318.76	7787-3612	150	60
T10-150-30M-LLUKHBNT	350.64	7787-3613	150	30

T10 Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUKFDA	$45.92	7787-3570	20	100
T10-20-50M-LLUKFDA	50.51	7787-3571	20	50
T10-25-100M-LLUKFDA	55.00	7787-3572	25	100
T10-25-50M-LLUKFDA	60.50	7787-3573	25	50
T10-32-100M-LLUKFDA	67.32	7787-3574	32	100
T10-32-50M-LLUKFDA	74.06	7787-3575	32	50
T10-50-100M-LLUKFDA	100.43	7787-3576	50	100
T10-50-50M-LLUKFDA	110.47	7787-3577	50	50
T10-75-100M-LLUKFDA	150.64	7787-3578	75	100
T10-75-50M-LLUKFDA	165.70	7787-3579	75	50
T10-100-100M-LLUKFDA	191.27	7787-3580	100	100
T10-100-50M-LLUKFDA	210.40	7787-3581	100	50
T10-150-100M-LLUKFDA	286.91	7787-3582	150	100
T10-150-50M-LLUKFDA	315.60	7787-3583	150	50

T10 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKHBNB	$49.28	7787-3615	20	60
T10-20-30M-LLUKHBNB	54.21	7787-3616	20	30
T10-25-60M-LLUKHBNB	59.05	7787-3617	25	60
T10-25-30M-LLUKHBNB	64.95	7787-3618	25	30
T10-32-60M-LLUKHBNB	72.30	7787-3619	32	60
T10-32-30M-LLUKHBNB	79.53	7787-3620	32	30
T10-50-60M-LLUKHBNB	107.83	7787-3621	50	60
T10-50-30M-LLUKHBNB	118.61	7787-3622	50	30
T10-75-60M-LLUKHBNB	161.78	7787-3623	75	60
T10-75-30M-LLUKHBNB	177.96	7787-3624	75	30
T10-100-60M-LLUKHBNB	205.46	7787-3625	100	60
T10-100-30M-LLUKHBNB	226.00	7787-3626	100	30
T10-150-60M-LLUKHBNB	308.19	7787-3627	150	60
T10-150-30M-LLUKHBNB	339.01	7787-3628	150	30

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKHBNTB	$54.38	7787-3630	20	60
T10-20-30M-LLUKHBNTB	59.82	7787-3631	20	30
T10-25-60M-LLUKHBNTB	65.21	7787-3632	25	60
T10-25-30M-LLUKHBNTB	71.73	7787-3633	25	30
T10-32-60M-LLUKHBNTB	79.83	7787-3634	32	60
T10-32-30M-LLUKHBNTB	87.81	7787-3635	32	30
T10-50-60M-LLUKHBNTB	119.03	7787-3636	50	60
T10-50-30M-LLUKHBNTB	130.93	7787-3637	50	30
T10-75-60M-LLUKHBNTB	178.52	7787-3638	75	60
T10-75-30M-LLUKHBNTB	196.37	7787-3639	75	30
T10-100-60M-LLUKHBNTB	226.68	7787-3640	100	60
T10-100-30M-LLUKHBNTB	249.34	7787-3641	100	30
T10-150-60M-LLUKHBNTB	340.04	7787-3642	150	60
T10-150-30M-LLUKHBNTB	374.05	7787-3643	150	30

T10 Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUKHBFDA	$54.38	7787-3645	20	100
T10-20-50M-LLUKHBFDA	59.82	7787-3646	20	50
T10-25-100M-LLUKHBFDA	65.21	7787-3647	25	100
T10-25-50M-LLUKHBFDA	71.73	7787-3648	25	50
T10-32-100M-LLUKHBFDA	79.83	7787-3649	32	100
T10-32-50M-LLUKHBFDA	87.81	7787-3650	32	50
T10-50-100M-LLUKHBFDA	119.03	7787-3651	50	100
T10-50-50M-LLUKHBFDA	130.93	7787-3652	50	50
T10-75-100M-LLUKHBFDA	178.52	7787-3653	75	100
T10-75-50M-LLUKHBFDA	196.37	7787-3654	75	50
T10-100-100M-LLUKHBFDA	226.68	7787-3655	100	100
T10-100-50M-LLUKHBFDA	249.34	7787-3656	100	50
T10-150-100M-LLUKHBFDA	340.04	7787-3657	150	100
T10-150-50M-LLUKHBFDA	374.05	7787-3658	150	50

T10 Pitch—LL Urethane-Flex Cord

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUFC	$42.50	7787-3660	20	100
T10-20-50M-LLUFC	46.75	7787-3661	20	50
T10-25-100M-LLUFC	50.90	7787-3662	25	100
T10-25-50M-LLUFC	55.99	7787-3663	25	50
T10-32-100M-LLUFC	62.35	7787-3664	32	100
T10-32-50M-LLUFC	68.58	7787-3665	32	50
T10-50-100M-LLUFC	92.96	7787-3666	50	100
T10-50-50M-LLUFC	102.26	7787-3667	50	50
T10-75-100M-LLUFC	139.44	7787-3668	75	100
T10-75-50M-LLUFC	153.38	7787-3669	75	50
T10-100-100M-LLUFC	177.08	7787-3670	100	100
T10-100-50M-LLUFC	194.79	7787-3671	100	50
T10-150-100M-LLUFC	265.69	7787-3672	150	100
T10-150-50M-LLUFC	292.26	7787-3673	150	50

T10 Pitch—LL Urethane-Flex Cord—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUFCNT	$47.60	7787-3675	20	60
T10-20-30M-LLUFCNT	52.36	7787-3676	20	30
T10-25-60M-LLUFCNT	57.06	7787-3677	25	60
T10-25-30M-LLUFCNT	62.76	7787-3678	25	30
T10-32-60M-LLUFCNT	69.81	7787-3679	32	60
T10-32-30M-LLUFCNT	76.79	7787-3680	32	30
T10-50-60M-LLUFCNT	104.16	7787-3681	50	60
T10-50-30M-LLUFCNT	114.58	7787-3682	50	30
T10-75-60M-LLUFCNT	156.24	7787-3683	75	60
T10-75-30M-LLUFCNT	171.86	7787-3684	75	30
T10-100-60M-LLUFCNT	198.36	7787-3685	100	60
T10-100-30M-LLUFCNT	218.20	7787-3686	100	30
T10-150-60M-LLUFCNT	297.55	7787-3687	150	60
T10-150-30M-LLUFCNT	327.30	7787-3688	150	30

T10 Pitch—LL Urethane-Flex Cord—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUFCNB	$45.92	7787-3690	20	60
T10-20-30M-LLUFCNB	50.51	7787-3691	20	30
T10-25-60M-LLUFCNB	55.00	7787-3692	25	60
T10-25-30M-LLUFCNB	60.50	7787-3693	25	30
T10-32-60M-LLUFCNB	67.32	7787-3694	32	60
T10-32-30M-LLUFCNB	74.06	7787-3695	32	30
T10-50-60M-LLUFCNB	100.43	7787-3696	50	60
T10-50-30M-LLUFCNB	110.47	7787-3697	50	30
T10-75-60M-LLUFCNB	150.64	7787-3698	75	60
T10-75-30M-LLUFCNB	165.70	7787-3699	75	30
T10-100-60M-LLUFCNB	191.27	7787-3700	100	60
T10-100-30M-LLUFCNB	210.40	7787-3701	100	30
T10-150-60M-LLUFCNB	286.91	7787-3702	150	60
T10-150-30M-LLUFCNB	315.60	7787-3703	150	30

T10 Pitch—LL Urethane-Flex Cord—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUFCNTB	$51.02	7787-3705	20	60
T10-20-30M-LLUFCNTB	56.12	7787-3706	20	30
T10-25-60M-LLUFCNTB	61.10	7787-3707	25	60
T10-25-30M-LLUFCNTB	67.21	7787-3708	25	30
T10-32-60M-LLUFCNTB	74.79	7787-3709	32	60
T10-32-30M-LLUFCNTB	82.27	7787-3710	32	30
T10-50-60M-LLUFCNTB	111.56	7787-3711	50	60
T10-50-30M-LLUFCNTB	122.72	7787-3712	50	30
T10-75-60M-LLUFCNTB	167.38	7787-3713	75	60
T10-75-30M-LLUFCNTB	184.12	7787-3714	75	30
T10-100-60M-LLUFCNTB	212.55	7787-3715	100	60
T10-100-30M-LLUFCNTB	233.81	7787-3716	100	30
T10-150-60M-LLUFCNTB	318.76	7787-3717	150	60
T10-150-30M-LLUFCNTB	350.64	7787-3718	150	30

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch—LL Urethane-Flex Cord—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUFCFDA	$51.02	7787-3720	20	100
T10-20-50M-LLUFCFDA	56.12	7787-3721	20	50
T10-25-100M-LLUFCFDA	61.10	7787-3722	25	100
T10-25-50M-LLUFCFDA	67.21	7787-3723	25	50
T10-32-100M-LLUFCFDA	74.79	7787-3724	32	100
T10-32-50M-LLUFCFDA	82.27	7787-3725	32	50
T10-50-100M-LLUFCFDA	111.56	7787-3726	50	100
T10-50-50M-LLUFCFDA	122.72	7787-3727	50	50
T10-75-100M-LLUFCFDA	167.38	7787-3728	75	100
T10-75-50M-LLUFCFDA	184.12	7787-3729	75	50
T10-100-100M-LLUFCFDA	212.55	7787-3730	100	100
T10-100-50M-LLUFCFDA	233.81	7787-3731	100	50
T10-150-100M-LLUFCFDA	318.76	7787-3732	150	100
T10-150-50M-LLUFCFDA	350.64	7787-3733	150	50

T20 Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUS	$77.22	7787-3735	25	50
T20-25-25M-LLUS	84.95	7787-3736	25	25
T20-32-50M-LLUS	98.84	7787-3737	32	50
T20-32-25M-LLUS	108.72	7787-3738	32	25
T20-50-50M-LLUS	145.48	7787-3739	50	50
T20-50-25M-LLUS	160.03	7787-3740	50	25
T20-75-50M-LLUS	211.51	7787-3741	75	50
T20-75-25M-LLUS	232.66	7787-3742	75	25
T20-100-50M-LLUS	277.16	7787-3743	100	50
T20-100-25M-LLUS	304.88	7787-3744	100	25
T20-150-50M-LLUS	415.71	7787-3745	150	50
T20-150-25M-LLUS	457.28	7787-3746	150	25

T20 Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSNT	$88.82	7787-3750	25	50
T20-25-25M-LLUSNT	97.70	7787-3751	25	25
T20-32-50M-LLUSNT	113.68	7787-3752	32	50
T20-32-25M-LLUSNT	125.05	7787-3753	32	25
T20-50-50M-LLUSNT	167.32	7787-3754	50	50
T20-50-25M-LLUSNT	184.06	7787-3755	50	25
T20-75-50M-LLUSNT	243.26	7787-3756	75	50
T20-75-25M-LLUSNT	267.59	7787-3757	75	25
T20-100-50M-LLUSNT	318.70	7787-3758	100	50
T20-100-25M-LLUSNT	350.57	7787-3759	100	25
T20-150-50M-LLUSNT	478.05	7787-3760	150	50
T20-150-25M-LLUSNT	525.86	7787-3761	150	25

T20 Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSNB	$84.95	7787-3764	25	50
T20-25-25M-LLUSNB	93.45	7787-3765	25	25
T20-32-50M-LLUSNB	108.75	7787-3766	32	50
T20-32-25M-LLUSNB	119.63	7787-3767	32	25
T20-50-50M-LLUSNB	160.04	7787-3768	50	50
T20-50-25M-LLUSNB	176.05	7787-3769	50	25
T20-75-50M-LLUSNB	232.68	7787-3770	75	50
T20-75-25M-LLUSNB	255.95	7787-3771	75	25
T20-100-50M-LLUSNB	304.84	7787-3772	100	50
T20-100-25M-LLUSNB	335.32	7787-3773	100	25
T20-150-50M-LLUSNB	457.25	7787-3774	150	50
T20-150-25M-LLUSNB	502.98	7787-3775	150	25

T20 Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSNTB	$96.54	7787-3777	25	50
T20-25-25M-LLUSNTB	106.20	7787-3778	25	25
T20-32-50M-LLUSNTB	123.54	7787-3779	32	50
T20-32-25M-LLUSNTB	135.89	7787-3780	32	25
T20-50-50M-LLUSNTB	181.88	7787-3781	50	50
T20-50-25M-LLUSNTB	200.07	7787-3782	50	25
T20-75-50M-LLUSNTB	264.38	7787-3783	75	50
T20-75-25M-LLUSNTB	290.81	7787-3784	75	25
T20-100-50M-LLUSNTB	346.44	7787-3785	100	50
T20-100-25M-LLUSNTB	381.08	7787-3786	100	25
T20-150-50M-LLUSNTB	519.65	7787-3787	150	50
T20-150-25M-LLUSNTB	571.62	7787-3788	150	25

T20 Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSFDA	$96.54	7787-3790	25	50
T20-25-25M-LLUSFDA	106.20	7787-3791	25	25
T20-32-50M-LLUSFDA	123.54	7787-3792	32	50
T20-32-25M-LLUSFDA	135.89	7787-3793	32	25
T20-50-50M-LLUSFDA	181.88	7787-3794	50	50
T20-50-25M-LLUSFDA	200.07	7787-3795	50	25
T20-75-50M-LLUSFDA	264.38	7787-3796	75	50
T20-75-25M-LLUSFDA	290.81	7787-3797	75	25
T20-100-50M-LLUSFDA	346.44	7787-3798	100	50
T20-100-25M-LLUSFDA	381.08	7787-3799	100	25
T20-150-50M-LLUSFDA	519.65	7787-3800	150	50
T20-150-25M-LLUSFDA	571.62	7787-3801	150	25

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T20 Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHB	$96.54	7787-3803	25	50
T20-25-25M-LLUSHB	106.20	7787-3804	25	25
T20-32-50M-LLUSHB	123.54	7787-3805	32	50
T20-32-25M-LLUSHB	135.89	7787-3806	32	25
T20-50-50M-LLUSHB	181.88	7787-3807	50	50
T20-50-25M-LLUSHB	200.07	7787-3808	50	25
T20-75-50M-LLUSHB	264.38	7787-3809	75	50
T20-75-25M-LLUSHB	290.81	7787-3810	75	25
T20-100-50M-LLUSHB	346.44	7787-3811	100	50
T20-100-25M-LLUSHB	381.08	7787-3812	100	25
T20-150-50M-LLUSHB	519.65	7787-3813	150	50
T20-150-25M-LLUSHB	571.62	7787-3814	150	25

T20 Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHBNTB	$115.86	7787-3843	25	50
T20-25-25M-LLUSHBNTB	127.45	7787-3844	25	25
T20-32-50M-LLUSHBNTB	148.29	7787-3845	32	50
T20-32-25M-LLUSHBNTB	163.12	7787-3846	32	25
T20-50-50M-LLUSHBNTB	218.23	7787-3847	50	50
T20-50-25M-LLUSHBNTB	240.05	7787-3848	50	25
T20-75-50M-LLUSHBNTB	317.30	7787-3849	75	50
T20-75-25M-LLUSHBNTB	349.03	7787-3850	75	25
T20-100-50M-LLUSHBNTB	415.71	7787-3851	100	50
T20-100-25M-LLUSHBNTB	457.28	7787-3852	100	25
T20-150-50M-LLUSHBNTB	623.54	7787-3853	150	50
T20-150-25M-LLUSHBNTB	685.89	7787-3854	150	25

T20 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHBNT	$108.14	7787-3817	25	50
T20-25-25M-LLUSHBNT	118.95	7787-3818	25	25
T20-32-50M-LLUSHBNT	138.38	7787-3819	32	50
T20-32-25M-LLUSHBNT	152.21	7787-3820	32	25
T20-50-50M-LLUSHBNT	203.67	7787-3821	50	50
T20-50-25M-LLUSHBNT	224.03	7787-3822	50	25
T20-75-50M-LLUSHBNT	296.13	7787-3823	75	50
T20-75-25M-LLUSHBNT	325.74	7787-3824	75	25
T20-100-50M-LLUSHBNT	387.98	7787-3825	100	50
T20-100-25M-LLUSHBNT	426.78	7787-3826	100	25
T20-150-50M-LLUSHBNT	582.00	7787-3827	150	50
T20-150-25M-LLUSHBNT	640.20	7787-3828	150	25

T20 Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHBFDA	$115.86	7787-3857	25	50
T20-25-25M-LLUSHBFDA	127.45	7787-3858	25	25
T20-32-50M-LLUSHBFDA	148.29	7787-3859	32	50
T20-32-25M-LLUSHBFDA	163.12	7787-3860	32	25
T20-50-50M-LLUSHBFDA	218.23	7787-3861	50	50
T20-50-25M-LLUSHBFDA	240.05	7787-3862	50	25
T20-75-50M-LLUSHBFDA	317.30	7787-3863	75	50
T20-75-25M-LLUSHBFDA	349.03	7787-3864	75	25
T20-100-50M-LLUSHBFDA	415.71	7787-3865	100	50
T20-100-25M-LLUSHBFDA	457.28	7787-3866	100	25
T20-150-50M-LLUSHBFDA	623.54	7787-3867	150	50
T20-150-25M-LLUSHBFDA	685.89	7787-3868	150	25

T20 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHBNB	$104.27	7787-3830	25	50
T20-25-25M-LLUSHBNB	114.70	7787-3831	25	25
T20-32-50M-LLUSHBNB	133.45	7787-3832	32	50
T20-32-25M-LLUSHBNB	146.79	7787-3833	32	25
T20-50-50M-LLUSHBNB	196.44	7787-3834	50	50
T20-50-25M-LLUSHBNB	216.09	7787-3835	50	25
T20-75-50M-LLUSHBNB	285.54	7787-3836	75	50
T20-75-25M-LLUSHBNB	314.10	7787-3837	75	25
T20-100-50M-LLUSHBNB	374.17	7787-3838	100	50
T20-100-25M-LLUSHBNB	411.59	7787-3839	100	25
T20-150-50M-LLUSHBNB	561.20	7787-3840	150	50
T20-150-25M-LLUSHBNB	617.32	7787-3841	150	25

T20 Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUK	$84.95	7787-3870	25	50
T20-25-25M-LLUK	93.45	7787-3871	25	25
T20-32-50M-LLUK	108.75	7787-3872	32	50
T20-32-25M-LLUK	119.63	7787-3873	32	25
T20-50-50M-LLUK	160.04	7787-3874	50	50
T20-50-25M-LLUK	176.05	7787-3875	50	25
T20-75-50M-LLUK	232.68	7787-3876	75	50
T20-75-25M-LLUK	255.95	7787-3877	75	25
T20-100-50M-LLUK	304.84	7787-3878	100	50
T20-100-25M-LLUK	335.32	7787-3879	100	25
T20-150-50M-LLUK	457.25	7787-3880	150	50
T20-150-25M-LLUK	502.98	7787-3881	150	25

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T20 Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKNT	$96.54	7787-3883	25	50
T20-25-25M-LLUKNT	106.20	7787-3884	25	25
T20-32-50M-LLUKNT	123.54	7787-3885	32	50
T20-32-25M-LLUKNT	135.89	7787-3886	32	25
T20-50-50M-LLUKNT	181.88	7787-3887	50	50
T20-50-25M-LLUKNT	200.07	7787-3888	50	25
T20-75-50M-LLUKNT	264.38	7787-3889	75	50
T20-75-25M-LLUKNT	290.81	7787-3890	75	25
T20-100-50M-LLUKNT	346.44	7787-3891	100	50
T20-100-25M-LLUKNT	381.08	7787-3892	100	25
T20-150-50M-LLUKNT	519.65	7787-3893	150	50
T20-150-25M-LLUKNT	571.62	7787-3894	150	25

T20 Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKFDA	$104.27	7787-3924	25	50
T20-25-25M-LLUKFDA	114.70	7787-3925	25	25
T20-32-50M-LLUKFDA	133.45	7787-3926	32	50
T20-32-25M-LLUKFDA	146.79	7787-3927	32	25
T20-50-50M-LLUKFDA	196.44	7787-3928	50	50
T20-50-25M-LLUKFDA	216.09	7787-3929	50	25
T20-75-50M-LLUKFDA	285.54	7787-3930	75	50
T20-75-25M-LLUKFDA	314.10	7787-3931	75	25
T20-100-50M-LLUKFDA	374.17	7787-3932	100	50
T20-100-25M-LLUKFDA	411.59	7787-3933	100	25
T20-150-50M-LLUKFDA	561.20	7787-3934	150	50
T20-150-25M-LLUKFDA	617.32	7787-3935	150	25

T20 Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKNB	$92.68	7787-3896	25	50
T20-25-25M-LLUKNB	101.95	7787-3897	25	25
T20-32-50M-LLUKNB	118.61	7787-3898	32	50
T20-32-25M-LLUKNB	130.47	7787-3899	32	25
T20-50-50M-LLUKNB	174.60	7787-3900	50	50
T20-50-25M-LLUKNB	192.06	7787-3901	50	25
T20-75-50M-LLUKNB	253.85	7787-3902	75	50
T20-75-25M-LLUKNB	279.23	7787-3903	75	25
T20-100-50M-LLUKNB	332.57	7787-3904	100	50
T20-100-25M-LLUKNB	365.83	7787-3905	100	25
T20-150-50M-LLUKNB	498.85	7787-3906	150	50
T20-150-25M-LLUKNB	548.74	7787-3907	150	25

T20 Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHB	$104.27	7787-3937	25	50
T20-25-25M-LLUKHB	114.70	7787-3938	25	25
T2032-50-M-LLUKHB	133.45	7787-3939	32	50
T20-32-25M-LLUKHB	146.79	7787-3940	32	25
T20-50-50M-LLUKHB	196.44	7787-3941	50	50
T20-50-25M-LLUKHB	216.09	7787-3942	50	25
T20-75-50M-LLUKHB	285.54	7787-3943	75	50
T20-75-25M-LLUKHB	314.10	7787-3944	75	25
T20-100-50M-LLUKHB	374.17	7787-3945	100	50
T20-100-25M-LLUKHB	411.59	7787-3946	100	25
T20-150-50M-LLUKHB	561.20	7787-3947	150	50
T20-150-25M-LLUKHB	617.32	7787-3948	150	25

T20 Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKNTB	$104.27	7787-3910	25	50
T20-25-25M-LLUKNTB	114.70	7787-3911	25	25
T20-32-50M-LLUKNTB	133.45	7787-3912	32	50
T20-32-25M-LLUKNTB	146.79	7787-3913	32	25
T20-50-50M-LLUKNTB	196.44	7787-3914	50	50
T20-50-25M-LLUKNTB	216.09	7787-3915	50	25
T20-75-50M-LLUKNTB	285.54	7787-3916	75	50
T20-75-25M-LLUKNTB	314.10	7787-3917	75	25
T20-100-50M-LLUKNTB	374.17	7787-3918	100	50
T20-100-25M-LLUKNTB	411.59	7787-3919	100	25
T20-150-50M-LLUKNTB	561.20	7787-3920	150	50
T20-150-25M-LLUKNTB	617.32	7787-3921	150	25

T20 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHBNT	$115.86	7787-3950	25	50
T20-25-25M-LLUKHBNT	127.45	7787-3951	25	25
T20-32-50M-LLUKHBNT	148.29	7787-3952	32	50
T20-32-25M-LLUKHBNT	163.12	7787-3953	32	25
T20-50-50M-LLUKHBNT	218.23	7787-3954	50	50
T20-50-25M-LLUKHBNT	240.05	7787-3955	50	25
T20-75-50M-LLUKHBNT	317.30	7787-3956	75	50
T20-75-25M-LLUKHBNT	349.03	7787-3957	75	25
T20-100-50M-LLUKHBNT	415.71	7787-3958	100	50
T20-100-25M-LLUKHBNT	457.28	7787-3959	100	25
T20-150-50M-LLUKHBNT	623.54	7787-3960	150	50
T20-150-25M-LLUKHBNT	685.89	7787-3961	150	25

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T20 Pitch—LL Urethane/Kevlar®—Heavy Backing—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHBNB	$111.94	7787-3965	25	50
T20-25-25M-LLUKHBNB	123.14	7787-3966	25	25
T20-32-50M-LLUKHBNB	143.36	7787-3967	32	50
T20-32-25M-LLUKHBNB	157.70	7787-3968	32	25
T20-50-50M-LLUKHBNB	210.95	7787-3969	50	50
T20-50-25M-LLUKHBNB	232.04	7787-3970	50	25
T20-75-50M-LLUKHBNB	306.71	7787-3971	75	50
T20-75-25M-LLUKHBNB	337.38	7787-3972	75	25
T20-100-50M-LLUKHBNB	401.84	7787-3973	100	50
T20-100-25M-LLUKHBNB	442.03	7787-3974	100	25
T20-150-50M-LLUKHBNB	602.74	7787-3975	150	50
T20-150-25M-LLUKHBNB	663.01	7787-3976	150	25

T20 Pitch—LL Urethane/Kevlar®—Heavy Backing—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHBNTB	$123.54	7787-3980	25	50
T20-25-25M-LLUKHBNTB	135.89	7787-3981	25	25
T20-32-50M-LLUKHBNTB	158.14	7787-3982	32	50
T20-32-25M-LLUKHBNTB	173.96	7787-3983	32	25
T20-50-50M-LLUKHBNTB	232.79	7787-3984	50	50
T20-50-25M-LLUKHBNTB	256.07	7787-3985	50	25
T20-75-50M-LLUKHBNTB	338.46	7787-3986	75	50
T20-75-25M-LLUKHBNTB	372.31	7787-3987	75	25
T20-100-50M-LLUKHBNTB	443.39	7787-3988	100	50
T20-100-25M-LLUKHBNTB	487.73	7787-3989	100	25
T20-150-50M-LLUKHBNTB	665.14	7787-3990	150	50
T20-150-25M-LLUKHBNTB	731.65	7787-3991	150	25

T20 Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHBFDA	$123.54	7787-3993	25	50
T20-25-25M-LLUKHBFDA	135.89	7787-3994	25	25
T20-32-50M-LLUKHBFDA	158.14	7787-3995	32	50
T20-32-25M-LLUKHBFDA	173.96	7787-3996	32	25
T20-50-50M-LLUKHBFDA	232.79	7787-3997	50	50
T20-50-25M-LLUKHBFDA	256.07	7787-3998	50	25
T20-75-50M-LLUKHBFDA	338.46	7787-3999	75	50
T20-75-25M-LLUKHBFDA	372.31	7787-4000	75	25
T20-100-50M-LLUKHBFDA	443.39	7787-4001	100	50
T20-100-25M-LLUKHBFDA	487.73	7787-4002	100	25
T20-150-50M-LLUKHBFDA	665.14	7787-4003	150	50
T20-150-25M-LLUKHBFDA	731.65	7787-4004	150	25

[18]Stocked Product

AT5 Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUS	$22.20	7787-4010	10	100
[18]AT5-10-50M-LLUS	23.26	7787-4011	10	50
AT5-15-100M-LLUS	33.34	7787-4012	15	100
[18]AT5-15-50M-LLUS	34.92	7787-4013	15	50
AT5-20-100M-LLUS	44.41	7787-4014	20	100
[18]AT5-20-50M-LLUS	46.51	7787-4015	20	50
AT5-25-100M-LLUS	50.72	7787-4016	25	100
[18]AT5-25-50M-LLUS	53.12	7787-4017	25	50
AT5-32-100M-LLUS	67.98	7787-4018	32	100
[18]AT5-32-50M-LLUS	71.19	7787-4019	32	50
AT5-50-100M-LLUS	96.61	7787-4020	50	100
[18]AT5-50-50M-LLUS	101.18	7787-4021	50	50
AT5-75-100M-LLUS	193.16	7787-4022	75	100
AT5-75-50M-LLUS	202.30	7787-4023	75	50
AT5-100-100M-LLUS	193.16	7787-4024	100	100
AT5-100-50M-LLUS	202.30	7787-4025	100	50

AT5 Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSNT	$25.54	7787-4027	10	60
AT5-10-30M-LLUSNT	26.75	7787-4028	10	30
AT5-15-60M-LLUSNT	38.35	7787-4029	15	60
AT5-15-30M-LLUSNT	40.16	7787-4030	15	30
AT5-20-60M-LLUSNT	51.09	7787-4031	20	60
AT5-20-30M-LLUSNT	53.51	7787-4032	20	30
AT5-25-60M-LLUSNT	58.33	7787-4033	25	60
AT5-25-30M-LLUSNT	61.09	7787-4034	25	30
AT5-32-60M-LLUSNT	78.18	7787-4035	32	60
AT5-32-30M-LLUSNT	81.88	7787-4036	32	30
AT5-50-60M-LLUSNT	111.09	7787-4037	50	60
AT5-50-30M-LLUSNT	116.34	7787-4038	50	30
AT5-75-60M-LLUSNT	222.11	7787-4039	75	60
AT5-75-30M-LLUSNT	232.62	7787-4040	75	30
AT5-100-60M-LLUSNT	222.11	7787-4041	100	60
AT5-100-30M-LLUSNT	232.62	7787-4042	100	30

AT5 Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSNB	$24.43	7787-4045	10	60
AT5-10-30M-LLUSNB	25.59	7787-4046	10	30
AT5-15-60M-LLUSNB	36.68	7787-4047	15	60
AT5-15-30M-LLUSNB	38.41	7787-4048	15	30
AT5-20-60M-LLUSNB	48.86	7787-4049	20	60
AT5-20-30M-LLUSNB	51.17	7787-4050	20	30
AT5-25-60M-LLUSNB	55.79	7787-4051	25	60
AT5-25-30M-LLUSNB	58.43	7787-4052	25	30
AT5-32-60M-LLUSNB	74.78	7787-4053	32	60
AT5-32-30M-LLUSNB	78.32	7787-4054	32	30
AT5-50-60M-LLUSNB	106.26	7787-4055	50	60
AT5-50-30M-LLUSNB	111.29	7787-4056	50	30
AT5-75-60M-LLUSNB	212.46	7787-4057	75	60
AT5-75-30M-LLUSNB	222.51	7787-4058	75	30
AT5-100-60M-LLUSNB	212.46	7787-4059	100	60
AT5-100-30M-LLUSNB	222.51	7787-4060	100	30

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT5 Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSNTB	$27.77	7787-4063	10	60
AT5-10-30M-LLUSNTB	29.09	7787-4064	10	30
AT5-15-60M-LLUSNTB	41.63	7787-4065	15	60
AT5-15-30M-LLUSNTB	39.63	7787-4066	15	30
AT5-20-60M-LLUSNTB	55.54	7787-4067	20	60
AT5-20-30M-LLUSNTB	58.17	7787-4068	20	30
AT5-25-60M-LLUSNTB	63.40	7787-4069	25	60
AT5-25-30M-LLUSNTB	66.40	7787-4070	25	30
AT5-32-60M-LLUSNTB	84.98	7787-4071	32	60
AT5-32-30M-LLUSNTB	89.00	7787-4072	32	30
AT5-50-60M-LLUSNTB	120.73	7787-4073	50	60
AT5-50-30M-LLUSNTB	126.45	7787-4074	50	30
AT5-75-60M-LLUSNTB	241.47	7787-4075	75	60
AT5-75-30M-LLUSNTB	252.89	7787-4076	75	30
AT5-100-60M-LLUSNTB	241.47	7787-4077	100	60
AT5-100-30M-LLUSNTB	252.89	7787-4078	100	30

AT5 Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUSFDA	$27.77	7787-4080	10	100
AT5-10-50M-LLUSFDA	29.09	7787-4081	10	50
AT5-15-100M-LLUSFDA	41.63	7787-4082	15	100
AT5-15-50M-LLUSFDA	39.63	7787-4083	15	50
AT5-20-100M-LLUSFDA	55.54	7787-4084	20	100
AT5-20-50M-LLUSFDA	58.17	7787-4085	20	50
AT5-25-100M-LLUSFDA	63.40	7787-4086	25	100
AT5-25-50M-LLUSFDA	66.40	7787-4087	25	50
AT5-32-100M-LLUSFDA	84.98	7787-4088	32	100
AT5-32-50M-LLUSFDA	89.00	7787-4089	32	50
AT5-50-100M-LLUSFDA	120.73	7787-4090	50	100
AT5-50-50M-LLUSFDA	126.45	7787-4091	50	50
AT5-75-100M-LLUSFDA	241.47	7787-4092	75	100
AT5-75-50M-LLUSFDA	252.89	7787-4093	75	50
AT5-100-100M-LLUSFDA	241.47	7787-4094	100	100
AT5-100-50M-LLUSFDA	252.89	7787-4095	100	50

AT5 Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUSHB	$27.77	7787-4097	10	100
AT5-10-50M-LLUSHB	29.09	7787-4098	10	50
AT5-15-100M-LLUSHB	41.69	7787-4099	15	100
AT5-15-50M-LLUSHB	43.66	7787-4100	15	50
AT5-20-100M-LLUSHB	55.54	7787-4101	20	100
AT5-20-50M-LLUSHB	58.17	7787-4102	20	50
AT5-25-100M-LLUSHB	63.40	7787-4103	25	100
AT5-25-50M-LLUSHB	66.40	7787-4104	25	50
AT5-32-100M-LLUSHB	84.98	7787-4105	32	100
AT5-32-50M-LLUSHB	89.00	7787-4106	32	50
AT5-50-100M-LLUSHB	120.73	7787-4107	50	100
AT5-50-50M-LLUSHB	126.45	7787-4108	50	50
AT5-75-100M-LLUSHB	241.47	7787-4109	75	100
AT5-75-50M-LLUSHB	252.89	7787-4110	75	50
AT5-100-100M-LLUSHB	241.47	7787-4111	100	100
AT5-100-50M-LLUSHB	252.89	7787-4112	100	50

AT5 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSHBNT	$31.11	7787-4115	10	60
AT5-10-30M-LLUSHBNT	32.58	7787-4116	10	30
AT5-15-60M-LLUSHBNT	46.64	7787-4117	15	60
AT5-15-30M-LLUSHBNT	48.84	7787-4118	15	30
AT5-20-60M-LLUSHBNT	62.22	7787-4119	20	60
AT5-20-30M-LLUSHBNT	65.17	7787-4120	20	30
AT5-25-60M-LLUSHBNT	71.01	7787-4121	25	60
AT5-25-30M-LLUSHBNT	74.36	7787-4122	25	30
AT5-32-60M-LLUSHBNT	95.19	7787-4123	32	60
AT5-32-30M-LLUSHBNT	99.69	7787-4124	32	30
AT5-50-60M-LLUSHBNT	135.21	7787-4125	50	60
AT5-50-30M-LLUSHBNT	141.60	7787-4126	50	30
AT5-75-60M-LLUSHBNT	270.42	7787-4127	75	60
AT5-75-30M-LLUSHBNT	283.21	7787-4128	75	30
AT5-100-60M-LLUSHBNT	270.42	7787-4129	100	60
AT5-100-30M-LLUSHBNT	283.21	7787-4130	100	30

AT5 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSHBNB	$30.00	7787-4133	10	60
AT5-10-30M-LLUSHBNB	31.42	7787-4134	10	30
AT5-15-60M-LLUSHBNB	44.97	7787-4135	15	60
AT5-15-30M-LLUSHBNB	47.09	7787-4136	15	30
AT5-20-60M-LLUSHBNB	60.00	7787-4137	20	60
AT5-20-30M-LLUSHBNB	62.83	7787-4138	20	30
AT5-25-60M-LLUSHBNB	68.47	7787-4139	25	60
AT5-25-30M-LLUSHBNB	71.71	7787-4140	25	30
AT5-32-60M-LLUSHBNB	91.79	7787-4141	32	60
AT5-32-30M-LLUSHBNB	96.13	7787-4142	32	30
AT5-50-60M-LLUSHBNB	130.38	7787-4143	50	60
AT5-50-30M-LLUSHBNB	136.55	7787-4144	50	30
AT5-75-60M-LLUSHBNB	260.77	7787-4145	75	60
AT5-75-30M-LLUSHBNB	273.10	7787-4146	75	30
AT5-100-60M-LLUSHBNB	260.77	7787-4147	100	60
AT5-100-30M-LLUSHBNB	273.10	7787-4148	100	30

AT5 Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSHBNTB	$33.34	7787-4150	10	60
AT5-10-30M-LLUSHBNTB	34.92	7787-4151	10	30
AT5-15-60M-LLUSHBNTB	49.98	7787-4152	15	60
AT5-15-30M-LLUSHBNTB	52.34	7787-4153	15	30
AT5-20-60M-LLUSHBNTB	66.61	7787-4154	20	60
AT5-20-30M-LLUSHBNTB	69.77	7787-4155	20	30
AT5-25-60M-LLUSHBNTB	76.08	7787-4156	25	60
AT5-25-30M-LLUSHBNTB	79.68	7787-4157	25	30
AT5-32-60M-LLUSHBNTB	101.99	7787-4158	32	60
AT5-32-30M-LLUSHBNTB	106.82	7787-4159	32	30
AT5-50-60M-LLUSHBNTB	144.86	7787-4160	50	60
AT5-50-30M-LLUSHBNTB	151.71	7787-4161	50	30
AT5-75-60M-LLUSHBNTB	289.78	7787-4162	75	60
AT5-75-30M-LLUSHBNTB	303.48	7787-4163	75	30
AT5-100-60M-LLUSHBNTB	289.78	7787-4164	100	60
AT5-100-30M-LLUSHBNTB	303.48	7787-4165	100	30

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT5 Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUSHBFDA	$33.34	7787-4167	10	100
AT5-10-50M-LLUSHBFDA	34.92	7787-4168	10	50
AT5-15-100M-LLUSHBFDA	49.98	7787-4169	15	100
AT5-15-50M-LLUSHBFDA	52.34	7787-4170	15	50
AT5-20-100M-LLUSHBFDA	66.61	7787-4171	20	100
AT5-20-50M-LLUSHBFDA	69.77	7787-4172	20	50
AT5-25-100M-LLUSHBFDA	76.08	7787-4173	25	100
AT5-25-50M-LLUSHBFDA	79.68	7787-4174	25	50
AT5-32-100M-LLUSHBFDA	101.99	7787-4175	32	100
AT5-32-50M-LLUSHBFDA	106.82	7787-4176	32	50
AT5-50-100M-LLUSHBFDA	144.86	7787-4177	50	100
AT5-50-50M-LLUSHBFDA	151.71	7787-4178	50	50
AT5-75-100M-LLUSHBFDA	289.78	7787-4179	75	100
AT5-75-50M-LLUSHBFDA	303.48	7787-4180	75	50
AT5-100-100M-LLUSHBFDA	289.78	7787-4181	100	100
AT5-100-50M-LLUSHBFDA	303.48	7787-4182	100	50

AT5 Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUK	$25.54	7787-4185	10	100
[18]AT5-10-50M-LLUK	26.75	7787-4186	10	50
AT5-15-100M-LLUK	51.09	7787-4187	15	100
[18]AT5-15-50M-LLUK	53.51	7787-4188	15	50
AT5-20-100M-LLUK	51.09	7787-4189	20	100
[18]AT5-20-50M-LLUK	53.51	7787-4190	20	50
AT5-25-100M-LLUK	58.33	7787-4191	25	100
[18]AT5-25-50M-LLUK	61.09	7787-4192	25	50
AT5-32-100M-LLUK	78.18	7787-4193	32	100
AT5-32-50M-LLUK	81.88	7787-4194	32	50
AT5-50-100M-LLUK	111.09	7787-4195	50	100
AT5-50-50M-LLUK	116.34	7787-4196	50	50
AT5-75-100M-LLUK	222.11	7787-4197	75	100
AT5-75-50M-LLUK	232.62	7787-4198	75	50
AT5-100-100M-LLUK	222.11	7787-4199	100	100
AT5-100-50M-LLUK	232.62	7787-4200	100	50

AT5 Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKNT	$29.38	7787-4203	10	60
AT5-10-30M-LLUKNT	30.77	7787-4204	10	30
AT5-15-60M-LLUKNT	58.76	7787-4205	15	60
AT5-15-30M-LLUKNT	61.54	7787-4206	15	30
AT5-20-60M-LLUKNT	58.76	7787-4207	20	60
AT5-20-30M-LLUKNT	61.54	7787-4208	20	30
AT5-25-60M-LLUKNT	67.05	7787-4209	25	60
AT5-25-30M-LLUKNT	70.22	7787-4210	25	30
AT5-32-60M-LLUKNT	89.93	7787-4211	32	60
AT5-32-30M-LLUKNT	94.19	7787-4212	32	30
AT5-50-60M-LLUKNT	127.72	7787-4213	50	60
AT5-50-30M-LLUKNT	133.77	7787-4214	50	30
AT5-75-60M-LLUKNT	255.45	7787-4215	75	60
AT5-75-30M-LLUKNT	267.53	7787-4216	75	30
AT5-100-60M-LLUKNT	255.45	7787-4217	100	60
AT5-100-30M-LLUKNT	267.53	7787-4218	100	30

[18]Stocked Product

AT5 Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKNB	$28.08	7787-4220	10	60
AT5-10-30M-LLUKNB	29.41	7787-4221	10	30
AT5-15-60M-LLUKNB	56.22	7787-4222	15	60
AT5-15-30M-LLUKNB	58.88	7787-4223	15	30
AT5-20-60M-LLUKNB	56.22	7787-4224	20	60
AT5-20-30M-LLUKNB	58.88	7787-4225	20	30
AT5-25-60M-LLUKNB	64.14	7787-4226	25	60
AT5-25-30M-LLUKNB	67.17	7787-4227	25	30
AT5-32-60M-LLUKNB	86.04	7787-4228	32	60
AT5-32-30M-LLUKNB	90.11	7787-4229	32	30
AT5-50-60M-LLUKNB	122.16	7787-4230	50	60
AT5-50-30M-LLUKNB	127.94	7787-4231	50	30
AT5-75-60M-LLUKNB	244.38	7787-4232	75	60
AT5-75-30M-LLUKNB	255.94	7787-4233	75	30
AT5-100-60M-LLUKNB	244.38	7787-4234	100	60
AT5-100-30M-LLUKNB	255.94	7787-4235	100	30

AT5 Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKNTB	$31.92	7787-4237	10	60
AT5-10-30M-LLUKNTB	33.43	7787-4238	10	30
AT5-15-60M-LLUKNTB	63.83	7787-4239	15	60
AT5-15-30M-LLUKNTB	66.85	7787-4240	15	30
AT5-20-60M-LLUKNTB	63.83	7787-4241	20	60
AT5-20-30M-LLUKNTB	66.85	7787-4242	20	30
AT5-25-60M-LLUKNTB	72.86	7787-4243	25	60
AT5-25-30M-LLUKNTB	76.31	7787-4244	25	30
AT5-32-60M-LLUKNTB	97.73	7787-4245	32	60
AT5-32-30M-LLUKNTB	102.35	7787-4246	32	30
AT5-50-60M-LLUKNTB	138.86	7787-4247	50	60
AT5-50-30M-LLUKNTB	145.43	7787-4248	50	30
AT5-75-60M-LLUKNTB	277.65	7787-4249	75	60
AT5-75-30M-LLUKNTB	290.79	7787-4250	75	30
AT5-100-60M-LLUKNTB	277.65	7787-4251	100	60
AT5-100-30M-LLUKNTB	290.79	7787-4252	100	30

AT5 Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUKFDA	$31.92	7787-4255	10	100
AT5-10-50M-LLUKFDA	33.43	7787-4256	10	50
AT5-15-100M-LLUKFDA	63.83	7787-4257	15	100
AT5-15-50M-LLUKFDA	66.85	7787-4258	15	50
AT5-20-100M-LLUKFDA	63.83	7787-4259	20	100
AT5-20-50M-LLUKFDA	66.85	7787-4260	20	50
AT5-25-100M-LLUKFDA	72.86	7787-4261	25	100
AT5-25-50M-LLUKFDA	76.31	7787-4262	25	50
AT5-32-100M-LLUKFDA	97.73	7787-4263	32	100
AT5-32-50M-LLUKFDA	102.35	7787-4264	32	50
AT5-50-100M-LLUKFDA	138.86	7787-4265	50	100
AT5-50-50M-LLUKFDA	145.43	7787-4266	50	50
AT5-75-100M-LLUKFDA	277.65	7787-4267	75	100
AT5-75-50M-LLUKFDA	290.79	7787-4268	75	50
AT5-100-100M-LLUKFDA	277.65	7787-4269	100	100
AT5-100-50M-LLUKFDA	290.79	7787-4270	100	50

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT5 Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUKHB	$31.92	7787-4272	10	100
AT5-10-50M-LLUKHB	33.43	7787-4273	10	50
AT5-15-100M-LLUKHB	63.83	7787-4274	15	100
AT5-15-50M-LLUKHB	66.85	7787-4275	15	50
AT5-20-100M-LLUKHB	63.83	7787-4276	20	100
AT5-20-50M-LLUKHB	66.85	7787-4277	20	50
AT5-25-100M-LLUKHB	72.86	7787-4278	25	100
AT5-25-50M-LLUKHB	76.31	7787-4279	25	50
AT5-32-100M-LLUKHB	97.73	7787-4280	32	100
AT5-32-50M-LLUKHB	102.35	7787-4281	32	50
AT5-50-100M-LLUKHB	138.86	7787-4282	50	100
AT5-50-50M-LLUKHB	145.43	7787-4283	50	50
AT5-75-100M-LLUKHB	277.65	7787-4284	75	100
AT5-75-50M-LLUKHB	290.79	7787-4285	75	50
AT5-100-100M-LLUKHB	277.65	7787-4286	100	100
AT5-100-50M-LLUKHB	290.79	7787-4287	100	50

AT5 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKHBNT	$35.75	7787-4290	10	60
AT5-10-30M-LLUKHBNT	37.44	7787-4291	10	30
AT5-15-60M-LLUKHBNT	71.56	7787-4292	15	60
AT5-15-30M-LLUKHBNT	74.95	7787-4293	15	30
AT5-20-60M-LLUKHBNT	71.56	7787-4294	20	60
AT5-20-30M-LLUKHBNT	74.95	7787-4295	20	30
AT5-25-60M-LLUKHBNT	81.64	7787-4296	25	60
AT5-25-30M-LLUKHBNT	85.51	7787-4297	25	30
AT5-32-60M-LLUKHBNT	109.48	7787-4298	32	60
AT5-32-30M-LLUKHBNT	114.66	7787-4299	32	30
AT5-50-60M-LLUKHBNT	155.50	7787-4300	50	60
AT5-50-30M-LLUKHBNT	162.85	7787-4301	50	30
AT5-75-60M-LLUKHBNT	310.99	7787-4302	75	60
AT5-75-30M-LLUKHBNT	325.70	7787-4303	75	30
AT5-100-60M-LLUKHBNT	310.99	7787-4304	100	60
AT5-100-30M-LLUKHBNT	325.70	7787-4305	100	30

AT5 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKHBNB	$34.45	7787-4307	10	30
AT5-10-30M-LLUKHBNB	36.08	7787-4308	10	30
AT5-15-60M-LLUKHBNB	68.96	7787-4309	15	60
AT5-15-30M-LLUKHBNB	72.23	7787-4310	15	30
AT5-20-60M-LLUKHBNB	68.96	7787-4311	20	60
AT5-20-30M-LLUKHBNB	72.23	7787-4312	20	30
AT5-25-60M-LLUKHBNB	78.74	7787-4313	25	60
AT5-25-30M-LLUKHBNB	82.46	7787-4314	25	30
AT5-32-60M-LLUKHBNB	105.58	7787-4315	32	60
AT5-32-30M-LLUKHBNB	110.58	7787-4316	32	30
AT5-50-60M-LLUKHBNB	149.93	7787-4317	50	60
AT5-50-30M-LLUKHBNB	157.02	7787-4318	50	30
AT5-75-60M-LLUKHBNB	299.86	7787-4319	75	60
AT5-75-30M-LLUKHBNB	314.04	7787-4320	75	30
AT5-100-60M-LLUKHBNB	299.86	7787-4321	100	60
AT5-100-30M-LLUKHBNB	314.04	7787-4322	100	30

AT5 Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKHBNTB	$38.29	7787-4325	10	60
AT5-10-30M-LLUKHBNTB	40.10	7787-4326	10	30
AT5-15-60M-LLUKHBNTB	76.63	7787-4327	15	60
AT5-15-30M-LLUKHBNTB	80.26	7787-4328	15	30
AT5-20-60M-LLUKHBNTB	76.63	7787-4329	20	60
AT5-20-30M-LLUKHBNTB	80.26	7787-4330	20	30
AT5-25-60M-LLUKHBNTB	87.46	7787-4331	25	60
AT5-25-30M-LLUKHBNTB	91.60	7787-4332	25	30
AT5-32-60M-LLUKHBNTB	117.27	7787-4333	32	60
AT5-32-30M-LLUKHBNTB	122.82	7787-4334	32	30
AT5-50-60M-LLUKHBNTB	166.63	7787-4335	50	60
AT5-50-30M-LLUKHBNTB	174.51	7787-4336	50	30
AT5-75-60M-LLUKHBNTB	333.20	7787-4337	75	60
AT5-75-30M-LLUKHBNTB	348.96	7787-4338	75	30
AT5-100-60M-LLUKHBNTB	333.20	7787-4339	100	60
AT5-100-30M-LLUKHBNTB	348.96	7787-4340	100	30

AT5 Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUKHBFDA	$38.29	7787-4342	10	100
AT5-10-50M-LLUKHBFDA	40.10	7787-4343	10	50
AT5-15-100M-LLUKHBFDA	76.63	7787-4344	15	100
AT5-15-50M-LLUKHBFDA	80.26	7787-4345	15	50
AT5-20-100M-LLUKHBFDA	76.63	7787-4346	20	100
AT5-20-50M-LLUKHBFDA	80.26	7787-4347	20	50
AT5-25-100M-LLUKHBFDA	87.46	7787-4348	25	100
AT5-25-50M-LLUKHBFDA	91.60	7787-4349	25	50
AT5-32-100M-LLUKHBFDA	117.27	7787-4350	32	100
AT5-32-50M-LLUKHBFDA	122.82	7787-4351	32	50
AT5-50-100M-LLUKHBFDA	166.63	7787-4352	50	100
AT5-50-50M-LLUKHBFDA	174.51	7787-4353	50	50
AT5-75-100M-LLUKHBFDA	333.20	7787-4354	75	100
AT5-75-50M-LLUKHBFDA	348.96	7787-4355	75	50
AT5-100-100M-LLUKHBFDA	333.20	7787-4356	100	100
AT5-100-50M-LLUKHBFDA	348.96	7787-4357	100	50

AT10 Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUS	$56.59	7787-4360	20	100
[18]AT10-20-50M-LLUS	65.73	7787-4361	20	50
AT10-25-100M-LLUS	59.83	7787-4362	25	100
[18]AT10-25-50M-LLUS	70.37	7787-4363	25	50
AT10-32-100M-LLUS	77.58	7787-4364	32	100
[18]AT10-32-50M-LLUS	90.11	7787-4365	32	50
AT10-40-100M-LLUS	86.15	7787-4366	40	100
[18]AT10-40-50M-LLUS	101.33	7787-4367	40	50
AT10-50-100M-LLUS	88.85	7787-4368	50	100
[18]AT10-50-50M-LLUS	103.20	7787-4369	50	50
AT10-75-100M-LLUS	131.68	7787-4370	75	100
AT10-75-50M-LLUS	154.86	7787-4371	75	50
AT10-100-100M-LLUS	161.60	7787-4372	100	100
AT10-100-50M-LLUS	187.69	7787-4373	100	50
AT10-150-100M-LLUS	239.38	7787-4374	150	100
AT10-150-50M-LLUS	281.54	7787-4375	150	50

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT10 Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSNT	$65.06	7787-4377	20	60
[18]AT10-20-30M-LLUSNT	75.56	7787-4378	20	30
AT10-25-60M-LLUSNT	68.84	7787-4379	25	60
[18]AT10-25-30M-LLUSNT	80.96	7787-4380	25	30
AT10-32-60M-LLUSNT	89.21	7787-4381	32	60
[18]AT10-32-30M-LLUSNT	103.61	7787-4382	32	30
AT10-40-60M-LLUSNT	99.11	7787-4383	40	60
[18]AT10-40-30M-LLUSNT	116.56	7787-4384	40	30
AT10-50-60M-LLUSNT	102.21	7787-4385	50	60
[18]AT10-50-30M-LLUSNT	118.71	7787-4386	50	30
AT10-75-60M-LLUSNT	151.40	7787-4387	75	60
AT10-75-30M-LLUSNT	178.07	7787-4388	75	30
AT10-100-60M-LLUSNT	185.81	7787-4389	100	60
AT10-100-30M-LLUSNT	215.81	7787-4390	100	30
AT10-150-60M-LLUSNT	275.31	7787-4391	150	60
AT10-150-30M-LLUSNT	323.79	7787-4392	150	30

AT10 Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSNB	$62.19	7787-4395	20	60
AT10-20-30M-LLUSNB	72.24	7787-4396	20	30
AT10-25-60M-LLUSNB	65.84	7787-4397	25	60
AT10-25-30M-LLUSNB	77.43	7787-4398	25	30
AT10-32-60M-LLUSNB	85.33	7787-4399	32	60
AT10-32-30M-LLUSNB	99.11	7787-4400	32	30
AT10-40-60M-LLUSNB	94.81	7787-4401	40	60
AT10-40-30M-LLUSNB	111.51	7787-4402	40	30
AT10-50-60M-LLUSNB	97.73	7787-4403	50	60
AT10-50-30M-LLUSNB	113.52	7787-4404	50	30
AT10-75-60M-LLUSNB	144.81	7787-4405	75	60
AT10-75-30M-LLUSNB	170.31	7787-4406	75	30
AT10-100-60M-LLUSNB	177.76	7787-4407	100	60
AT10-100-30M-LLUSNB	206.46	7787-4408	100	30
AT10-150-60M-LLUSNB	263.29	7787-4409	150	60
AT10-150-30M-LLUSNB	309.66	7787-4410	150	30

AT10 Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSNTB	$70.72	7787-4412	20	60
AT10-20-30M-LLUSNTB	82.14	7787-4413	20	30
AT10-25-60M-LLUSNTB	74.79	7787-4414	25	60
AT10-25-30M-LLUSNTB	87.96	7787-4415	25	30
AT10-32-60M-LLUSNTB	96.96	7787-4416	32	60
AT10-32-30M-LLUSNTB	112.62	7787-4417	32	30
AT10-40-60M-LLUSNTB	107.71	7787-4418	40	60
AT10-40-30M-LLUSNTB	126.68	7787-4419	40	30
AT10-50-60M-LLUSNTB	111.09	7787-4420	50	60
AT10-50-30M-LLUSNTB	129.03	7787-4421	50	30
AT10-75-60M-LLUSNTB	164.59	7787-4422	75	60
AT10-75-30M-LLUSNTB	193.58	7787-4423	75	30
AT10-100-60M-LLUSNTB	202.03	7787-4424	100	60
AT10-100-30M-LLUSNTB	234.65	7787-4425	100	30
AT10-150-60M-LLUSNTB	299.21	7787-4426	150	60
AT10-150-30M-LLUSNTB	351.91	7787-4427	150	30

AT10 Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUSFDA	$70.72	7787-4430	20	100
AT10-20-50M-LLUSFDA	82.14	7787-4431	20	50
AT10-25-100M-LLUSFDA	74.79	7787-4432	25	100
AT10-25-50M-LLUSFDA	87.96	7787-4433	25	50
AT10-32-100M-LLUSFDA	96.96	7787-4434	32	100
AT10-32-50M-LLUSFDA	112.62	7787-4435	32	50
AT10-40-100M-LLUSFDA	107.71	7787-4436	40	100
AT10-40-50M-LLUSFDA	126.68	7787-4437	40	50
AT10-50-100M-LLUSFDA	111.09	7787-4438	50	100
AT10-50-50M-LLUSFDA	129.03	7787-4439	50	50
AT10-75-100M-LLUSFDA	164.59	7787-4440	75	100
AT10-75-50M-LLUSFDA	193.58	7787-4441	75	50
AT10-100-100M-LLUSFDA	202.03	7787-4442	100	100
AT10-100-50M-LLUSFDA	234.65	7787-4443	100	50
AT10-150-100M-LLUSFDA	299.21	7787-4444	150	100
AT10-150-50M-LLUSFDA	351.91	7787-4445	150	50

AT10 Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUSHB	$70.72	7787-4447	20	100
AT10-20-50M-LLUSHB	82.14	7787-4448	20	50
AT10-25-100M-LLUSHB	74.79	7787-4449	25	100
AT10-25-50M-LLUSHB	87.96	7787-4450	25	50
AT10-32-100M-LLUSHB	96.96	7787-4451	32	100
AT10-32-50M-LLUSHB	112.62	7787-4452	32	50
AT10-40-100M-LLUSHB	107.71	7787-4453	40	100
AT10-40-50M-LLUSHB	126.68	7787-4454	40	50
AT10-50-100M-LLUSHB	111.09	7787-4455	50	100
AT10-50-50M-LLUSHB	129.03	7787-4456	50	50
AT10-75-100M-LLUSHB	164.59	7787-4457	75	100
AT10-75-50M-LLUSHB	193.58	7787-4458	75	50
AT10-100-100M-LLUSHB	202.03	7787-4459	100	100
AT10-100-50M-LLUSHB	234.65	7787-4460	100	50
AT10-150-100M-LLUSHB	299.21	7787-4461	150	100
AT10-150-50M-LLUSHB	351.91	7787-4462	150	50

AT10 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSHBNT	$79.19	7787-4465	20	60
AT10-20-30M-LLUSHBNT	91.98	7787-4466	20	30
AT10-25-60M-LLUSHBNT	83.80	7787-4467	25	60
AT10-25-30M-LLUSHBNT	98.56	7787-4468	25	30
AT10-32-60M-LLUSHBNT	108.59	7787-4469	32	60
AT10-32-30M-LLUSHBNT	126.12	7787-4470	32	30
AT10-40-60M-LLUSHBNT	120.66	7787-4471	40	60
AT10-40-30M-LLUSHBNT	141.91	7787-4472	40	30
AT10-50-60M-LLUSHBNT	124.45	7787-4473	50	60
AT10-50-30M-LLUSHBNT	144.54	7787-4474	50	30
AT10-75-60M-LLUSHBNT	184.32	7787-4475	75	60
AT10-75-30M-LLUSHBNT	216.78	7787-4476	75	30
AT10-100-60M-LLUSHBNT	226.23	7787-4477	100	60
AT10-100-30M-LLUSHBNT	262.77	7787-4478	100	30
AT10-150-60M-LLUSHBNT	335.14	7787-4479	150	60
AT10-150-30M-LLUSHBNT	394.15	7787-4480	150	30

[18]Stocked Product

Prices Subject To Change Without Notice

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT10 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSHBNB	$76.33	7787-4483	20	60
AT10-20-30M-LLUSHBNB	88.65	7787-4484	20	30
AT10-25-60M-LLUSHBNB	80.80	7787-4485	25	60
AT10-25-30M-LLUSHBNB	95.02	7787-4486	25	30
AT10-32-60M-LLUSHBNB	104.71	7787-4487	32	60
AT10-32-30M-LLUSHBNB	121.62	7787-4488	32	30
AT10-40-60M-LLUSHBNB	116.36	7787-4489	40	60
AT10-40-30M-LLUSHBNB	136.86	7787-4490	40	30
AT10-50-60M-LLUSHBNB	119.97	7787-4491	50	60
AT10-50-30M-LLUSHBNB	139.35	7787-4492	50	30
AT10-75-60M-LLUSHBNB	177.73	7787-4493	60	60
AT10-75-30M-LLUSHBNB	209.02	7787-4494	60	30
AT10-100-60M-LLUSHBNB	218.18	7787-4495	100	60
AT10-100-30M-LLUSHBNB	253.42	7787-4496	100	30
AT10-150-60M-LLUSHBNB	323.18	7787-4497	150	60
AT10-150-30M-LLUSHBNB	380.09	7787-4498	150	30

AT10 Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSHBNTB	$84.85	7787-4500	20	60
AT10-20-30M-LLUSHBNTB	98.56	7787-4501	20	30
AT10-25-60M-LLUSHBNTB	89.75	7787-4502	25	60
AT10-25-30M-LLUSHBNTB	105.55	7787-4503	25	30
AT10-32-60M-LLUSHBNTB	116.34	7787-4504	32	60
AT10-32-30M-LLUSHBNTB	135.12	7787-4505	32	30
AT10-40-60M-LLUSHBNTB	129.26	7787-4506	40	60
AT10-40-30M-LLUSHBNTB	152.02	7787-4507	40	30
AT10-50-60M-LLUSHBNTB	133.33	7787-4508	50	60
AT10-50-30M-LLUSHBNTB	154.86	7787-4509	50	30
AT10-75-60M-LLUSHBNTB	197.45	7787-4510	75	60
AT10-75-30M-LLUSHBNTB	232.23	7787-4511	75	30
AT10-100-60M-LLUSHBNTB	242.39	7787-4512	100	60
AT10-100-30M-LLUSHBNTB	281.54	7787-4513	100	30
AT10-150-60M-LLUSHBNTB	359.10	7787-4514	150	60
AT10-150-30M-LLUSHBNTB	422.34	7787-4515	150	30

AT10 Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUSHBFDA	$84.85	7787-4518	20	100
AT10-20-50M-LLUSHBFDA	98.56	7787-4519	20	50
AT10-25-100M-LLUSHBFDA	89.75	7787-4520	25	100
AT10-25-50M-LLUSHBFDA	105.55	7787-4521	25	50
AT10-32-100M-LLUSHBFDA	116.34	7787-4522	32	100
AT10-32-50M-LLUSHBFDA	135.12	7787-4523	32	50
AT10-40-100M-LLUSHBFDA	129.26	7787-4524	40	100
AT10-40-50M-LLUSHBFDA	152.02	7787-4525	40	50
AT10-50-100M-LLUSHBFDA	133.33	7787-4526	50	100
AT10-50-50M-LLUSHBFDA	154.86	7787-4527	50	50
AT10-75-100M-LLUSHBFDA	197.45	7787-4528	75	100
AT10-75-50M-LLUSHBFDA	232.23	7787-4529	75	50
AT10-100-100M-LLUSHBFDA	242.39	7787-4530	100	100
AT10-100-50M-LLUSHBFDA	281.54	7787-4531	100	50
AT10-150-100M-LLUSHBFDA	359.10	7787-4532	150	100
AT10-150-50M-LLUSHBFDA	422.34	7787-4533	150	50

AT10 Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUK	$65.06	7787-4535	20	100
AT10-20-50M-LLUK	75.56	7787-4536	20	50
AT10-25-100M-LLUK	68.84	7787-4537	25	100
AT10-25-50M-LLUK	80.96	7787-4538	25	50
AT10-32-100M-LLUK	89.21	7787-4539	32	100
AT10-32-50M-LLUK	103.61	7787-4540	32	50
AT10-40-100M-LLUK	99.11	7787-4541	40	100
AT10-40-50M-LLUK	116.56	7787-4542	40	50
AT10-50-100M-LLUK	102.21	7787-4543	50	100
AT10-50-50M-LLUK	118.71	7787-4544	50	50
AT10-75-100M-LLUK	151.40	7787-4545	75	100
AT10-75-50M-LLUK	178.07	7787-4546	75	50
AT10-100-100M-LLUK	185.81	7787-4547	100	100
AT10-100-50M-LLUK	215.81	7787-4548	100	50
AT10-150-100M-LLUK	275.31	7787-4549	150	100
AT10-150-50M-LLUK	323.79	7787-4550	150	50

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT10 Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKNT	$74.78	7787-4553	20	60
AT10-20-30M-LLUKNT	86.85	7787-4554	20	30
AT10-25-60M-LLUKNT	79.15	7787-4555	25	60
AT10-25-30M-LLUKNT	93.08	7787-4556	25	30
AT10-32-60M-LLUKNT	102.56	7787-4557	32	60
AT10-32-30M-LLUKNT	119.13	7787-4558	32	30
AT10-40-60M-LLUKNT	113.95	7787-4559	40	60
AT10-40-30M-LLUKNT	134.02	7787-4560	40	30
AT10-50-60M-LLUKNT	117.53	7787-4561	50	60
AT10-50-30M-LLUKNT	136.51	7787-4562	50	30
AT10-75-60M-LLUKNT	174.08	7787-4563	75	60
AT10-75-30M-LLUKNT	204.73	7787-4564	75	30
AT10-100-60M-LLUKNT	213.71	7787-4565	100	60
AT10-100-30M-LLUKNT	248.23	7787-4566	100	30
AT10-150-60M-LLUKNT	316.59	7787-4567	150	60
AT10-150-30M-LLUKNT	372.34	7787-4568	150	30

AT10 Pitch—LL Urethane/Kevlar® & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKNB	$71.56	7787-4570	20	60
AT10-20-30M-LLUKNB	83.11	7787-4571	20	30
AT10-25-60M-LLUKNB	75.67	7787-4572	25	60
AT10-25-30M-LLUKNB	89.00	7787-4573	25	30
AT10-32-60M-LLUKNB	98.15	7787-4574	32	60
AT10-32-30M-LLUKNB	114.00	7787-4575	32	30
AT10-40-60M-LLUKNB	109.00	7787-4576	40	60
AT10-40-30M-LLUKNB	128.20	7787-4577	40	30
AT10-50-60M-LLUKNB	112.40	7787-4578	50	60
AT10-50-30M-LLUKNB	130.55	7787-4579	50	30
AT10-75-60M-LLUKNB	166.54	7787-4580	75	60
AT10-75-30M-LLUKNB	195.87	7787-4581	75	30
AT10-100-60M-LLUKNB	204.41	7787-4582	100	60
AT10-100-30M-LLUKNB	237.42	7787-4583	100	30
AT10-150-60M-LLUKNB	302.81	7787-4584	150	60
AT10-150-30M-LLUKNB	356.13	7787-4585	150	30

AT10 Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKNTB	$81.33	7787-4588	20	60
AT10-20-30M-LLUKNTB	94.47	7787-4589	20	30
AT10-25-60M-LLUKNTB	86.04	7787-4590	25	60
AT10-25-30M-LLUKNTB	101.19	7787-4591	25	30
AT10-32-60M-LLUKNTB	111.51	7787-4592	32	60
AT10-32-30M-LLUKNTB	129.51	7787-4593	32	30
AT10-40-60M-LLUKNTB	123.90	7787-4594	40	60
AT10-40-30M-LLUKNTB	145.72	7787-4595	40	30
AT10-50-60M-LLUKNTB	127.73	7787-4596	50	60
AT10-50-30M-LLUKNTB	148.35	7787-4597	50	30
AT10-75-60M-LLUKNTB	189.27	7787-4598	75	60
AT10-75-30M-LLUKNTB	222.60	7787-4599	75	30
AT10-100-60M-LLUKNTB	232.32	7787-4600	100	60
AT10-100-30M-LLUKNTB	269.83	7787-4601	100	30
AT10-150-60M-LLUKNTB	344.09	7787-4602	150	60
AT10-150-30M-LLUKNTB	404.68	7787-4603	150	30

AT10 Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUKFDA	$81.33	7787-4605	20	100
AT10-20-50M-LLUKFDA	94.47	7787-4606	20	50
AT10-25-100M-LLUKFDA	86.04	7787-4607	25	100
AT10-25-50M-LLUKFDA	101.19	7787-4608	25	50
AT10-32-100M-LLUKFDA	111.51	7787-4609	32	100
AT10-32-50M-LLUKFDA	129.51	7787-4610	32	50
AT10-40-100M-LLUKFDA	123.90	7787-4611	40	100
AT10-40-50M-LLUKFDA	145.72	7787-4612	40	50
AT10-50-100M-LLUKFDA	127.73	7787-4613	50	100
AT10-50-50M-LLUKFDA	148.35	7787-4614	50	50
AT10-75-100M-LLUKFDA	189.27	7787-4615	75	100
AT10-75-50M-LLUKFDA	222.60	7787-4616	75	50
AT10-100-100M-LLUKFDA	232.32	7787-4617	100	100
AT10-100-50M-LLUKFDA	269.83	7787-4618	100	50
AT10-150-100M-LLUKFDA	344.09	7787-4619	150	100
AT10-150-50M-LLUKFDA	404.68	7787-4620	150	50

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT10 Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUKHB	$81.33	7787-4622	20	100
AT10-20-50M-LLUKHB	94.47	7787-4623	20	50
AT10-25-100M-LLUKHB	86.04	7787-4624	25	100
AT10-25-50M-LLUKHB	101.19	7787-4625	25	50
AT10-32-100M-LLUKHB	111.51	7787-4626	32	100
AT10-32-50M-LLUKHB	129.51	7787-4627	32	50
AT10-40-100M-LLUKHB	123.90	7787-4628	40	100
AT10-40-50M-LLUKHB	145.72	7787-4629	40	50
AT10-50-100M-LLUKHB	127.73	7787-4630	50	100
AT10-50-50M-LLUKHB	148.35	7787-4631	50	50
AT10-75-100M-LLUKHB	189.27	7787-4632	75	100
AT10-75-50M-LLUKHB	222.60	7787-4633	75	50
AT10-100-100M-LLUKHB	232.32	7787-4634	100	100
AT10-100-50M-LLUKHB	269.83	7787-4635	100	50
AT10-150-100M-LLUKHB	344.09	7787-4636	150	100
AT10-150-50M-LLUKHB	404.68	7787-4637	150	50

AT10 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKHBNT	$91.05	7787-4640	20	60
AT10-20-30M-LLUKHBNT	105.76	7787-4641	20	30
AT10-25-60M-LLUKHBNT	96.34	7787-4642	25	60
AT10-25-30M-LLUKHBNT	113.31	7787-4643	25	30
AT10-32-60M-LLUKHBNT	124.86	7787-4644	32	60
AT10-32-30M-LLUKHBNT	145.03	7787-4645	32	30
AT10-40-60M-LLUKHBNT	138.74	7787-4646	40	60
AT10-40-30M-LLUKHBNT	163.17	7787-4647	40	30
AT10-50-60M-LLUKHBNT	143.11	7787-4648	50	60
AT10-50-30M-LLUKHBNT	166.22	7787-4649	50	30
AT10-75-60M-LLUKHBNT	211.94	7787-4650	75	60
AT10-75-30M-LLUKHBNT	249.26	7787-4651	75	30
AT10-100-60M-LLUKHBNT	260.16	7787-4652	100	60
AT10-100-30M-LLUKHBNT	302.18	7787-4653	100	30
AT10-150-60M-LLUKHBNT	385.37	7787-4654	150	60
AT10-150-30M-LLUKHBNT	453.23	7787-4655	150	30

AT10 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKHBNB	$87.77	7787-4657	20	60
AT10-20-30M-LLUKHBNB	101.95	7787-4658	20	30
AT10-25-60M-LLUKHBNB	92.93	7787-4659	25	60
AT10-25-30M-LLUKHBNB	109.29	7787-4660	25	30
AT10-32-60M-LLUKHBNB	120.39	7787-4661	32	60
AT10-32-30M-LLUKHBNB	139.83	7787-4662	32	30
AT10-40-60M-LLUKHBNB	133.80	7787-4663	40	60
AT10-40-30M-LLUKHBNB	157.36	7787-4664	40	30
AT10-50-60M-LLUKHBNB	137.98	7787-4665	50	60
AT10-50-30M-LLUKHBNB	160.27	7787-4666	50	30
AT10-75-60M-LLUKHBNB	204.40	7787-4667	75	60
AT10-75-30M-LLUKHBNB	240.40	7787-4668	75	30
AT10-100-60M-LLUKHBNB	250.86	7787-4669	100	60
AT10-100-30M-LLUKHBNB	291.37	7787-4670	100	30
AT10-150-60M-LLUKHBNB	371.65	7787-4671	150	60
AT10-150-30M-LLUKHBNB	437.10	7787-4672	150	30

AT10 Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKHBNTB	$97.55	7787-4675	20	60
AT10-20-30M-LLUKHBNTB	113.31	7787-4676	20	30
AT10-25-60M-LLUKHBNTB	103.23	7787-4677	25	60
AT10-25-30M-LLUKHBNTB	121.41	7787-4678	25	30
AT10-32-60M-LLUKHBNTB	133.81	7787-4679	32	60
AT10-32-30M-LLUKHBNTB	155.42	7787-4680	32	30
AT10-40-60M-LLUKHBNTB	148.64	7787-4681	40	60
AT10-40-30M-LLUKHBNTB	174.81	7787-4682	40	30
AT10-50-60M-LLUKHBNTB	153.31	7787-4683	50	60
AT10-50-30M-LLUKHBNTB	178.07	7787-4684	50	30
AT10-75-60M-LLUKHBNTB	227.08	7787-4685	75	60
AT10-75-30M-LLUKHBNTB	267.06	7787-4686	75	30
AT10-100-60M-LLUKHBNTB	278.77	7787-4687	100	60
AT10-100-30M-LLUKHBNTB	323.79	7787-4688	100	30
AT10-150-60M-LLUKHBNTB	412.93	7787-4689	150	60
AT10-150-30M-LLUKHBNTB	485.65	7787-4690	150	30

AT10 Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUKHBFDA	$97.55	7787-4692	20	100
AT10-20-50M-LLUKHBFDA	113.31	7787-4693	20	50
AT10-25-100M-LLUKHBFDA	103.23	7787-4694	25	100
AT10-25-50M-LLUKHBFDA	121.41	7787-4695	25	50
AT10-32-100M-LLUKHBFDA	133.81	7787-4696	32	100
AT10-32-50M-LLUKHBFDA	155.42	7787-4697	32	50
AT10-40-100M-LLUKHBFDA	148.64	7787-4698	40	100
AT10-40-50M-LLUKHBFDA	174.81	7787-4699	40	50
AT10-50-100M-LLUKHBFDA	153.31	7787-4700	50	100
AT10-50-50M-LLUKHBFDA	178.07	7787-4701	50	50
AT10-75-100M-LLUKHBFDA	227.08	7787-4702	75	100
AT10-75-50M-LLUKHBFDA	267.06	7787-4703	75	50
AT10-100-100M-LLUKHBFDA	278.77	7787-4704	100	100
AT10-100-50M-LLUKHBFDA	323.79	7787-4705	100	50
AT10-150-100M-LLUKHBFDA	412.93	7787-4706	150	100
AT10-150-50M-LLUKHBFDA	485.65	7787-4707	150	50

AT20 Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUS	$88.33	7787-4710	25	50
AT20-25-25M-LLUS	97.17	7787-4711	25	25
AT20-32-50M-LLUS	113.06	7787-4712	32	50
AT20-32-25M-LLUS	124.36	7787-4713	32	25
AT20-50-50M-LLUS	164.17	7787-4714	50	50
AT20-50-25M-LLUS	180.58	7787-4715	50	25
AT20-75-50M-LLUS	246.22	7787-4716	75	50
AT20-75-25M-LLUS	270.84	7787-4717	75	25
AT20-100-50M-LLUS	312.67	7787-4718	100	50
AT20-100-25M-LLUS	343.93	7787-4719	100	25
AT20-150-50M-LLUS	469.00	7787-4720	150	50
AT20-150-25M-LLUS	515.90	7787-4721	150	25

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT20 Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSNT	$101.56	7787-4723	25	50
AT20-25-25M-LLUSNT	111.71	7787-4724	25	25
AT20-32-50M-LLUSNT	130.00	7787-4725	32	50
AT20-32-25M-LLUSNT	143.00	7787-4726	32	25
AT20-50-50M-LLUSNT	188.78	7787-4727	50	50
AT20-50-25M-LLUSNT	207.66	7787-4728	50	25
AT20-75-50M-LLUSNT	283.17	7787-4729	75	50
AT20-75-25M-LLUSNT	311.48	7787-4730	75	25
AT20-100-50M-LLUSNT	359.56	7787-4731	100	50
AT20-100-25M-LLUSNT	395.51	7787-4732	100	25
AT20-150-50M-LLUSNT	539.33	7787-4733	150	50
AT20-150-25M-LLUSNT	593.27	7787-4734	150	25

AT20 Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSFDA	$110.39	7787-4763	25	50
AT20-25-25M-LLUSFDA	121.43	7787-4764	25	25
AT20-32-50M-LLUSFDA	141.33	7787-4765	32	50
AT20-32-25M-LLUSFDA	155.47	7787-4766	32	25
AT20-50-50M-LLUSFDA	205.17	7787-4767	50	50
AT20-50-25M-LLUSFDA	225.68	7787-4768	50	25
AT20-75-50M-LLUSFDA	307.78	7787-4769	75	50
AT20-75-25M-LLUSFDA	338.56	7787-4770	75	25
AT20-100-50M-LLUSFDA	390.83	7787-4771	100	50
AT20-100-25M-LLUSFDA	429.92	7787-4772	100	25
AT20-150-50M-LLUSFDA	586.22	7787-4773	150	50
AT20-150-25M-LLUSFDA	644.84	7787-4774	150	25

AT20 Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSNB	$97.17	7787-4736	25	50
AT20-25-25M-LLUSNB	106.88	7787-4737	25	25
AT20-32-50M-LLUSNB	124.33	7787-4738	32	50
AT20-32-25M-LLUSNB	136.77	7787-4739	32	25
AT20-50-50M-LLUSNB	180.56	7787-4740	50	50
AT20-50-25M-LLUSNB	198.61	7787-4741	50	25
AT20-75-50M-LLUSNB	270.83	7787-4742	75	50
AT20-75-25M-LLUSNB	297.92	7787-4743	75	25
AT20-100-50M-LLUSNB	343.94	7787-4744	100	50
AT20-100-25M-LLUSNB	378.34	7787-4745	100	25
AT20-150-50M-LLUSNB	515.89	7787-4746	150	50
AT20-150-25M-LLUSNB	567.48	7787-4747	150	25

AT20 Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHB	$110.39	7787-4776	25	50
AT20-25-25M-LLUSHB	121.43	7787-4777	25	25
AT20-32-50M-LLUSHB	141.33	7787-4778	32	50
AT20-32-25M-LLUSHB	155.47	7787-4779	32	25
AT20-50-50M-LLUSHB	205.17	7787-4780	50	50
AT20-50-25M-LLUSHB	225.68	7787-4781	50	25
AT20-75-50M-LLUSHB	307.78	7787-4782	75	50
AT20-75-25M-LLUSHB	338.56	7787-4783	75	25
AT20-100-50M-LLUSHB	390.83	7787-4784	100	50
AT20-100-25M-LLUSHB	429.92	7787-4785	100	25
AT20-150-50M-LLUSHB	586.22	7787-4786	150	50
AT20-150-25M-LLUSHB	644.84	7787-4787	150	25

AT20 Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSNTB	$110.39	7787-4750	25	50
AT20-25-25M-LLUSNTB	121.43	7787-4751	25	25
AT20-32-50M-LLUSNTB	141.33	7787-4752	32	50
AT20-32-25M-LLUSNTB	155.47	7787-4753	32	25
AT20-50-50M-LLUSNTB	205.17	7787-4754	50	50
AT20-50-25M-LLUSNTB	225.68	7787-4755	50	25
AT20-75-50M-LLUSNTB	307.78	7787-4756	75	50
AT20-75-25M-LLUSNTB	338.56	7787-4757	75	25
AT20-100-50M-LLUSNTB	390.83	7787-4758	100	50
AT20-100-25M-LLUSNTB	429.92	7787-4759	100	25
AT20-150-50M-LLUSNTB	586.22	7787-4760	150	50
AT20-150-25M-LLUSNTB	644.84	7787-4761	150	25

AT20 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHBNT	$123.67	7787-4790	25	50
AT20-25-25M-LLUSHBNT	136.03	7787-4791	25	25
AT20-32-50M-LLUSHBNT	158.28	7787-4792	32	50
AT20-32-25M-LLUSHBNT	174.11	7787-4793	32	25
AT20-50-50M-LLUSHBNT	229.78	7787-4794	50	50
AT20-50-25M-LLUSHBNT	252.76	7787-4795	50	25
AT20-75-50M-LLUSHBNT	344.72	7787-4796	75	50
AT20-75-25M-LLUSHBNT	379.19	7787-4797	75	25
AT20-100-50M-LLUSHBNT	437.72	7787-4798	100	50
AT20-100-25M-LLUSHBNT	481.49	7787-4799	100	25
AT20-150-50M-LLUSHBNT	656.56	7787-4800	150	50
AT20-150-25M-LLUSHBNT	722.21	7787-4801	150	25

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT20 Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHBNB	$119.22	7787-4804	25	50
AT20-25-25M-LLUSHBNB	131.14	7787-4805	25	25
AT20-32-50M-LLUSHBNB	152.61	7787-4806	32	50
AT20-32-25M-LLUSHBNB	167.87	7787-4807	32	25
AT20-50-50M-LLUSHBNB	221.61	7787-4808	50	50
AT20-50-25M-LLUSHBNB	243.77	7787-4809	50	25
AT20-75-50M-LLUSHBNB	332.39	7787-4810	75	50
AT20-75-25M-LLUSHBNB	365.63	7787-4811	75	25
AT20-100-50M-LLUSHBNB	422.06	7787-4812	100	50
AT20-100-25M-LLUSHBNB	464.26	7787-4813	100	25
AT20-150-50M-LLUSHBNB	633.11	7787-4814	150	50
AT20-150-25M-LLUSHBNB	696.42	7787-4815	150	25

AT20 Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUK	$101.56	7787-4843	25	50
AT20-25-25M-LLUK	111.71	7787-4844	25	25
AT20-32-50M-LLUK	130.00	7787-4845	32	50
AT20-32-25M-LLUK	143.00	7787-4846	32	25
AT20-50-50M-LLUK	188.78	7787-4847	50	50
AT20-50-25M-LLUK	207.66	7787-4848	50	25
AT20-75-50M-LLUK	283.11	7787-4849	75	50
AT20-75-25M-LLUK	311.42	7787-4850	75	25
AT20-100-50M-LLUK	359.56	7787-4851	100	50
AT20-100-25M-LLUK	395.51	7787-4852	100	25
AT20-150-50M-LLUK	539.33	7787-4853	150	50
AT20-150-25M-LLUK	593.27	7787-4854	150	25

AT20 Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHBNTB	$132.50	7787-4817	25	50
AT20-25-25M-LLUSHBNTB	145.75	7787-4818	25	25
AT20-32-50M-LLUSHBNTB	169.56	7787-4819	32	50
AT20-32-25M-LLUSHBNTB	186.51	7787-4820	32	25
AT20-50-50M-LLUSHBNTB	246.22	7787-4821	50	50
AT20-50-25M-LLUSHBNTB	270.84	7787-4822	50	25
AT20-75-50M-LLUSHBNTB	369.33	7787-4823	75	50
AT20-75-25M-LLUSHBNTB	406.27	7787-4824	75	25
AT20-100-50M-LLUSHBNTB	469.00	7787-4825	100	50
AT20-100-25M-LLUSHBNTB	515.90	7787-4826	100	25
AT20-150-50M-LLUSHBNTB	703.50	7787-4827	150	50
AT20-150-25M-LLUSHBNTB	773.85	7787-4828	150	25

AT20 Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKNT	$116.83	7787-4856	25	50
AT20-25-25M-LLUKNT	128.52	7787-4857	25	25
AT20-32-50M-LLUKNT	149.50	7787-4858	32	50
AT20-32-25M-LLUKNT	164.45	7787-4859	32	25
AT20-50-50M-LLUKNT	217.06	7787-4860	50	50
AT20-50-25M-LLUKNT	238.76	7787-4861	50	25
AT20-75-50M-LLUKNT	325.61	7787-4862	75	50
AT20-75-25M-LLUKNT	358.17	7787-4863	75	25
AT20-100-50M-LLUKNT	413.50	7787-4864	100	50
AT20-100-25M-LLUKNT	454.85	7787-4865	100	25
AT20-150-50M-LLUKNT	620.22	7787-4866	150	50
AT20-150-25M-LLUKNT	682.24	7787-4867	150	25

AT20 Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHBFDA	$132.50	7787-4830	25	50
AT20-25-25M-LLUSHBFDA	145.75	7787-4831	25	25
AT20-32-50M-LLUSHBFDA	169.56	7787-4832	32	50
AT20-32-25M-LLUSHBFDA	186.51	7787-4833	32	25
AT20-50-50M-LLUSHBFDA	246.22	7787-4834	50	50
AT20-50-25M-LLUSHBFDA	270.84	7787-4835	50	25
AT20-75-50M-LLUSHBFDA	369.33	7787-4836	75	50
AT20-75-25M-LLUSHBFDA	406.27	7787-4837	75	25
AT20-100-50M-LLUSHBFDA	469.00	7787-4838	100	50
AT20-100-25M-LLUSHBFDA	515.90	7787-4839	100	25
AT20-150-50M-LLUSHBFDA	703.50	7787-4840	150	50
AT20-150-25M-LLUSHBFDA	773.85	7787-4841	150	25

AT20 Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKNB	$111.72	7787-4870	25	50
AT20-25-25M-LLUKNB	122.89	7787-4871	25	25
AT20-32-50M-LLUKNB	143.00	7787-4872	32	50
AT20-32-25M-LLUKNB	157.30	7787-4873	32	25
AT20-50-50M-LLUKNB	207.61	7787-4874	50	50
AT20-50-25M-LLUKNB	228.37	7787-4875	50	25
AT20-75-50M-LLUKNB	311.44	7787-4876	75	50
AT20-75-25M-LLUKNB	342.59	7787-4877	75	25
AT20-100-50M-LLUKNB	395.50	7787-4878	100	50
AT20-100-25M-LLUKNB	435.05	7787-4879	100	25
AT20-150-50M-LLUKNB	593.28	7787-4880	150	50
AT20-150-25M-LLUKNB	652.61	7787-4881	150	25

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT20 Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKNTB	$126.94	7787-4883	25	50
AT20-25-25M-LLUKNTB	139.64	7787-4884	25	25
AT20-32-50M-LLUKNTB	162.50	7787-4885	32	50
AT20-32-25M-LLUKNTB	178.75	7787-4886	32	25
AT20-50-50M-LLUKNTB	235.94	7787-4887	50	50
AT20-50-25M-LLUKNTB	259.54	7787-4888	50	25
AT20-75-50M-LLUKNTB	353.94	7787-4889	75	50
AT20-75-25M-LLUKNTB	389.34	7787-4890	75	25
AT20-100-50M-LLUKNTB	449.44	7787-4891	100	50
AT20-100-25M-LLUKNTB	494.39	7787-4892	100	25
AT20-150-50M-LLUKNTB	674.17	7787-4893	150	50
AT20-150-25M-LLUKNTB	741.58	7787-4894	150	25

AT20 Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKFDA	$126.94	7787-4896	25	50
AT20-25-25M-LLUKFDA	139.64	7787-4897	25	25
AT20-32-50M-LLUKFDA	162.50	7787-4898	32	50
AT20-32-25M-LLUKFDA	178.75	7787-4899	32	25
AT20-50-50M-LLUKFDA	235.94	7787-4900	50	50
AT20-50-25M-LLUKFDA	259.54	7787-4901	50	25
AT20-75-50M-LLUKFDA	353.94	7787-4902	75	50
AT20-75-25M-LLUKFDA	389.34	7787-4903	75	25
AT20-100-50M-LLUKFDA	449.44	7787-4904	100	50
AT20-100-25M-LLUKFDA	494.39	7787-4905	100	25
AT20-150-50M-LLUKFDA	674.17	7787-4906	150	50
AT20-150-25M-LLUKFDA	741.58	7787-4907	150	25

AT20 Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHB	$126.94	7787-4910	25	50
AT20-25-25M-LLUKHB	139.64	7787-4911	25	25
AT20-32-50M-LLUKHB	162.50	7787-4912	32	50
AT20-32-25M-LLUKHB	178.75	7787-4913	32	25
AT20-50-50M-LLUKHB	235.94	7787-4914	50	50
AT20-50-25M-LLUKHB	259.54	7787-4915	50	25
AT20-75-50M-LLUKHB	353.94	7787-4916	75	50
AT20-75-25M-LLUKHB	389.34	7787-4917	75	25
AT20-100-50M-LLUKHB	449.44	7787-4918	100	50
AT20-100-25M-LLUKHB	494.39	7787-4919	100	25
AT20-150-50M-LLUKHB	674.17	7787-4920	150	50
AT20-150-25M-LLUKHB	741.58	7787-4921	150	25

AT20 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHBNT	$142.22	7787-4924	25	50
AT20-25-25M-LLUKHBNT	156.44	7787-4925	25	25
AT20-32-50M-LLUKHBNT	182.00	7787-4926	32	50
AT20-32-25M-LLUKHBNT	200.20	7787-4927	32	25
AT20-50-50M-LLUKHBNT	264.28	7787-4928	50	50
AT20-50-25M-LLUKHBNT	290.71	7787-4929	50	25
AT20-75-50M-LLUKHBNT	396.39	7787-4930	75	50
AT20-75-25M-LLUKHBNT	436.03	7787-4931	75	25
AT20-100-50M-LLUKHBNT	503.33	7787-4932	100	50
AT20-100-25M-LLUKHBNT	553.67	7787-4933	100	25
AT20-150-50M-LLUKHBNT	755.06	7787-4934	150	50
AT20-150-25M-LLUKHBNT	830.56	7787-4935	150	25

AT20 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHBNB	$137.11	7787-4937	25	50
AT20-25-25M-LLUKHBNB	150.82	7787-4938	25	25
AT20-32-50M-LLUKHBNB	175.50	7787-4939	32	50
AT20-32-25M-LLUKHBNB	193.05	7787-4940	32	25
AT20-50-50M-LLUKHBNB	254.83	7787-4941	50	50
AT20-50-25M-LLUKHBNB	280.32	7787-4942	50	25
AT20-75-50M-LLUKHBNB	382.22	7787-4943	75	50
AT20-75-25M-LLUKHBNB	420.44	7787-4944	75	25
AT20-100-50M-LLUKHBNB	485.39	7787-4945	100	50
AT20-100-25M-LLUKHBNB	533.93	7787-4946	100	25
AT20-150-50M-LLUKHBNB	728.11	7787-4947	150	50
AT20-150-25M-LLUKHBNB	800.92	7787-4948	150	25

AT20 Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHBNTB	$152.33	7787-4950	25	50
AT20-25-25M-LLUKHBNTB	167.57	7787-4951	25	25
AT20-32-50M-LLUKHBNTB	195.00	7787-4952	32	50
AT20-32-25M-LLUKHBNTB	214.50	7787-4953	32	25
AT20-50-50M-LLUKHBNTB	283.11	7787-4954	50	50
AT20-50-25M-LLUKHBNTB	311.42	7787-4955	50	25
AT20-75-50M-LLUKHBNTB	424.72	7787-4956	75	50
AT20-75-25M-LLUKHBNTB	467.19	7787-4957	75	25
AT20-100-50M-LLUKHBNTB	539.33	7787-4958	100	50
AT20-100-25M-LLUKHBNTB	593.27	7787-4959	100	25
AT20-150-50M-LLUKHBNTB	809.00	7787-4960	150	50
AT20-150-25M-LLUKHBNTB	889.90	7787-4961	150	25

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT20 Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHBFDA	$152.33	7787-4964	25	50
AT20-25-25M-LLUKHBFDA	167.57	7787-4965	25	25
AT20-32-50M-LLUKHBFDA	195.00	7787-4966	32	50
AT20-32-25M-LLUKHBFDA	214.50	7787-4967	32	25
AT20-50-50M-LLUKHBFDA	283.11	7787-4968	50	50
AT20-50-25M-LLUKHBFDA	311.42	7787-4969	50	25
AT20-75-50M-LLUKHBFDA	424.72	7787-4970	75	50
AT20-75-25M-LLUKHBFDA	467.19	7787-4971	75	25
AT20-100-50M-LLUKHBFDA	539.33	7787-4972	100	50
AT20-100-25M-LLUKHBFDA	593.27	7787-4973	100	25
AT20-150-50M-LLUKHBFDA	809.00	7787-4974	150	50
AT20-150-25M-LLUKHBFDA	889.90	7787-4975	150	25

WT10 Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKNB	$515.73	7787-5020	250	60
WT10-250-30-LLUKNB	567.30	7787-5021	250	30
WT10-300-60-LLUKNB	711.73	7787-5022	300	60
WT10-300-30-LLUKNB	782.91	7787-5023	300	30
WT10-350-60-LLUKNB	794.21	7787-5024	350	60
WT10-350-30-LLUKNB	873.64	7787-5025	350	30
WT10-400-60-LLUKNB	907.67	7787-5026	400	60
WT10-400-30-LLUKNB	998.44	7787-5027	400	30
WT10-450-60-LLUKNB	928.33	7787-5028	450	60
WT10-450-30-LLUKNB	1021.16	7787-5029	450	30

WT10 Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUK	$468.82	7787-5000	250	60
WT10-250-30-LLUK	515.70	7787-5001	250	30
WT10-300-60-LLUK	647.01	7787-5002	300	60
WT10-300-30-LLUK	711.71	7787-5003	300	30
WT10-350-60-LLUK	722.06	7787-5004	350	60
WT10-350-30-LLUK	794.27	7787-5005	350	30
WT10-400-60-LLUK	825.13	7787-5006	400	60
WT10-400-30-LLUK	907.64	7787-5007	400	30
WT10-450-60-LLUK	843.96	7787-5008	450	60
WT10-450-30-LLUK	928.35	7787-5009	450	30

WT10 Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKNTB	$586.06	7787-5030	250	60
WT10-250-30-LLUKNTB	644.67	7787-5031	250	30
WT10-300-60-LLUKNTB	808.76	7787-5032	300	60
WT10-300-30-LLUKNTB	889.64	7787-5033	300	30
WT10-350-60-LLUKNTB	902.51	7787-5034	350	60
WT10-350-30-LLUKNTB	992.76	7787-5035	350	30
WT10-400-60-LLUKNTB	1031.46	7787-5036	400	60
WT10-400-30-LLUKNTB	1134.61	7787-5037	400	30
WT10-450-60-LLUKNTB	1054.94	7787-5038	450	60
WT10-450-30-LLUKNTB	1160.44	7787-5039	450	30

WT10 Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKNT	$539.21	7787-5010	250	60
WT10-250-30-LLUKNT	593.14	7787-5011	250	30
WT10-300-60-LLUKNT	744.03	7787-5012	300	60
WT10-300-30-LLUKNT	818.44	7787-5013	300	30
WT10-350-60-LLUKNT	830.29	7787-5014	350	60
WT10-350-30-LLUKNT	913.32	7787-5015	350	30
WT10-400-60-LLUKNT	948.98	7787-5016	400	60
WT10-400-30-LLUKNT	1043.88	7787-5017	400	30
WT10-450-60-LLUKNT	970.51	7787-5018	450	60
WT10-450-30-LLUKNT	1067.56	7787-5019	450	30

WT10 Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKFDA	$586.06	7787-5040	250	60
WT10-250-30-LLUKFDA	644.67	7787-5041	250	30
WT10-300-60-LLUKFDA	808.76	7787-5042	300	60
WT10-300-30-LLUKFDA	889.64	7787-5043	300	30
WT10-350-60-LLUKFDA	902.51	7787-5044	350	60
WT10-350-30-LLUKFDA	992.76	7787-5045	350	30
WT10-400-60-LLUKFDA	1031.46	7787-5046	400	60
WT10-400-30-LLUKFDA	1134.61	7787-5047	400	30
WT10-450-60-LLUKFDA	1054.94	7787-5048	450	60
WT10-450-30-LLUKFDA	1160.44	7787-5049	450	30

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

WT10 Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHB	$586.06	7787-5050	250	60
WT10-250-30-LLUKHB	644.67	7787-5051	250	30
WT10-300-60-LLUKHB	808.76	7787-5052	300	60
WT10-300-30-LLUKHB	889.64	7787-5053	300	30
WT10-350-60-LLUKHB	902.51	7787-5054	350	60
WT10-350-30-LLUKHB	992.76	7787-5055	350	30
WT10-400-60-LLUKHB	1031.46	7787-5056	400	60
WT10-400-30-LLUKHB	1134.61	7787-5057	400	30
WT10-450-60-LLUKHB	1054.94	7787-5058	450	60
WT10-450-30-LLUKHB	1160.44	7787-5059	450	30

WT10 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHBNT	$656.39	7787-5060	250	60
WT10-250-30-LLUKHBNT	722.03	7787-5061	250	30
WT10-300-60-LLUKHBNT	905.79	7787-5062	300	60
WT10-300-30-LLUKHBNT	996.36	7787-5063	300	30
WT10-350-60-LLUKHBNT	1010.87	7787-5064	350	60
WT10-350-30-LLUKHBNT	1111.96	7787-5065	350	30
WT10-400-60-LLUKHBNT	1155.24	7787-5066	400	60
WT10-400-30-LLUKHBNT	1270.77	7787-5067	400	30
WT10-450-60-LLUKHBNT	1181.50	7787-5068	450	60
WT10-450-30-LLUKHBNT	1299.65	7787-5069	450	30

WT10 Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHBNB	$632.97	7787-5070	250	60
WT10-250-30-LLUKHBNB	696.26	7787-5071	250	30
WT10-300-60-LLUKHBNB	873.49	7787-5072	300	60
WT10-300-30-LLUKHBNB	960.83	7787-5073	300	30
WT10-350-60-LLUKHBNB	974.73	7787-5074	350	60
WT10-350-30-LLUKHBNB	1072.20	7787-5075	350	30
WT10-400-60-LLUKHBNB	1113.94	7787-5076	400	60
WT10-400-30-LLUKHBNB	1225.33	7787-5077	400	30
WT10-450-60-LLUKHBNB	1139.31	7787-5078	450	60
WT10-450-30-LLUKHBNB	1253.25	7787-5079	450	30

WT10 Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHBFDA	$703.23	7787-5090	250	60
WT10-250-30-LLUKHBFDA	773.56	7787-5091	250	30
WT10-300-60-LLUKHBFDA	970.51	7787-5092	300	60
WT10-300-30-LLUKHBFDA	1067.56	7787-5093	300	30
WT10-350-60-LLUKHBFDA	1083.03	7787-5094	350	60
WT10-350-30-LLUKHBFDA	1191.33	7787-5095	350	30
WT10-400-60-LLUKHBFDA	1237.79	7787-5096	400	60
WT10-400-30-LLUKHBFDA	1361.57	7787-5097	400	30
WT10-450-60-LLUKHBFDA	1265.87	7787-5098	450	60
WT10-450-30-LLUKHBFDA	1392.46	7787-5099	450	30

5mm Pitch—HTD—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-100M-LLUS	$21.11	7787-2000	10	100
[18]5HTD-10-50M-LLUS	24.42	7787-2001	10	50
5HTD-15-100M-LLUS	31.70	7787-2002	15	100
[18]5HTD-15-50M-LLUS	36.66	7787-2003	15	50
5HTD-25-100M-LLUS	50.51	7787-2004	25	100
[18]5HTD-25-50M-LLUS	58.43	7787-2005	25	50
5HTD-50-100M-LLUS	91.84	7787-2006	50	100
5HTD-50-50M-LLUS	106.24	7787-2007	50	50

5mm Pitch—HTD—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUSNT	$24.30	7787-2010	10	60
5HTD-10-30M-LLUSNT	28.11	7787-2011	10	30
5HTD-15-60M-LLUSNT	36.46	7787-2012	15	60
5HTD-15-30M-LLUSNT	42.17	7787-2013	15	30
5HTD-25-60M-LLUSNT	58.07	7787-2014	25	60
5HTD-25-30M-LLUSNT	67.17	7787-2015	25	30
5HTD-50-60M-LLUSNT	105.62	7787-2016	50	60
5HTD-50-30M-LLUSNT	122.17	7787-2017	50	30

5mm Pitch—HTD—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUSNB	$23.24	7787-2020	10	60
5HTD-10-30M-LLUSNB	26.88	7787-2021	10	30
5HTD-15-60M-LLUSNB	34.83	7787-2022	15	60
5HTD-15-30M-LLUSNB	40.29	7787-2023	15	30
5HTD-25-60M-LLUSNB	55.55	7787-2024	25	60
5HTD-25-30M-LLUSNB	64.26	7787-2025	25	30
5HTD-50-60M-LLUSNB	101.02	7787-2026	50	60
5HTD-50-30M-LLUSNB	116.86	7787-2027	50	30

5mm Pitch—HTD—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUSNTB	$26.43	7787-2030	10	60
5HTD-10-30M-LLUSNTB	30.58	7787-2031	10	30
5HTD-15-60M-LLUSNTB	39.59	7787-2032	15	60
5HTD-15-30M-LLUSNTB	45.80	7787-2033	15	30
5HTD-25-60M-LLUSNTB	63.11	7787-2034	25	60
5HTD-25-30M-LLUSNTB	73.00	7787-2035	25	30
5HTD-50-60M-LLUSNTB	114.80	7787-2036	50	60
5HTD-50-30M-LLUSNTB	132.79	7787-2037	50	30

[18]Stocked Product

Prices Subject To Change Without Notice

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

5mm Pitch—HTD—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-100M-LLUSFDA	$26.43	7787-2040	10	100
5HTD-10-50M-LLUSFDA	30.58	7787-2041	10	50
5HTD-15-100M-LLUSFDA	39.59	7787-2042	15	100
5HTD-15-50M-LLUSFDA	45.80	7787-2043	15	50
5HTD-25-100M-LLUSFDA	63.11	7787-2044	25	100
5HTD-25-50M-LLUSFDA	73.00	7787-2045	25	50
5HTD-50-100M-LLUSFDA	114.80	7787-2046	50	100
5HTD-50-50M-LLUSFDA	132.79	7787-2047	50	50

5mm Pitch—HTD—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-100M-LLUK	$26.43	7787-2050	10	100
[18]5HTD-10-50M-LLUK	30.58	7787-2051	10	50
5HTD-15-100M-LLUK	39.59	7787-2052	15	100
[18]5HTD-15-50M-LLUK	45.80	7787-2053	15	50
5HTD-25-100M-LLUK	63.11	7787-2054	25	100
[18]5HTD-25-50M-LLUK	73.00	7787-2055	25	50
5HTD-50-100M-LLUK	114.80	7787-2056	50	100
5HTD-50-50M-LLUK	132.79	7787-2057	50	50

5mm Pitch—HTD—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUKNT	$29.57	7787-2060	10	60
5HTD-10-30M-LLUKNT	34.20	7787-2061	10	30
5HTD-15-60M-LLUKNT	44.35	7787-2062	15	60
5HTD-15-30M-LLUKNT	51.30	7787-2063	15	30
5HTD-25-60M-LLUKNT	70.73	7787-2064	25	60
5HTD-25-30M-LLUKNT	81.81	7787-2065	25	30
5HTD-50-60M-LLUKNT	128.58	7787-2066	50	60
5HTD-50-30M-LLUKNT	148.73	7787-2067	50	30

5mm Pitch—HTD—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUKNB	$28.50	7787-2070	10	60
5HTD-10-30M-LLUKNB	32.97	7787-2071	10	30
5HTD-15-60M-LLUKNB	42.78	7787-2072	15	60
5HTD-15-30M-LLUKNB	49.49	7787-2073	15	30
5HTD-25-60M-LLUKNB	68.21	7787-2074	25	60
5HTD-25-30M-LLUKNB	78.90	7787-2075	25	30
5HTD-50-60M-LLUKNB	123.98	7787-2076	50	60
5HTD-50-30M-LLUKNB	143.42	7787-2077	50	30

5mm Pitch—HTD—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUKNTB	$31.70	7787-2080	10	60
5HTD-10-30M-LLUKNTB	36.66	7787-2081	10	30
5HTD-15-60M-LLUKNTB	47.54	7787-2082	15	60
5HTD-15-30M-LLUKNTB	55.00	7787-2083	15	30
5HTD-25-60M-LLUKNTB	75.77	7787-2084	25	60
5HTD-25-30M-LLUKNTB	87.64	7787-2085	25	30
5HTD-50-60M-LLUKNTB	137.76	7787-2086	50	60
5HTD-50-30M-LLUKNTB	159.35	7787-2087	50	30

5mm Pitch—HTD—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-100M-LLUKFDA	$31.70	7787-2090	10	100
5HTD-10-50M-LLUKFDA	36.66	7787-2091	10	50
5HTD-15-100M-LLUKFDA	47.54	7787-2092	15	100
5HTD-15-50M-LLUKFDA	55.00	7787-2093	15	50
5HTD-25-100M-LLUKFDA	75.77	7787-2094	25	100
5HTD-25-50M-LLUKFDA	87.64	7787-2095	25	50
5HTD-50-100M-LLUKFDA	137.76	7787-2096	50	100
5HTD-50-50M-LLUKFDA	159.35	7787-2097	50	50

8mm Pitch—HTD—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-100M-LLUS	$36.16	7787-2100	10	100
[18]8HTD-10-50M-LLUS	39.78	7787-2101	10	50
8HTD-15-100M-LLUS	42.66	7787-2102	15	100
[18]8HTD-15-50M-LLUS	46.93	7787-2103	15	50
8HTD-20-100M-LLUS	53.25	7787-2104	20	100
[18]8HTD-20-50M-LLUS	58.58	7787-2105	20	50
8HTD-25-100M-LLUS	66.59	7787-2106	25	100
[18]8HTD-25-50M-LLUS	73.25	7787-2107	25	50
8HTD-32-100M-LLUS	85.26	7787-2108	32	100
[18]8HTD-32-50M-LLUS	93.79	7787-2109	32	50
8HTD-75-100M-LLUS	142.73	7787-2110	75	100
8HTD-100-100M-LLUS	190.30	7787-2111	100	100

8mm Pitch—HTD—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUSNT	$41.61	7787-2115	10	50
8HTD-10-25M-LLUSNT	45.77	7787-2116	10	25
8HTD-15-50M-LLUSNT	48.98	7787-2117	15	50
8HTD-15-25M-LLUSNT	53.88	7787-2118	15	25
8HTD-20-50M-LLUSNT	61.27	7787-2119	20	50
8HTD-20-25M-LLUSNT	67.40	7787-2120	20	25
8HTD-25-50M-LLUSNT	76.60	7787-2121	25	50
8HTD-25-25M-LLUSNT	84.26	7787-2122	25	25
8HTD-32-50M-LLUSNT	98.02	7787-2123	32	50
8HTD-32-25M-LLUSNT	107.82	7787-2124	32	25
8HTD-75-50M-LLUSNT	164.09	7787-2125	75	50
8HTD-100-50M-LLUSNT	218.86	7787-2126	100	50

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

8mm Pitch—HTD—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUSNB	$39.79	7787-2130	10	50
8HTD-10-25M-LLUSNB	43.77	7787-2131	10	25
8HTD-15-50M-LLUSNB	46.87	7787-2132	15	50
8HTD-15-25M-LLUSNB	51.56	7787-2133	15	25
8HTD-20-50M-LLUSNB	58.64	7787-2134	20	50
8HTD-20-25M-LLUSNB	64.50	7787-2135	20	25
8HTD-25-50M-LLUSNB	73.27	7787-2136	25	50
8HTD-25-25M-LLUSNB	80.59	7787-2137	25	25
8HTD-32-50M-LLUSNB	93.75	7787-2138	32	50
8HTD-32-25M-LLUSNB	103.12	7787-2139	32	25
8HTD-75-50M-LLUSNB	156.95	7787-2140	75	50
8HTD-100-50M-LLUSNB	209.32	7787-2141	100	50

8mm Pitch—HTD—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-100M-LLUK	$44.89	7787-2175	10	100
8HTD-10-50M-LLUK	49.38	7787-2176	10	50
8HTD-15-100M-LLUK	52.91	7787-2177	15	100
8HTD-15-50M-LLUK	58.21	7787-2178	15	50
8HTD-20-100M-LLUK	66.17	7787-2179	20	100
8HTD-20-50M-LLUK	72.79	7787-2180	20	50
8HTD-25-100M-LLUK	82.69	7787-2181	25	100
8HTD-25-50M-LLUK	90.96	7787-2182	25	50
8HTD-32-100M-LLUK	105.89	7787-2183	32	100
8HTD-32-50M-LLUK	116.48	7787-2184	32	50
8HTD-75-100M-LLUK	177.24	7787-2185	75	100
8HTD-100-100M-LLUK	236.37	7787-2186	100	100

8mm Pitch—HTD—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUSNTB	$45.18	7787-2145	10	50
8HTD-10-25M-LLUSNTB	49.69	7787-2146	10	25
8HTD-15-50M-LLUSNTB	53.25	7787-2147	15	50
8HTD-15-25M-LLUSNTB	58.58	7787-2148	15	25
8HTD-20-50M-LLUSNTB	66.59	7787-2149	20	50
8HTD-20-25M-LLUSNTB	73.25	7787-2150	20	25
8HTD-25-50M-LLUSNTB	83.21	7787-2151	25	50
8HTD-25-25M-LLUSNTB	91.53	7787-2152	25	25
8HTD-32-50M-LLUSNTB	106.56	7787-2153	32	50
8HTD-32-25M-LLUSNTB	117.22	7787-2154	32	25
8HTD-75-50M-LLUSNTB	178.36	7787-2155	75	50
8HTD-100-50M-LLUSNTB	237.88	7787-2156	100	50

8mm Pitch—HTD—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUKNT	$50.30	7787-2190	10	50
8HTD-10-25M-LLUKNT	55.33	7787-2191	10	25
8HTD-15-50M-LLUKNT	59.31	7787-2192	15	50
8HTD-15-25M-LLUKNT	65.24	7787-2193	15	25
8HTD-20-50M-LLUKNT	74.14	7787-2194	20	50
8HTD-20-25M-LLUKNT	81.55	7787-2195	20	25
8HTD-25-50M-LLUKNT	92.63	7787-2196	25	50
8HTD-25-25M-LLUKNT	101.89	7787-2197	25	25
8HTD-32-50M-LLUKNT	118.56	7787-2198	32	50
8HTD-32-25M-LLUKNT	130.42	7787-2199	32	25
8HTD-75-50M-LLUKNT	198.52	7787-2200	75	50
8HTD-100-50M-LLUKNT	264.69	7787-2201	100	50

8mm Pitch—HTD—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-100M-LLUSFDA	$45.18	7787-2158	10	100
8HTD-10-50M-LLUSFDA	49.69	7787-2159	10	50
8HTD-15-100M-LLUSFDA	53.25	7787-2160	15	100
8HTD-15-50M-LLUSFDA	58.58	7787-2161	15	50
8HTD-20-100M-LLUSFDA	66.59	7787-2162	20	100
8HTD-20-50M-LLUSFDA	73.25	7787-2163	20	50
8HTD-25-100M-LLUSFDA	83.21	7787-2164	25	100
8HTD-25-50M-LLUSFDA	91.53	7787-2165	25	50
8HTD-32-100M-LLUSFDA	106.56	7787-2166	32	100
8HTD-32-50M-LLUSFDA	117.22	7787-2167	32	50
8HTD-75-100M-LLUSFDA	178.36	7787-2168	75	100
8HTD-100-100M-LLUSFDA	237.88	7787-2169	100	100

8mm Pitch—HTD—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUKNB	$48.50	7787-2205	10	50
8HTD-10-25M-LLUKNB	53.35	7787-2206	10	25
8HTD-15-50M-LLUKNB	57.16	7787-2207	15	50
8HTD-15-25M-LLUKNB	62.88	7787-2208	15	25
8HTD-20-50M-LLUKNB	71.46	7787-2209	20	50
8HTD-20-25M-LLUKNB	78.61	7787-2210	20	25
8HTD-25-50M-LLUKNB	89.32	7787-2211	25	50
8HTD-25-25M-LLUKNB	98.25	7787-2212	25	25
8HTD-32-50M-LLUKNB	114.38	7787-2213	32	50
8HTD-32-25M-LLUKNB	125.82	7787-2214	32	25
8HTD-75-50M-LLUKNB	191.42	7787-2215	75	50
8HTD-100-50M-LLUKNB	255.27	7787-2216	100	50

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

8mm Pitch—HTD—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUKNTB	$53.90	7787-2220	10	50
8HTD-10-25M-LLUKNTB	59.29	7787-2221	10	25
8HTD-15-50M-LLUKNTB	63.56	7787-2222	15	50
8HTD-15-25M-LLUKNTB	69.91	7787-2223	15	25
8HTD-20-50M-LLUKNTB	79.43	7787-2224	20	50
8HTD-20-25M-LLUKNTB	87.37	7787-2225	20	25
8HTD-25-50M-LLUKNTB	99.26	7787-2226	25	50
8HTD-25-25M-LLUKNTB	109.18	7787-2227	25	25
8HTD-32-50M-LLUKNTB	127.05	7787-2228	32	50
8HTD-32-25M-LLUKNTB	139.76	7787-2229	32	25
8HTD-75-50M-LLUKNTB	212.71	7787-2230	75	50
8HTD-100-50M-LLUKNTB	283.65	7787-2231	100	50

8mm Pitch—HTD—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-100M-LLUKFDA	$53.90	7787-2235	10	100
8HTD-10-50M-LLUKFDA	59.29	7787-2236	10	50
8HTD-15-100M-LLUKFDA	63.56	7787-2237	15	100
8HTD-15-50M-LLUKFDA	69.91	7787-2238	15	50
8HTD-20-100M-LLUKFDA	79.43	7787-2239	20	100
8HTD-20-50M-LLUKFDA	87.37	7787-2240	20	50
8HTD-25-100M-LLUKFDA	99.26	7787-2241	25	100
8HTD-25-50M-LLUKFDA	109.18	7787-2242	25	50
8HTD-32-100M-LLUKFDA	127.05	7787-2243	32	100
8HTD-32-50M-LLUKFDA	139.76	7787-2244	32	50
8HTD-75-100M-LLUKFDA	212.71	7787-2245	75	100
8HTD-100-100M-LLUKFDA	283.65	7787-2246	100	100

14mm Pitch—HTD (.552)—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUS	$92.57	7787-2250	25	50
14HTD-32-50M-LLUS	118.48	7787-2251	32	50
14HTD-50-50M-LLUS	172.05	7787-2252	50	50
14HTD-75-50M-LLUS	258.04	7787-2253	75	50
14HTD-100-50M-LLUS	327.67	7787-2254	100	50
14HTD-150-50M-LLUS	491.51	7787-2255	150	50
14HTD-170-50M-LLUS	565.40	7787-2256	170	50

14mm Pitch—HTD (.552)—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUSNT	$106.43	7787-2260	25	50
14HTD-32-50M-LLUSNT	136.24	7787-2261	32	50
14HTD-50-50M-LLUSNT	197.84	7787-2262	50	50
14HTD-75-50M-LLUSNT	296.82	7787-2263	75	50
14HTD-100-50M-LLUSNT	376.81	7787-2264	100	50
14HTD-150-50M-LLUSNT	565.22	7787-2265	150	50
14HTD-170-50M-LLUSNT	650.17	7787-2266	170	50

14mm Pitch—HTD (.552)—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUSNB	$101.83	7787-2270	25	50
14HTD-32-50M-LLUSNB	130.30	7787-2271	32	50
14HTD-50-50M-LLUSNB	189.22	7787-2272	50	50
14HTD-75-50M-LLUSNB	283.83	7787-2273	75	50
14HTD-100-50M-LLUSNB	360.45	7787-2274	100	50
14HTD-150-50M-LLUSNB	540.65	7787-2275	150	50
14HTD-170-50M-LLUSNB	621.87	7787-2276	170	50

14mm Pitch—HTD (.552)—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUSNTB	$115.69	7787-2280	25	50
14HTD-32-50M-LLUSNTB	148.12	7787-2281	32	50
14HTD-50-50M-LLUSNTB	215.01	7787-2282	50	50
14HTD-75-50M-LLUSNTB	322.55	7787-2283	75	50
14HTD-100-50M-LLUSNTB	409.59	7787-2284	100	50
14HTD-150-50M-LLUSNTB	614.36	7787-2285	150	50
14HTD-170-50M-LLUSNTB	706.70	7787-2286	170	50

14mm Pitch—HTD (.552)—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUK	$115.69	7787-2290	25	50
14HTD-32-50M-LLUK	130.30	7787-2291	32	50
14HTD-50-50M-LLUK	189.22	7787-2292	50	50
14HTD-75-50M-LLUK	283.83	7787-2293	75	50
14HTD-100-50M-LLUK	360.45	7787-2294	100	50
14HTD-150-50M-LLUK	540.65	7787-2295	150	50
14HTD-170-50M-LLUK	621.87	7787-2296	170	50

14mm Pitch—HTD (.552)—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUKNT	$129.60	7787-2300	25	50
14HTD-32-50M-LLUKNT	148.35	7787-2301	32	50
14HTD-50-50M-LLUKNT	215.01	7787-2302	50	50
14HTD-75-50M-LLUKNT	322.55	7787-2303	75	50
14HTD-100-50M-LLUKNT	409.59	7787-2304	100	50
14HTD-150-50M-LLUKNT	614.36	7787-2305	150	50
14HTD-170-50M-LLUKNT	706.70	7787-2306	170	50

14mm Pitch—HTD (.552)—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUKNB	$124.94	7787-2310	25	50
14HTD-32-50M-LLUKNB	142.18	7787-2311	32	50
14HTD-50-50M-LLUKNB	206.46	7787-2312	50	50
14HTD-75-50M-LLUKNB	309.63	7787-2313	75	50
14HTD-100-50M-LLUKNB	393.17	7787-2314	100	50
14HTD-150-50M-LLUKNB	589.79	7787-2315	150	50
14HTD-170-50M-LLUKNB	678.41	7787-2316	170	50

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

14mm Pitch—HTD (.552)—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUKNTB	$138.86	7787-2320	25	50
14HTD-32-50M-LLUKNTB	159.94	7787-2321	32	50
14HTD-50-50M-LLUKNTB	232.25	7787-2322	50	50
14HTD-75-50M-LLUKNTB	348.34	7787-2323	75	50
14HTD-100-50M-LLUKNTB	442.31	7787-2324	100	50
14HTD-150-50M-LLUKNTB	663.50	7787-2325	150	50
14HTD-170-50M-LLUKNTB	763.24	7787-2326	170	50

XL Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUSNB	$6.49	7787-0034	.250	200
XL-025-100-LLUSNB	7.12	7787-0035	.250	100
XL-031-200-LLUSNB	7.35	7787-0036	.3125	200
XL-031-100-LLUSNB	8.09	7787-0037	.3125	100
XL-037-200-LLUSNB	7.35	7787-0038	.375	200
XL-037-100-LLUSNB	8.09	7787-0039	.375	100
XL-050-200-LLUSNB	9.93	7787-0040	.500	200
XL-050-100-LLUSNB	10.91	7787-0041	.500	100
XL-075-200-LLUSNB	14.87	7787-0042	.750	200
XL-100-200-LLUSNB	18.20	7787-0043	1.00	200
XL-150-200-LLUSNB	26.06	7787-0044	1.50	200
XL-200-200-LLUSNB	33.07	7787-0045	2.00	200

XL Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
[18]XL-025-200-LLUS	$5.86	7787-0001	.250	200
[18]XL-025-100-LLUS	6.43	7787-0002	.250	100
XL-031-200-LLUS	6.66	7787-0003	.3125	200
[18]XL-031-100-LLUS	7.35	7787-0004	.3125	100
[18]XL-037-200-LLUS	6.66	7787-0005	.375	200
[18]XL-037-100-LLUS	7.35	7787-0006	.375	100
XL-050-200-LLUS	9.01	7787-0007	.500	200
[18]XL-050-100-LLUS	9.93	7787-0008	.500	100
XL-075-200-LLUS	13.56	7787-0009	.750	200
XL-100-200-LLUS	16.53	7787-0010	1.00	200
XL-150-200-LLUS	23.71	7787-0011	1.50	200
XL-200-200-LLUS	30.08	7787-0012	2.00	200

XL Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUSNTB	$7.35	7787-0046	.250	200
XL-025-100-LLUSNTB	8.09	7787-0047	.250	100
XL-031-200-LLUSNTB	8.32	7787-0048	.3125	200
XL-031-100-LLUSNTB	9.19	7787-0049	.3125	100
XL-037-200-LLUSNTB	8.32	7787-0050	.375	200
XL-037-100-LLUSNTB	9.19	7787-0051	.375	100
XL-050-200-LLUSNTB	11.31	7787-0052	.500	200
XL-050-100-LLUSNTB	12.46	7787-0053	.500	100
XL-075-200-LLUSNTB	16.94	7787-0054	.750	200
XL-100-200-LLUSNTB	20.67	7787-0055	1.00	200
XL-150-200-LLUSNTB	29.62	7787-0056	1.50	200
XL-200-200-LLUSNTB	37.60	7787-0057	2.00	200

XL Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
[18]XL-025-200-LLUSNT	$6.74	7787-0013	.250	200
[18]XL-025-100-LLUSNT	7.41	7787-0014	.250	100
XL-031-200-LLUSNT	7.69	7787-0015	.3125	200
XL-031-100-LLUSNT	8.44	7787-0016	.3125	100
[18]XL-037-200-LLUSNT	7.69	7787-0017	.375	200
[18]XL-037-100-LLUSNT	8.44	7787-0018	.375	100
XL-050-200-LLUSNT	10.39	7787-0019	.500	200
[18]XL-050-100-LLUSNT	11.42	7787-0020	.500	100
XL-075-200-LLUSNT	15.56	7787-0021	.750	200
XL-100-200-LLUSNT	19.00	7787-0022	1.00	200
XL-150-200-LLUSNT	27.21	7787-0023	1.50	200
XL-200-200-LLUSNT	34.62	7787-0024	2.00	200

XL Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUSFDA	$7.35	7787-0067	.250	200
XL-025-100-LLUSFDA	8.09	7787-0068	.250	100
XL-031-200-LLUSFDA	8.32	7787-0069	.3125	200
XL-031-100-LLUSFDA	9.19	7787-0070	.3125	100
XL-037-200-LLUSFDA	8.32	7787-0071	.375	200
XL-037-100-LLUSFDA	9.19	7787-0072	.375	100
XL-050-200-LLUSFDA	11.31	7787-0073	.500	200
XL-050-100-LLUSFDA	12.46	7787-0074	.500	100
XL-075-200-LLUSFDA	16.94	7787-0075	.750	200
XL-100-200-LLUSFDA	20.67	7787-0076	1.00	200
XL-150-200-LLUSFDA	29.62	7787-0077	1.50	200
XL-200-200-LLUSFDA	37.60	7787-0078	2.00	200

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XL Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUSHB	$7.35	7787-0079	.250	200
XL-025-100-LLUSHB	8.09	7787-0080	.250	100
XL-031-200-LLUSHB	8.32	7787-0081	.3125	200
XL-031-100-LLUSHB	9.19	7787-0082	.3125	100
XL-037-200-LLUSHB	8.32	7787-0083	.375	200
XL-037-100-LLUSHB	9.19	7787-0084	.375	100
XL-050-200-LLUSHB	11.31	7787-0085	.500	200
XL-050-100-LLUSHB	12.46	7787-0086	.500	100
XL-075-200-LLUSHB	16.94	7787-0087	.750	200
XL-100-200-LLUSHB	20.67	7787-0088	1.00	200
XL-150-200-LLUSHB	29.62	7787-0089	1.50	200
XL-200-200-LLUSHB	37.60	7787-0090	2.00	200

XL Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUSHBNTB	$8.78	7787-0124	.250	200
XL-025-100-LLUSHBNTB	9.64	7787-0125	.250	100
XL-031-200-LLUSHBNTB	10.05	7787-0126	.3125	200
XL-031-100-LLUSHBNTB	11.08	7787-0127	.3125	100
XL-037-200-LLUSHBNTB	10.05	7787-0128	.375	200
XL-037-100-LLUSHBNTB	11.08	7787-0129	.375	100
XL-050-200-LLUSHBNTB	13.55	7787-0130	.500	200
XL-050-100-LLUSHBNTB	14.93	7787-0131	.500	100
XL-075-200-LLUSHBNTB	20.32	7787-0132	.750	200
XL-100-200-LLUSHBNTB	24.80	7787-0133	1.00	200
XL-150-200-LLUSHBNTB	35.54	7787-0134	1.50	200
XL-200-200-LLUSHBNTB	45.12	7787-0135	2.00	200

XL Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUSHBNT	$8.21	7787-0100	.250	200
XL-025-100-LLUSHBNT	9.01	7787-0101	.250	100
XL-031-200-LLUSHBNT	9.36	7787-0102	.3125	200
XL-031-100-LLUSHBNT	10.28	7787-0103	.3125	100
XL-037-200-LLUSHBNT	9.36	7787-0104	.375	200
XL-037-100-LLUSHBNT	10.28	7787-0105	.375	100
XL-050-200-LLUSHBNT	12.63	7787-0106	.500	200
XL-050-100-LLUSHBNT	13.89	7787-0107	.500	100
XL-075-200-LLUSHBNT	18.94	7787-0108	.750	200
XL-100-200-LLUSHBNT	23.14	7787-0109	1.00	200
XL-150-200-LLUSHBNT	33.12	7787-0110	1.50	200
XL-200-200-LLUSHBNT	42.14	7787-0111	2.00	200

XL Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUSHBFDA	$8.78	7787-0145	.250	200
XL-025-100-LLUSHBFDA	9.64	7787-0146	.250	100
XL-031-200-LLUSHBFDA	10.05	7787-0147	.3125	200
XL-031-100-LLUSHBFDA	11.08	7787-0148	.3125	100
XL-037-200-LLUSHBFDA	10.05	7787-0149	.375	200
XL-037-100-LLUSHBFDA	11.08	7787-0150	.375	100
XL-050-200-LLUSHBFDA	13.55	7787-0151	.500	200
XL-050-100-LLUSHBFDA	14.93	7787-0152	.500	100
XL-075-200-LLUSHBFDA	20.32	7787-0153	.750	200
XL-100-200-LLUSHBFDA	24.80	7787-0154	1.00	200
XL-150-200-LLUSHBFDA	35.54	7787-0155	1.50	200
XL-200-200-LLUSHBFDA	45.12	7787-0156	2.00	200

XL Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUSHBNB	$7.92	7787-0112	.250	200
XL-025-100-LLUSHBNB	8.73	7787-0113	.250	100
XL-031-200-LLUSHBNB	9.01	7787-0114	.3125	200
XL-031-100-LLUSHBNB	9.93	7787-0115	.3125	100
XL-037-200-LLUSHBNB	9.01	7787-0116	.375	200
XL-037-100-LLUSHBNB	9.93	7787-0117	.375	100
XL-050-200-LLUSHBNB	12.17	7787-0118	.500	200
XL-050-100-LLUSHBNB	13.38	7787-0119	.500	100
XL-075-200-LLUSHBNB	18.26	7787-0120	.750	200
XL-100-200-LLUSHBNB	22.33	7787-0121	1.00	200
XL-150-200-LLUSHBNB	31.98	7787-0122	1.50	200
XL-200-200-LLUSHBNB	40.59	7787-0123	2.00	200

XL Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUK	$6.49	7787-0157	.250	200
XL-025-100-LLUK	7.14	7787-0158	.250	100
XL-031-200-LLUK	7.35	7787-0159	.3125	200
XL-031-100-LLUK	8.08	7787-0160	.3125	100
XL-037-200-LLUK	7.35	7787-0161	.375	200
XL-037-100-LLUK	8.09	7787-0162	.375	100
XL-050-200-LLUK	9.93	7787-0163	.500	200
XL-050-100-LLUK	10.92	7787-0164	.500	100
XL-075-200-LLUK	14.87	7787-0165	.750	200
XL-100-200-LLUK	18.20	7787-0166	1.00	200
XL-150-200-LLUK	26.06	7787-0167	1.50	200
XL-200-200-LLUK	33.07	7787-0168	2.00	200

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XL Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKNT	$7.35	7787-0169	.250	200
XL-025-100-LLUKNT	8.08	7787-0170	.250	100
XL-031-200-LLUKNT	8.32	7787-0171	.3125	200
XL-031-100-LLUKNT	9.16	7787-0172	.3125	100
XL-037-200-LLUKNT	8.32	7787-0173	.375	200
XL-037-100-LLUKNT	9.19	7787-0174	.375	100
XL-050-200-LLUKNT	11.31	7787-0175	.500	200
XL-050-100-LLUKNT	12.44	7787-0176	.500	100
XL-075-200-LLUKNT	16.94	7787-0177	.750	200
XL-100-200-LLUKNT	20.67	7787-0178	1.00	200
XL-150-200-LLUKNT	29.62	7787-0179	1.50	200
XL-200-200-LLUKNT	37.60	7787-0180	2.00	200

XL Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKFDA	$7.92	7787-0214	.250	200
XL-025-100-LLUKFDA	8.71	7787-0215	.250	100
XL-031-200-LLUKFDA	9.01	7787-0216	.3125	200
XL-031-100-LLUKFDA	9.91	7787-0217	.3125	100
XL-037-200-LLUKFDA	9.01	7787-0218	.375	200
XL-037-100-LLUKFDA	9.91	7787-0219	.375	100
XL-050-200-LLUKFDA	12.17	7787-0220	.500	200
XL-050-100-LLUKFDA	13.39	7787-0221	.500	100
XL-075-200-LLUKFDA	18.26	7787-0222	.750	200
XL-100-200-LLUKFDA	22.33	7787-0223	1.00	200
XL-150-200-LLUKFDA	31.98	7787-0224	1.50	200
XL-200-200-LLUKFDA	40.59	7787-0225	2.00	200

XL Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKNB	$7.00	7787-0190	.250	200
XL-025-100-LLUKNB	7.70	7787-0191	.250	100
XL-031-200-LLUKNB	8.04	7787-0192	.3125	200
XL-031-100-LLUKNB	8.84	7787-0193	.3125	100
XL-037-200-LLUKNB	8.04	7787-0194	.375	200
XL-037-100-LLUKNB	8.84	7787-0195	.375	100
XL-050-200-LLUKNB	10.85	7787-0196	.500	200
XL-050-100-LLUKNB	11.94	7787-0197	.500	100
XL-075-200-LLUKNB	16.25	7787-0198	.750	200
XL-100-200-LLUKNB	19.86	7787-0199	1.00	200
XL-150-200-LLUKNB	28.42	7787-0200	1.50	200
XL-200-200-LLUKNB	36.11	7787-0201	2.00	200

XL Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKHB	$7.92	7787-0235	.250	200
XL-025-100-LLUKHB	8.71	7787-0236	.250	100
XL-031-200-LLUKHB	9.01	7787-0237	.3125	200
XL-031-100-LLUKHB	9.91	7787-0238	.3125	100
XL-037-200-LLUKHB	9.01	7787-0239	.375	200
XL-037-100-LLUKHB	9.91	7787-0240	.375	100
XL-050-200-LLUKHB	12.17	7787-0241	.500	200
XL-050-100-LLUKHB	13.39	7787-0242	.500	100
XL-075-200-LLUKHB	18.26	7787-0243	.750	200
XL-100-200-LLUKHB	22.33	7787-0244	1.00	200
XL-150-200-LLUKHB	31.98	7787-0245	1.50	200
XL-200-200-LLUKHB	40.59	7787-0246	2.00	200

XL Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKNTB	$7.92	7787-0202	.250	200
XL-025-100-LLUKNTB	8.71	7787-0203	.250	100
XL-031-200-LLUKNTB	9.01	7787-0204	.3125	200
XL-031-100-LLUKNTB	9.91	7787-0205	.3125	100
XL-037-200-LLUKNTB	9.01	7787-0206	.375	200
XL-037-100-LLUKNTB	9.91	7787-0207	.375	100
XL-050-200-LLUKNTB	12.17	7787-0208	.500	200
XL-050-100-LLUKNTB	13.39	7787-0209	.500	100
XL-075-200-LLUKNTB	18.26	7787-0210	.750	200
XL-100-200-LLUKNTB	22.33	7787-0211	1.00	200
XL-150-200-LLUKNTB	31.98	7787-0212	1.50	200
XL-200-200-LLUKNTB	40.59	7787-0213	2.00	200

XL Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKHBNT	$8.78	7787-0247	.250	200
XL-025-100-LLUKHBNT	9.66	7787-0248	.250	100
XL-031-200-LLUKHBNT	10.05	7787-0249	.3125	200
XL-031-100-LLUKHBNT	11.05	7787-0250	.3125	100
XL-037-200-LLUKHBNT	10.05	7787-0251	.375	200
XL-037-100-LLUKHBNT	11.05	7787-0252	.375	100
XL-050-200-LLUKHBNT	13.55	7787-0253	.500	200
XL-050-100-LLUKHBNT	14.90	7787-0254	.500	100
XL-075-200-LLUKHBNT	20.32	7787-0255	.750	200
XL-100-200-LLUKHBNT	24.80	7787-0256	1.00	200
XL-150-200-LLUKHBNT	35.54	7787-0257	1.50	200
XL-200-200-LLUKHBNT	45.12	7787-0258	2.00	200

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XL Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKHBNB	$8.50	7787-0259	.250	200
XL-025-100-LLUKHBNB	9.35	7787-0260	.250	100
XL-031-200-LLUKHBNB	9.70	7787-0261	.3125	200
XL-031-100-LLUKHBNB	10.67	7787-0262	.3125	100
XL-037-200-LLUKHBNB	9.70	7787-0263	.375	200
XL-037-100-LLUKHBNB	10.67	7787-0264	.375	100
XL-050-200-LLUKHBNB	13.09	7787-0265	.500	200
XL-050-100-LLUKHBNB	14.40	7787-0266	.500	100
XL-075-200-LLUKHBNB	19.63	7787-0267	.750	200
XL-100-200-LLUKHBNB	24.00	7787-0268	1.00	200
XL-150-200-LLUKHBNB	34.33	7787-0269	1.50	200
XL-200-200-LLUKHBNB	43.63	7787-0270	2.00	200

XL Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKHBNTB	$9.36	7787-0280	.250	200
XL-025-100-LLUKHBNTB	10.29	7787-0281	.250	100
XL-031-200-LLUKHBNTB	10.68	7787-0282	.3125	200
XL-031-100-LLUKHBNTB	11.75	7787-0283	.3125	100
XL-037-200-LLUKHBNTB	10.68	7787-0284	.375	200
XL-037-100-LLUKHBNTB	11.75	7787-0285	.375	100
XL-050-200-LLUKHBNTB	14.47	7787-0286	.500	200
XL-050-100-LLUKHBNTB	15.91	7787-0287	.500	100
XL-075-200-LLUKHBNTB	21.64	7787-0288	.750	200
XL-100-200-LLUKHBNTB	26.46	7787-0289	1.00	200
XL-150-200-LLUKHBNTB	37.89	7787-0290	1.50	200
XL-200-200-LLUKHBNTB	48.11	7787-0291	2.00	200

XL Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XL-025-200-LLUKHBFDA	$9.36	7787-0292	.250	200
XL-025-100-LLUKHBFDA	10.29	7787-0293	.250	100
XL-031-200-LLUKHBFDA	10.68	7787-0294	.3125	200
XL-031-100-LLUKHBFDA	11.75	7787-0295	.3125	100
XL-037-200-LLUKHBFDA	10.68	7787-0296	.375	200
XL-037-100-LLUKHBFDA	11.75	7787-0297	.375	100
XL-050-200-LLUKHBFDA	14.47	7787-0298	.500	200
XL-050-100-LLUKHBFDA	15.91	7787-0299	.500	100
XL-075-200-LLUKHBFDA	21.64	7787-0300	.750	200
XL-100-200-LLUKHBFDA	26.46	7787-0301	1.00	200
XL-150-200-LLUKHBFDA	37.89	7787-0302	1.50	200
XL-200-200-LLUKHBFDA	48.11	7787-0303	2.00	200

L Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
[18]L-037-200-LLUS	$6.54	7787-0320	.375	200
[18]L-037-100-LLUS	7.20	7787-0321	.375	100
[18]L-050-200-LLUS	6.54	7787-0322	.500	200
[18]L-050-100-LLUS	7.20	7787-0323	.500	100
[18]L-075-200-LLUS	9.41	7787-0324	.750	200
[18]L-075-100-LLUS	10.36	7787-0325	.750	100
[18]L-100-200-LLUS	12.00	7787-0326	1.00	200
[18]L-100-100-LLUS	13.20	7787-0327	1.00	100
[18]L-150-200-LLUS	18.03	7787-0328	1.50	200
[18]L-150-100-LLUS	19.83	7787-0329	1.50	100
L-200-200-LLUS	22.91	7787-0330	2.00	200
L-300-200-LLUS	34.39	7787-0331	3.00	200
L-400-200-LLUS	43.69	7787-0332	4.00	200

L Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
[18]L-037-200-LLUSNT	$7.52	7787-0335	.375	200
[18]L-037-100-LLUSNT	8.27	7787-0336	.375	100
[18]L-050-200-LLUSNT	7.52	7787-0337	.500	200
[18]L-050-100-LLUSNT	8.27	7787-0338	.500	100
[18]L-075-200-LLUSNT	10.85	7787-0339	.750	200
[18]L-075-100-LLUSNT	11.94	7787-0340	.750	100
[18]L-100-200-LLUSNT	13.78	7787-0341	1.00	200
[18]L-100-100-LLUSNT	15.16	7787-0342	1.00	100
[18]L-150-200-LLUSNT	20.72	7787-0343	1.50	200
[18]L-150-100-LLUSNT	22.80	7787-0344	1.50	100
L-200-200-LLUSNT	26.35	7787-0345	2.00	200
L-300-200-LLUSNT	39.55	7787-0346	3.00	200
L-400-200-LLUSNT	50.23	7787-0347	4.00	200

L Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUSNB	$7.23	7787-0350	.375	200
L-037-100-LLUSNB	7.96	7787-0351	.375	100
L-050-200-LLUSNB	7.23	7787-0352	.500	200
L-050-100-LLUSNB	7.96	7787-0353	.500	100
L-075-200-LLUSNB	10.33	7787-0354	.750	200
L-075-100-LLUSNB	11.37	7787-0355	.750	100
L-100-200-LLUSNB	13.20	7787-0356	1.00	200
L-100-100-LLUSNB	14.52	7787-0357	1.00	100
L-150-200-LLUSNB	19.81	7787-0358	1.50	200
L-150-100-LLUSNB	21.79	7787-0359	1.50	100
L-200-200-LLUSNB	25.20	7787-0360	2.00	200
L-300-200-LLUSNB	37.83	7787-0361	3.00	200
L-400-200-LLUSNB	48.05	7787-0362	4.00	200

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

L Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUSNTB	$8.21	7787-0363	.375	200
L-037-100-LLUSNTB	9.03	7787-0364	.375	100
L-050-200-LLUSNTB	8.21	7787-0365	.500	200
L-050-100-LLUSNTB	9.03	7787-0366	.500	100
L-075-200-LLUSNTB	11.77	7787-0367	.750	200
L-075-100-LLUSNTB	12.95	7787-0368	.750	100
L-100-200-LLUSNTB	14.98	7787-0369	1.00	200
L-100-100-LLUSNTB	16.48	7787-0370	1.00	100
L-150-200-LLUSNTB	22.50	7787-0371	1.50	200
L-150-100-LLUSNTB	24.75	7787-0372	1.50	100
L-200-200-LLUSNTB	28.65	7787-0373	2.00	200
L-300-200-LLUSNTB	43.00	7787-0374	3.00	200
L-400-200-LLUSNTB	54.59	7787-0375	4.00	200

L Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUSHBNT	$9.19	7787-0411	.375	200
L-037-100-LLUSHBNT	10.10	7787-0412	.375	100
L-050-200-LLUSHBNT	9.19	7787-0413	.500	200
L-050-100-LLUSHBNT	10.10	7787-0414	.500	100
L-075-200-LLUSHBNT	13.20	7787-0415	.750	200
L-075-100-LLUSHBNT	14.52	7787-0416	.750	100
L-100-200-LLUSHBNT	16.82	7787-0417	1.00	200
L-100-100-LLUSHBNT	18.50	7787-0418	1.00	100
L-150-200-LLUSHBNT	25.20	7787-0419	1.50	200
L-150-100-LLUSHBNT	27.72	7787-0420	1.50	100
L-200-200-LLUSHBNT	32.09	7787-0421	2.00	200
L-300-200-LLUSHBNT	48.11	7787-0422	3.00	200
L-400-200-LLUSHBNT	61.14	7787-0423	4.00	200

L Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUSFDA	$8.21	7787-0379	.375	200
L-037-100-LLUSFDA	9.03	7787-0380	.375	100
L-050-200-LLUSFDA	8.21	7787-0381	.500	200
L-050-100-LLUSFDA	9.03	7787-0382	.500	100
L-075-200-LLUSFDA	11.77	7787-0383	.750	200
L-075-100-LLUSFDA	12.95	7787-0384	.750	100
L-100-200-LLUSFDA	14.98	7787-0385	1.00	200
L-100-100-LLUSFDA	16.48	7787-0386	1.00	100
L-150-200-LLUSFDA	22.50	7787-0387	1.50	200
L-150-100-LLUSFDA	24.75	7787-0388	1.50	100
L-200-200-LLUSFDA	28.65	7787-0389	2.00	200
L-300-200-LLUSFDA	43.00	7787-0390	3.00	200
L-400-200-LLUSFDA	54.59	7787-0391	4.00	200

L Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUSHBNB	$8.84	7787-0427	.375	200
L-037-100-LLUSHBNB	9.72	7787-0428	.375	100
L-050-200-LLUSHBNB	8.84	7787-0429	.500	200
L-050-100-LLUSHBNB	9.72	7787-0430	.500	100
L-075-200-LLUSHBNB	12.69	7787-0431	.750	200
L-075-100-LLUSHBNB	13.96	7787-0432	.750	100
L-100-200-LLUSHBNB	16.19	7787-0433	1.00	200
L-100-100-LLUSHBNB	17.81	7787-0434	1.00	100
L-150-200-LLUSHBNB	24.28	7787-0435	1.50	200
L-150-100-LLUSHBNB	26.71	7787-0436	1.50	100
L-200-200-LLUSHBNB	30.94	7787-0437	2.00	200
L-300-200-LLUSHBNB	46.44	7787-0438	3.00	200
L-400-200-LLUSHBNB	58.96	7787-0439	4.00	200

L Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUSHB	$8.21	7787-0395	.375	200
L-037-100-LLUSHB	9.03	7787-0396	.375	100
L-050-200-LLUSHB	8.21	7787-0397	.500	200
L-050-100-LLUSHB	9.03	7787-0398	.500	100
L-075-200-LLUSHB	11.77	7787-0399	.750	200
L-075-100-LLUSHB	12.95	7787-0400	.750	100
L-100-200-LLUSHB	14.98	7787-0401	1.00	200
L-100-100-LLUSHB	16.48	7787-0402	1.00	100
L-150-200-LLUSHB	22.50	7787-0403	1.50	200
L-150-100-LLUSHB	24.75	7787-0404	1.50	100
L-200-200-LLUSHB	28.65	7787-0405	2.00	200
L-300-200-LLUSHB	43.00	7787-0406	3.00	200
L-400-200-LLUSHB	54.59	7787-0407	4.00	200

L Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUSHBNTB	$9.82	7787-0443	.375	200
L-037-100-LLUSHBNTB	10.80	7787-0444	.375	100
L-050-200-LLUSHBNTB	9.82	7787-0445	.500	200
L-050-100-LLUSHBNTB	10.80	7787-0446	.500	100
L-075-200-LLUSHBNTB	14.12	7787-0447	.750	200
L-075-100-LLUSHBNTB	15.53	7787-0448	.750	100
L-100-200-LLUSHBNTB	18.03	7787-0449	1.00	200
L-100-100-LLUSHBNTB	19.83	7787-0450	1.00	100
L-150-200-LLUSHBNTB	27.04	7787-0451	1.50	200
L-150-100-LLUSHBNTB	29.74	7787-0452	1.50	100
L-200-200-LLUSHBNTB	34.39	7787-0453	2.00	200
L-300-200-LLUSHBNTB	51.55	7787-0454	3.00	200
L-400-200-LLUSHBNTB	65.50	7787-0455	4.00	200

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

L Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUSHBFDA	$9.82	7787-0460	.375	200
L-037-100-LLUSHBFDA	10.80	7787-0461	.375	100
L-050-200-LLUSHBFDA	9.82	7787-0462	.500	200
L-050-100-LLUSHBFDA	10.80	7787-0463	.500	100
L-075-200-LLUSHBFDA	14.12	7787-0464	.750	200
L-075-100-LLUSHBFDA	15.53	7787-0465	.750	100
L-100-200-LLUSHBFDA	18.03	7787-0466	1.00	200
L-100-100-LLUSHBFDA	19.83	7787-0467	1.00	100
L-150-200-LLUSHBFDA	27.04	7787-0468	1.50	200
L-150-100-LLUSHBFDA	29.74	7787-0469	1.50	100
L-200-200-LLUSHBFDA	34.39	7787-0470	2.00	200
L-300-200-LLUSHBFDA	51.55	7787-0471	3.00	200
L-400-200-LLUSHBFDA	65.50	7787-0472	4.00	200

L Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKNB	$7.86	7787-0505	.375	200
L-037-100-LLUKNB	8.65	7787-0506	.375	100
L-050-200-LLUKNB	7.86	7787-0507	.500	200
L-050-100-LLUKNB	8.65	7787-0508	.500	100
L-075-200-LLUKNB	11.31	7787-0509	.750	200
L-075-100-LLUKNB	12.44	7787-0510	.750	100
L-100-200-LLUKNB	14.41	7787-0511	1.00	200
L-100-100-LLUKNB	15.85	7787-0512	1.00	100
L-150-200-LLUKNB	21.64	7787-0513	1.50	200
L-150-100-LLUKNB	23.81	7787-0514	1.50	100
L-200-200-LLUKNB	27.50	7787-0515	2.00	200
L-300-200-LLUKNB	41.28	7787-0516	3.00	200
L-400-200-LLUKNB	52.41	7787-0517	4.00	200

L Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUK	$7.23	7787-0475	.375	200
L-037-100-LLUK	7.96	7787-0476	.375	100
L-050-200-LLUK	7.23	7787-0477	.500	200
L-050-100-LLUK	7.96	7787-0478	.500	100
L-075-200-LLUK	10.33	7787-0479	.750	200
L-075-100-LLUK	11.37	7787-0480	.750	100
L-100-200-LLUK	13.20	7787-0481	1.00	200
L-100-100-LLUK	14.52	7787-0482	1.00	100
L-150-200-LLUK	19.81	7787-0483	1.50	200
L-150-100-LLUK	21.79	7787-0484	1.50	100
L-200-200-LLUK	25.20	7787-0485	2.00	200
L-300-200-LLUK	37.83	7787-0486	3.00	200
L-400-200-LLUK	48.05	7787-0487	4.00	200

L Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKNTB	$8.84	7787-0520	.375	200
L-037-100-LLUKNTB	9.72	7787-0521	.375	100
L-050-200-LLUKNTB	8.84	7787-0522	.500	200
L-050-100-LLUKNTB	9.72	7787-0523	.500	100
L-075-200-LLUKNTB	12.69	7787-0524	.750	200
L-075-100-LLUKNTB	13.96	7787-0525	.750	100
L-100-200-LLUKNTB	16.19	7787-0526	1.00	200
L-100-100-LLUKNTB	17.81	7787-0527	1.00	100
L-150-200-LLUKNTB	24.28	7787-0528	1.50	200
L-150-100-LLUKNTB	26.71	7787-0529	1.50	100
L-200-200-LLUKNTB	30.94	7787-0530	2.00	200
L-300-200-LLUKNTB	46.44	7787-0531	3.00	200
L-400-200-LLUKNTB	58.96	7787-0532	4.00	200

L Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKNT	$8.21	7787-0490	.375	200
L-037-100-LLUKNT	9.03	7787-0491	.375	100
L-050-200-LLUKNT	8.21	7787-0492	.500	200
L-050-100-LLUKNT	9.03	7787-0493	.500	100
L-075-200-LLUKNT	11.77	7787-0494	.750	200
L-075-100-LLUKNT	12.95	7787-0495	.750	100
L-100-200-LLUKNT	14.98	7787-0496	1.00	200
L-100-100-LLUKNT	16.48	7787-0497	1.00	100
L-150-200-LLUKNT	22.50	7787-0498	1.50	200
L-150-100-LLUKNT	24.75	7787-0499	1.50	100
L-200-200-LLUKNT	28.65	7787-0500	2.00	200
L-300-200-LLUKNT	43.00	7787-0501	3.00	200
L-400-200-LLUKNT	54.59	7787-0502	4.00	200

L Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKFDA	$8.84	7787-0535	.375	200
L-037-100-LLUKFDA	9.72	7787-0536	.375	100
L-050-200-LLUKFDA	8.84	7787-0537	.500	200
L-050-100-LLUKFDA	9.72	7787-0538	.500	100
L-075-200-LLUKFDA	11.31	7787-0539	.750	200
L-075-100-LLUKFDA	12.44	7787-0540	.750	100
L-100-200-LLUKFDA	14.41	7787-0541	1.00	200
L-100-100-LLUKFDA	15.85	7787-0542	1.00	100
L-150-200-LLUKFDA	21.64	7787-0543	1.50	200
L-150-100-LLUKFDA	23.81	7787-0544	1.50	100
L-200-200-LLUKFDA	27.50	7787-0545	2.00	200
L-300-200-LLUKFDA	41.28	7787-0546	3.00	200
L-400-200-LLUKFDA	52.41	7787-0547	4.00	200

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

L Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKHB	$8.84	7787-0550	.375	200
L-037-100-LLUKHB	9.72	7787-0551	.375	100
L-050-200-LLUKHB	8.84	7787-0552	.500	200
L-050-100-LLUKHB	9.72	7787-0553	.500	100
L-075-200-LLUKHB	12.69	7787-0554	.750	200
L-075-100-LLUKHB	13.96	7787-0555	.750	100
L-100-200-LLUKHB	16.19	7787-0556	1.00	200
L-100-100-LLUKHB	17.81	7787-0557	1.00	100
L-150-200-LLUKHB	24.28	7787-0558	1.50	200
L-150-100-LLUKHB	26.71	7787-0559	1.50	100
L-200-200-LLUKHB	30.94	7787-0560	2.00	200
L-300-200-LLUKHB	46.44	7787-0561	3.00	200
L-400-200-LLUKHB	58.96	7787-0562	4.00	200

L Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKHBNTB	$10.51	7787-0600	.375	200
L-037-100-LLUKHBNTB	11.56	7787-0601	.375	100
L-050-200-LLUKHBNTB	10.51	7787-0602	.500	200
L-050-100-LLUKHBNTB	11.56	7787-0603	.500	100
L-075-200-LLUKHBNTB	15.04	7787-0604	.750	200
L-075-100-LLUKHBNTB	16.54	7787-0605	.750	100
L-100-200-LLUKHBNTB	19.23	7787-0606	1.00	200
L-100-100-LLUKHBNTB	21.15	7787-0607	1.00	100
L-150-200-LLUKHBNTB	28.82	7787-0608	1.50	200
L-150-100-LLUKHBNTB	31.70	7787-0609	1.50	100
L-200-200-LLUKHBNTB	36.68	7787-0610	2.00	100
L-300-200-LLUKHBNTB	55.00	7787-0611	3.00	100
L-400-200-LLUKHBNTB	69.86	7787-0612	4.00	100

L Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKHBNT	$9.82	7787-0566	.375	200
L-037-100-LLUKHBNT	10.80	7787-0567	.375	100
L-050-200-LLUKHBNT	9.82	7787-0568	.500	200
L-050-100-LLUKHBNT	10.80	7787-0569	.500	100
L-075-200-LLUKHBNT	14.12	7787-0570	.750	200
L-075-100-LLUKHBNT	15.53	7787-0571	.750	100
L-100-200-LLUKHBNT	18.03	7787-0572	1.00	200
L-100-100-LLUKHBNT	19.83	7787-0573	1.00	100
L-150-200-LLUKHBNT	27.04	7787-0574	1.50	200
L-150-100-LLUKHBNT	29.74	7787-0575	1.50	100
L-200-200-LLUKHBNT	34.39	7787-0576	2.00	200
L-300-200-LLUKHBNT	51.55	7787-0577	3.00	200
L-400-200-LLUKHBNT	65.50	7787-0578	4.00	200

L Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKHBFDA	$10.51	7787-0616	.375	200
L-037-100-LLUKHBFDA	11.56	7787-0617	.375	100
L-050-200-LLUKHBFDA	10.51	7787-0618	.500	200
L-050-100-LLUKHBFDA	11.56	7787-0619	.500	100
L-075-200-LLUKHBFDA	15.04	7787-0620	.750	200
L-075-100-LLUKHBFDA	16.54	7787-0621	.750	100
L-100-200-LLUKHBFDA	19.23	7787-0622	1.00	200
L-100-100-LLUKHBFDA	21.15	7787-0623	1.00	100
L-150-200-LLUKHBFDA	28.82	7787-0624	1.50	200
L-150-100-LLUKHBFDA	31.70	7787-0625	1.50	100
L-200-200-LLUKHBFDA	36.68	7787-0626	2.00	200
L-300-200-LLUKHBFDA	55.00	7787-0627	3.00	200
L-400-200-LLUKHBFDA	69.86	7787-0628	4.00	200

L Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
L-037-200-LLUKHBNB	$9.53	7787-0582	.375	200
L-037-100-LLUKHBNB	10.48	7787-0583	.375	100
L-050-200-LLUKHBNB	9.53	7787-0584	.500	200
L-050-100-LLUKHBNB	10.48	7787-0585	.500	100
L-075-200-LLUKHBNB	13.66	7787-0586	.750	200
L-075-100-LLUKHBNB	15.03	7787-0587	.750	100
L-100-200-LLUKHBNB	17.39	7787-0588	1.00	200
L-100-100-LLUKHBNB	19.13	7787-0589	1.00	100
L-150-200-LLUKHBNB	26.12	7787-0590	1.50	200
L-150-100-LLUKHBNB	28.73	7787-0591	1.50	100
L-200-200-LLUKHBNB	33.24	7787-0592	2.00	200
L-300-200-LLUKHBNB	49.89	7787-0593	3.00	200
L-400-200-LLUKHBNB	63.32	7787-0594	4.00	200

H Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
[18]H-050-200-LLUS	$8.96	7787-0635	.500	200
[18]H-050-100-LLUS	9.85	7787-0636	.500	100
[18]H-075-200-LLUS	8.96	7787-0637	.750	200
[18]H-075-100-LLUS	9.85	7787-0638	.750	100
[18]H-100-200-LLUS	11.37	7787-0639	1.00	200
[18]H-100-100-LLUS	12.50	7787-0640	1.00	100
H-150-200-LLUS	17.05	7787-0641	1.50	200
[18]H-150-100-LLUS	18.76	7787-0642	1.50	100
H-200-200-LLUS	22.27	7787-0643	2.00	200
[18]H-200-100-LLUS	24.50	7787-0644	2.00	100
H-300-200-LLUS	33.41	7787-0645	3.00	200
[18]H-300-100-LLUS	36.75	7787-0646	3.00	100
H-400-200-LLUS	43.29	7787-0647	4.00	200
H-500-200-LLUS	47.61	7787-0649	5.00	200
H-600-200-LLUS	54.08	7787-0650	6.00	200

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

H Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSNT	$10.28	7787-0655	.500	200
[18]H-050-100-LLUSNT	11.30	7787-0656	.500	100
H-075-200-LLUSNT	10.28	7787-0657	.750	200
[18]H-075-100-LLUSNT	11.30	7787-0658	.750	100
H-100-200-LLUSNT	13.09	7787-0659	1.00	200
[18]H-100-100-LLUSNT	14.40	7787-0660	1.00	100
H-150-200-LLUSNT	19.63	7787-0661	1.50	200
[18]H-150-100-LLUSNT	21.60	7787-0663	1.50	100
H-200-200-LLUSNT	25.60	7787-0664	2.00	200
[18]H-200-100-LLUSNT	28.16	7787-0665	2.00	100
H-300-200-LLUSNT	38.46	7787-0666	3.00	200
H-400-200-LLUSNT	49.77	7787-0667	4.00	200
H-500-200-LLUSNT	62.23	7787-0668	5.00	200
H-600-200-LLUSNT	74.69	7787-0669	6.00	200

H Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSFDA	$11.14	7787-0708	.500	200
H-050-100-LLUSFDA	12.25	7787-0709	.500	100
H-075-200-LLUSFDA	11.14	7787-0710	.750	200
H-075-100-LLUSFDA	12.25	7787-0711	.750	100
H-100-200-LLUSFDA	14.24	7787-0712	1.00	200
H-100-100-LLUSFDA	15.66	7787-0713	1.00	100
H-150-200-LLUSFDA	21.30	7787-0714	1.50	200
H-150-100-LLUSFDA	23.43	7787-0715	1.50	100
H-200-200-LLUSFDA	27.84	7787-0716	2.00	200
H-300-200-LLUSFDA	41.79	7787-0717	3.00	200
H-400-200-LLUSFDA	54.08	7787-0719	4.00	200
H-500-200-LLUSFDA	67.63	7787-0720	5.00	200
H-600-200-LLUSFDA	81.12	7787-0721	6.00	200

H Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSNB	$9.82	7787-0673	.500	200
H-050-100-LLUSNB	10.80	7787-0674	.500	100
H-075-200-LLUSNB	9.82	7787-0675	.750	200
H-075-100-LLUSNB	10.80	7787-0677	.750	100
H-100-200-LLUSNB	12.51	7787-0678	1.00	200
H-100-100-LLUSNB	13.77	7787-0679	1.00	100
H-150-200-LLUSNB	18.77	7787-0680	1.50	200
H-150-100-LLUSNB	20.65	7787-0681	1.50	100
H-200-200-LLUSNB	24.51	7787-0682	2.00	200
H-300-200-LLUSNB	36.80	7787-0683	3.00	200
H-400-200-LLUSNB	47.59	7787-0684	4.00	200
H-500-200-LLUSNB	59.53	7787-0685	5.00	200
H-600-200-LLUSNB	71.41	7787-0686	6.00	200

H Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHB	$11.14	7787-0725	.500	200
H-050-100-LLUSHB	12.25	7787-0726	.500	100
H-075-200-LLUSHB	11.14	7787-0727	.750	200
H-075-100-LLUSHB	12.25	7787-0728	.750	100
H-100-200-LLUSHB	14.24	7787-0729	1.00	200
H-100-100-LLUSHB	15.66	7787-0730	1.00	100
H-150-200-LLUSHB	21.30	7787-0731	1.50	200
H-150-100-LLUSHB	23.43	7787-0733	1.50	100
H-200-200-LLUSHB	27.84	7787-0734	2.00	200
H-300-200-LLUSHB	41.79	7787-0735	3.00	200
H-400-200-LLUSHB	54.08	7787-0736	4.00	200
H-500-200-LLUSHB	67.63	7787-0737	5.00	200
H-600-200-LLUSHB	81.12	7787-0738	6.00	200

H Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSNTB	$11.14	7787-0691	.500	200
H-050-100-LLUSNTB	12.25	7787-0692	.500	100
H-075-200-LLUSNTB	11.14	7787-0693	.750	200
H-075-100-LLUSNTB	12.25	7787-0694	.750	100
H-100-200-LLUSNTB	14.24	7787-0695	1.00	200
H-100-100-LLUSNTB	15.66	7787-0696	1.00	100
H-150-200-LLUSNTB	21.30	7787-0697	1.50	200
H-150-100-LLUSNTB	23.43	7787-0698	1.50	100
H-200-200-LLUSNTB	27.84	7787-0699	2.00	200
H-300-200-LLUSNTB	41.79	7787-0700	3.00	200
H-400-200-LLUSNTB	54.08	7787-0701	4.00	200
H-500-200-LLUSNTB	67.63	7787-0702	5.00	200
H-600-200-LLUSNTB	81.12	7787-0703	6.00	200

H Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHBNT	$12.51	7787-0742	.500	200
H-050-100-LLUSHBNT	13.77	7787-0743	.500	100
H-075-200-LLUSHBNT	12.51	7787-0744	.750	200
H-075-100-LLUSHBNT	13.77	7787-0745	.750	100
H-100-200-LLUSHBNT	15.90	7787-0747	1.00	200
H-100-100-LLUSHBNT	17.49	7787-0748	1.00	100
H-150-200-LLUSHBNT	23.88	7787-0749	1.50	200
H-150-100-LLUSHBNT	26.27	7787-0750	1.50	100
H-200-200-LLUSHBNT	31.23	7787-0751	2.00	200
H-300-200-LLUSHBNT	46.79	7787-0752	3.00	200
H-400-200-LLUSHBNT	60.56	7787-0753	4.00	200
H-500-200-LLUSHBNT	75.72	7787-0754	5.00	200
H-600-200-LLUSHBNT	90.88	7787-0755	6.00	200

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

H Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHBNB	$12.06	7787-0759	.500	200
H-050-100-LLUSHBNB	13.26	7787-0761	.500	100
H-075-200-LLUSHBNB	12.06	7787-0762	.750	200
H-075-100-LLUSHBNB	13.26	7787-0763	.750	100
H-100-200-LLUSHBNB	15.33	7787-0764	1.00	200
H-100-100-LLUSHBNB	16.86	7787-0765	1.00	100
H-150-200-LLUSHBNB	23.02	7787-0766	1.50	200
H-150-100-LLUSHBNB	25.32	7787-0767	1.50	100
H-200-200-LLUSHBNB	30.08	7787-0768	2.00	200
H-300-200-LLUSHBNB	45.12	7787-0769	3.00	200
H-400-200-LLUSHBNB	58.44	7787-0770	4.00	200
H-500-200-LLUSHBNB	73.02	7787-0771	5.00	200
H-600-200-LLUSHBNB	87.66	7787-0772	6.00	200

H Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUK	$9.82	7787-0811	.500	200
[18]H-050-100-LLUK	10.80	7787-0812	.500	100
H-075-200-LLUK	9.82	7787-0813	.750	200
[18]H-075-100-LLUK	10.80	7787-0814	.750	100
H-100-200-LLUK	12.51	7787-0815	1.00	200
[18]H-100-100-LLUK	13.77	7787-0817	1.00	100
H-150-200-LLUK	18.77	7787-0818	1.50	200
[18]H-150-100-LLUK	20.65	7787-0819	1.50	100
H-200-200-LLUK	24.51	7787-0820	2.00	200
[18]H-200-100-LLUK	26.96	7787-0821	2.00	100
H-300-200-LLUK	36.80	7787-0822	3.00	200
H-400-200-LLUK	47.59	7787-0823	4.00	200
H-500-200-LLUK	59.53	7787-0824	5.00	200
H-600-200-LLUK	71.41	7787-0825	6.00	200

H Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHBNTB	$13.38	7787-0777	.500	200
H-050-100-LLUSHBNTB	14.71	7787-0778	.500	100
H-075-200-LLUSHBNTB	13.38	7787-0779	.750	200
H-075-100-LLUSHBNTB	14.71	7787-0780	.750	100
H-100-200-LLUSHBNTB	17.05	7787-0781	1.00	200
H-100-100-LLUSHBNTB	18.76	7787-0782	1.00	100
H-150-200-LLUSHBNTB	25.55	7787-0783	1.50	200
H-150-100-LLUSHBNTB	28.10	7787-0784	1.50	100
H-200-200-LLUSHBNTB	33.41	7787-0785	2.00	200
H-300-200-LLUSHBNTB	50.12	7787-0786	3.00	200
H-400-200-LLUSHBNTB	64.93	7787-0787	4.00	200
H-500-200-LLUSHBNTB	81.12	7787-0789	5.00	200
H-600-200-LLUSHBNTB	97.42	7787-0790	6.00	200

H Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKNT	$11.14	7787-0829	.500	200
[18]H-050-100-LLUKNT	12.25	7787-0831	.500	100
H-075-200-LLUKNT	11.14	7787-0832	.750	200
[18]H-075-100-LLUKNT	12.25	7787-0833	.750	100
H-100-200-LLUKNT	14.24	7787-0834	1.00	200
[18]H-100-100-LLUKNT	15.66	7787-0835	1.00	100
H-150-200-LLUKNT	21.30	7787-0836	1.50	200
H-150-100-LLUKNT	23.43	7787-0837	1.50	100
H-200-200-LLUKNT	27.84	7787-0838	2.00	200
H-300-200-LLUKNT	41.79	7787-0839	3.00	200
H-400-200-LLUKNT	54.08	7787-0840	4.00	200
H-500-200-LLUKNT	67.63	7787-0841	5.00	200
H-600-200-LLUKNT	81.12	7787-0842	6.00	200

H Pitch—LL Urethane/Steel—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHBFDA	$13.38	7787-0794	.500	200
H-050-100-LLUSHBFDA	14.71	7787-0795	.500	100
H-075-200-LLUSHBFDA	13.38	7787-0796	.750	200
H-075-100-LLUSHBFDA	14.71	7787-0797	.750	100
H-100-200-LLUSHBFDA	17.05	7787-0798	1.00	200
H-100-100-LLUSHBFDA	18.76	7787-0799	1.00	100
H-150-200-LLUSHBFDA	25.55	7787-0800	1.50	200
H-150-100-LLUSHBFDA	28.10	7787-0801	1.50	100
H-200-200-LLUSHBFDA	33.41	7787-0803	2.00	200
H-300-200-LLUSHBFDA	50.12	7787-0804	3.00	200
H-400-200-LLUSHBFDA	64.93	7787-0805	4.00	200
H-500-200-LLUSHBFDA	81.12	7787-0806	5.00	200
H-600-200-LLUSHBFDA	97.42	7787-0807	6.00	200

H Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKNB	$10.74	7787-0847	.500	200
H-050-100-LLUKNB	11.81	7787-0848	.500	100
H-075-200-LLUKNB	10.74	7787-0849	.750	200
H-075-100-LLUKNB	11.81	7787-0850	.750	100
H-100-200-LLUKNB	13.66	7787-0851	1.00	200
H-100-100-LLUKNB	15.03	7787-0852	1.00	100
H-150-200-LLUKNB	20.44	7787-0853	1.50	200
H-150-100-LLUKNB	22.48	7787-0854	1.50	100
H-200-200-LLUKNB	26.75	7787-0855	2.00	200
H-300-200-LLUKNB	39.32	7787-0856	3.00	200
H-400-200-LLUKNB	51.95	7787-0857	4.00	200
H-500-200-LLUKNB	64.93	7787-0859	5.00	200
H-600-200-LLUKNB	77.90	7787-0860	6.00	200

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

H Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKNTB	$12.06	7787-0864	.500	200
H-050-100-LLUKNTB	13.26	7787-0865	.500	100
H-075-200-LLUKNTB	12.06	7787-0866	.750	200
H-075-100-LLUKNTB	13.26	7787-0867	.750	100
H-100-200-LLUKNTB	15.33	7787-0868	1.00	200
H-100-100-LLUKNTB	16.86	7787-0869	1.00	100
H-150-200-LLUKNTB	23.02	7787-0870	1.50	200
H-150-100-LLUKNTB	25.32	7787-0871	1.50	100
H-200-200-LLUKNTB	30.08	7787-0873	2.00	200
H-300-200-LLUKNTB	45.12	7787-0874	3.00	200
H-400-200-LLUKNTB	58.44	7787-0875	4.00	200
H-500-200-LLUKNTB	73.02	7787-0876	5.00	200
H-600-200-LLUKNTB	87.66	7787-0877	6.00	200

H Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKFDA	$12.06	7787-0881	.500	200
H-050-100-LLUKFDA	13.26	7787-0882	.500	100
H-075-200-LLUKFDA	12.06	7787-0883	.750	200
H-075-100-LLUKFDA	13.26	7787-0884	.750	100
H-100-200-LLUKFDA	15.33	7787-0885	1.00	200
H-100-100-LLUKFDA	16.86	7787-0887	1.00	100
H-150-200-LLUKFDA	23.02	7787-0888	1.50	200
H-150-100-LLUKFDA	25.32	7787-0889	1.50	100
H-200-200-LLUKFDA	30.08	7787-0890	2.00	200
H-300-200-LLUKFDA	45.12	7787-0891	3.00	200
H-400-200-LLUKFDA	58.44	7787-0892	4.00	200
H-500-200-LLUKFDA	73.02	7787-0893	5.00	200
H-600-200-LLUKFDA	87.66	7787-0894	6.00	200

H Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKHB	$12.06	7787-0898	.500	200
H-050-100-LLUKHB	13.26	7787-0899	.500	100
H-075-200-LLUKHB	12.06	7787-0901	.750	200
H-075-100-LLUKHB	13.26	7787-0902	.750	100
H-100-200-LLUKHB	15.33	7787-0903	1.00	200
H-100-100-LLUKHB	16.86	7787-0904	1.00	100
H-150-200-LLUKHB	23.02	7787-0905	1.50	200
H-150-100-LLUKHB	25.32	7787-0906	1.50	100
H-200-200-LLUKHB	30.08	7787-0907	2.00	200
H-300-200-LLUKHB	45.12	7787-0908	3.00	200
H-400-200-LLUKHB	58.44	7787-0909	4.00	200
H-500-200-LLUKHB	73.02	7787-0910	5.00	200
H-600-200-LLUKHB	87.66	7787-0911	6.00	200

H Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKHBNT	$13.38	7787-0915	.500	200
H-050-100-LLUKHBNT	14.71	7787-0916	.500	100
H-075-200-LLUKHBNT	13.38	7787-0917	.750	200
H-075-100-LLUKHBNT	14.71	7787-0918	.750	100
H-100-200-LLUKHBNT	17.05	7787-0919	1.00	200
H-100-100-LLUKHBNT	18.76	7787-0920	1.00	100
H-150-200-LLUKHBNT	25.55	7787-0921	1.50	200
H-150-100-LLUKHBNT	28.10	7787-0922	1.50	100
H-200-200-LLUKHBNT	33.41	7787-0923	2.00	200
H-300-200-LLUKHBNT	50.12	7787-0924	3.00	200
H-400-200-LLUKHBNT	64.93	7787-0925	4.00	200
H-500-200-LLUKHBNT	81.12	7787-0926	5.00	200
H-600-200-LLUKHBNT	97.42	7787-0927	6.00	200

H Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKHBNB	$12.92	7787-0931	.500	200
H-050-100-LLUKHBNB	14.21	7787-0932	.500	100
H-075-200-LLUKHBNB	12.92	7787-0933	.750	200
H-075-100-LLUKHBNB	14.21	7787-0934	.750	100
H-100-200-LLUKHBNB	16.48	7787-0935	1.00	200
H-100-100-LLUKHBNB	18.12	7787-0936	1.00	100
H-150-200-LLUKHBNB	24.74	7787-0937	1.50	200
H-150-100-LLUKHBNB	27.22	7787-0938	1.50	100
H-200-200-LLUKHBNB	32.32	7787-0939	2.00	200
H-300-200-LLUKHBNB	48.51	7787-0940	3.00	200
H-400-200-LLUKHBNB	62.75	7787-0941	4.00	200
H-500-200-LLUKHBNB	78.48	7787-0942	5.00	200
H-600-200-LLUKHBNB	94.15	7787-0943	6.00	200

H Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKHBNTB	$14.29	7787-0946	.500	200
H-050-100-LLUKHBNTB	15.72	7787-0947	.500	100
H-075-200-LLUKHBNTB	14.29	7787-0948	.750	200
H-075-100-LLUKHBNTB	15.72	7787-0949	.750	100
H-100-200-LLUKHBNTB	18.20	7787-0950	1.00	200
H-100-100-LLUKHBNTB	20.02	7787-0951	1.00	100
H-150-200-LLUKHBNTB	27.27	7787-0952	1.50	200
H-150-100-LLUKHBNTB	30.00	7787-0953	1.50	100
H-200-200-LLUKHBNTB	35.65	7787-0954	2.00	200
H-300-200-LLUKHBNTB	53.50	7787-0955	3.00	200
H-400-200-LLUKHBNTB	69.23	7787-0956	4.00	200
H-500-200-LLUKHBNTB	86.57	7787-0957	5.00	200
H-600-200-LLUKHBNTB	103.85	7787-0958	6.00	200

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

H Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUKHBFDA	$14.29	7787-0962	.500	200
H-050-100-LLUKHBFDA	15.72	7787-0963	.500	100
H-075-200-LLUKHBFDA	14.29	7787-0964	.750	200
H-075-100-LLUKHBFDA	15.72	7787-0965	.750	100
H-100-200-LLUKHBFDA	18.20	7787-0966	1.00	200
H-100-100-LLUKHBFDA	20.02	7787-0967	1.00	100
H-150-200-LLUKHBFDA	27.27	7787-0968	1.50	200
H-150-100-LLUKHBFDA	30.00	7787-0969	1.50	100
H-200-200-LLUKHBFDA	35.65	7787-0970	2.00	200
H-300-200-LLUKHBFDA	53.50	7787-0971	3.00	200
H-400-200-LLUKHBFDA	69.23	7787-0972	4.00	200
H-500-200-LLUKHBFDA	86.57	7787-0973	5.00	200
H-600-200-LLUKHBFDA	103.85	7787-0974	6.00	200

H Pitch—LL Urethane/Steel—High Flex Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHF	$11.14	7787-0978	.500	200
H-050-100-LLUSHF	12.25	7787-0979	.500	100
H-075-200-LLUSHF	11.14	7787-0980	.750	200
H-075-100-LLUSHF	12.25	7787-0981	.750	100
H-100-200-LLUSHF	14.24	7787-0982	1.00	200
H-100-100-LLUSHF	15.66	7787-0983	1.00	100
H-150-200-LLUSHF	21.30	7787-0984	1.50	200
H-150-100-LLUSHF	23.43	7787-0985	1.50	100
H-200-200-LLUSHF	27.84	7787-0986	2.00	200
H-300-200-LLUSHF	41.79	7787-0987	3.00	200
H-400-200-LLUSHF	54.08	7787-0988	4.00	200
H-500-200-LLUSHF	67.63	7787-0989	5.00	200
H-600-200-LLUSHF	81.12	7787-0990	6.00	200

H Pitch—LL Urethane/Steel—High Flex Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHFNT	$12.51	7787-0994	.500	200
H-050-100-LLUSHFNT	13.77	7787-0995	.500	100
H-075-200-LLUSHFNT	12.51	7787-0996	.750	200
H-075-100-LLUSHFNT	13.77	7787-0997	.750	100
H-100-200-LLUSHFNT	15.90	7787-0998	1.00	200
H-100-100-LLUSHFNT	17.49	7787-0999	1.00	100
H-150-200-LLUSHFNT	23.88	7787-1000	1.50	200
H-150-100-LLUSHFNT	26.27	7787-1001	1.50	100
H-200-200-LLUSHFNT	31.23	7787-1002	2.00	200
H-300-200-LLUSHFNT	46.79	7787-1003	3.00	200
H-400-200-LLUSHFNT	60.56	7787-1004	4.00	200
H-500-200-LLUSHFNT	75.72	7787-1005	5.00	200
H-600-200-LLUSHFNT	90.88	7787-1006	6.00	200

H Pitch—LL Urethane/Steel—High Flex Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHFNB	$12.06	7787-1010	.500	200
H-050-100-LLUSHFNB	13.26	7787-1011	.500	100
H-075-200-LLUSHFNB	12.06	7787-1012	.750	200
H-075-100-LLUSHFNB	13.26	7787-1013	.750	100
H-100-200-LLUSHFNB	15.33	7787-1014	1.00	200
H-100-100-LLUSHFNB	16.86	7787-1015	1.00	100
H-150-200-LLUSHFNB	23.02	7787-1016	1.50	200
H-150-100-LLUSHFNB	25.32	7787-1017	1.50	100
H-200-200-LLUSHFNB	30.08	7787-1018	2.00	200
H-300-200-LLUSHFNB	45.12	7787-1019	3.00	200
H-400-200-LLUSHFNB	58.44	7787-1020	4.00	200
H-500-200-LLUSHFNB	73.02	7787-1021	5.00	200
H-600-200-LLUSHFNB	87.66	7787-1022	6.00	200

H Pitch—LL Urethane/Steel—High Flex Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHFNTB	$13.38	7787-1026	.500	200
H-050-100-LLUSHFNTB	14.71	7787-1027	.500	100
H-075-200-LLUSHFNTB	13.38	7787-1028	.750	200
H-075-100-LLUSHFNTB	14.71	7787-1029	.750	100
H-100-200-LLUSHFNTB	17.05	7787-1030	1.00	200
H-100-100-LLUSHFNTB	18.76	7787-1031	1.00	100
H-150-200-LLUSHFNTB	25.55	7787-1032	1.50	200
H-150-100-LLUSHFNTB	28.10	7787-1033	1.50	100
H-200-200-LLUSHFNTB	33.41	7787-1034	2.00	200
H-300-200-LLUSHFNTB	50.12	7787-1035	3.00	200
H-400-200-LLUSHFNTB	64.93	7787-1036	4.00	200
H-500-200-LLUSHFNTB	81.12	7787-1037	5.00	200
H-600-200-LLUSHFNTB	97.42	7787-1038	6.00	200

H Pitch—LL Urethane/Steel—High Flex Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
H-050-200-LLUSHFFDA	$13.38	7787-1045	.500	200
H-050-100-LLUSHFFDA	14.71	7787-1046	.500	100
H-075-200-LLUSHFFDA	13.38	7787-1047	.750	200
H-075-100-LLUSHFFDA	14.71	7787-1048	.750	100
H-100-200-LLUSHFFDA	17.05	7787-1049	1.00	200
H-100-100-LLUSHFFDA	18.76	7787-1050	1.00	100
H-150-200-LLUSHFFDA	25.55	7787-1051	1.50	200
H-150-100-LLUSHFFDA	28.10	7787-1052	1.50	100
H-200-200-LLUSHFFDA	33.41	7787-1053	2.00	200
H-300-200-LLUSHFFDA	50.12	7787-1054	3.00	200
H-400-200-LLUSHFFDA	64.93	7787-1055	4.00	200
H-500-200-LLUSHFFDA	81.12	7787-1056	5.00	200
H-600-200-LLUSHFFDA	97.42	7787-1057	6.00	200

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XH Pitch—LL Urethane/Steel

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUS	$21.76	7787-1060	1.00	200
XH-100-100-LLUS	23.93	7787-1061	1.00	100
XH-150-200-LLUS	32.66	7787-1062	1.50	200
[18]XH-150-100-LLUS	35.93	7787-1063	1.50	100
XH-200-200-LLUS	41.56	7787-1064	2.00	200
[18]XH-200-100-LLUS	45.72	7787-1065	2.00	100
XH-300-200-LLUS	62.34	7787-1066	3.00	200
XH-300-100-LLUS	68.58	7787-1067	3.00	100
XH-400-200-LLUS	79.16	7787-1068	4.00	200
XH-500-200-LLUS	118.72	7787-1069	5.00	200
XH-600-200-LLUS	118.72	7787-1070	6.00	200

XH Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSNTB	$27.21	7787-1104	1.00	200
XH-100-100-LLUSNTB	29.93	7787-1105	1.00	100
XH-150-200-LLUSNTB	40.82	7787-1106	1.50	200
XH-150-100-LLUSNTB	44.90	7787-1107	1.50	100
XH-200-200-LLUSNTB	51.95	7787-1108	2.00	200
XH-200-100-LLUSNTB	57.15	7787-1109	2.00	100
XH-300-200-LLUSNTB	77.90	7787-1110	3.00	200
XH-300-100-LLUSNTB	85.69	7787-1111	3.00	100
XH-400-200-LLUSNTB	98.97	7787-1112	4.00	200
XH-500-200-LLUSNTB	148.40	7787-1113	5.00	200
XH-600-200-LLUSNTB	148.40	7787-1114	6.00	200

XH Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSNT	$25.03	7787-1075	1.00	200
XH-100-100-LLUSNT	27.53	7787-1076	1.00	100
XH-150-200-LLUSNT	37.54	7787-1077	1.50	200
XH-150-100-LLUSNT	41.30	7787-1078	1.50	100
XH-200-200-LLUSNT	47.82	7787-1079	2.00	200
XH-200-100-LLUSNT	52.60	7787-1080	2.00	100
XH-300-200-LLUSNT	71.70	7787-1081	3.00	200
XH-300-100-LLUSNT	78.87	7787-1082	3.00	100
XH-400-200-LLUSNT	91.05	7787-1083	4.00	200
XH-500-200-LLUSNT	136.51	7787-1084	5.00	200
XH-600-200-LLUSNT	136.51	7787-1085	6.00	200

XH Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSFDA	$27.21	7787-1117	1.00	200
XH-100-100-LLUSFDA	29.93	7787-1118	1.00	100
XH-150-200-LLUSFDA	40.82	7787-1119	1.50	200
XH-150-100-LLUSFDA	44.90	7787-1120	1.50	100
XH-200-200-LLUSFDA	51.95	7787-1121	2.00	200
XH-200-100-LLUSFDA	57.15	7787-1122	2.00	100
XH-300-200-LLUSFDA	77.90	7787-1123	3.00	200
XH-300-100-LLUSFDA	85.69	7787-1124	3.00	100
XH-400-200-LLUSFDA	98.97	7787-1125	4.00	200
XH-500-200-LLUSFDA	148.40	7787-1126	5.00	200
XH-600-200-LLUSFDA	148.40	7787-1127	6.00	200

XH Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSNB	$23.94	7787-1090	1.00	200
XH-100-100-LLUSNB	26.33	7787-1091	1.00	100
XH-150-200-LLUSNB	35.94	7787-1092	1.50	200
XH-150-100-LLUSNB	39.53	7787-1093	1.50	100
XH-200-200-LLUSNB	45.70	7787-1094	2.00	200
XH-200-100-LLUSNB	50.27	7787-1095	2.00	100
XH-300-200-LLUSNB	68.54	7787-1096	3.00	200
XH-300-100-LLUSNB	75.40	7787-1097	3.00	100
XH-400-200-LLUSNB	87.09	7787-1098	4.00	200
XH-500-200-LLUSNB	130.60	7787-1099	5.00	200
XH-600-200-LLUSNB	130.60	7787-1100	5.00	200

XH Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSHB	$27.21	7787-1131	1.00	200
XH-100-100-LLUSHB	29.93	7787-1132	1.00	100
XH-150-200-LLUSHB	40.82	7787-1133	1.50	200
XH-150-100-LLUSHB	44.90	7787-1134	1.50	100
XH-200-200-LLUSHB	51.95	7787-1135	2.00	200
XH-200-100-LLUSHB	57.15	7787-1136	2.00	100
XH-300-200-LLUSHB	77.90	7787-1137	3.00	200
XH-300-100-LLUSHB	85.69	7787-1138	3.00	100
XH-400-200-LLUSHB	98.97	7787-1139	4.00	200
XH-500-200-LLUSHB	148.40	7787-1140	5.00	200
XH-600-200-LLUSHB	148.40	7787-1141	6.00	200

[18]Stocked Product

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XH Pitch—LL Urethane/Steel—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSHBNT	$30.48	7787-1145	1.00	200
XH-100-100-LLUSHBNT	33.53	7787-1146	1.00	100
XH-150-200-LLUSHBNT	45.70	7787-1147	1.50	200
XH-150-100-LLUSHBNT	50.27	7787-1148	1.50	100
XH-200-200-LLUSHBNT	58.15	7787-1149	2.00	200
XH-200-100-LLUSHBNT	63.97	7787-1150	2.00	100
XH-300-200-LLUSHBNT	87.26	7787-1151	3.00	200
XH-300-100-LLUSHBNT	95.99	7787-1152	3.00	100
XH-400-200-LLUSHBNT	110.85	7787-1153	4.00	200
XH-500-200-LLUSHBNT	166.19	7787-1154	5.00	200
XH-600-200-LLUSHBNT	166.19	7787-1155	6.00	200

XH Pitch—LL Urethane/Steel—Heavy Backing—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSHBFDA	$32.66	7787-1186	1.00	200
XH-100-100-LLUSHBFDA	35.93	7787-1187	1.00	100
XH-150-200-LLUSHBFDA	48.97	7787-1188	1.50	200
XH-150-100-LLUSHBFDA	53.87	7787-1189	1.50	100
XH-200-200-LLUSHBFDA	62.34	7787-1190	2.00	200
XH-200-100-LLUSHBFDA	68.58	7787-1191	2.00	100
XH-300-200-LLUSHBFDA	93.52	7787-1192	3.00	200
XH-300-100-LLUSHBFDA	102.87	7787-1193	3.00	100
XH-400-200-LLUSHBFDA	118.72	7787-1194	4.00	200
XH-500-200-LLUSHBFDA	178.08	7787-1195	5.00	200
XH-600-200-LLUSHBFDA	178.08	7787-1196	6.00	200

XH Pitch—LL Urethane/Steel—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSHBNB	$29.39	7787-1160	1.00	200
XH-100-100-LLUSHBNB	32.33	7787-1161	1.00	100
XH-150-200-LLUSHBNB	44.09	7787-1162	1.50	200
XH-150-100-LLUSHBNB	48.50	7787-1163	1.50	100
XH-200-200-LLUSHBNB	56.09	7787-1164	2.00	200
XH-200-100-LLUSHBNB	61.70	7787-1165	2.00	100
XH-300-200-LLUSHBNB	84.16	7787-1166	3.00	200
XH-300-100-LLUSHBNB	92.58	7787-1167	3.00	100
XH-400-200-LLUSHBNB	106.84	7787-1168	4.00	200
XH-500-200-LLUSHBNB	160.28	7787-1169	5.00	200
XH-600-200-LLUSHBNB	160.28	7787-1170	6.00	200

XH Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUK	$25.03	7787-1200	1.00	200
XH-100-100-LLUK	27.53	7787-1201	1.00	100
XH-150-200-LLUK	37.54	7787-1202	1.50	200
XH-150-100-LLUK	41.30	7787-1203	1.50	100
XH-200-200-LLUK	47.82	7787-1204	2.00	200
XH-200-100-LLUK	52.60	7787-1205	2.00	100
XH-300-200-LLUK	71.70	7787-1206	3.00	200
XH-300-100-LLUK	78.87	7787-1207	3.00	100
XH-400-200-LLUK	91.05	7787-1208	4.00	200
XH-500-200-LLUK	136.51	7787-1209	5.00	200
XH-600-200-LLUK	136.51	7787-1210	6.00	200

XH Pitch—LL Urethane/Steel—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUSHBNTB	$32.66	7787-1173	1.00	200
XH-100-100-LLUSHBNTB	35.93	7787-1174	1.00	100
XH-150-200-LLUSHBNTB	48.97	7787-1175	1.50	200
XH-150-100-LLUSHBNTB	53.87	7787-1176	1.50	100
XH-200-200-LLUSHBNTB	62.34	7787-1177	2.00	200
XH-200-100-LLUSHBNTB	68.58	7787-1178	2.00	100
XH-300-200-LLUSHBNTB	93.52	7787-1179	3.00	200
XH-300-100-LLUSHBNTB	102.87	7787-1180	3.00	100
XH-400-200-LLUSHBNTB	118.72	7787-1181	4.00	200
XH-500-200-LLUSHBNTB	178.08	7787-1182	5.00	200
XH-600-200-LLUSHBNTB	178.08	7787-1183	6.00	200

XH Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKNT	$28.76	7787-1214	1.00	200
XH-100-100-LLUKNT	31.64	7787-1215	1.00	100
XH-150-200-LLUKNT	43.17	7787-1216	1.50	200
XH-150-100-LLUKNT	47.49	7787-1217	1.50	100
XH-200-200-LLUKNT	54.94	7787-1218	2.00	200
XH-200-100-LLUKNT	60.43	7787-1219	2.00	100
XH-300-200-LLUKNT	82.44	7787-1220	3.00	200
XH-300-100-LLUKNT	90.68	7787-1221	3.00	100
XH-400-200-LLUKNT	104.71	7787-1222	4.00	200
XH-500-200-LLUKNT	157.01	7787-1223	5.00	200
XH-600-200-LLUKNT	157.01	7787-1224	6.00	200

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XH Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKNB	$27.56	7787-1228	1.00	200
XH-100-100-LLUKNB	30.31	7787-1229	1.00	100
XH-150-200-LLUKNB	41.28	7787-1230	1.50	200
XH-150-100-LLUKNB	45.40	7787-1231	1.50	100
XH-200-200-LLUKNB	52.53	7787-1232	2.00	200
XH-200-100-LLUKNB	57.78	7787-1233	2.00	100
XH-300-200-LLUKNB	78.82	7787-1234	3.00	200
XH-300-100-LLUKNB	86.70	7787-1235	3.00	100
XH-400-200-LLUKNB	100.12	7787-1236	4.00	200
XH-500-200-LLUKNB	150.18	7787-1237	5.00	200
XH-600-200-LLUKNB	150.18	7787-1238	6.00	200

XH Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKHB	$31.29	7787-1270	1.00	200
XH-100-100-LLUKHB	34.42	7787-1271	1.00	100
XH-150-200-LLUKHB	46.96	7787-1272	1.50	200
XH-150-100-LLUKHB	51.66	7787-1273	1.50	100
XH-200-200-LLUKHB	59.76	7787-1274	2.00	200
XH-200-100-LLUKHB	65.74	7787-1275	2.00	100
XH-300-200-LLUKHB	89.61	7787-1276	3.00	200
XH-300-100-LLUKHB	98.57	7787-1277	3.00	100
XH-400-200-LLUKHB	113.78	7787-1278	4.00	200
XH-500-200-LLUKHB	170.67	7787-1279	5.00	200
XH-600-200-LLUKHB	170.67	7787-1280	6.00	200

XH Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKNTB	$31.29	7787-1242	1.00	200
XH-100-100-LLUKNTB	34.42	7787-1243	1.00	100
XH-150-200-LLUKNTB	46.96	7787-1244	1.50	200
XH-150-100-LLUKNTB	51.66	7787-1245	1.50	100
XH-200-200-LLUKNTB	59.76	7787-1246	2.00	200
XH-200-100-LLUKNTB	65.74	7787-1247	2.00	100
XH-300-200-LLUKNTB	89.61	7787-1248	3.00	200
XH-300-100-LLUKNTB	98.57	7787-1249	3.00	100
XH-400-200-LLUKNTB	113.78	7787-1250	4.00	200
XH-500-200-LLUKNTB	170.67	7787-1251	5.00	200
XH-600-200-LLUKNTB	170.67	7787-1252	6.00	200

XH Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKHBNT	$35.08	7787-1284	1.00	200
XH-100-100-LLUKHBNT	38.58	7787-1285	1.00	100
XH-150-200-LLUKHBNT	52.53	7787-1286	1.50	200
XH-150-100-LLUKHBNT	57.78	7787-1287	1.50	100
XH-200-200-LLUKHBNT	66.88	7787-1288	2.00	200
XH-200-100-LLUKHBNT	73.57	7787-1289	2.00	100
XH-300-200-LLUKHBNT	100.35	7787-1290	3.00	200
XH-300-100-LLUKHBNT	110.38	7787-1291	3.00	100
XH-400-200-LLUKHBNT	127.44	7787-1292	4.00	200
XH-500-200-LLUKHBNT	191.17	7787-1293	5.00	200
XH-600-200-LLUKHBNT	191.17	7787-1294	6.00	200

XH Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKFDA	$31.29	7787-1256	1.00	200
XH-100-100-LLUKFDA	34.42	7787-1257	1.00	100
XH-150-200-LLUKFDA	46.96	7787-1258	1.50	200
XH-150-100-LLUKFDA	51.66	7787-1259	1.50	100
XH-200-200-LLUKFDA	59.76	7787-1260	2.00	200
XH-200-100-LLUKFDA	65.74	7787-1261	2.00	100
XH-300-200-LLUKFDA	89.61	7787-1262	3.00	200
XH-300-100-LLUKFDA	98.57	7787-1263	3.00	100
XH-400-200-LLUKFDA	113.78	7787-1264	4.00	200
XH-500-200-LLUKFDA	170.67	7787-1265	5.00	200
XH-600-200-LLUKFDA	170.67	7787-1266	6.00	200

XH Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKHBNB	$33.81	7787-1298	1.00	200
XH-100-100-LLUKHBNB	37.19	7787-1299	1.00	100
XH-150-200-LLUKHBNB	50.69	7787-1300	1.50	200
XH-150-100-LLUKHBNB	55.76	7787-1301	1.50	100
XH-200-200-LLUKHBNB	64.53	7787-1302	2.00	200
XH-200-100-LLUKHBNB	70.98	7787-1303	2.00	100
XH-300-200-LLUKHBNB	96.73	7787-1304	3.00	200
XH-300-100-LLUKHBNB	106.40	7787-1305	3.00	100
XH-400-200-LLUKHBNB	122.85	7787-1306	4.00	200
XH-500-200-LLUKHBNB	184.34	7787-1307	5.00	200
XH-600-200-LLUKHBNB	184.34	7787-1308	6.00	200

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XH Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKHBNTB	$37.54	7787-1312	1.00	200
XH-100-100-LLUKHBNTB	41.30	7787-1313	1.00	100
XH-150-200-LLUKHBNTB	56.32	7787-1314	1.50	200
XH-150-100-LLUKHBNTB	61.95	7787-1315	1.50	100
XH-200-200-LLUKHBNTB	71.70	7787-1316	2.00	200
XH-200-100-LLUKHBNTB	78.87	7787-1317	2.00	100
XH-300-200-LLUKHBNTB	107.52	7787-1318	3.00	200
XH-300-100-LLUKHBNTB	118.28	7787-1319	3.00	100
XH-400-200-LLUKHBNTB	136.51	7787-1320	4.00	200
XH-500-200-LLUKHBNTB	204.83	7787-1321	5.00	200
XH-600-200-LLUKHBNTB	204.83	7787-1322	6.00	200

XH Pitch—LL Urethane/Kevlar®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
XH-100-200-LLUKHBFDA	$37.54	7787-1326	1.00	200
XH-100-100-LLUKHBFDA	41.30	7787-1327	1.00	100
XH-150-200-LLUKHBFDA	56.32	7787-1328	1.50	200
XH-150-100-LLUKHBFDA	61.95	7787-1329	1.50	100
XH-200-200-LLUKHBFDA	71.70	7787-1330	2.00	200
XH-200-100-LLUKHBFDA	78.87	7787-1331	2.00	100
XH-300-200-LLUKHBFDA	107.52	7787-1332	3.00	200
XH-300-100-LLUKHBFDA	118.28	7787-1333	3.00	100
XH-400-200-LLUKHBFDA	136.51	7787-1334	4.00	200
XH-500-200-LLUKHBFDA	204.83	7787-1335	5.00	200
XH-600-200-LLUKHBFDA	204.83	7787-1336	6.00	200

WH Pitch—LL Urethane/Kevlar®

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUK	$102.36	7787-1340	8	200
WH-800-100-LLUK	112.59	7787-1341	8	100
WH-1000-200-LLUK	138.64	7787-1342	10	200
WH-1000-100-LLUK	152.50	7787-1343	10	100
WH-1200-200-LLUK	172.74	7787-1344	12	200
WH-1200-100-LLUK	190.01	7787-1345	12	100
WH-1400-200-LLUK	186.63	7787-1346	14	200
WH-1400-100-LLUK	205.29	7787-1347	14	100
WH-1600-200-LLUK	191.97	7787-1348	16	200
WH-1600-100-LLUK	211.17	7787-1349	16	100
WH-1800-200-LLUK	191.97	7787-1350	18	200
WH-1800-100-LLUK	211.17	7787-1351	18	100

WH Pitch—LL Urethane/Kevlar®—Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKNT	$117.74	7787-1355	8	200
WH-800-100-LLUKNT	129.52	7787-1356	8	100
WH-1000-200-LLUKNT	159.42	7787-1357	10	200
WH-1000-100-LLUKNT	175.36	7787-1358	10	100
WH-1200-200-LLUKNT	198.69	7787-1359	12	200
WH-1200-100-LLUKNT	218.56	7787-1360	12	100
WH-1400-200-LLUKNT	214.59	7787-1361	14	200
WH-1400-100-LLUKNT	236.05	7787-1362	14	100
WH-1600-200-LLUKNT	220.73	7787-1363	16	200
WH-1600-100-LLUKNT	242.80	7787-1364	16	100
WH-1800-200-LLUKNT	220.73	7787-1365	18	200
WH-1800-100-LLUKNT	242.80	7787-1366	18	100

WH Pitch—LL Urethane/Kevlar®—Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKNB	$112.63	7787-1370	8	200
WH-800-100-LLUKNB	123.90	7787-1371	8	100
WH-1000-200-LLUKNB	152.47	7787-1372	10	200
WH-1000-100-LLUKNB	167.72	7787-1373	10	100
WH-1200-200-LLUKNB	190.02	7787-1374	12	200
WH-1200-100-LLUKNB	209.02	7787-1375	12	100
WH-1400-200-LLUKNB	205.29	7787-1376	14	200
WH-1400-100-LLUKNB	225.82	7787-1377	14	100
WH-1600-200-LLUKNB	211.14	7787-1378	16	200
WH-1600-100-LLUKNB	232.26	7787-1379	16	100
WH-1800-200-LLUKNB	211.14	7787-1380	18	200
WH-1800-100-LLUKNB	232.26	7787-1381	18	100

WH Pitch—LL Urethane/Kevlar®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKNTB	$127.96	7787-1385	8	200
WH-800-100-LLUKNTB	140.76	7787-1386	8	100
WH-1000-200-LLUKNTB	173.31	7787-1387	10	200
WH-1000-100-LLUKNTB	190.64	7787-1388	10	100
WH-1200-200-LLUKNTB	215.97	7787-1389	12	200
WH-1200-100-LLUKNTB	237.56	7787-1390	12	100
WH-1400-200-LLUKNTB	233.30	7787-1391	14	200
WH-1400-100-LLUKNTB	256.63	7787-1392	14	100
WH-1600-200-LLUKNTB	239.96	7787-1393	16	200
WH-1600-100-LLUKNTB	263.96	7787-1394	16	100
WH-1800-200-LLUKNTB	239.96	7787-1395	18	200
WH-1800-100-LLUKNTB	263.96	7787-1396	18	100

Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

WH Pitch—LL Urethane/Kevlar®—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKFDA	$127.96	7787-1400	8	200
WH-800-100-LLUKFDA	140.76	7787-1401	8	100
WH-1000-200-LLUKFDA	173.31	7787-1402	10	200
WH-1000-100-LLUKFDA	190.64	7787-1403	10	100
WH-1200-200-LLUKFDA	215.97	7787-1404	12	200
WH-1200-100-LLUKFDA	237.56	7787-1405	12	100
WH-1400-200-LLUKFDA	233.30	7787-1406	14	200
WH-1400-100-LLUKFDA	256.63	7787-1407	14	100
WH-1600-200-LLUKFDA	239.96	7787-1408	16	200
WH-1600-100-LLUKFDA	263.96	7787-1409	16	100
WH-1800-200-LLUKFDA	239.96	7787-1410	18	200
WH-1800-100-LLUKFDA	263.96	7787-1411	18	100

WH Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKHBNB	$138.24	7787-1445	8	200
WH-800-100-LLUKHBNB	152.06	7787-1446	8	100
WH-1000-200-LLUKHBNB	187.15	7787-1447	10	200
WH-1000-100-LLUKHBNB	205.86	7787-1448	10	100
WH-1200-200-LLUKHBNB	233.19	7787-1449	12	200
WH-1200-100-LLUKHBNB	256.51	7787-1450	12	100
WH-1400-200-LLUKHBNB	251.90	7787-1451	14	200
WH-1400-100-LLUKHBNB	277.09	7787-1452	14	100
WH-1600-200-LLUKHBNB	259.14	7787-1453	16	200
WH-1600-100-LLUKHBNB	285.05	7787-1454	16	100
WH-1800-200-LLUKHBNB	259.14	7787-1455	18	200
WH-1800-100-LLUKHBNB	285.05	7787-1456	18	100

WH Pitch—LL Urethane/Kevlar®—Heavy Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKHB	$127.96	7787-1415	8	200
WH-800-100-LLUKHB	140.76	7787-1416	8	100
WH-1000-200-LLUKHB	173.31	7787-1417	10	200
WH-1000-100-LLUKHB	190.64	7787-1418	10	100
WH-1200-200-LLUKHB	215.97	7787-1419	12	200
WH-1200-100-LLUKHB	237.56	7787-1420	12	100
WH-1400-200-LLUKHB	233.30	7787-1421	14	200
WH-1400-100-LLUKHB	256.63	7787-1422	14	100
WH-1600-200-LLUKHB	239.96	7787-1423	16	200
WH-1600-100-LLUKHB	263.96	7787-1424	16	100
WH-1800-200-LLUKHB	239.96	7787-1425	18	200
WH-1800-100-LLUKHB	263.96	7787-1426	18	100

WH Pitch—LL Urethane/Kevlar®—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKHBNTB	$153.56	7787-1460	8	200
WH-800-100-LLUKHBNTB	168.92	7787-1461	8	100
WH-1000-200-LLUKHBNTB	207.93	7787-1462	10	200
WH-1000-100-LLUKHBNTB	228.72	7787-1463	10	100
WH-1200-200-LLUKHBNTB	259.14	7787-1464	12	200
WH-1200-100-LLUKHBNTB	285.05	7787-1465	12	100
WH-1400-200-LLUKHBNTB	279.92	7787-1466	14	200
WH-1400-100-LLUKHBNTB	307.91	7787-1467	14	100
WH-1600-200-LLUKHBNTB	287.90	7787-1468	16	200
WH-1600-100-LLUKHBNTB	316.69	7787-1469	16	100
WH-1800-200-LLUKHBNTB	287.90	7787-1470	18	200
WH-1800-100-LLUKHBNTB	316.69	7787-1471	18	100

WH Pitch—LL Urethane/Kevlar®—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKHBNT	$143.35	7787-1430	8	200
WH-800-100-LLUKHBNT	157.68	7787-1431	8	100
WH-1000-200-LLUKHBNT	194.09	7787-1432	10	200
WH-1000-100-LLUKHBNT	213.50	7787-1433	10	100
WH-1200-200-LLUKHBNT	241.86	7787-1434	12	200
WH-1200-100-LLUKHBNT	266.04	7787-1435	12	100
WH-1400-200-LLUKHBNT	261.26	7787-1436	14	200
WH-1400-100-LLUKHBNT	287.39	7787-1437	14	100
WH-1600-200-LLUKHBNT	268.72	7787-1438	16	200
WH-1600-100-LLUKHBNT	295.60	7787-1439	16	100
WH-1800-200-LLUKHBNT	268.72	7787-1440	18	200
WH-1800-100-LLUKHBNT	295.60	7787-1441	18	100

WH Pitch—LL Urethane/Kevlar®—Heavy Backing—FDA/USDA

Part No.	Sugg. List Price	Product No.	Width (mm)	Roll Length (meters)
WH-800-200-LLUKHBFDA	$153.56	7787-1475	8	200
WH-800-100-LLUKHBFDA	168.92	7787-1476	8	100
WH-1000-200-LLUKHBFDA	207.93	7787-1477	10	200
WH-1000-100-LLUKHBFDA	228.72	7787-1478	10	100
WH-1200-200-LLUKHBFDA	259.14	7787-1479	12	200
WH-1200-100-LLUKHBFDA	285.05	7787-1480	12	100
WH-1400-200-LLUKHBFDA	279.92	7787-1481	14	200
WH-1400-100-LLUKHBFDA	307.91	7787-1482	14	100
WH-1600-200-LLUKHBFDA	287.90	7787-1483	16	200
WH-1600-100-LLUKHBFDA	316.69	7787-1484	16	100
WH-1800-200-LLUKHBFDA	287.90	7787-1485	18	200
WH-1800-100-LLUKHBFDA	316.69	7787-1486	18	100

Synchro-Power® Polyurethane Belts

Endless urethane construction provides higher strength as compared to welded urethane belts, making them well suited for use in power transmission applications.

Markets/Applications

Synchro-Power® metric pitch timing belts are ideal for use in office machines, machine tools, postage equipment, sewing machines, vending machines, agriculture, outdoor power equipment, wood and paper, sand/gravel operations, oil fields, food processing and HVAC.

Features/Advantages

- **Steel tensile cord** for length stability.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- Abrasion, chemical, and wear resistant for extended life.
- Temperature Range: -22°F to +176°F (-30°C to +80°C)



Notes
Synchro-Power® belts are available in pitches T2.5, T5, T10, DT5, DT10, AT5 and AT10. Minimum order quantities may apply. See charts below for availability.

Belt Width (mm)	Belts per Sleeve	Belt Section						
		T 2.5	T 5	T 10	DT 5	DT 10	AT 5	AT 10
3	66	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	50	X	SNS	N/A	N/A	N/A	SNS	N/A
6	33	X	X	MTO	X	MTO	X	MTO
8	25	X	X	MTO	X	MTO	X	MTO
10	20	X	X	X	X	X	X	MTO
12	16	X	X	X	X	X	X	SNS
14	14	MTO	MTO	X	MTO	X	MTO	MTO
16	12	X	X	X	X	X	X	X

Belt Width (mm)	Belts per Sleeve	Belt Section						
		T 2.5	T 5	T 10	DT 5	DT 10	AT 5	AT 10
20	10	X	X	X	X	X	X	X
25	8	SNS	X	X	X	X	X	X
32	6	SNS	SNS	X	SNS	X	SNS	X
50	4	SNS	SNS	X	SNS	X	SNS	X
75	2	MTO	SNS	SNS	SNS	SNS	SNS	SNS
100	2	MTO	MTO	SNS	SNS	SNS	SNS	SNS
200	1	SNS	SNS	SNS	SNS	SNS	SNS	SNS

		T2.5	T5	T10	DT5	DT10	AT5	AT10
Available Belt Widths	Minimum	4mm	4mm	6mm	6mm	6mm	4mm	6mm
	Maximum	200mm	200mm	200mm	200mm	200mm	200mm	200mm
All Belts are avialable in increments of 1mm from Minimum Width 1mm Width Increments are Made-To-Order								

Symbol	Gates Minimum Order Quantity — Steel
X	Stock Line Product — No Minimum Order Quantity
SNS	Standard Non-Stock — Minimum Order Quantity is 1/2 of sleeve yield
MTO	Made-To-Order — Minimum Order Quantity is full sleeve yield ±10%

Synchro-Power® Polyurethane Belts

Product No. Series 7762

T2.5 Pitch—4mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-4	$4.07	7762-0001	48	120.00	.01
T2.5-145-4	4.19	7762-0002	59	145.00	.01
T2.5-160-4	4.27	7762-0003	64	160.00	.01
T2.5-177.5-4	4.36	7762-0004	71	177.50	.01
T2.5-180-4	4.37	7762-0005	72	180.00	.01
T2.5-182.5-4	4.39	7762-0006	73	182.50	.01
T2.5-185-4	4.40	7762-0007	74	185.00	.01
T2.5-200-4	4.49	7762-0008	80	200.00	.01
T2.5-230-4	4.67	7762-0009	92	230.00	.01
T2.5-245-4	4.77	7762-0010	98	245.00	.01
T2.5-265-4	4.91	7762-0011	106	265.00	.01
T2.5-285-4	5.05	7762-0012	114	285.00	.01
T2.5-290-4	5.09	7762-0013	116	290.00	.01
T2.5-305-4	5.21	7762-0014	122	305.00	.01
T2.5-317.5-4	5.30	7762-0015	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-4	$5.41	7762-0016	132	330.00	.01
T2.5-380-4	5.84	7762-0017	152	380.00	.01
T2.5-395-4	5.98	7762-0018	158	395.00	.01
T2.5-420-4	6.22	7762-0019	168	420.00	.01
T2.5-480-4	6.84	7762-0020	192	480.00	.01
T2.5-500-4	7.07	7762-0021	200	500.00	.01
T2.5-540-4	7.53	7762-0022	216	540.00	.01
T2.5-600-4	8.28	7762-0023	240	600.00	.01
T2.5-620-4	8.55	7762-0024	248	620.00	.01
T2.5-650-4	8.96	7762-0025	260	650.00	.01
T2.5-700-4	9.68	7762-0026	280	700.00	.01
T2.5-780-4	10.93	7762-0027	312	780.00	.01
T2.5-915-4	13.31	7762-0028	366	915.00	.01
T2.5-950-4	13.97	7762-0029	380	950.00	.01

T2.5 Pitch—6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-6	$5.70	7762-0030	48	120.00	.01
T2.5-145-6	5.86	7762-0031	59	145.00	.01
T2.5-160-6	5.96	7762-0032	64	160.00	.01
T2.5-177.5-6	6.09	7762-0033	71	177.50	.01
T2.5-180-6	6.11	7762-0034	72	180.00	.01
T2.5-182.5-6	6.12	7762-0035	73	182.50	.01
T2.5-185-6	6.14	7762-0036	74	185.00	.01
T2.5-200-6	6.26	7762-0037	80	200.00	.01
T2.5-230-6	6.52	7762-0038	92	230.00	.01
T2.5-245-6	6.65	7762-0039	98	245.00	.01
T2.5-265-6	6.84	7762-0040	106	265.00	.01
T2.5-285-6	7.04	7762-0041	114	285.00	.01
T2.5-290-6	7.09	7762-0042	116	290.00	.01
T2.5-305-6	7.25	7762-0043	122	305.00	.01
T2.5-317.5-6	7.39	7762-0044	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-6	$7.53	7762-0045	132	330.00	.01
T2.5-380-6	8.13	7762-0046	152	380.00	.01
T2.5-395-6	8.33	7762-0047	158	395.00	.01
T2.5-420-6	8.66	7762-0048	168	420.00	.01
T2.5-480-6	9.53	7762-0049	192	480.00	.01
T2.5-500-6	9.84	7762-0050	200	500.00	.01
T2.5-540-6	10.49	7762-0051	216	540.00	.01
T2.5-600-6	11.55	7762-0052	240	600.00	.01
T2.5-620-6	11.92	7762-0053	248	620.00	.01
T2.5-650-6	12.49	7762-0054	260	650.00	.01
T2.5-700-6	13.50	7762-0055	280	700.00	.01
T2.5-780-6	15.26	7762-0056	312	780.00	.01
T2.5-915-6	18.58	7762-0057	366	915.00	.01
T2.5-950-6	19.52	7762-0058	380	950.00	.01

T2.5 Pitch—8mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-8	$7.32	7762-0059	48	120.00	.01
T2.5-145-8	7.52	7762-0060	59	145.00	.01
T2.5-160-8	7.66	7762-0061	64	160.00	.01
T2.5-177.5-8	7.82	7762-0062	71	177.50	.01
T2.5-180-8	7.85	7762-0063	72	180.00	.01
T2.5-182.5-8	7.87	7762-0064	73	182.50	.01
T2.5-185-8	7.89	7762-0065	74	185.00	.01
T2.5-200-8	8.05	7762-0066	80	200.00	.01
T2.5-230-8	8.37	7762-0067	92	230.00	.01
T2.5-245-8	8.55	7762-0068	98	245.00	.01
T2.5-265-8	8.79	7762-0069	106	265.00	.01
T2.5-285-8	9.05	7762-0070	114	285.00	.01
T2.5-290-8	9.12	7762-0071	116	290.00	.01
T2.5-305-8	9.32	7762-0072	122	305.00	.01
T2.5-317.5-8	9.50	7762-0073	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-8	$9.68	7762-0074	132	330.00	.01
T2.5-380-8	10.45	7762-0075	152	380.00	.01
T2.5-395-8	10.70	7762-0076	158	395.00	.01
T2.5-420-8	11.13	7762-0077	168	420.00	.01
T2.5-480-8	12.25	7762-0078	192	480.00	.01
T2.5-500-8	12.65	7762-0079	200	500.00	.01
T2.5-540-8	13.48	7762-0080	216	540.00	.01
T2.5-600-8	14.84	7762-0081	240	600.00	.01
T2.5-620-8	15.31	7762-0082	248	620.00	.01
T2.5-650-8	16.05	7762-0083	260	650.00	.01
T2.5-700-8	17.35	7762-0084	280	700.00	.01
T2.5-780-8	19.60	7762-0085	312	780.00	.01
T2.5-915-8	23.86	7762-0086	366	915.00	.01
T2.5-950-8	25.07	7762-0087	380	950.00	.01

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T2.5 Pitch—10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-10	$8.45	7762-0088	48	120.00	.01
T2.5-145-10	8.68	7762-0089	59	145.00	.01
T2.5-160-10	8.84	7762-0090	64	160.00	.01
T2.5-177.5-10	9.03	7762-0091	71	177.50	.01
T2.5-180-10	9.05	7762-0092	72	180.00	.01
T2.5-182.5-10	9.08	7762-0093	73	182.50	.01
T2.5-185-10	9.11	7762-0094	74	185.00	.01
T2.5-200-10	9.29	7762-0095	80	200.00	.01
T2.5-230-10	9.66	7762-0096	92	230.00	.01
T2.5-245-10	9.86	7762-0097	98	245.00	.01
T2.5-265-10	10.14	7762-0098	106	265.00	.01
T2.5-285-10	10.44	7762-0099	114	285.00	.01
T2.5-290-10	10.52	7762-0100	116	290.00	.01
T2.5-305-10	10.75	7762-0101	122	305.00	.01
T2.5-317.5-10	10.95	7762-0102	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-10	$11.16	7762-0103	132	330.00	.01
T2.5-380-10	12.06	7762-0104	152	380.00	.01
T2.5-395-10	12.34	7762-0105	158	395.00	.01
T2.5-420-10	12.84	7762-0106	168	420.00	.01
T2.5-480-10	14.13	7762-0107	192	480.00	.01
T2.5-500-10	14.58	7762-0108	200	500.00	.01
T2.5-540-10	15.55	7762-0109	216	540.00	.01
T2.5-600-10	17.11	7762-0110	240	600.00	.01
T2.5-620-10	17.66	7762-0111	248	620.00	.01
T2.5-650-10	18.51	7762-0112	260	650.00	.01
T2.5-700-10	20.01	7762-0113	280	700.00	.01
T2.5-780-10	22.61	7762-0114	312	780.00	.01
T2.5-915-10	27.54	7762-0115	366	915.00	.01
T2.5-950-10	28.93	7762-0116	380	950.00	.01

T2.5 Pitch—12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-12	$9.71	7762-0117	48	120.00	.01
T2.5-145-12	9.98	7762-0118	59	145.00	.01
T2.5-160-12	10.16	7762-0119	64	160.00	.01
T2.5-177.5-12	10.38	7762-0120	71	177.50	.01
T2.5-180-12	10.41	7762-0121	72	180.00	.01
T2.5-182.5-12	10.44	7762-0122	73	182.50	.01
T2.5-185-12	10.47	7762-0123	74	185.00	.01
T2.5-200-12	10.68	7762-0124	80	200.00	.01
T2.5-230-12	11.11	7762-0125	92	230.00	.01
T2.5-245-12	11.35	7762-0126	98	245.00	.01
T2.5-265-12	11.67	7762-0127	106	265.00	.01
T2.5-285-12	12.01	7762-0128	114	285.00	.01
T2.5-290-12	12.10	7762-0129	116	290.00	.01
T2.5-305-12	12.37	7762-0130	122	305.00	.01
T2.5-317.5-12	12.61	7762-0131	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-12	$12.85	7762-0132	132	330.00	.01
T2.5-380-12	13.88	7762-0133	152	380.00	.01
T2.5-395-12	14.21	7762-0134	158	395.00	.01
T2.5-420-12	14.78	7762-0135	168	420.00	.01
T2.5-480-12	16.26	7762-0136	192	480.00	.01
T2.5-500-12	16.79	7762-0137	200	500.00	.01
T2.5-540-12	17.90	7762-0138	216	540.00	.01
T2.5-600-12	19.69	7762-0139	240	600.00	.01
T2.5-620-12	20.32	7762-0140	248	620.00	.01
T2.5-650-12	21.30	7762-0141	260	650.00	.01
T2.5-700-12	23.03	7762-0142	280	700.00	.01
T2.5-780-12	26.01	7762-0143	312	780.00	.01
T2.5-915-12	31.66	7762-0144	366	915.00	.01
T2.5-950-12	33.26	7762-0145	380	950.00	.01

T2.5 Pitch—16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-16	$12.39	7762-0146	48	120.00	.01
T2.5-145-16	12.74	7762-0147	59	145.00	.01
T2.5-160-16	12.96	7762-0148	64	160.00	.01
T2.5-177.5-16	13.24	7762-0149	71	177.50	.01
T2.5-180-16	13.28	7762-0150	72	180.00	.01
T2.5-182.5-16	13.32	7762-0151	73	182.50	.01
T2.5-185-16	13.36	7762-0152	74	185.00	.01
T2.5-200-16	13.62	7762-0153	80	200.00	.01
T2.5-230-16	14.17	7762-0154	92	230.00	.01
T2.5-245-16	14.46	7762-0155	98	245.00	.01
T2.5-265-16	14.87	7762-0156	106	265.00	.01
T2.5-285-16	15.31	7762-0157	114	285.00	.01
T2.5-290-16	15.42	7762-0158	116	290.00	.01
T2.5-305-16	15.77	7762-0159	122	305.00	.01
T2.5-317.5-16	16.06	7762-0160	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-16	$16.37	7762-0161	132	330.00	.01
T2.5-380-16	17.68	7762-0162	152	380.00	.01
T2.5-395-16	18.09	7762-0163	158	395.00	.01
T2.5-420-16	18.82	7762-0164	168	420.00	.01
T2.5-480-16	20.71	7762-0165	192	480.00	.01
T2.5-500-16	21.38	7762-0166	200	500.00	.01
T2.5-540-16	22.80	7762-0167	216	540.00	.01
T2.5-600-16	25.09	7762-0168	240	600.00	.01
T2.5-620-16	25.89	7762-0169	248	620.00	.01
T2.5-650-16	27.15	7762-0170	260	650.00	.01
T2.5-700-16	29.34	7762-0171	280	700.00	.01
T2.5-780-16	33.15	7762-0172	312	780.00	.01
T2.5-915-16	40.39	7762-0173	366	915.00	.01
T2.5-950-16	42.43	7762-0174	380	950.00	.01

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T2.5 Pitch—20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-20	$15.49	7762-0175	48	120.00	.01
T2.5-145-20	15.92	7762-0176	59	145.00	.01
T2.5-160-20	16.20	7762-0177	64	160.00	.01
T2.5-177.5-20	16.55	7762-0178	71	177.50	.01
T2.5-180-20	16.60	7762-0179	72	180.00	.01
T2.5-182.5-20	16.65	7762-0180	73	182.50	.01
T2.5-185-20	16.70	7762-0181	74	185.00	.01
T2.5-200-20	17.02	7762-0182	80	200.00	.01
T2.5-230-20	17.71	7762-0183	92	230.00	.01
T2.5-245-20	18.08	7762-0184	98	245.00	.01
T2.5-265-20	18.60	7762-0185	106	265.00	.01
T2.5-285-20	19.14	7762-0186	114	285.00	.01
T2.5-290-20	19.28	7762-0187	116	290.00	.01
T2.5-305-20	19.71	7762-0188	122	305.00	.01
T2.5-317.5-20	20.08	7762-0189	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-20	$20.47	7762-0190	132	330.00	.01
T2.5-380-20	22.10	7762-0191	152	380.00	.01
T2.5-395-20	22.63	7762-0192	158	395.00	.01
T2.5-420-20	23.54	7762-0193	168	420.00	.01
T2.5-480-20	25.90	7762-0194	192	480.00	.01
T2.5-500-20	26.74	7762-0195	200	500.00	.01
T2.5-540-20	28.51	7762-0196	216	540.00	.01
T2.5-600-20	31.37	7762-0197	240	600.00	.01
T2.5-620-20	32.38	7762-0198	248	620.00	.01
T2.5-650-20	33.94	7762-0199	260	650.00	.01
T2.5-700-20	36.69	7762-0200	280	700.00	.01
T2.5-780-20	41.45	7762-0201	312	780.00	.01
T2.5-915-20	50.48	7762-0202	366	915.00	.01
T2.5-950-20	53.03	7762-0203	380	950.00	.01

T2.5 Pitch—25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-25	$19.37	7762-0204	48	120.00	.01
T2.5-145-25	19.91	7762-0205	59	145.00	.01
T2.5-160-25	20.26	7762-0206	64	160.00	.01
T2.5-177.5-25	20.69	7762-0207	71	177.50	.01
T2.5-180-25	20.75	7762-0208	72	180.00	.01
T2.5-182.5-25	20.82	7762-0209	73	182.50	.01
T2.5-185-25	20.88	7762-0210	74	185.00	.01
T2.5-200-25	21.28	7762-0211	80	200.00	.01
T2.5-230-25	22.14	7762-0212	92	230.00	.01
T2.5-245-25	22.60	7762-0213	98	245.00	.01
T2.5-265-25	23.25	7762-0214	106	265.00	.01
T2.5-285-25	23.93	7762-0215	114	285.00	.01
T2.5-290-25	24.10	7762-0216	116	290.00	.01
T2.5-305-25	24.64	7762-0217	122	305.00	.01
T2.5-317.5-25	25.10	7762-0218	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-25	$25.58	7762-0219	132	330.00	.01
T2.5-380-25	27.62	7762-0220	152	380.00	.01
T2.5-395-25	28.28	7762-0221	158	395.00	.01
T2.5-420-25	29.42	7762-0222	168	420.00	.01
T2.5-480-25	32.37	7762-0223	192	480.00	.01
T2.5-500-25	33.42	7762-0224	200	500.00	.01
T2.5-540-25	35.63	7762-0225	216	540.00	.01
T2.5-600-25	39.20	7762-0226	240	600.00	.01
T2.5-620-25	40.46	7762-0227	248	620.00	.01
T2.5-650-25	42.42	7762-0228	260	650.00	.01
T2.5-700-25	45.86	7762-0229	280	700.00	.01
T2.5-780-25	51.81	7762-0230	312	780.00	.01
T2.5-915-25	63.11	7762-0231	366	915.00	.01
T2.5-950-25	66.30	7762-0232	380	950.00	.01

T2.5 Pitch—32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-32	$24.79	7762-0233	48	120.00	.01
T2.5-145-32	25.48	7762-0234	59	145.00	.01
T2.5-160-32	25.92	7762-0235	64	160.00	.01
T2.5-177.5-32	26.48	7762-0236	71	177.50	.01
T2.5-180-32	26.56	7762-0237	72	180.00	.01
T2.5-182.5-32	26.64	7762-0238	73	182.50	.01
T2.5-185-32	26.72	7762-0239	74	185.00	.01
T2.5-200-32	27.24	7762-0240	80	200.00	.01
T2.5-230-32	28.34	7762-0241	92	230.00	.01
T2.5-245-32	28.93	7762-0242	98	245.00	.01
T2.5-265-32	29.75	7762-0243	106	265.00	.01
T2.5-285-32	30.62	7762-0244	114	285.00	.01
T2.5-290-32	30.84	7762-0245	116	290.00	.01
T2.5-305-32	31.53	7762-0246	122	305.00	.01
T2.5-317.5-32	32.12	7762-0247	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-32	$32.73	7762-0248	132	330.00	.01
T2.5-380-32	35.35	7762-0249	152	380.00	.01
T2.5-395-32	36.19	7762-0250	158	395.00	.01
T2.5-420-32	37.64	7762-0251	168	420.00	.01
T2.5-480-32	41.42	7762-0252	192	480.00	.01
T2.5-500-32	42.77	7762-0253	200	500.00	.01
T2.5-540-32	45.59	7762-0254	216	540.00	.01
T2.5-600-32	50.17	7762-0255	240	600.00	.01
T2.5-620-32	51.79	7762-0256	248	620.00	.01
T2.5-650-32	54.29	7762-0257	260	650.00	.01
T2.5-700-32	58.69	7762-0258	280	700.00	.01
T2.5-780-32	66.31	7762-0259	312	780.00	.01
T2.5-915-32	80.78	7762-0260	366	915.00	.01
T2.5-950-32	84.86	7762-0261	380	950.00	.01

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T2.5 Pitch—50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-50	$38.72	7762-0262	48	120.00	.01
T2.5-145-50	39.80	7762-0263	59	145.00	.01
T2.5-160-50	40.50	7762-0264	64	160.00	.01
T2.5-177.5-50	41.37	7762-0265	71	177.50	.01
T2.5-180-50	41.49	7762-0266	72	180.00	.01
T2.5-182.5-50	41.62	7762-0267	73	182.50	.01
T2.5-185-50	41.75	7762-0268	74	185.00	.01
T2.5-200-50	42.56	7762-0269	80	200.00	.01
T2.5-230-50	44.28	7762-0270	92	230.00	.01
T2.5-245-50	45.20	7762-0271	98	245.00	.01
T2.5-265-50	46.49	7762-0272	106	265.00	.01
T2.5-285-50	47.85	7762-0273	114	285.00	.01
T2.5-290-50	48.20	7762-0274	116	290.00	.01
T2.5-305-50	49.28	7762-0275	122	305.00	.01
T2.5-317.5-50	50.21	7762-0276	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-50	$51.16	7762-0277	132	330.00	.01
T2.5-380-50	55.25	7762-0278	152	380.00	.01
T2.5-395-50	56.57	7762-0279	158	395.00	.01
T2.5-420-50	58.84	7762-0280	168	420.00	.01
T2.5-480-50	64.74	7762-0281	192	480.00	.01
T2.5-500-50	66.85	7762-0282	200	500.00	.01
T2.5-540-50	71.27	7762-0283	216	540.00	.01
T2.5-600-50	78.42	7762-0284	240	600.00	.01
T2.5-620-50	80.94	7762-0285	248	620.00	.01
T2.5-650-50	84.85	7762-0286	260	650.00	.01
T2.5-700-50	91.72	7762-0287	280	700.00	.01
T2.5-780-50	103.62	7762-0288	312	780.00	.01
T2.5-915-50	126.21	7762-0289	366	915.00	.01
T2.5-950-50	132.53	7762-0290	380	950.00	.01

T2.5 Pitch—200mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-200	$140.80	7762-0291	48	120.00	.01
T2.5-145-200	144.73	7762-0292	59	145.00	.01
T2.5-160-200	147.27	7762-0293	64	160.00	.01
T2.5-177.5-200	150.42	7762-0294	71	177.50	.01
T2.5-180-200	150.89	7762-0295	72	180.00	.01
T2.5-182.5-200	151.36	7762-0296	73	182.50	.01
T2.5-185-200	151.83	7762-0297	74	185.00	.01
T2.5-200-200	154.75	7762-0298	80	200.00	.01
T2.5-230-200	161.03	7762-0299	92	230.00	.01
T2.5-245-200	164.38	7762-0300	98	245.00	.01
T2.5-265-200	169.07	7762-0301	106	265.00	.02
T2.5-285-200	174.01	7762-0302	114	285.00	.02
T2.5-290-200	175.28	7762-0303	116	290.00	.02
T2.5-305-200	179.20	7762-0304	122	305.00	.02
T2.5-317.5-200	182.57	7762-0305	127	317.50	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-200	$186.05	7762-0306	132	330.00	.02
T2.5-380-200	200.93	7762-0307	152	380.00	.02
T2.5-395-200	205.70	7762-0308	158	395.00	.02
T2.5-420-200	213.96	7762-0309	168	420.00	.03
T2.5-480-200	235.42	7762-0310	192	480.00	.03
T2.5-500-200	243.07	7762-0311	200	500.00	.03
T2.5-540-200	259.15	7762-0312	216	540.00	.03
T2.5-600-200	285.15	7762-0313	240	600.00	.04
T2.5-620-200	294.32	7762-0314	248	620.00	.04
T2.5-650-200	308.55	7762-0315	260	650.00	.04
T2.5-700-200	333.53	7762-0316	280	700.00	.04
T2.5-780-200	376.79	7762-0317	312	780.00	.05
T2.5-915-200	458.95	7762-0318	366	915.00	.06
T2.5-950-200	482.13	7762-0319	380	950.00	.06

T5 Pitch—4mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-4	$3.52	7762-1000	30	150.00	.01
T5-165-4	3.58	7762-1001	33	165.00	.01
T5-180-4	3.65	7762-1002	36	180.00	.01
T5-185-4	3.67	7762-1003	37	185.00	.01
T5-200-4	3.73	7762-1004	40	200.00	.01
T5-215-4	3.80	7762-1005	43	215.00	.01
T5-220-4	3.82	7762-1006	44	220.00	.01
T5-225-4	3.84	7762-1007	45	225.00	.01
T5-245-4	3.93	7762-1008	49	245.00	.01
T5-250-4	3.95	7762-1009	50	250.00	.01
T5-255-4	3.97	7762-1010	51	255.00	.01
T5-260-4	4.00	7762-1011	52	260.00	.01
T5-270-4	4.04	7762-1012	54	270.00	.01
T5-275-4	4.06	7762-1013	55	275.00	.01
T5-280-4	4.08	7762-1014	56	280.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-295-4	$4.15	7762-1015	59	295.00	.01
T5-305-4	4.19	7762-1016	61	305.00	.01
T5-315-4	4.24	7762-1017	63	315.00	.01
T5-330-4	4.31	7762-1018	66	330.00	.01
T5-340-4	4.35	7762-1019	68	340.00	.01
T5-350-4	4.40	7762-1020	70	350.00	.01
T5-355-4	4.42	7762-1021	71	355.00	.01
T5-365-4	4.46	7762-1022	73	365.00	.01
T5-390-4	4.58	7762-1023	78	390.00	.01
T5-400-4	4.62	7762-1024	80	400.00	.01
T5-410-4	4.67	7762-1025	82	410.00	.01
T5-420-4	4.72	7762-1026	84	420.00	.01
T5-445-4	4.83	7762-1027	89	445.00	.01
T5-450-4	4.86	7762-1028	90	450.00	.01
T5-455-4	4.88	7762-1029	91	455.00	.01

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch—4mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-475-4	$4.97	7762-1030	95	475.00	.01
T5-480-4	5.01	7762-1031	96	480.00	.01
T5-500-4	5.07	7762-1032	100	500.00	.01
T5-510-4	5.12	7762-1033	102	510.00	.01
T5-525-4	5.23	7762-1034	105	525.00	.01
T5-545-4	5.28	7762-1035	109	545.00	.01
T5-550-4	5.33	7762-1036	110	550.00	.01
T5-560-4	5.39	7762-1037	112	560.00	.01
T5-575-4	5.44	7762-1038	115	575.00	.01
T5-610-4	5.60	7762-1039	122	610.00	.01
T5-620-4	5.65	7762-1040	124	620.00	.01
T5-630-4	5.71	7762-1041	126	630.00	.01
T5-640-4	5.76	7762-1042	128	640.00	.01
T5-650-4	5.81	7762-1043	130	650.00	.01
T5-660-4	5.87	7762-1044	132	660.00	.01
T5-675-4	5.92	7762-1045	135	675.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-690-4	$6.03	7762-1046	138	690.00	.01
T5-700-4	6.08	7762-1047	140	700.00	.01
T5-720-4	6.19	7762-1048	144	720.00	.01
T5-750-4	6.29	7762-1049	150	750.00	.01
T5-780-4	6.45	7762-1050	156	780.00	.02
T5-815-4	6.67	7762-1051	163	815.00	.02
T5-840-4	6.77	7762-1052	168	840.00	.02
T5-900-4	7.09	7762-1053	180	900.00	.02
T5-940-4	7.31	7762-1054	188	940.00	.02
T5-990-4	7.57	7762-1055	198	990.00	.02
T5-1075-4	8.05	7762-1056	215	1075.00	.02
T5-1100-4	8.16	7762-1057	220	1100.00	.02
T5-1215-4	8.80	7762-1058	243	1215.00	.02
T5-1315-4	9.39	7762-1059	263	1315.00	.03
T5-1380-4	9.76	7762-1060	276	1380.00	.03

T5 Pitch—6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-6	$4.91	7762-1070	30	150.00	.01
T5-165-6	5.00	7762-1071	33	165.00	.01
T5-180-6	5.09	7762-1072	36	180.00	.01
T5-185-6	5.12	7762-1073	37	185.00	.01
T5-200-6	5.21	7762-1074	40	200.00	.01
T5-215-6	5.30	7762-1075	43	215.00	.01
T5-220-6	5.33	7762-1076	44	220.00	.01
T5-225-6	5.36	7762-1077	45	225.00	.01
T5-245-6	5.48	7762-1078	49	245.00	.01
T5-250-6	5.51	7762-1079	50	250.00	.01
T5-255-6	5.54	7762-1080	51	255.00	.01
T5-260-6	5.57	7762-1081	52	260.00	.01
T5-270-6	5.64	7762-1082	54	270.00	.01
T5-275-6	5.67	7762-1083	55	275.00	.01
T5-280-6	5.70	7762-1084	56	280.00	.01
T5-295-6	5.79	7762-1085	59	295.00	.01
T5-305-6	5.85	7762-1086	61	305.00	.01
T5-315-6	5.92	7762-1087	63	315.00	.01
T5-330-6	6.01	7762-1088	66	330.00	.01
T5-340-6	6.07	7762-1089	68	340.00	.01
T5-350-6	6.14	7762-1090	70	350.00	.01
T5-355-6	6.17	7762-1091	71	355.00	.01
T5-365-6	6.23	7762-1092	73	365.00	.01
T5-390-6	6.39	7762-1093	78	390.00	.01
T5-400-6	6.46	7762-1094	80	400.00	.01
T5-410-6	6.52	7762-1095	82	410.00	.01
T5-420-6	6.59	7762-1096	84	420.00	.01
T5-445-6	6.75	7762-1097	89	445.00	.01
T5-450-6	6.78	7762-1098	90	450.00	.01
T5-455-6	6.81	7762-1099	91	455.00	.01
T5-475-6	6.94	7762-1100	95	475.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-480-6	$6.99	7762-1101	96	480.00	.01
T5-500-6	7.09	7762-1102	100	500.00	.01
T5-510-6	7.20	7762-1103	102	510.00	.01
T5-525-6	7.25	7762-1104	105	525.00	.02
T5-545-6	7.41	7762-1105	109	545.00	.02
T5-550-6	7.47	7762-1106	110	550.00	.02
T5-560-6	7.52	7762-1107	112	560.00	.02
T5-575-6	7.63	7762-1108	115	575.00	.02
T5-610-6	7.84	7762-1109	122	610.00	.02
T5-620-6	7.89	7762-1110	124	620.00	.02
T5-630-6	8.00	7762-1111	126	630.00	.02
T5-640-6	8.05	7762-1112	128	640.00	.02
T5-650-6	8.11	7762-1113	130	650.00	.02
T5-660-6	8.21	7762-1114	132	660.00	.02
T5-675-6	8.32	7762-1115	135	675.00	.02
T5-690-6	8.37	7762-1116	138	690.00	.02
T5-700-6	8.48	7762-1117	140	700.00	.02
T5-720-6	8.59	7762-1118	144	720.00	.02
T5-750-6	8.80	7762-1119	150	750.00	.02
T5-780-6	9.01	7762-1120	156	780.00	.02
T5-815-6	9.28	7762-1121	163	815.00	.02
T5-840-6	9.44	7762-1122	168	840.00	.02
T5-900-6	9.92	7762-1123	180	900.00	.03
T5-940-6	10.19	7762-1124	188	940.00	.03
T5-990-6	10.56	7762-1125	198	990.00	.03
T5-1075-6	11.20	7762-1126	215	1075.00	.03
T5-1100-6	11.41	7762-1127	220	1100.00	.03
T5-1215-6	12.32	7762-1128	243	1215.00	.04
T5-1315-6	13.12	7762-1129	263	1315.00	.04
T5-1380-6	13.65	7762-1130	276	1380.00	.04

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch—8mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-8	$6.29	7762-1140	30	150.00	.01
T5-165-8	6.41	7762-1141	33	165.00	.01
T5-180-8	6.52	7762-1142	36	180.00	.01
T5-185-8	6.56	7762-1143	37	185.00	.01
T5-200-8	6.68	7762-1144	40	200.00	.01
T5-215-8	6.80	7762-1145	43	215.00	.01
T5-220-8	6.84	7762-1146	44	220.00	.01
T5-225-8	6.88	7762-1147	45	225.00	.01
T5-245-8	7.03	7762-1148	49	245.00	.01
T5-250-8	7.07	7762-1149	50	250.00	.01
T5-255-8	7.11	7762-1150	51	255.00	.01
T5-260-8	7.15	7762-1151	52	260.00	.01
T5-270-8	7.23	7762-1152	54	270.00	.01
T5-275-8	7.27	7762-1153	55	275.00	.01
T5-280-8	7.31	7762-1154	56	280.00	.01
T5-295-8	7.43	7762-1155	59	295.00	.01
T5-305-8	7.51	7762-1156	61	305.00	.01
T5-315-8	7.59	7762-1157	63	315.00	.01
T5-330-8	7.71	7762-1158	66	330.00	.01
T5-340-8	7.80	7762-1159	68	340.00	.01
T5-350-8	7.88	7762-1160	70	350.00	.01
T5-355-8	7.92	7762-1161	71	355.00	.01
T5-365-8	8.00	7762-1162	73	365.00	.01
T5-390-8	8.21	7762-1163	78	390.00	.02
T5-400-8	8.29	7762-1164	80	400.00	.02
T5-410-8	8.37	7762-1165	82	410.00	.02
T5-420-8	8.45	7762-1166	84	420.00	.02
T5-445-8	8.66	7762-1167	89	445.00	.02
T5-450-8	8.70	7762-1168	90	450.00	.02
T5-455-8	8.75	7762-1169	91	455.00	.02
T5-475-8	8.92	7762-1170	95	475.00	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-480-8	$8.96	7762-1171	96	480.00	.02
T5-500-8	9.12	7762-1172	100	500.00	.02
T5-510-8	9.23	7762-1173	102	510.00	.02
T5-525-8	9.33	7762-1174	105	525.00	.02
T5-545-8	9.49	7762-1175	109	545.00	.02
T5-550-8	9.55	7762-1176	110	550.00	.02
T5-560-8	9.65	7762-1177	112	560.00	.02
T5-575-8	9.76	7762-1178	115	575.00	.02
T5-610-8	10.08	7762-1179	122	610.00	.02
T5-620-8	10.19	7762-1180	124	620.00	.02
T5-630-8	10.24	7762-1181	126	630.00	.02
T5-640-8	10.35	7762-1182	128	640.00	.02
T5-650-8	10.45	7762-1183	130	650.00	.03
T5-660-8	10.51	7762-1184	132	660.00	.03
T5-675-8	10.67	7762-1185	135	675.00	.03
T5-690-8	10.77	7762-1186	138	690.00	.03
T5-700-8	10.88	7762-1187	140	700.00	.03
T5-720-8	11.04	7762-1188	144	720.00	.03
T5-750-8	11.31	7762-1189	150	750.00	.03
T5-780-8	11.63	7762-1190	156	780.00	.03
T5-815-8	11.95	7762-1191	163	815.00	.03
T5-840-8	12.16	7762-1192	168	840.00	.03
T5-900-8	12.75	7762-1193	180	900.00	.03
T5-940-8	13.12	7762-1194	188	940.00	.04
T5-990-8	13.60	7762-1195	198	990.00	.04
T5-1075-8	14.40	7762-1196	215	1075.00	.04
T5-1100-8	14.67	7762-1197	220	1100.00	.04
T5-1215-8	15.84	7762-1198	243	1215.00	.05
T5-1315-8	16.85	7762-1199	263	1315.00	.05
T5-1380-8	17.55	7762-1200	276	1380.00	.05

T5 Pitch—10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-10	$7.27	7762-1210	30	150.00	.01
T5-165-10	7.41	7762-1211	33	165.00	.01
T5-180-10	7.54	7762-1212	36	180.00	.01
T5-185-10	7.59	7762-1213	37	185.00	.01
T5-200-10	7.72	7762-1214	40	200.00	.01
T5-215-10	7.86	7762-1215	43	215.00	.01
T5-220-10	7.90	7762-1216	44	220.00	.01
T5-225-10	7.95	7762-1217	45	225.00	.01
T5-245-10	8.13	7762-1218	49	245.00	.01
T5-250-10	8.17	7762-1219	50	250.00	.01
T5-255-10	8.22	7762-1220	51	255.00	.01
T5-260-10	8.27	7762-1221	52	260.00	.01
T5-270-10	8.36	7762-1222	54	270.00	.01
T5-275-10	8.40	7762-1223	55	275.00	.01
T5-280-10	8.45	7762-1224	56	280.00	.01
T5-295-10	8.59	7762-1225	59	295.00	.01
T5-305-10	8.68	7762-1226	61	305.00	.01
T5-315-10	8.77	7762-1227	63	315.00	.02
T5-330-10	8.91	7762-1228	66	330.00	.02
T5-340-10	9.01	7762-1229	68	340.00	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-350-10	$9.10	7762-1230	70	350.00	.02
T5-355-10	9.15	7762-1231	71	355.00	.02
T5-365-10	9.24	7762-1232	73	365.00	.02
T5-390-10	9.48	7762-1233	78	390.00	.02
T5-400-10	9.57	7762-1234	80	400.00	.02
T5-410-10	9.67	7762-1235	82	410.00	.02
T5-420-10	9.77	7762-1236	84	420.00	.02
T5-445-10	10.01	7762-1237	89	445.00	.02
T5-450-10	10.06	7762-1238	90	450.00	.02
T5-455-10	10.10	7762-1239	91	455.00	.02
T5-475-10	10.30	7762-1240	95	475.00	.02
T5-480-10	10.35	7762-1241	96	480.00	.02
T5-500-10	10.56	7762-1242	100	500.00	.02
T5-510-10	10.67	7762-1243	102	510.00	.02
T5-525-10	10.77	7762-1244	105	525.00	.03
T5-545-10	10.99	7762-1245	109	545.00	.03
T5-550-10	11.04	7762-1246	110	550.00	.03
T5-560-10	11.15	7762-1247	112	560.00	.03
T5-575-10	11.31	7762-1248	115	575.00	.03
T5-610-10	11.63	7762-1249	122	610.00	.03

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch—10mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-620-10	$11.73	7762-1250	124	620.00	.03
T5-630-10	11.84	7762-1251	126	630.00	.03
T5-640-10	11.95	7762-1252	128	640.00	.03
T5-650-10	12.05	7762-1253	130	650.00	.03
T5-660-10	12.16	7762-1254	132	660.00	.03
T5-675-10	12.32	7762-1255	135	675.00	.03
T5-690-10	12.48	7762-1256	138	690.00	.03
T5-700-10	12.53	7762-1257	140	700.00	.03
T5-720-10	12.75	7762-1258	144	720.00	.03
T5-750-10	13.07	7762-1259	150	750.00	.04
T5-780-10	13.39	7762-1260	156	780.00	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-815-10	$13.76	7762-1261	163	815.00	.04
T5-840-10	14.03	7762-1262	168	840.00	.04
T5-900-10	14.67	7762-1263	180	900.00	.04
T5-940-10	15.15	7762-1264	188	940.00	.05
T5-990-10	15.68	7762-1265	198	990.00	.05
T5-1075-10	16.64	7762-1266	215	1075.00	.05
T5-1100-10	16.91	7762-1267	220	1100.00	.05
T5-1215-10	18.24	7762-1268	243	1215.00	.06
T5-1315-10	19.41	7762-1269	263	1315.00	.06
T5-1380-10	20.21	7762-1270	276	1380.00	.07

T5 Pitch—12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-12	$8.36	7762-1280	30	150.00	.01
T5-165-12	8.52	7762-1281	33	165.00	.01
T5-180-12	8.67	7762-1282	36	180.00	.01
T5-185-12	8.72	7762-1283	37	185.00	.01
T5-200-12	8.88	7762-1284	40	200.00	.01
T5-215-12	9.03	7762-1285	43	215.00	.01
T5-220-12	9.08	7762-1286	44	220.00	.01
T5-225-12	9.14	7762-1287	45	225.00	.01
T5-245-12	9.34	7762-1288	49	245.00	.01
T5-250-12	9.40	7762-1289	50	250.00	.01
T5-255-12	9.45	7762-1290	51	255.00	.01
T5-260-12	9.50	7762-1291	52	260.00	.02
T5-270-12	9.61	7762-1292	54	270.00	.02
T5-275-12	9.66	7762-1293	55	275.00	.02
T5-280-12	9.71	7762-1294	56	280.00	.02
T5-295-12	9.87	7762-1295	59	295.00	.02
T5-305-12	9.98	7762-1296	61	305.00	.02
T5-315-12	10.09	7762-1297	63	315.00	.02
T5-330-12	10.25	7762-1298	66	330.00	.02
T5-340-12	10.35	7762-1299	68	340.00	.02
T5-350-12	10.46	7762-1300	70	350.00	.02
T5-355-12	10.52	7762-1301	71	355.00	.02
T5-365-12	10.62	7762-1302	73	365.00	.02
T5-390-12	10.90	7762-1303	78	390.00	.02
T5-400-12	11.01	7762-1304	80	400.00	.02
T5-410-12	11.12	7762-1305	82	410.00	.02
T5-420-12	11.23	7762-1306	84	420.00	.02
T5-445-12	11.50	7762-1307	89	445.00	.03
T5-450-12	11.56	7762-1308	90	450.00	.03
T5-455-12	11.61	7762-1309	91	455.00	.03
T5-475-12	11.84	7762-1310	95	475.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-480-12	$11.89	7762-1311	96	480.00	.03
T5-500-12	12.11	7762-1312	100	500.00	.03
T5-510-12	12.21	7762-1313	102	510.00	.03
T5-525-12	12.43	7762-1314	105	525.00	.03
T5-545-12	12.64	7762-1315	109	545.00	.03
T5-550-12	12.69	7762-1316	110	550.00	.03
T5-560-12	12.80	7762-1317	112	560.00	.03
T5-575-12	12.96	7762-1318	115	575.00	.03
T5-610-12	13.39	7762-1319	122	610.00	.04
T5-620-12	13.49	7762-1320	124	620.00	.04
T5-630-12	13.60	7762-1321	126	630.00	.04
T5-640-12	13.71	7762-1322	128	640.00	.04
T5-650-12	13.87	7762-1323	130	650.00	.04
T5-660-12	13.97	7762-1324	132	660.00	.04
T5-675-12	14.13	7762-1325	135	675.00	.04
T5-690-12	14.29	7762-1326	138	690.00	.04
T5-700-12	14.45	7762-1327	140	700.00	.04
T5-720-12	14.67	7762-1328	144	720.00	.04
T5-750-12	15.04	7762-1329	150	750.00	.04
T5-780-12	15.41	7762-1330	156	780.00	.05
T5-815-12	15.84	7762-1331	163	815.00	.05
T5-840-12	16.11	7762-1332	168	840.00	.05
T5-900-12	16.85	7762-1333	180	900.00	.05
T5-940-12	17.39	7762-1334	188	940.00	.05
T5-990-12	18.03	7762-1335	198	990.00	.06
T5-1075-12	19.09	7762-1336	215	1075.00	.06
T5-1100-12	19.47	7762-1337	220	1100.00	.06
T5-1215-12	20.96	7762-1338	243	1215.00	.07
T5-1315-12	22.35	7762-1339	263	1315.00	.08
T5-1380-12	23.25	7762-1340	276	1380.00	.08

Synchro-Power® Polyurethane Belts

T5 Pitch—16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-16	$10.67	7762-1350	30	150.00	.01
T5-165-16	10.86	7762-1351	33	165.00	.01
T5-180-16	11.06	7762-1352	36	180.00	.01
T5-185-16	11.13	7762-1353	37	185.00	.01
T5-200-16	11.32	7762-1354	40	200.00	.02
T5-215-16	11.52	7762-1355	43	215.00	.02
T5-220-16	11.59	7762-1356	44	220.00	.02
T5-225-16	11.66	7762-1357	45	225.00	.02
T5-245-16	11.92	7762-1358	49	245.00	.02
T5-250-16	11.99	7762-1359	50	250.00	.02
T5-255-16	12.06	7762-1360	51	255.00	.02
T5-260-16	12.12	7762-1361	52	260.00	.02
T5-270-16	12.26	7762-1362	54	270.00	.02
T5-275-16	2.33	7762-1363	55	275.00	.02
T5-280-16	12.40	7762-1364	56	280.00	.02
T5-295-16	12.60	7762-1365	59	295.00	.02
T5-305-16	12.74	7762-1366	61	305.00	.02
T5-315-16	12.87	7762-1367	63	315.00	.02
T5-330-16	13.08	7762-1368	66	330.00	.03
T5-340-16	13.22	7762-1369	68	340.00	.03
T5-350-16	13.35	7762-1370	70	350.00	.03
T5-355-16	13.42	7762-1371	71	355.00	.03
T5-365-16	13.56	7762-1372	73	365.00	.03
T5-390-16	13.91	7762-1373	78	390.00	.03
T5-400-16	14.05	7762-1374	80	400.00	.03
T5-410-16	14.19	7762-1375	82	410.00	.03
T5-420-16	14.33	7762-1376	84	420.00	.03
T5-445-16	14.68	7762-1377	89	445.00	.03
T5-450-16	14.75	7762-1378	90	450.00	.03
T5-455-16	14.83	7762-1379	91	455.00	.04
T5-475-16	15.11	7762-1380	95	475.00	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-480-16	$15.20	7762-1381	96	480.00	.04
T5-500-16	15.47	7762-1382	100	500.00	.04
T5-510-16	15.63	7762-1383	102	510.00	.04
T5-525-16	15.84	7762-1384	105	525.00	.04
T5-545-16	16.11	7762-1385	109	545.00	.04
T5-550-16	16.21	7762-1386	110	550.00	.04
T5-560-16	16.32	7762-1387	112	560.00	.04
T5-575-16	16.59	7762-1388	115	575.00	.04
T5-610-16	17.07	7762-1389	122	610.00	.05
T5-620-16	17.23	7762-1390	124	620.00	.05
T5-630-16	17.39	7762-1391	126	630.00	.05
T5-640-16	17.55	7762-1392	128	640.00	.05
T5-650-16	17.65	7762-1393	130	650.00	.05
T5-660-16	17.81	7762-1394	132	660.00	.05
T5-675-16	18.03	7762-1395	135	675.00	.05
T5-690-16	18.29	7762-1396	138	690.00	.05
T5-700-16	18.45	7762-1397	140	700.00	.05
T5-720-16	18.72	7762-1398	144	720.00	.06
T5-750-16	19.20	7762-1399	150	750.00	.06
T5-780-16	19.68	7762-1400	156	780.00	.06
T5-815-16	20.21	7762-1401	163	815.00	.06
T5-840-16	20.59	7762-1402	168	840.00	.06
T5-900-16	21.55	7762-1403	180	900.00	.07
T5-940-16	22.19	7762-1404	188	940.00	.07
T5-990-16	22.99	7762-1405	198	990.00	.08
T5-1075-16	24.37	7762-1406	215	1075.00	.08
T5-1100-16	24.80	7762-1407	220	1100.00	.08
T5-1215-16	26.77	7762-1408	243	1215.00	.09
T5-1315-16	28.48	7762-1409	263	1315.00	.10
T5-1380-16	29.65	7762-1410	276	1380.00	.11

T5 Pitch—20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-20	$13.33	7762-1420	30	150.00	.01
T5-165-20	13.58	7762-1421	33	165.00	.02
T5-180-20	13.82	7762-1422	36	180.00	.02
T5-185-20	13.91	7762-1423	37	185.00	.02
T5-200-20	14.15	7762-1424	40	200.00	.02
T5-215-20	14.40	7762-1425	43	215.00	.02
T5-220-20	14.48	7762-1426	44	220.00	.02
T5-225-20	14.57	7762-1427	45	225.00	.02
T5-245-20	14.90	7762-1428	49	245.00	.02
T5-250-20	14.98	7762-1429	50	250.00	.02
T5-255-20	15.07	7762-1430	51	255.00	.02
T5-260-20	15.15	7762-1431	52	260.00	.03
T5-270-20	15.32	7762-1432	54	270.00	.03
T5-275-20	15.40	7762-1433	55	275.00	.03
T5-280-20	15.49	7762-1434	56	280.00	.03
T5-295-20	15.74	7762-1435	59	295.00	.03
T5-305-20	15.91	7762-1436	61	305.00	.03
T5-315-20	16.08	7762-1437	63	315.00	.03
T5-330-20	16.34	7762-1438	66	330.00	.03
T5-340-20	16.51	7762-1439	68	340.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-350-20	$16.68	7762-1440	70	350.00	.03
T5-355-20	16.77	7762-1441	71	355.00	.03
T5-365-20	16.94	7762-1442	73	365.00	.04
T5-390-20	17.38	7762-1443	78	390.00	.04
T5-400-20	17.55	7762-1444	80	400.00	.04
T5-410-20	17.73	7762-1445	82	410.00	.04
T5-420-20	17.90	7762-1446	84	420.00	.04
T5-445-20	18.35	7762-1447	89	445.00	.04
T5-450-20	18.43	7762-1448	90	450.00	.04
T5-455-20	18.52	7762-1449	91	455.00	.04
T5-475-20	18.88	7762-1450	95	475.00	.05
T5-480-20	18.99	7762-1451	96	480.00	.05
T5-500-20	19.31	7762-1452	100	500.00	.05
T5-510-20	19.52	7762-1453	102	510.00	.05
T5-525-20	19.79	7762-1454	105	525.00	.05
T5-545-20	20.16	7762-1455	109	545.00	.05
T5-550-20	20.21	7762-1456	110	550.00	.05
T5-560-20	20.43	7762-1457	112	560.00	.05
T5-575-20	20.69	7762-1458	115	575.00	.06
T5-610-20	21.33	7762-1459	122	610.00	.06

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch—20mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-620-20	$21.55	7762-1460	124	620.00	.06
T5-630-20	21.71	7762-1461	126	630.00	.06
T5-640-20	21.92	7762-1462	128	640.00	.06
T5-650-20	22.08	7762-1463	130	650.00	.06
T5-660-20	22.29	7762-1464	132	660.00	.06
T5-675-20	22.56	7762-1465	135	675.00	.06
T5-690-20	22.83	7762-1466	138	690.00	.07
T5-700-20	23.04	7762-1467	140	700.00	.07
T5-720-20	23.41	7762-1468	144	720.00	.07
T5-750-20	24.00	7762-1469	150	750.00	.07
T5-780-20	24.53	7762-1470	156	780.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-815-20	$25.23	7762-1471	163	815.00	.08
T5-840-20	25.71	7762-1472	168	840.00	.08
T5-900-20	26.93	7762-1473	180	900.00	.09
T5-940-20	27.73	7762-1474	188	940.00	.09
T5-990-20	28.75	7762-1475	198	990.00	.10
T5-1075-20	30.51	7762-1476	215	1075.00	.10
T5-1100-20	31.04	7762-1477	220	1100.00	.11
T5-1215-20	33.44	7762-1478	243	1215.00	.12
T5-1315-20	35.63	7762-1479	263	1315.00	.13
T5-1380-20	37.07	7762-1480	276	1380.00	.13

T5 Pitch—25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-25	$16.66	7762-1490	30	150.00	.02
T5-165-25	16.97	7762-1491	33	165.00	.02
T5-180-25	17.27	7762-1492	36	180.00	.02
T5-185-25	17.38	7762-1493	37	185.00	.02
T5-200-25	17.69	7762-1494	40	200.00	.02
T5-215-25	18.00	7762-1495	43	215.00	.03
T5-220-25	18.10	7762-1496	44	220.00	.03
T5-225-25	18.20	7762-1497	45	225.00	.03
T5-245-25	18.62	7762-1498	49	245.00	.03
T5-250-25	18.72	7762-1499	50	250.00	.03
T5-255-25	18.83	7762-1500	51	255.00	.03
T5-260-25	18.93	7762-1501	52	260.00	.03
T5-270-25	19.14	7762-1502	54	270.00	.03
T5-275-25	19.25	7762-1503	55	275.00	.03
T5-280-25	19.36	7762-1504	56	280.00	.03
T5-295-25	19.67	7762-1505	59	295.00	.04
T5-305-25	19.89	7762-1506	61	305.00	.04
T5-315-25	20.10	7762-1507	63	315.00	.04
T5-330-25	20.42	7762-1508	66	330.00	.04
T5-340-25	20.63	7762-1509	68	340.00	.04
T5-350-25	20.85	7762-1510	70	350.00	.04
T5-355-25	20.96	7762-1511	71	355.00	.04
T5-365-25	21.17	7762-1512	73	365.00	.04
T5-390-25	21.72	7762-1513	78	390.00	.05
T5-400-25	21.94	7762-1514	80	400.00	.05
T5-410-25	22.15	7762-1515	82	410.00	.05
T5-420-25	22.37	7762-1516	84	420.00	.05
T5-445-25	22.93	7762-1517	89	445.00	.05
T5-450-25	23.04	7762-1518	90	450.00	.05
T5-455-25	23.15	7762-1519	91	455.00	.05
T5-475-25	23.59	7762-1520	95	475.00	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-480-25	$23.68	7762-1521	96	480.00	.06
T5-500-25	24.16	7762-1522	100	500.00	.06
T5-510-25	24.37	7762-1523	102	510.00	.06
T5-525-25	24.69	7762-1524	105	525.00	.06
T5-545-25	25.17	7762-1525	109	545.00	.07
T5-550-25	25.28	7762-1526	110	550.00	.07
T5-560-25	25.49	7762-1527	112	560.00	.07
T5-575-25	25.87	7762-1528	115	575.00	.07
T5-610-25	26.67	7762-1529	122	610.00	.07
T5-620-25	26.88	7762-1530	124	620.00	.07
T5-630-25	27.15	7762-1531	126	630.00	.08
T5-640-25	27.36	7762-1532	128	640.00	.08
T5-650-25	27.57	7762-1533	130	650.00	.08
T5-660-25	27.84	7762-1534	132	660.00	.08
T5-675-25	28.16	7762-1535	135	675.00	.08
T5-690-25	28.53	7762-1536	138	690.00	.08
T5-700-25	28.80	7762-1537	140	700.00	.08
T5-720-25	29.23	7762-1538	144	720.00	.09
T5-750-25	29.97	7762-1539	150	750.00	.09
T5-780-25	30.72	7762-1540	156	780.00	.09
T5-815-25	31.57	7762-1541	163	815.00	.10
T5-840-25	32.16	7762-1542	168	840.00	.10
T5-900-25	33.65	7762-1543	180	900.00	.11
T5-940-25	34.67	7762-1544	188	940.00	.11
T5-990-25	35.95	7762-1545	198	990.00	.12
T5-1075-25	38.13	7762-1546	215	1075.00	.13
T5-1100-25	38.77	7762-1547	220	1100.00	.13
T5-1215-25	41.81	7762-1548	243	1215.00	.15
T5-1315-25	44.53	7762-1549	263	1315.00	.16
T5-1380-25	46.35	7762-1550	276	1380.00	.17

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch—32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-32	$21.33	7762-1560	30	150.00	.02
T5-165-32	21.72	7762-1561	33	165.00	.03
T5-180-32	22.12	7762-1562	36	180.00	.03
T5-185-32	22.25	7762-1563	37	185.00	.03
T5-200-32	22.64	7762-1564	40	200.00	.03
T5-215-32	23.04	7762-1565	43	215.00	.03
T5-220-32	23.17	7762-1566	44	220.00	.03
T5-225-32	23.31	7762-1567	45	225.00	.03
T5-245-32	23.84	7762-1568	49	245.00	.04
T5-250-32	23.97	7762-1569	50	250.00	.04
T5-255-32	24.11	7762-1570	51	255.00	.04
T5-260-32	24.24	7762-1571	52	260.00	.04
T5-270-32	24.51	7762-1572	54	270.00	.04
T5-275-32	24.65	7762-1573	55	275.00	.04
T5-280-32	24.78	7762-1574	56	280.00	.04
T5-295-32	25.19	7762-1575	59	295.00	.05
T5-305-32	25.46	7762-1576	61	305.00	.05
T5-315-32	25.73	7762-1577	63	315.00	.05
T5-330-32	26.14	7762-1578	66	330.00	.05
T5-340-32	26.42	7762-1579	68	340.00	.05
T5-350-32	26.69	7762-1580	70	350.00	.05
T5-355-32	26.83	7762-1581	71	355.00	.05
T5-365-32	27.11	7762-1582	73	365.00	.06
T5-390-32	27.80	7762-1583	78	390.00	.06
T5-400-32	28.08	7762-1584	80	400.00	.06
T5-410-32	28.36	7762-1585	82	410.00	.06
T5-420-32	28.64	7762-1586	84	420.00	.06
T5-445-32	29.35	7762-1587	89	445.00	.07
T5-450-32	29.49	7762-1588	90	450.00	.07
T5-455-32	29.63	7762-1589	91	455.00	.07
T5-475-32	30.20	7762-1590	95	475.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-480-32	$30.35	7762-1591	96	480.00	.07
T5-500-32	30.93	7762-1592	100	500.00	.08
T5-510-32	31.20	7762-1593	102	510.00	.08
T5-525-32	31.63	7762-1594	105	525.00	.08
T5-545-32	32.21	7762-1595	109	545.00	.08
T5-550-32	32.37	7762-1596	110	550.00	.08
T5-560-32	32.64	7762-1597	112	560.00	.09
T5-575-32	33.12	7762-1598	115	575.00	.09
T5-610-32	34.13	7762-1599	122	610.00	.09
T5-620-32	34.45	7762-1600	124	620.00	.10
T5-630-32	34.72	7762-1601	126	630.00	.10
T5-640-32	35.04	7762-1602	128	640.00	.10
T5-650-32	35.31	7762-1603	130	650.00	.10
T5-660-32	35.63	7762-1604	132	660.00	.10
T5-675-32	36.05	7762-1605	135	675.00	.10
T5-690-32	36.53	7762-1606	138	690.00	.11
T5-700-32	36.85	7762-1607	140	700.00	.11
T5-720-32	37.44	7762-1608	144	720.00	.11
T5-750-32	38.35	7762-1609	150	750.00	.12
T5-780-32	39.31	7762-1610	156	780.00	.12
T5-815-32	40.37	7762-1611	163	815.00	.13
T5-840-32	41.17	7762-1612	168	840.00	.13
T5-900-32	43.09	7762-1613	180	900.00	.14
T5-940-32	44.37	7762-1614	188	940.00	.14
T5-990-32	45.97	7762-1615	198	990.00	.15
T5-1075-32	48.80	7762-1616	215	1075.00	.17
T5-1100-32	49.60	7762-1617	220	1100.00	.17
T5-1215-32	53.55	7762-1618	243	1215.00	.19
T5-1315-32	57.01	7762-1619	263	1315.00	.20
T5-1380-32	59.31	7762-1620	276	1380.00	.21

T5 Pitch—50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-50	$33.32	7762-1630	30	150.00	.04
T5-165-50	33.93	7762-1631	33	165.00	.04
T5-180-50	34.55	7762-1632	36	180.00	.04
T5-185-50	34.76	7762-1633	37	185.00	.04
T5-200-50	35.37	7762-1634	40	200.00	.05
T5-215-50	36.00	7762-1635	43	215.00	.05
T5-220-50	36.20	7762-1636	44	220.00	.05
T5-225-50	36.41	7762-1637	45	225.00	.05
T5-245-50	37.25	7762-1638	49	245.00	.06
T5-250-50	37.46	7762-1639	50	250.00	.06
T5-255-50	37.67	7762-1640	51	255.00	.06
T5-260-50	37.88	7762-1641	52	260.00	.06
T5-270-50	38.30	7762-1642	54	270.00	.06
T5-275-50	38.51	7762-1643	55	275.00	.07
T5-280-50	38.72	7762-1644	56	280.00	.07
T5-295-50	39.36	7762-1645	59	295.00	.07
T5-305-50	39.78	7762-1646	61	305.00	.07
T5-315-50	40.21	7762-1647	63	315.00	.08
T5-330-50	40.85	7762-1648	66	330.00	.08
T5-340-50	41.28	7762-1649	68	340.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-350-50	$41.71	7762-1650	70	350.00	.08
T5-355-50	41.93	7762-1651	71	355.00	.09
T5-365-50	42.36	7762-1652	73	365.00	.09
T5-390-50	43.45	7762-1653	78	390.00	.09
T5-400-50	43.89	7762-1654	80	400.00	.10
T5-410-50	44.33	7762-1655	82	410.00	.10
T5-420-50	44.77	7762-1656	84	420.00	.10
T5-445-50	45.87	7762-1657	89	445.00	.11
T5-450-50	46.09	7762-1658	90	450.00	.11
T5-455-50	46.31	7762-1659	91	455.00	.11
T5-475-50	47.21	7762-1660	95	475.00	.11
T5-480-50	47.41	7762-1661	96	480.00	.12
T5-500-50	48.32	7762-1662	100	500.00	.12
T5-510-50	48.80	7762-1663	102	510.00	.12
T5-525-50	49.44	7762-1664	105	525.00	.13
T5-545-50	50.35	7762-1665	109	545.00	.13
T5-550-50	50.61	7762-1666	110	550.00	.13
T5-560-50	51.04	7762-1667	112	560.00	.13
T5-575-50	51.73	7762-1668	115	575.00	.14
T5-610-50	53.33	7762-1669	122	610.00	.15

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch—50mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-620-50	$53.81	7762-1670	124	620.00	.15
T5-630-50	54.29	7762-1671	126	630.00	.15
T5-640-50	54.77	7762-1672	128	640.00	.15
T5-650-50	55.20	7762-1673	130	650.00	.16
T5-660-50	55.68	7762-1674	132	660.00	.16
T5-675-50	56.37	7762-1675	135	675.00	.16
T5-690-50	57.12	7762-1676	138	690.00	.17
T5-700-50	57.60	7762-1677	140	700.00	.17
T5-720-50	58.51	7762-1678	144	720.00	.17
T5-750-50	59.95	7762-1679	150	750.00	.18
T5-780-50	61.44	7762-1680	156	780.00	.19

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-815-50	$63.09	7762-1681	163	815.00	.20
T5-840-50	64.32	7762-1682	168	840.00	.20
T5-900-50	67.31	7762-1683	180	900.00	.22
T5-940-50	69.33	7762-1684	188	940.00	.23
T5-990-50	71.84	7762-1685	198	990.00	.24
T5-1075-50	76.27	7762-1686	215	1075.00	.26
T5-1100-50	77.55	7762-1687	220	1100.00	.26
T5-1215-50	83.63	7762-1688	243	1215.00	.29
T5-1315-50	89.07	7762-1689	263	1315.00	.32
T5-1380-50	92.69	7762-1690	276	1380.00	.33

T5 Pitch—75mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-75	$49.98	7762-1700	30	150.00	.05
T5-165-75	50.90	7762-1701	33	165.00	.06
T5-180-75	51.82	7762-1702	36	180.00	.06
T5-185-75	52.13	7762-1703	37	185.00	.07
T5-200-75	53.06	7762-1704	40	200.00	.07
T5-215-75	53.99	7762-1705	43	215.00	.08
T5-220-75	54.30	7762-1706	44	220.00	.08
T5-225-75	54.61	7762-1707	45	225.00	.08
T5-245-75	55.87	7762-1708	49	245.00	.09
T5-250-75	56.18	7762-1709	50	250.00	.09
T5-255-75	56.50	7762-1710	51	255.00	.09
T5-260-75	56.81	7762-1711	52	260.00	.09
T5-270-75	57.44	7762-1712	54	270.00	.10
T5-275-75	57.76	7762-1713	55	275.00	.10
T5-280-75	58.08	7762-1714	56	280.00	.10
T5-295-75	59.03	7762-1715	59	295.00	.11
T5-305-75	59.67	7762-1716	61	305.00	.11
T5-315-75	60.31	7762-1717	63	315.00	.11
T5-330-75	61.27	7762-1718	66	330.00	.12
T5-340-75	61.92	7762-1719	68	340.00	.12
T5-350-75	62.56	7762-1720	70	350.00	.13
T5-355-75	62.89	7762-1721	71	355.00	.13
T5-365-75	63.54	7762-1722	73	365.00	.13
T5-390-75	65.17	7762-1723	78	390.00	.14
T5-400-75	65.82	7762-1724	80	400.00	.14
T5-410-75	66.48	7762-1725	82	410.00	.15
T5-420-75	67.14	7762-1726	84	420.00	.15
T5-445-75	68.80	7762-1727	89	445.00	.16
T5-450-75	69.13	7762-1728	90	450.00	.16
T5-455-75	69.46	7762-1729	91	455.00	.16
T5-475-75	70.80	7762-1730	95	475.00	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-480-75	$71.15	7762-1731	96	480.00	.17
T5-500-75	72.48	7762-1732	100	500.00	.18
T5-510-75	73.17	7762-1733	102	510.00	.18
T5-525-75	74.19	7762-1734	105	525.00	.19
T5-545-75	75.52	7762-1735	109	545.00	.20
T5-550-75	75.89	7762-1736	110	550.00	.20
T5-560-75	76.59	7762-1737	112	560.00	.20
T5-575-75	77.60	7762-1738	115	575.00	.21
T5-610-75	80.00	7762-1739	122	610.00	.22
T5-620-75	80.69	7762-1740	124	620.00	.22
T5-630-75	81.44	7762-1741	126	630.00	.23
T5-640-75	82.13	7762-1742	128	640.00	.23
T5-650-75	82.83	7762-1743	130	650.00	.23
T5-660-75	83.52	7762-1744	132	660.00	.24
T5-675-75	84.59	7762-1745	135	675.00	.24
T5-690-75	85.65	7762-1746	138	690.00	.25
T5-700-75	86.35	7762-1747	140	700.00	.25
T5-720-75	87.79	7762-1748	144	720.00	.26
T5-750-75	89.92	7762-1749	150	750.00	.27
T5-780-75	92.11	7762-1750	156	780.00	.28
T5-815-75	94.67	7762-1751	163	815.00	.29
T5-840-75	96.48	7762-1752	168	840.00	.30
T5-900-75	100.96	7762-1753	180	900.00	.32
T5-940-75	104.00	7762-1754	188	940.00	.34
T5-990-75	107.79	7762-1755	198	990.00	.36
T5-1075-75	114.35	7762-1756	215	1075.00	.39
T5-1100-75	116.32	7762-1757	220	1100.00	.40
T5-1215-75	125.49	7762-1758	243	1215.00	.44
T5-1315-75	133.65	7762-1759	263	1315.00	.47
T5-1380-75	139.04	7762-1760	276	1380.00	.50

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch—200mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-200	$121.17	7762-1770	30	150.00	.14
T5-165-200	123.40	7762-1771	33	165.00	.16
T5-180-200	125.63	7762-1772	36	180.00	.17
T5-185-200	126.38	7762-1773	37	185.00	.18
T5-200-200	128.63	7762-1774	40	200.00	.19
T5-215-200	130.88	7762-1775	43	215.00	.21
T5-220-200	131.64	7762-1776	44	220.00	.21
T5-225-200	132.40	7762-1777	45	225.00	.22
T5-245-200	135.43	7762-1778	49	245.00	.24
T5-250-200	136.19	7762-1779	50	250.00	.24
T5-255-200	136.95	7762-1780	51	255.00	.25
T5-260-200	137.72	7762-1781	52	260.00	.25
T5-270-200	139.25	7762-1782	54	270.00	.26
T5-275-200	140.02	7762-1783	55	275.00	.26
T5-280-200	140.79	7762-1784	56	280.00	.27
T5-295-200	143.10	7762-1785	59	295.00	.28
T5-305-200	144.64	7762-1786	61	305.00	.29
T5-315-200	146.19	7762-1787	63	315.00	.30
T5-330-200	148.53	7762-1788	66	330.00	.32
T5-340-200	150.09	7762-1789	68	340.00	.33
T5-350-200	151.66	7762-1790	70	350.00	.34
T5-355-200	152.44	7762-1791	71	355.00	.34
T5-365-200	154.02	7762-1792	73	365.00	.35
T5-390-200	157.97	7762-1793	78	390.00	.38
T5-400-200	159.56	7762-1794	80	400.00	.38
T5-410-200	161.15	7762-1795	82	410.00	.39
T5-420-200	162.75	7762-1796	84	420.00	.40
T5-445-200	166.77	7762-1797	89	445.00	.43
T5-450-200	167.57	7762-1798	90	450.00	.43
T5-455-200	168.38	7762-1799	91	455.00	.44
T5-475-200	171.62	7762-1800	95	475.00	.46

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-480-200	$172.43	7762-1801	96	480.00	.46
T5-500-200	175.68	7762-1802	100	500.00	.48
T5-510-200	177.33	7762-1803	102	510.00	.49
T5-525-200	179.79	7762-1804	105	525.00	.51
T5-545-200	183.09	7762-1805	109	545.00	.52
T5-550-200	183.95	7762-1806	110	550.00	.53
T5-560-200	185.60	7762-1807	112	560.00	.54
T5-575-200	188.11	7762-1808	115	575.00	.55
T5-610-200	193.97	7762-1809	122	610.00	.59
T5-620-200	195.68	7762-1810	124	620.00	.60
T5-630-200	197.33	7762-1811	126	630.00	.61
T5-640-200	199.04	7762-1812	128	640.00	.62
T5-650-200	200.75	7762-1813	130	650.00	.63
T5-660-200	202.45	7762-1814	132	660.00	.63
T5-675-200	205.01	7762-1815	135	675.00	.65
T5-690-200	207.63	7762-1816	138	690.00	.66
T5-700-200	209.33	7762-1817	140	700.00	.67
T5-720-200	212.80	7762-1818	144	720.00	.69
T5-750-200	218.03	7762-1819	150	750.00	.72
T5-780-200	223.25	7762-1820	156	780.00	.75
T5-815-200	229.49	7762-1821	163	815.00	.78
T5-840-200	233.92	7762-1822	168	840.00	.81
T5-900-200	244.75	7762-1823	180	900.00	.87
T5-940-200	252.05	7762-1824	188	940.00	.90
T5-990-200	261.28	7762-1825	198	990.00	.95
T5-1075-200	277.23	7762-1826	215	1075.00	1.03
T5-1100-200	281.97	7762-1827	220	1100.00	1.06
T5-1215-200	304.16	7762-1828	243	1215.00	1.17
T5-1315-200	323.95	7762-1829	263	1315.00	1.26
T5-1380-200	337.07	7762-1830	276	1380.00	1.33

T10 Pitch—10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-10	$8.41	7762-2000	26	260.00	.03
T10-370-10	9.53	7762-2001	37	370.00	.04
T10-400-10	9.85	7762-2002	40	400.00	.04
T10-410-10	9.96	7762-2003	41	410.00	.04
T10-440-10	10.29	7762-2004	44	440.00	.04
T10-450-10	10.40	7762-2005	45	450.00	.05
T10-500-10	10.97	7762-2006	50	500.00	.05
T10-530-10	11.33	7762-2007	53	530.00	.05
T10-560-10	11.68	7762-2008	56	560.00	.06
T10-600-10	12.17	7762-2009	60	600.00	.06
T10-610-10	12.30	7762-2010	61	610.00	.06
T10-630-10	12.55	7762-2011	63	630.00	.06
T10-660-10	12.93	7762-2012	66	660.00	.07
T10-690-10	13.32	7762-2013	69	690.00	.07
T10-700-10	13.45	7762-2014	70	700.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-720-10	$13.71	7762-2015	72	720.00	.07
T10-730-10	13.85	7762-2016	73	730.00	.07
T10-750-10	14.12	7762-2017	75	750.00	.08
T10-780-10	14.53	7762-2018	78	780.00	.08
T10-810-10	14.94	7762-2019	81	810.00	.08
T10-840-10	15.37	7762-2020	84	840.00	.08
T10-880-10	15.94	7762-2021	88	880.00	.09
T10-890-10	16.09	7762-2022	89	890.00	.09
T10-900-10	16.24	7762-2023	90	900.00	.09
T10-910-10	16.38	7762-2024	91	910.00	.09
T10-920-10	16.53	7762-2025	92	920.00	.09
T10-960-10	17.13	7762-2026	96	960.00	.10
T10-970-10	17.29	7762-2027	97	970.00	.10
T10-980-10	17.44	7762-2028	98	980.00	.10
T10-1010-10	17.90	7762-2029	101	1010.00	.10

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch—10mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1080-10	$19.01	7762-2030	108	1080.00	.11
T10-1100-10	19.34	7762-2031	110	1100.00	.11
T10-1110-10	19.50	7762-2032	111	1110.00	.11
T10-1140-10	19.99	7762-2033	114	1140.00	.11
T10-1150-10	20.16	7762-2034	115	1150.00	.12
T10-1210-10	21.17	7762-2035	121	1210.00	.12
T10-1240-10	21.71	7762-2036	124	1240.00	.12
T10-1250-10	21.87	7762-2037	125	1250.00	.13
T10-1300-10	22.72	7762-2038	130	1300.00	.13
T10-1320-10	23.09	7762-2039	132	1320.00	.13
T10-1350-10	23.63	7762-2040	135	1350.00	.14
T10-1390-10	24.37	7762-2041	139	1390.00	.14

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1400-10	$24.59	7762-2042	140	1400.00	.14
T10-1420-10	24.96	7762-2043	142	1420.00	.14
T10-1450-10	25.49	7762-2044	145	1450.00	.15
T10-1460-10	25.71	7762-2045	146	1460.00	.15
T10-1500-10	26.45	7762-2046	150	1500.00	.15
T10-1560-10	27.63	7762-2047	156	1560.00	.16
T10-1610-10	28.64	7762-2048	161	1610.00	.16
T10-1750-10	31.57	7762-2049	175	1750.00	.18
T10-1780-10	32.21	7762-2050	178	1780.00	.18
T10-1880-10	34.40	7762-2051	188	1880.00	.19
T10-1960-10	36.21	7762-2052	196	1960.00	.20
T10-2250-10	43.20	7762-2053	225	2250.00	.23

T10 Pitch—12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-12	$10.09	7762-2054	26	260.00	.03
T10-370-12	11.43	7762-2055	37	370.00	.04
T10-400-12	11.82	7762-2056	40	400.00	.05
T10-410-12	11.95	7762-2057	41	410.00	.05
T10-440-12	12.34	7762-2058	44	440.00	.05
T10-450-12	12.48	7762-2059	45	450.00	.05
T10-500-12	13.16	7762-2060	50	500.00	.06
T10-530-12	13.59	7762-2061	53	530.00	.06
T10-560-12	14.02	7762-2062	56	560.00	.07
T10-600-12	14.60	7762-2063	60	600.00	.07
T10-610-12	14.75	7762-2064	61	610.00	.07
T10-630-12	15.05	7762-2065	63	630.00	.08
T10-660-12	15.51	7762-2066	66	660.00	.08
T10-690-12	15.98	7762-2067	69	690.00	.08
T10-700-12	16.14	7762-2068	70	700.00	.08
T10-720-12	16.46	7762-2069	72	720.00	.09
T10-730-12	16.62	7762-2070	73	730.00	.09
T10-750-12	16.94	7762-2071	75	750.00	.09
T10-780-12	17.43	7762-2072	78	780.00	.09
T10-810-12	17.93	7762-2073	81	810.00	.10
T10-840-12	18.44	7762-2074	84	840.00	.10
T10-880-12	19.13	7762-2075	88	880.00	.11
T10-890-12	19.31	7762-2076	89	890.00	.11
T10-900-12	19.49	7762-2077	90	900.00	.11
T10-910-12	19.66	7762-2078	91	910.00	.11
T10-920-12	19.84	7762-2079	92	920.00	.11
T10-960-12	20.56	7762-2080	96	960.00	.12

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-12	$20.75	7762-2081	97	970.00	.12
T10-980-12	20.93	7762-2082	98	980.00	.12
T10-1010-12	21.49	7762-2083	101	1010.00	.12
T10-1080-12	22.82	7762-2084	108	1080.00	.13
T10-1100-12	23.21	7762-2085	110	1100.00	.13
T10-1110-12	23.40	7762-2086	111	1110.00	.13
T10-1140-12	24.00	7762-2087	114	1140.00	.14
T10-1150-12	24.20	7762-2088	115	1150.00	.14
T10-1210-12	25.41	7762-2089	121	1210.00	.15
T10-1240-12	26.03	7762-2090	124	1240.00	.15
T10-1250-12	26.24	7762-2091	125	1250.00	.15
T10-1300-12	27.31	7762-2092	130	1300.00	.16
T10-1320-12	27.73	7762-2093	132	1320.00	.16
T10-1350-12	28.37	7762-2094	135	1350.00	.16
T10-1390-12	29.28	7762-2095	139	1390.00	.17
T10-1400-12	29.49	7762-2096	140	1400.00	.17
T10-1420-12	29.92	7762-2097	142	1420.00	.17
T10-1450-12	30.61	7762-2098	145	1450.00	.17
T10-1460-12	30.83	7762-2099	146	1460.00	.18
T10-1500-12	31.79	7762-2100	150	1500.00	.18
T10-1560-12	33.17	7762-2101	156	1560.00	.19
T10-1610-12	34.40	7762-2102	161	1610.00	.19
T10-1750-12	37.87	7762-2103	175	1750.00	.21
T10-1780-12	38.67	7762-2104	178	1780.00	.21
T10-1880-12	41.28	7762-2105	188	1880.00	.23
T10-1960-12	43.47	7762-2106	196	1960.00	.24
T10-2250-12	51.84	7762-2107	225	2250.00	.27

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch—14mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-14	$11.36	7762-2108	26	260.00	.04
T10-370-14	12.85	7762-2109	37	370.00	.05
T10-400-14	13.28	7762-2110	40	400.00	.06
T10-410-14	13.44	7762-2111	41	410.00	.06
T10-440-14	13.87	7762-2112	44	440.00	.06
T10-450-14	14.03	7762-2113	45	450.00	.06
T10-500-14	14.77	7762-2114	50	500.00	.07
T10-530-14	15.25	7762-2115	53	530.00	.07
T10-560-14	15.73	7762-2116	56	560.00	.08
T10-600-14	16.43	7762-2117	60	600.00	.08
T10-610-14	16.59	7762-2118	61	610.00	.09
T10-630-14	16.91	7762-2119	63	630.00	.09
T10-660-14	17.44	7762-2120	66	660.00	.09
T10-690-14	17.97	7762-2121	69	690.00	.10
T10-700-14	18.13	7762-2122	70	700.00	.10
T10-720-14	18.51	7762-2123	72	720.00	.10
T10-730-14	18.67	7762-2124	73	730.00	.10
T10-750-14	19.04	7762-2125	75	750.00	.11
T10-780-14	19.57	7762-2126	78	780.00	.11
T10-810-14	20.16	7762-2127	81	810.00	.11
T10-840-14	20.69	7762-2128	84	840.00	.12
T10-880-14	21.49	7762-2129	88	880.00	.12
T10-890-14	21.71	7762-2130	89	890.00	.13
T10-900-14	21.87	7762-2131	90	900.00	.13
T10-910-14	22.08	7762-2132	91	910.00	.13
T10-920-14	22.29	7762-2133	92	920.00	.13
T10-960-14	23.09	7762-2134	96	960.00	.13

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-14	$23.31	7762-2135	97	970.00	.14
T10-980-14	23.52	7762-2136	98	980.00	.14
T10-1010-14	24.11	7762-2137	101	1010.00	.14
T10-1080-14	25.60	7762-2138	108	1080.00	.15
T10-1100-14	26.08	7762-2139	110	1100.00	.15
T10-1110-14	26.29	7762-2140	111	1110.00	.16
T10-1140-14	26.93	7762-2141	114	1140.00	.16
T10-1150-14	27.15	7762-2142	115	1150.00	.16
T10-1210-14	28.53	7762-2143	121	1210.00	.17
T10-1240-14	29.23	7762-2144	124	1240.00	.17
T10-1250-14	29.49	7762-2145	125	1250.00	.18
T10-1300-14	30.67	7762-2146	130	1300.00	.18
T10-1320-14	31.15	7762-2147	132	1320.00	.19
T10-1350-14	31.89	7762-2148	135	1350.00	.19
T10-1390-14	32.85	7762-2149	139	1390.00	.20
T10-1400-14	33.12	7762-2150	140	1400.00	.20
T10-1420-14	33.60	7762-2151	142	1420.00	.20
T10-1450-14	34.40	7762-2152	145	1450.00	.20
T10-1460-14	34.67	7762-2153	146	1460.00	.21
T10-1500-14	35.68	7762-2154	150	1500.00	.21
T10-1560-14	37.28	7762-2155	156	1560.00	.22
T10-1610-14	38.61	7762-2156	161	1610.00	.23
T10-1750-14	42.56	7762-2157	175	1750.00	.25
T10-1780-14	43.41	7762-2158	178	1780.00	.25
T10-1880-14	46.35	7762-2159	188	1880.00	.26
T10-1960-14	48.80	7762-2160	196	1960.00	.28
T10-2250-14	58.24	7762-2161	225	2250.00	.32

T10 Pitch—16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-16	$12.95	7762-2165	26	260.00	.04
T10-370-16	14.68	7762-2166	37	370.00	.06
T10-400-16	15.17	7762-2167	40	400.00	.06
T10-410-16	15.34	7762-2168	41	410.00	.07
T10-440-16	15.85	7762-2169	44	440.00	.07
T10-450-16	16.02	7762-2170	45	450.00	.07
T10-500-16	16.90	7762-2171	50	500.00	.08
T10-530-16	17.44	7762-2172	53	530.00	.09
T10-560-16	17.99	7762-2173	56	560.00	.09
T10-600-16	18.75	7762-2174	60	600.00	.10
T10-610-16	18.94	7762-2175	61	610.00	.10
T10-630-16	19.32	7762-2176	63	630.00	.10
T10-660-16	19.91	7762-2177	66	660.00	.11
T10-690-16	20.51	7762-2178	69	690.00	.11
T10-700-16	20.71	7762-2179	70	700.00	.11
T10-720-16	21.12	7762-2180	72	720.00	.12
T10-730-16	21.33	7762-2181	73	730.00	.12
T10-750-16	21.74	7762-2182	75	750.00	.12
T10-780-16	22.38	7762-2183	78	780.00	.13
T10-810-16	23.02	7762-2184	81	810.00	.13
T10-840-16	23.67	7762-2185	84	840.00	.13
T10-880-16	24.56	7762-2186	88	880.00	.14
T10-890-16	24.78	7762-2187	89	890.00	.14
T10-900-16	25.01	7762-2188	90	900.00	.14
T10-910-16	25.24	7762-2189	91	910.00	.15
T10-920-16	25.47	7762-2190	92	920.00	.15
T10-960-16	26.39	7762-2191	96	960.00	.15

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-16	$26.63	7762-2192	97	970.00	.16
T10-980-16	26.86	7762-2193	98	980.00	.16
T10-1010-16	27.58	7762-2194	101	1010.00	.16
T10-1080-16	29.29	7762-2195	108	1080.00	.17
T10-1100-16	29.79	7762-2196	110	1100.00	.18
T10-1110-16	30.04	7762-2197	111	1110.00	.18
T10-1140-16	30.80	7762-2198	114	1140.00	.18
T10-1150-16	31.05	7762-2199	115	1150.00	.18
T10-1210-16	32.62	7762-2200	121	1210.00	.19
T10-1240-16	33.44	7762-2201	124	1240.00	.20
T10-1250-16	33.71	7762-2202	125	1250.00	.20
T10-1300-16	35.04	7762-2203	130	1300.00	.21
T10-1320-16	35.57	7762-2204	132	1320.00	.21
T10-1350-16	36.43	7762-2205	135	1350.00	.22
T10-1390-16	37.55	7762-2206	139	1390.00	.22
T10-1400-16	37.87	7762-2207	140	1400.00	.22
T10-1420-16	38.40	7762-2208	142	1420.00	.23
T10-1450-16	39.31	7762-2209	145	1450.00	.23
T10-1460-16	39.57	7762-2210	146	1460.00	.23
T10-1500-16	40.80	7762-2211	150	1500.00	.24
T10-1560-16	42.61	7762-2212	156	1560.00	.25
T10-1610-16	44.16	7762-2213	161	1610.00	.26
T10-1750-16	48.64	7762-2214	175	1750.00	.28
T10-1780-16	49.60	7762-2215	178	1780.00	.29
T10-1880-16	53.01	7762-2216	188	1880.00	.30
T10-1960-16	55.79	7762-2217	196	1960.00	.31
T10-2250-16	66.56	7762-2218	225	2250.00	.36

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch—20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-20	$16.20	7762-2220	26	260.00	.05
T10-370-20	18.35	7762-2221	37	370.00	.07
T10-400-20	18.97	7762-2222	40	400.00	.08
T10-410-20	19.18	7762-2223	41	410.00	.08
T10-440-20	19.81	7762-2224	44	440.00	.09
T10-450-20	20.03	7762-2225	45	450.00	.09
T10-500-20	21.13	7762-2226	50	500.00	.10
T10-530-20	21.80	7762-2227	53	530.00	.11
T10-560-20	22.49	7762-2228	56	560.00	.11
T10-600-20	23.44	7762-2229	60	600.00	.12
T10-610-20	23.67	7762-2230	61	610.00	.12
T10-630-20	24.16	7762-2231	63	630.00	.13
T10-660-20	24.89	7762-2232	66	660.00	.13
T10-690-20	25.64	7762-2233	69	690.00	.14
T10-700-20	25.89	7762-2234	70	700.00	.14
T10-720-20	26.40	7762-2235	72	720.00	.14
T10-730-20	26.66	7762-2236	73	730.00	.15
T10-750-20	27.18	7762-2237	75	750.00	.15
T10-780-20	27.97	7762-2238	78	780.00	.16
T10-810-20	28.77	7762-2239	81	810.00	.16
T10-840-20	29.59	7762-2240	84	840.00	.17
T10-880-20	30.70	7762-2241	88	880.00	.18
T10-890-20	30.98	7762-2242	89	890.00	.18
T10-900-20	31.26	7762-2243	90	900.00	.18
T10-910-20	31.55	7762-2244	91	910.00	.18
T10-920-20	31.83	7762-2245	92	920.00	.18
T10-960-20	32.99	7762-2246	96	960.00	.19

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-20	$33.28	7762-2247	97	970.00	.19
T10-980-20	33.58	7762-2248	98	980.00	.20
T10-1010-20	34.47	7762-2249	101	1010.00	.20
T10-1080-20	36.61	7762-2250	108	1080.00	.22
T10-1100-20	37.23	7762-2251	110	1100.00	.22
T10-1110-20	37.55	7762-2252	111	1110.00	.22
T10-1140-20	38.50	7762-2253	114	1140.00	.23
T10-1150-20	38.82	7762-2254	115	1150.00	.23
T10-1210-20	40.77	7762-2255	121	1210.00	.24
T10-1240-20	41.76	7762-2256	124	1240.00	.25
T10-1250-20	42.08	7762-2257	125	1250.00	.25
T10-1300-20	43.79	7762-2258	130	1300.00	.26
T10-1320-20	44.48	7762-2259	132	1320.00	.27
T10-1350-20	45.55	7762-2260	135	1350.00	.27
T10-1390-20	46.93	7762-2261	139	1390.00	.28
T10-1400-20	47.31	7762-2262	140	1400.00	.28
T10-1420-20	48.05	7762-2263	142	1420.00	.29
T10-1450-20	49.12	7762-2264	145	1450.00	.29
T10-1460-20	49.49	7762-2265	146	1460.00	.29
T10-1500-20	50.99	7762-2266	150	1500.00	.30
T10-1560-20	53.23	7762-2267	156	1560.00	.31
T10-1610-20	55.15	7762-2268	161	1610.00	.32
T10-1750-20	60.80	7762-2269	175	1750.00	.35
T10-1780-20	62.03	7762-2270	178	1780.00	.36
T10-1880-20	66.24	7762-2271	188	1880.00	.38
T10-1960-20	69.76	7762-2272	196	1960.00	.39
T10-2250-20	83.20	7762-2273	225	2250.00	.45

T10 Pitch—25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-25	$20.24	7762-2275	26	260.00	.07
T10-370-25	22.93	7762-2276	37	370.00	.09
T10-400-25	23.70	7762-2277	40	400.00	.10
T10-410-25	23.97	7762-2278	41	410.00	.10
T10-440-25	24.76	7762-2279	44	440.00	.11
T10-450-25	25.03	7762-2280	45	450.00	.11
T10-500-25	26.40	7762-2281	50	500.00	.13
T10-530-25	27.25	7762-2282	53	530.00	.13
T10-560-25	28.11	7762-2283	56	560.00	.14
T10-600-25	29.29	7762-2284	60	600.00	.15
T10-610-25	29.59	7762-2285	61	610.00	.15
T10-630-25	30.19	7762-2286	63	630.00	.16
T10-660-25	31.11	7762-2287	66	660.00	.17
T10-690-25	32.05	7762-2288	69	690.00	.17
T10-700-25	32.36	7762-2289	70	700.00	.18
T10-720-25	33.00	7762-2290	72	720.00	.18
T10-730-25	33.32	7762-2291	73	730.00	.18
T10-750-25	33.97	7762-2292	75	750.00	.19
T10-780-25	34.96	7762-2293	78	780.00	.20
T10-810-25	35.96	7762-2294	81	810.00	.20

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-840-25	$36.98	7762-2295	84	840.00	.21
T10-880-25	38.37	7762-2296	88	880.00	.22
T10-890-25	38.72	7762-2297	89	890.00	.22
T10-900-25	39.07	7762-2298	90	900.00	.23
T10-910-25	39.43	7762-2299	91	910.00	.23
T10-920-25	39.79	7762-2300	92	920.00	.23
T10-960-25	41.23	7762-2301	96	960.00	.24
T10-970-25	41.60	7762-2302	97	970.00	.24
T10-980-25	41.97	7762-2303	98	980.00	.25
T10-1010-25	43.09	7762-2304	101	1010.00	.25
T10-1080-25	45.76	7762-2305	108	1080.00	.27
T10-1100-25	46.54	7762-2306	110	1100.00	.28
T10-1110-25	46.93	7762-2307	111	1110.00	.28
T10-1140-25	48.12	7762-2308	114	1140.00	.29
T10-1150-25	48.52	7762-2309	115	1150.00	.29
T10-1210-25	50.96	7762-2310	121	1210.00	.30
T10-1240-25	52.21	7762-2311	124	1240.00	.31
T10-1250-25	52.64	7762-2312	125	1250.00	.31
T10-1300-25	54.77	7762-2313	130	1300.00	.33
T10-1320-25	55.63	7762-2314	132	1320.00	.33

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch—25mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1350-25	$56.91	7762-2315	135	1350.00	.34
T10-1390-25	58.67	7762-2316	139	1390.00	.35
T10-1400-25	59.15	7762-2317	140	1400.00	.35
T10-1420-25	60.05	7762-2318	142	1420.00	.36
T10-1450-25	61.39	7762-2319	145	1450.00	.36
T10-1460-25	61.87	7762-2320	146	1460.00	.37
T10-1500-25	63.73	7762-2321	150	1500.00	.38

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1560-25	$66.56	7762-2322	156	1560.00	.39
T10-1610-25	68.96	7762-2323	161	1610.00	.40
T10-1750-25	75.95	7762-2324	175	1750.00	.44
T10-1780-25	77.49	7762-2325	178	1780.00	.45
T10-1880-25	82.83	7762-2326	188	1880.00	.47
T10-1960-25	87.15	7762-2327	196	1960.00	.49
T10-2250-25	104.00	7762-2328	225	2250.00	.56

T10 Pitch—32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-32	$25.91	7762-2330	26	260.00	.08
T10-370-32	29.35	7762-2331	37	370.00	.12
T10-400-32	30.34	7762-2332	40	400.00	.13
T10-410-32	30.68	7762-2333	41	410.00	.13
T10-440-32	31.70	7762-2334	44	440.00	.14
T10-450-32	32.04	7762-2335	45	450.00	.14
T10-500-32	33.80	7762-2336	50	500.00	.16
T10-530-32	34.88	7762-2337	53	530.00	.17
T10-560-32	35.99	7762-2338	56	560.00	.18
T10-600-32	37.49	7762-2339	60	600.00	.19
T10-610-32	37.88	7762-2340	61	610.00	.20
T10-630-32	38.65	7762-2341	63	630.00	.20
T10-660-32	39.83	7762-2342	66	660.00	.21
T10-690-32	41.02	7762-2343	69	690.00	.22
T10-700-32	41.43	7762-2344	70	700.00	.22
T10-720-32	42.24	7762-2345	72	720.00	.23
T10-730-32	42.66	7762-2346	73	730.00	.23
T10-750-32	43.49	7762-2347	75	750.00	.24
T10-780-32	44.75	7762-2348	78	780.00	.25
T10-810-32	46.04	7762-2349	81	810.00	.26
T10-840-32	47.34	7762-2350	84	840.00	.27
T10-880-32	49.12	7762-2351	88	880.00	.28
T10-890-32	49.57	7762-2352	89	890.00	.29
T10-900-32	50.02	7762-2353	90	900.00	.29
T10-910-32	50.47	7762-2354	91	910.00	.29
T10-920-32	50.93	7762-2355	92	920.00	.30
T10-960-32	52.78	7762-2356	96	960.00	.31

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-32	$53.25	7762-2357	97	970.00	.31
T10-980-32	53.73	7762-2358	98	980.00	.31
T10-1010-32	55.15	7762-2359	101	1010.00	.32
T10-1080-32	58.57	7762-2360	108	1080.00	.35
T10-1100-32	59.57	7762-2361	110	1100.00	.35
T10-1110-32	60.07	7762-2362	111	1110.00	.36
T10-1140-32	61.60	7762-2363	114	1140.00	.37
T10-1150-32	62.11	7762-2364	115	1150.00	.37
T10-1210-32	65.23	7762-2365	121	1210.00	.39
T10-1240-32	66.83	7762-2366	124	1240.00	.40
T10-1250-32	67.36	7762-2367	125	1250.00	.40
T10-1300-32	70.08	7762-2368	130	1300.00	.42
T10-1320-32	71.20	7762-2369	132	1320.00	.42
T10-1350-32	72.85	7762-2370	135	1350.00	.43
T10-1390-32	75.15	7762-2371	139	1390.00	.45
T10-1400-32	75.68	7762-2372	140	1400.00	.45
T10-1420-32	76.85	7762-2373	142	1420.00	.46
T10-1450-32	78.61	7762-2374	145	1450.00	.47
T10-1460-32	79.20	7762-2375	146	1460.00	.47
T10-1500-32	81.55	7762-2376	150	1500.00	.48
T10-1560-32	85.17	7762-2377	156	1560.00	.50
T10-1610-32	88.27	7762-2378	161	1610.00	.52
T10-1750-32	97.23	7762-2379	175	1750.00	.56
T10-1780-32	99.20	7762-2380	178	1780.00	.57
T10-1880-32	105.97	7762-2381	188	1880.00	.60
T10-1960-32	111.57	7762-2382	196	1960.00	.63
T10-2250-32	133.12	7762-2383	225	2250.00	.72

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch—50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-50	$40.50	7762-2385	26	260.00	.13
T10-370-50	45.88	7762-2386	37	370.00	.19
T10-400-50	47.43	7762-2387	40	400.00	.20
T10-410-50	47.95	7762-2388	41	410.00	.21
T10-440-50	49.54	7762-2389	44	440.00	.22
T10-450-50	50.08	7762-2390	45	450.00	.23
T10-500-50	52.82	7762-2391	50	500.00	.25
T10-530-50	54.52	7762-2392	53	530.00	.27
T10-560-50	56.24	7762-2393	56	560.00	.28
T10-600-50	58.60	7762-2394	60	600.00	.30
T10-610-50	59.19	7762-2395	61	610.00	.31
T10-630-50	60.40	7762-2396	63	630.00	.32
T10-660-50	62.24	7762-2397	66	660.00	.33
T10-690-50	64.11	7762-2398	69	690.00	.35
T10-700-50	64.74	7762-2399	70	700.00	.35
T10-720-50	66.02	7762-2400	72	720.00	.36
T10-730-50	66.66	7762-2401	73	730.00	.37
T10-750-50	67.96	7762-2402	75	750.00	.38
T10-780-50	69.93	7762-2403	78	780.00	.39
T10-810-50	71.94	7762-2404	81	810.00	.41
T10-840-50	73.98	7762-2405	84	840.00	.42
T10-880-50	76.76	7762-2406	88	880.00	.44
T10-890-50	77.46	7762-2407	89	890.00	.45
T10-900-50	78.17	7762-2408	90	900.00	.45
T10-910-50	78.88	7762-2409	91	910.00	.46
T10-920-50	79.59	7762-2410	92	920.00	.46
T10-960-50	82.49	7762-2411	96	960.00	.48

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-50	$83.22	7762-2412	97	970.00	.49
T10-980-50	83.96	7762-2413	98	980.00	.49
T10-1010-50	86.19	7762-2414	101	1010.00	.51
T10-1080-50	91.53	7762-2415	108	1080.00	.54
T10-1100-50	93.09	7762-2416	110	1100.00	.55
T10-1110-50	93.87	7762-2417	111	1110.00	.56
T10-1140-50	96.25	7762-2418	114	1140.00	.57
T10-1150-50	97.05	7762-2419	115	1150.00	.58
T10-1210-50	101.93	7762-2420	121	1210.00	.61
T10-1240-50	104.43	7762-2421	124	1240.00	.62
T10-1250-50	105.28	7762-2422	125	1250.00	.63
T10-1300-50	109.49	7762-2423	130	1300.00	.65
T10-1320-50	111.25	7762-2424	132	1320.00	.66
T10-1350-50	113.87	7762-2425	135	1350.00	.68
T10-1390-50	117.39	7762-2426	139	1390.00	.70
T10-1400-50	118.29	7762-2427	140	1400.00	.70
T10-1420-50	120.11	7762-2428	142	1420.00	.71
T10-1450-50	122.83	7762-2429	145	1450.00	.73
T10-1460-50	123.73	7762-2430	146	1460.00	.73
T10-1500-50	127.41	7762-2431	150	1500.00	.75
T10-1560-50	133.12	7762-2432	156	1560.00	.78
T10-1610-50	137.92	7762-2433	161	1610.00	.81
T10-1750-50	151.95	7762-2434	175	1750.00	.88
T10-1780-50	155.04	7762-2435	178	1780.00	.89
T10-1880-50	165.60	7762-2436	188	1880.00	.94
T10-1960-50	174.35	7762-2437	196	1960.00	.98
T10-2250-50	208.00	7762-2438	225	2250.00	1.13

T10 Pitch—75mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-75	$60.74	7762-2450	26	260.00	.20
T10-370-75	68.81	7762-2451	37	370.00	.28
T10-400-75	71.13	7762-2452	40	400.00	.30
T10-410-75	71.92	7762-2453	41	410.00	.31
T10-440-75	74.30	7762-2454	44	440.00	.33
T10-450-75	75.11	7762-2455	45	450.00	.34
T10-500-75	79.23	7762-2456	50	500.00	.38
T10-530-75	81.77	7762-2457	53	530.00	.40
T10-560-75	84.36	7762-2458	56	560.00	.42
T10-600-75	87.89	7762-2459	60	600.00	.45
T10-610-75	88.78	7762-2460	61	610.00	.46
T10-630-75	90.59	7762-2461	63	630.00	.47
T10-660-75	93.35	7762-2462	66	660.00	.50
T10-690-75	96.16	7762-2463	69	690.00	.52
T10-700-75	97.11	7762-2464	70	700.00	.53
T10-720-75	99.02	7762-2465	72	720.00	.54
T10-730-75	99.99	7762-2466	73	730.00	.55
T10-750-75	101.93	7762-2467	75	750.00	.56
T10-780-75	104.89	7762-2468	78	780.00	.59
T10-810-75	107.90	7762-2469	81	810.00	.61

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-840-75	$110.97	7762-2470	84	840.00	.63
T10-880-75	115.13	7762-2471	88	880.00	.66
T10-890-75	116.18	7762-2472	89	890.00	.67
T10-900-75	117.24	7762-2473	90	900.00	.68
T10-910-75	118.31	7762-2474	91	910.00	.69
T10-920-75	119.38	7762-2475	92	920.00	.69
T10-960-75	123.72	7762-2476	96	960.00	.72
T10-970-75	124.82	7762-2477	97	970.00	.73
T10-980-75	125.92	7762-2478	98	980.00	.74
T10-1010-75	129.27	7762-2479	101	1010.00	.76
T10-1080-75	137.28	7762-2480	108	1080.00	.81
T10-1100-75	139.62	7762-2481	110	1100.00	.83
T10-1110-75	140.80	7762-2482	111	1110.00	.84
T10-1140-75	144.37	7762-2483	114	1140.00	.86
T10-1150-75	145.57	7762-2484	115	1150.00	.87
T10-1210-75	152.89	7762-2485	121	1210.00	.91
T10-1240-75	156.64	7762-2486	124	1240.00	.93
T10-1250-75	157.87	7762-2487	125	1250.00	.94
T10-1300-75	164.27	7762-2488	130	1300.00	.98
T10-1320-75	166.83	7762-2489	132	1320.00	.99

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch—75mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1350-75	$170.77	7762-2490	135	1350.00	1.02
T10-1390-75	176.05	7762-2491	139	1390.00	1.05
T10-1400-75	177.44	7762-2492	140	1400.00	1.05
T10-1420-75	180.11	7762-2493	142	1420.00	1.07
T10-1450-75	184.21	7762-2494	145	1450.00	1.09
T10-1460-75	185.60	7762-2495	146	1460.00	1.10
T10-1500-75	191.15	7762-2496	150	1500.00	1.13

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1560-75	$199.63	7762-2497	156	1560.00	1.17
T10-1610-75	206.88	7762-2498	161	1610.00	1.21
T10-1750-75	227.89	7762-2499	175	1750.00	1.32
T10-1780-75	232.53	7762-2500	178	1780.00	1.34
T10-1880-75	248.43	7762-2501	188	1880.00	1.42
T10-1960-75	261.49	7762-2502	196	1960.00	1.48
T10-2250-75	312.00	7762-2503	225	2250.00	1.69

T10 Pitch—100mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-100	$68.52	7762-2505	26	260.00	.52
T10-370-100	77.63	7762-2506	37	370.00	.74
T10-400-100	80.24	7762-2507	40	400.00	.80
T10-410-100	81.13	7762-2508	41	410.00	.82
T10-440-100	83.82	7762-2509	44	440.00	.88
T10-450-100	84.73	7762-2510	45	450.00	.90
T10-500-100	89.38	7762-2511	50	500.00	1.00
T10-530-100	92.24	7762-2512	53	530.00	1.06
T10-560-100	95.17	7762-2513	56	560.00	1.12
T10-600-100	99.15	7762-2514	60	600.00	1.20
T10-610-100	100.16	7762-2515	61	610.00	1.22
T10-630-100	102.20	7762-2516	63	630.00	1.26
T10-660-100	105.32	7762-2517	66	660.00	1.33
T10-690-100	108.48	7762-2518	69	690.00	1.39
T10-700-100	109.55	7762-2519	70	700.00	1.41
T10-720-100	111.71	7762-2520	72	720.00	1.45
T10-730-100	112.80	7762-2521	73	730.00	1.47
T10-750-100	114.99	7762-2522	75	750.00	1.51
T10-780-100	118.33	7762-2523	78	780.00	1.57
T10-810-100	121.73	7762-2524	81	810.00	1.63
T10-840-100	125.19	7762-2525	84	840.00	1.69
T10-880-100	129.88	7762-2526	88	880.00	1.77
T10-890-100	131.07	7762-2527	89	890.00	1.79
T10-900-100	132.27	7762-2528	90	900.00	1.81
T10-910-100	133.47	7762-2529	91	910.00	1.83
T10-920-100	134.68	7762-2530	92	920.00	1.85
T10-960-100	139.58	7762-2531	96	960.00	1.93

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-100	$140.82	7762-2532	97	970.00	1.95
T10-980-100	142.06	7762-2533	98	980.00	1.97
T10-1010-100	145.84	7762-2534	101	1010.00	2.03
T10-1080-100	154.88	7762-2535	108	1080.00	2.17
T10-1100-100	157.52	7762-2536	110	1100.00	2.21
T10-1110-100	158.85	7762-2537	111	1110.00	2.23
T10-1140-100	162.87	7762-2538	114	1140.00	2.29
T10-1150-100	164.23	7762-2539	115	1150.00	2.31
T10-1210-100	172.49	7762-2540	121	1210.00	2.43
T10-1240-100	176.69	7762-2541	124	1240.00	2.49
T10-1250-100	178.13	7762-2542	125	1250.00	2.51
T10-1300-100	185.33	7762-2543	130	1300.00	2.61
T10-1320-100	188.21	7762-2544	132	1320.00	2.65
T10-1350-100	192.64	7762-2545	135	1350.00	2.71
T10-1390-100	198.67	7762-2546	139	1390.00	2.79
T10-1400-100	200.16	7762-2547	140	1400.00	2.81
T10-1420-100	203.20	7762-2548	142	1420.00	2.85
T10-1450-100	207.84	7762-2549	145	1450.00	2.91
T10-1460-100	209.39	7762-2550	146	1460.00	2.93
T10-1500-100	215.63	7762-2551	150	1500.00	3.01
T10-1560-100	225.23	7762-2552	156	1560.00	3.13
T10-1610-100	233.39	7762-2553	161	1610.00	3.23
T10-1750-100	257.12	7762-2554	175	1750.00	3.51
T10-1780-100	262.40	7762-2555	178	1780.00	3.57
T10-1880-100	280.27	7762-2556	188	1880.00	3.77
T10-1960-100	295.04	7762-2557	196	1960.00	3.94
T10-2250-100	352.00	7762-2558	225	2250.00	4.52

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch—200mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-200	$124.59	7762-2560	26	260.00	.52
T10-370-200	141.14	7762-2561	37	370.00	.74
T10-400-200	145.90	7762-2562	40	400.00	.80
T10-410-200	147.51	7762-2563	41	410.00	.82
T10-440-200	152.40	7762-2564	44	440.00	.88
T10-450-200	154.06	7762-2565	45	450.00	.90
T10-500-200	162.51	7762-2566	50	500.00	1.00
T10-530-200	167.72	7762-2567	53	530.00	1.06
T10-560-200	173.03	7762-2568	56	560.00	1.12
T10-600-200	180.27	7762-2569	60	600.00	1.20
T10-610-200	182.11	7762-2570	61	610.00	1.22
T10-630-200	185.83	7762-2571	63	630.00	1.26
T10-660-200	191.48	7762-2572	66	660.00	1.33
T10-690-200	197.24	7762-2573	69	690.00	1.39
T10-700-200	199.19	7762-2574	70	700.00	1.41
T10-720-200	203.11	7762-2575	72	720.00	1.45
T10-730-200	205.09	7762-2576	73	730.00	1.47
T10-750-200	209.08	7762-2577	75	750.00	1.51
T10-780-200	215.15	7762-2578	78	780.00	1.57
T10-810-200	221.33	7762-2579	81	810.00	1.63
T10-840-200	227.61	7762-2580	84	840.00	1.69
T10-880-200	236.15	7762-2581	88	880.00	1.77
T10-890-200	238.31	7762-2582	89	890.00	1.79
T10-900-200	240.49	7762-2583	90	900.00	1.81
T10-910-200	242.67	7762-2584	91	910.00	1.83
T10-920-200	244.87	7762-2585	92	920.00	1.85
T10-960-200	253.77	7762-2586	96	960.00	1.93

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-200	$256.03	7762-2587	97	970.00	1.95
T10-980-200	258.30	7762-2588	98	980.00	1.97
T10-1010-200	265.17	7762-2589	101	1010.00	2.03
T10-1080-200	281.60	7762-2590	108	1080.00	2.17
T10-1100-200	286.40	7762-2591	110	1100.00	2.21
T10-1110-200	288.82	7762-2592	111	1110.00	2.23
T10-1140-200	296.14	7762-2593	114	1140.00	2.29
T10-1150-200	298.60	7762-2594	115	1150.00	2.31
T10-1210-200	313.62	7762-2595	121	1210.00	2.43
T10-1240-200	321.28	7762-2596	124	1240.00	2.49
T10-1250-200	323.84	7762-2597	125	1250.00	2.51
T10-1300-200	336.91	7762-2598	130	1300.00	2.61
T10-1320-200	342.24	7762-2599	132	1320.00	2.65
T10-1350-200	350.29	7762-2600	135	1350.00	2.71
T10-1390-200	361.17	7762-2601	139	1390.00	2.79
T10-1400-200	363.95	7762-2602	140	1400.00	2.81
T10-1420-200	369.44	7762-2603	142	1420.00	2.85
T10-1450-200	377.87	7762-2604	145	1450.00	2.91
T10-1460-200	380.69	7762-2605	146	1460.00	2.93
T10-1500-200	392.05	7762-2606	150	1500.00	3.01
T10-1560-200	409.55	7762-2607	156	1560.00	3.13
T10-1610-200	424.37	7762-2608	161	1610.00	3.23
T10-1750-200	467.52	7762-2609	175	1750.00	3.51
T10-1780-200	477.07	7762-2610	178	1780.00	3.57
T10-1880-200	509.60	7762-2611	188	1880.00	3.77
T10-1960-200	536.43	7762-2612	196	1960.00	3.94
T10-2250-200	640.00	7762-2613	225	2250.00	4.52

AT5 Pitch—4mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-4	$4.68	7762-3000	45	225.00	.01
AT5-255-4	4.86	7762-3001	51	255.00	.01
AT5-275-4	4.99	7762-3002	55	275.00	.01
AT5-280-4	5.02	7762-3003	56	280.00	.01
AT5-300-4	5.14	7762-3004	60	300.00	.01
AT5-340-4	5.39	7762-3005	68	340.00	.01
AT5-375-4	5.61	7762-3006	75	375.00	.01
AT5-390-4	5.71	7762-3007	78	390.00	.01
AT5-420-4	5.90	7762-3008	84	420.00	.01
AT5-455-4	6.12	7762-3009	91	455.00	.01
AT5-500-4	6.41	7762-3010	100	500.00	.02
AT5-545-4	6.70	7762-3011	109	545.00	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-4	$7.06	7762-3012	120	600.00	.02
AT5-610-4	7.12	7762-3013	122	610.00	.02
AT5-630-4	7.25	7762-3014	126	630.00	.02
AT5-660-4	7.45	7762-3015	132	660.00	.02
AT5-720-4	7.85	7762-3016	144	720.00	.02
AT5-750-4	8.05	7762-3017	150	750.00	.02
AT5-780-4	8.25	7762-3018	156	780.00	.02
AT5-825-4	8.56	7762-3019	165	825.00	.02
AT5-975-4	9.59	7762-3020	195	975.00	.03
AT5-1050-4	10.11	7762-3021	210	1050.00	.03
AT5-1125-4	10.64	7762-3022	225	1125.00	.03
AT5-1500-4	14.40	7762-3311	300	1500.00	.05

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch—6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-6	$6.53	7762-3024	45	225.00	.01
AT5-255-6	6.79	7762-3025	51	255.00	.01
AT5-275-6	6.96	7762-3026	55	275.00	.01
AT5-280-6	7.00	7762-3027	56	280.00	.01
AT5-300-6	7.18	7762-3028	60	300.00	.01
AT5-340-6	7.53	7762-3029	68	340.00	.02
AT5-375-6	7.84	7762-3030	75	375.00	.02
AT5-390-6	7.97	7762-3031	78	390.00	.02
AT5-420-6	8.24	7762-3032	84	420.00	.02
AT5-455-6	8.55	7762-3033	91	455.00	.02
AT5-500-6	8.95	7762-3034	100	500.00	.02
AT5-545-6	9.36	7762-3035	109	545.00	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-6	$9.86	7762-3036	120	600.00	.03
AT5-610-6	9.95	7762-3037	122	610.00	.03
AT5-630-6	10.14	7762-3038	126	630.00	.03
AT5-660-6	10.41	7762-3039	132	660.00	.03
AT5-720-6	10.97	7762-3040	144	720.00	.03
AT5-750-6	11.25	7762-3041	150	750.00	.03
AT5-780-6	11.53	7762-3042	156	780.00	.04
AT5-825-6	11.96	7762-3043	165	825.00	.04
AT5-975-6	13.40	7762-3044	195	975.00	.04
AT5-1050-6	14.13	7762-3045	210	1050.00	.05
AT5-1125-6	14.87	7762-3046	225	1125.00	.05
AT5-1500-6	19.20	7762-3312	300	1500.00	.07

AT5 Pitch—8mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-8	$8.40	7762-3048	45	225.00	.01
AT5-255-8	8.73	7762-3049	51	255.00	.02
AT5-275-8	8.95	7762-3050	55	275.00	.02
AT5-280-8	9.01	7762-3051	56	280.00	.02
AT5-300-8	9.23	7762-3052	60	300.00	.02
AT5-340-8	9.68	7762-3053	68	340.00	.02
AT5-375-8	10.07	7762-3054	75	375.00	.02
AT5-390-8	10.24	7762-3055	78	390.00	.02
AT5-420-8	10.58	7762-3056	84	420.00	.03
AT5-455-8	10.98	7762-3057	91	455.00	.03
AT5-500-8	11.50	7762-3058	100	500.00	.03
AT5-545-8	12.02	7762-3059	109	545.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-8	$12.67	7762-3060	120	600.00	.04
AT5-610-8	12.78	7762-3061	122	610.00	.04
AT5-630-8	13.02	7762-3062	126	630.00	.04
AT5-660-8	13.37	7762-3063	132	660.00	.04
AT5-720-8	14.09	7762-3064	144	720.00	.04
AT5-750-8	14.45	7762-3065	150	750.00	.05
AT5-780-8	14.81	7762-3066	156	780.00	.05
AT5-825-8	15.36	7762-3067	165	825.00	.05
AT5-975-8	17.20	7762-3068	195	975.00	.06
AT5-1050-8	18.14	7762-3069	210	1050.00	.06
AT5-1125-8	19.09	7762-3070	225	1125.00	.07
AT5-1500-8	25.60	7762-3313	300	1500.00	.09

AT5 Pitch—10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-10	$9.68	7762-3072	45	225.00	.02
AT5-255-10	10.07	7762-3073	51	255.00	.02
AT5-275-10	10.32	7762-3074	55	275.00	.02
AT5-280-10	10.39	7762-3075	56	280.00	.02
AT5-300-10	10.64	7762-3076	60	300.00	.02
AT5-340-10	11.16	7762-3077	68	340.00	.03
AT5-375-10	11.62	7762-3078	75	375.00	.03
AT5-390-10	11.81	7762-3079	78	390.00	.03
AT5-420-10	12.20	7762-3080	84	420.00	.03
AT5-455-10	12.67	7762-3081	91	455.00	.03
AT5-500-10	13.26	7762-3082	100	500.00	.04
AT5-545-10	13.87	7762-3083	109	545.00	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-10	$14.61	7762-3084	120	600.00	.05
AT5-610-10	14.74	7762-3085	122	610.00	.05
AT5-630-10	15.01	7762-3086	126	630.00	.05
AT5-660-10	15.42	7762-3087	132	660.00	.05
AT5-720-10	16.25	7762-3088	144	720.00	.05
AT5-750-10	16.66	7762-3089	150	750.00	.06
AT5-780-10	17.08	7762-3090	156	780.00	.06
AT5-825-10	17.71	7762-3091	165	825.00	.06
AT5-975-10	19.84	7762-3092	195	975.00	.07
AT5-1050-10	20.93	7762-3093	210	1050.00	.08
AT5-1125-10	22.02	7762-3094	225	1125.00	.09
AT5-1500-10	28.80	7762-3314	300	1500.00	.11

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch—12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-12	$11.13	7762-3096	45	225.00	.02
AT5-255-12	11.57	7762-3097	51	255.00	.02
AT5-275-12	11.87	7762-3098	55	275.00	.02
AT5-280-12	11.94	7762-3099	56	280.00	.03
AT5-300-12	12.24	7762-3100	60	300.00	.03
AT5-340-12	12.83	7762-3101	68	340.00	.03
AT5-375-12	13.36	7762-3102	75	375.00	.03
AT5-390-12	13.58	7762-3103	78	390.00	.04
AT5-420-12	14.03	7762-3104	84	420.00	.04
AT5-455-12	14.56	7762-3105	91	455.00	.04
AT5-500-12	15.25	7762-3106	100	500.00	.05
AT5-545-12	15.94	7762-3107	109	545.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-12	$16.79	7762-3108	120	600.00	.05
AT5-610-12	16.95	7762-3109	122	610.00	.06
AT5-630-12	17.26	7762-3110	126	630.00	.06
AT5-660-12	17.73	7762-3111	132	660.00	.06
AT5-720-12	18.68	7762-3112	144	720.00	.07
AT5-750-12	19.16	7762-3113	150	750.00	.07
AT5-780-12	19.64	7762-3114	156	780.00	.07
AT5-825-12	20.36	7762-3115	165	825.00	.07
AT5-975-12	22.81	7762-3116	195	975.00	.09
AT5-1050-12	24.06	7762-3117	210	1050.00	.10
AT5-1125-12	25.32	7762-3118	225	1125.00	.10
AT5-1500-12	33.60	7762-3315	300	1500.00	.14

AT5 Pitch—16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-16	$14.20	7762-3120	45	225.00	.03
AT5-255-16	14.76	7762-3121	51	255.00	.03
AT5-275-16	15.13	7762-3122	55	275.00	.03
AT5-280-16	15.23	7762-3123	56	280.00	.03
AT5-300-16	15.61	7762-3124	60	300.00	.04
AT5-340-16	16.36	7762-3125	68	340.00	.04
AT5-375-16	17.03	7762-3126	75	375.00	.05
AT5-390-16	17.32	7762-3127	78	390.00	.05
AT5-420-16	17.89	7762-3128	84	420.00	.05
AT5-455-16	18.57	7762-3129	91	455.00	.06
AT5-500-16	19.45	7762-3130	100	500.00	.06
AT5-545-16	20.33	7762-3131	109	545.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-16	$21.42	7762-3132	120	600.00	.07
AT5-610-16	21.62	7762-3133	122	610.00	.07
AT5-630-16	22.01	7762-3134	126	630.00	.08
AT5-660-16	22.61	7762-3135	132	660.00	.08
AT5-720-16	23.82	7762-3136	144	720.00	.09
AT5-750-16	24.43	7762-3137	150	750.00	.09
AT5-780-16	25.04	7762-3138	156	780.00	.09
AT5-825-16	25.97	7762-3139	165	825.00	.10
AT5-975-16	29.10	7762-3140	195	975.00	.12
AT5-1050-16	30.69	7762-3141	210	1050.00	.13
AT5-1125-16	32.30	7762-3142	225	1125.00	.14
AT5-1500-16	43.04	7762-3316	300	1500.00	.18

AT5 Pitch—20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-20	$17.75	7762-3144	45	225.00	.03
AT5-255-20	18.45	7762-3145	51	255.00	.04
AT5-275-20	18.92	7762-3146	55	275.00	.04
AT5-280-20	19.04	7762-3147	56	280.00	.04
AT5-300-20	19.51	7762-3148	60	300.00	.05
AT5-340-20	20.46	7762-3149	68	340.00	.05
AT5-375-20	21.29	7762-3150	75	375.00	.06
AT5-390-20	21.65	7762-3151	78	390.00	.06
AT5-420-20	22.38	7762-3152	84	420.00	.06
AT5-455-20	23.22	7762-3153	91	455.00	.07
AT5-500-20	24.32	7762-3154	100	500.00	.08
AT5-545-20	25.42	7762-3155	109	545.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-20	$26.78	7762-3156	120	600.00	.09
AT5-610-20	27.03	7762-3157	122	610.00	.09
AT5-630-20	27.53	7762-3158	126	630.00	.10
AT5-660-20	28.28	7762-3159	132	660.00	.10
AT5-720-20	29.79	7762-3160	144	720.00	.11
AT5-750-20	30.55	7762-3161	150	750.00	.11
AT5-780-20	31.32	7762-3162	156	780.00	.12
AT5-825-20	32.47	7762-3163	165	825.00	.12
AT5-975-20	36.38	7762-3164	195	975.00	.15
AT5-1050-20	38.37	7762-3165	210	1050.00	.16
AT5-1125-20	40.38	7762-3166	225	1125.00	.17
AT5-1500-20	53.81	7762-3317	300	1500.00	.23

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch—25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-25	$22.20	7762-3168	45	225.00	.04
AT5-255-25	23.07	7762-3169	51	255.00	.05
AT5-275-25	23.66	7762-3170	55	275.00	.05
AT5-280-25	23.81	7762-3171	56	280.00	.05
AT5-300-25	24.40	7762-3172	60	300.00	.06
AT5-340-25	25.58	7762-3173	68	340.00	.06
AT5-375-25	26.63	7762-3174	75	375.00	.07
AT5-390-25	27.08	7762-3175	78	390.00	.07
AT5-420-25	27.98	7762-3176	84	420.00	.08
AT5-455-25	29.04	7762-3177	91	455.00	.09
AT5-500-25	30.40	7762-3178	100	500.00	.09
AT5-545-25	31.78	7762-3179	109	545.00	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-25	$33.48	7762-3180	120	600.00	.11
AT5-610-25	33.79	7762-3181	122	610.00	.12
AT5-630-25	34.42	7762-3182	126	630.00	.12
AT5-660-25	35.36	7762-3183	132	660.00	.12
AT5-720-25	37.24	7762-3184	144	720.00	.14
AT5-750-25	38.20	7762-3185	150	750.00	.14
AT5-780-25	39.15	7762-3186	156	780.00	.15
AT5-825-25	40.59	7762-3187	165	825.00	.16
AT5-975-25	45.48	7762-3188	195	975.00	.18
AT5-1050-25	47.96	7762-3189	210	1050.00	.20
AT5-1125-25	50.47	7762-3190	225	1125.00	.21
AT5-1500-25	67.25	7762-3318	300	1500.00	.28

AT5 Pitch—32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-32	$28.40	7762-3192	45	225.00	.04
AT5-255-32	29.52	7762-3193	51	255.00	.05
AT5-275-32	30.27	7762-3194	55	275.00	.05
AT5-280-32	30.46	7762-3195	56	280.00	.05
AT5-300-32	31.22	7762-3196	60	300.00	.06
AT5-340-32	32.73	7762-3197	68	340.00	.06
AT5-375-32	34.07	7762-3198	75	375.00	.07
AT5-390-32	34.65	7762-3199	78	390.00	.07
AT5-420-32	35.80	7762-3200	84	420.00	.08
AT5-455-32	37.15	7762-3201	91	455.00	.09
AT5-500-32	38.91	7762-3202	100	500.00	.09
AT5-545-32	40.67	7762-3203	109	545.00	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-32	$42.85	7762-3204	120	600.00	.11
AT5-610-32	43.25	7762-3205	122	610.00	.12
AT5-630-32	44.05	7762-3206	126	630.00	.12
AT5-660-32	45.25	7762-3207	132	660.00	.12
AT5-720-32	47.67	7762-3208	144	720.00	.14
AT5-750-32	48.88	7762-3209	150	750.00	.14
AT5-780-32	50.11	7762-3210	156	780.00	.15
AT5-825-32	51.96	7762-3211	165	825.00	.16
AT5-975-32	58.21	7762-3212	195	975.00	.18
AT5-1050-32	61.39	7762-3213	210	1050.00	.20
AT5-1125-32	64.60	7762-3214	225	1125.00	.21
AT5-1500-32	86.13	7762-3319	300	1500.00	.28

AT5 Pitch—50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-50	$44.39	7762-3216	45	225.00	.09
AT5-255-50	46.14	7762-3217	51	255.00	.10
AT5-275-50	47.32	7762-3218	55	275.00	.10
AT5-280-50	47.61	7762-3219	56	280.00	.11
AT5-300-50	48.79	7762-3220	60	300.00	.11
AT5-340-50	51.16	7762-3221	68	340.00	.13
AT5-375-50	53.24	7762-3222	75	375.00	.14
AT5-390-50	54.14	7762-3223	78	390.00	.15
AT5-420-50	55.94	7762-3224	84	420.00	.16
AT5-455-50	58.06	7762-3225	91	455.00	.17
AT5-500-50	60.79	7762-3226	100	500.00	.19
AT5-545-50	63.55	7762-3227	109	545.00	.21

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-50	$66.95	7762-3228	120	600.00	.23
AT5-610-50	67.57	7762-3229	122	610.00	.23
AT5-630-50	68.82	7762-3230	126	630.00	.24
AT5-660-50	70.69	7762-3231	132	660.00	.25
AT5-720-50	74.47	7762-3232	144	720.00	.27
AT5-750-50	76.37	7762-3233	150	750.00	.28
AT5-780-50	78.29	7762-3234	156	780.00	.30
AT5-825-50	81.17	7762-3235	165	825.00	.31
AT5-975-50	90.94	7762-3236	195	975.00	.37
AT5-1050-50	95.90	7762-3237	210	1050.00	.40
AT5-1125-50	100.93	7762-3238	225	1125.00	.43
AT5-1500-50	134.56	7762-3320	300	1500.00	.57

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch—75mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-75	$66.57	7762-3240	45	225.00	.13
AT5-255-75	69.20	7762-3241	51	255.00	.14
AT5-275-75	70.96	7762-3242	55	275.00	.16
AT5-280-75	71.40	7762-3243	56	280.00	.16
AT5-300-75	73.17	7762-3244	60	300.00	.17
AT5-340-75	76.73	7762-3245	68	340.00	.19
AT5-375-75	79.86	7762-3246	75	375.00	.21
AT5-390-75	81.21	7762-3247	78	390.00	.22
AT5-420-75	83.91	7762-3248	84	420.00	.24
AT5-455-75	87.09	7762-3249	91	455.00	.26
AT5-500-75	91.19	7762-3250	100	500.00	.28
AT5-545-75	95.33	7762-3251	109	545.00	.31

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-75	$100.43	7762-3252	120	600.00	.34
AT5-610-75	101.36	7762-3253	122	610.00	.35
AT5-630-75	103.23	7762-3254	126	630.00	.36
AT5-660-75	106.05	7762-3255	132	660.00	.37
AT5-720-75	111.72	7762-3256	144	720.00	.41
AT5-750-75	114.57	7762-3257	150	750.00	.43
AT5-780-75	117.44	7762-3258	156	780.00	.44
AT5-825-75	121.77	7762-3259	165	825.00	.47
AT5-975-75	136.42	7762-3260	195	975.00	.55
AT5-1050-75	143.87	7762-3261	210	1050.00	.60
AT5-1125-75	151.41	7762-3262	225	1125.00	.64
AT5-1500-75	201.87	7762-3321	300	1500.00	.85

AT5 Pitch—100mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-100	$88.76	7762-3264	45	225.00	.17
AT5-255-100	92.27	7762-3265	51	255.00	.19
AT5-275-100	94.62	7762-3266	55	275.00	.21
AT5-280-100	95.20	7762-3267	56	280.00	.21
AT5-300-100	97.56	7762-3268	60	300.00	.23
AT5-340-100	102.30	7762-3269	68	340.00	.26
AT5-375-100	106.48	7762-3270	75	375.00	.28
AT5-390-100	108.27	7762-3271	78	390.00	.30
AT5-420-100	111.88	7762-3272	84	420.00	.32
AT5-455-100	116.11	7762-3273	91	455.00	.34
AT5-500-100	121.58	7762-3274	100	500.00	.38
AT5-545-100	127.10	7762-3275	109	545.00	.41

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-100	$133.90	7762-3276	120	600.00	.45
AT5-610-100	135.14	7762-3277	122	610.00	.46
AT5-630-100	137.63	7762-3278	126	630.00	.48
AT5-660-100	141.38	7762-3279	132	660.00	.50
AT5-720-100	148.94	7762-3280	144	720.00	.55
AT5-750-100	152.75	7762-3281	150	750.00	.57
AT5-780-100	156.57	7762-3282	156	780.00	.59
AT5-825-100	162.34	7762-3283	165	825.00	.62
AT5-975-100	181.88	7762-3284	195	975.00	.74
AT5-1050-100	191.81	7762-3285	210	1050.00	.80
AT5-1125-100	201.86	7762-3286	225	1125.00	.85
AT5-1500-100	269.17	7762-3322	300	1500.00	1.14

AT5 Pitch—200mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-200	$161.39	7762-3288	45	225.00	.34
AT5-255-200	167.76	7762-3289	51	255.00	.39
AT5-275-200	172.03	7762-3290	55	275.00	.42
AT5-280-200	173.10	7762-3291	56	280.00	.42
AT5-300-200	177.39	7762-3292	60	300.00	.45
AT5-340-200	186.00	7762-3293	68	340.00	.52
AT5-375-200	193.59	7762-3294	75	375.00	.57
AT5-390-200	196.86	7762-3295	78	390.00	.59
AT5-420-200	203.42	7762-3296	84	420.00	.64
AT5-455-200	211.11	7762-3297	91	455.00	.69
AT5-500-200	221.06	7762-3298	100	500.00	.76
AT5-545-200	231.09	7762-3299	109	545.00	.83

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-200	$243.45	7762-3300	120	600.00	.91
AT5-610-200	245.71	7762-3301	122	610.00	.92
AT5-630-200	250.24	7762-3302	126	630.00	.95
AT5-660-200	257.06	7762-3303	132	660.00	1.00
AT5-720-200	270.80	7762-3304	144	720.00	1.09
AT5-750-200	277.72	7762-3305	150	750.00	1.14
AT5-780-200	284.68	7762-3306	156	780.00	1.18
AT5-825-200	295.17	7762-3307	165	825.00	1.25
AT5-975-200	330.68	7762-3308	195	975.00	1.48
AT5-1050-200	348.75	7762-3309	210	1050.00	1.59
AT5-1125-200	367.02	7762-3310	225	1125.00	1.70
AT5-1500-200	505.39	7762-3323	300	1500.00	2.27

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT10 Pitch—12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-12	$17.06	7762-4000	50	500.00	.08
AT10-560-12	18.39	7762-4001	56	560.00	.08
AT10-610-12	19.52	7762-4002	61	610.00	.09
AT10-660-12	20.65	7762-4003	66	660.00	.10
AT10-700-12	21.55	7762-4004	70	700.00	.11
AT10-730-12	22.24	7762-4005	73	730.00	.11
AT10-780-12	23.38	7762-4006	78	780.00	.12
AT10-800-12	23.84	7762-4007	80	800.00	.12
AT10-810-12	24.07	7762-4008	81	810.00	.12
AT10-840-12	24.76	7762-4009	84	840.00	.13
AT10-890-12	25.91	7762-4010	89	890.00	.13
AT10-920-12	26.61	7762-4011	92	920.00	.14
AT10-960-12	27.54	7762-4012	96	960.00	.14

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-12	$28.01	7762-4013	98	980.00	.15
AT10-1010-12	28.71	7762-4014	101	1010.00	.15
AT10-1050-12	29.66	7762-4015	105	1050.00	.16
AT10-1080-12	30.36	7762-4016	108	1080.00	.16
AT10-1150-12	32.03	7762-4017	115	1150.00	.17
AT10-1210-12	33.46	7762-4018	121	1210.00	.18
AT10-1250-12	34.42	7762-4019	125	1250.00	.19
AT10-1320-12	36.11	7762-4020	132	1320.00	.20
AT10-1400-12	38.06	7762-4021	140	1400.00	.21
AT10-1500-12	40.51	7762-4022	150	1500.00	.23
AT10-1600-12	42.99	7762-4023	160	1600.00	.24
AT10-1700-12	45.49	7762-4024	170	1700.00	.26
AT10-1800-12	48.16	7762-4226	180	1800.00	.27

AT10 Pitch—16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-16	$21.90	7762-4025	50	500.00	.10
AT10-560-16	23.62	7762-4026	56	560.00	.11
AT10-610-16	25.06	7762-4027	61	610.00	.12
AT10-660-16	26.51	7762-4028	66	660.00	.13
AT10-700-16	27.67	7762-4029	70	700.00	.14
AT10-730-16	28.55	7762-4030	73	730.00	.15
AT10-780-16	30.02	7762-4031	78	780.00	.16
AT10-800-16	30.61	7762-4032	80	800.00	.16
AT10-810-16	30.90	7762-4033	81	810.00	.16
AT10-840-16	31.79	7762-4034	84	840.00	.17
AT10-890-16	33.27	7762-4035	89	890.00	.18
AT10-920-16	34.17	7762-4036	92	920.00	.18
AT10-960-16	35.36	7762-4037	96	960.00	.19

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-16	$35.97	7762-4038	98	980.00	.20
AT10-1010-16	36.87	7762-4039	101	1010.00	.20
AT10-1050-16	38.08	7762-4040	105	1050.00	.21
AT10-1080-16	38.99	7762-4041	108	1080.00	.22
AT10-1150-16	41.12	7762-4042	115	1150.00	.23
AT10-1210-16	42.96	7762-4043	121	1210.00	.24
AT10-1250-16	44.19	7762-4044	125	1250.00	.25
AT10-1320-16	46.36	7762-4045	132	1320.00	.26
AT10-1400-16	48.86	7762-4046	140	1400.00	.28
AT10-1500-16	52.01	7762-4047	150	1500.00	.30
AT10-1600-16	55.20	7762-4048	160	1600.00	.32
AT10-1700-16	58.41	7762-4049	170	1700.00	.34
AT10-1800-16	61.81	7762-4228	180	1800.00	.36

AT10 Pitch—20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-20	$27.37	7762-4050	50	500.00	.13
AT10-560-20	29.52	7762-4051	56	560.00	.14
AT10-610-20	31.32	7762-4052	61	610.00	.15
AT10-660-20	33.13	7762-4053	66	660.00	.17
AT10-700-20	34.59	7762-4054	70	700.00	.18
AT10-730-20	35.69	7762-4055	73	730.00	.18
AT10-780-20	37.52	7762-4056	78	780.00	.20
AT10-800-20	38.26	7762-4057	80	800.00	.20
AT10-810-20	38.63	7762-4058	81	810.00	.20
AT10-840-20	39.74	7762-4059	84	840.00	.21
AT10-890-20	41.59	7762-4060	89	890.00	.22
AT10-920-20	42.71	7762-4061	92	920.00	.23
AT10-960-20	44.21	7762-4062	96	960.00	.24

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-20	$44.96	7762-4063	98	980.00	.25
AT10-1010-20	46.09	7762-4064	101	1010.00	.25
AT10-1050-20	47.60	7762-4065	105	1050.00	.26
AT10-1080-20	48.73	7762-4066	108	1080.00	.27
AT10-1150-20	51.40	7762-4067	115	1150.00	.29
AT10-1210-20	53.70	7762-4068	121	1210.00	.30
AT10-1250-20	55.24	7762-4069	125	1250.00	.31
AT10-1320-20	57.95	7762-4070	132	1320.00	.33
AT10-1400-20	61.08	7762-4071	140	1400.00	.35
AT10-1500-20	65.02	7762-4072	150	1500.00	.38
AT10-1600-20	69.00	7762-4073	160	1600.00	.40
AT10-1700-20	73.01	7762-4074	170	1700.00	.43
AT10-1800-20	77.33	7762-4230	180	1800.00	.45

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT10 Pitch—25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-25	$34.22	7762-4075	50	500.00	.16
AT10-560-25	36.90	7762-4076	56	560.00	.18
AT10-610-25	39.15	7762-4077	61	610.00	.19
AT10-660-25	41.42	7762-4078	66	660.00	.21
AT10-700-25	43.24	7762-4079	70	700.00	.22
AT10-730-25	44.61	7762-4080	73	730.00	.23
AT10-780-25	46.90	7762-4081	78	780.00	.24
AT10-800-25	47.82	7762-4082	80	800.00	.25
AT10-810-25	48.28	7762-4083	81	810.00	.25
AT10-840-25	49.67	7762-4084	84	840.00	.26
AT10-890-25	51.99	7762-4085	89	890.00	.28
AT10-920-25	53.39	7762-4086	92	920.00	.29
AT10-960-25	55.26	7762-4087	96	960.00	.30

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-25	$56.20	7762-4088	98	980.00	.31
AT10-1010-25	57.61	7762-4089	101	1010.00	.32
AT10-1050-25	59.49	7762-4090	105	1050.00	.33
AT10-1080-25	60.92	7762-4091	108	1080.00	.34
AT10-1150-25	64.25	7762-4092	115	1150.00	.36
AT10-1210-25	67.12	7762-4093	121	1210.00	.38
AT10-1250-25	69.05	7762-4094	125	1250.00	.39
AT10-1320-25	72.44	7762-4095	132	1320.00	.41
AT10-1400-25	76.35	7762-4096	140	1400.00	.44
AT10-1500-25	81.27	7762-4097	150	1500.00	.47
AT10-1600-25	86.25	7762-4098	160	1600.00	.50
AT10-1700-25	91.27	7762-4099	170	1700.00	.53
AT10-1800-25	96.64	7762-4242	180	1800.00	.56

AT10 Pitch—32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-32	$43.80	7762-4100	50	500.00	.20
AT10-560-32	47.23	7762-4101	56	560.00	.22
AT10-610-32	50.12	7762-4102	61	610.00	.24
AT10-660-32	53.01	7762-4103	66	660.00	.26
AT10-700-32	55.34	7762-4104	70	700.00	.28
AT10-730-32	57.10	7762-4105	73	730.00	.29
AT10-780-32	60.03	7762-4106	78	780.00	.31
AT10-800-32	61.21	7762-4107	80	800.00	.32
AT10-810-32	61.80	7762-4108	81	810.00	.33
AT10-840-32	63.58	7762-4109	84	840.00	.34
AT10-890-32	66.55	7762-4110	89	890.00	.36
AT10-920-32	68.33	7762-4111	92	920.00	.37
AT10-960-32	70.73	7762-4112	96	960.00	.39

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-32	$71.93	7762-4113	98	980.00	.39
AT10-1010-32	73.74	7762-4114	101	1010.00	.41
AT10-1050-32	76.15	7762-4115	105	1050.00	.42
AT10-1080-32	77.97	7762-4116	108	1080.00	.43
AT10-1150-32	82.24	7762-4117	115	1150.00	.46
AT10-1210-32	85.92	7762-4118	121	1210.00	.49
AT10-1250-32	88.39	7762-4119	125	1250.00	.50
AT10-1320-32	92.73	7762-4120	132	1320.00	.53
AT10-1400-32	97.72	7762-4121	140	1400.00	.56
AT10-1500-32	104.03	7762-4122	150	1500.00	.60
AT10-1600-32	110.39	7762-4123	160	1600.00	.64
AT10-1700-32	116.82	7762-4124	170	1700.00	.68
AT10-1800-32	123.68	7762-4233	180	1800.00	.72

AT10 Pitch—50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-50	$68.43	7762-4125	50	500.00	.31
AT10-560-50	73.80	7762-4126	56	560.00	.35
AT10-610-50	78.31	7762-4127	61	610.00	.38
AT10-660-50	82.84	7762-4128	66	660.00	.41
AT10-700-50	86.48	7762-4129	70	700.00	.44
AT10-730-50	89.22	7762-4130	73	730.00	.46
AT10-780-50	93.80	7762-4131	78	780.00	.49
AT10-800-50	95.64	7762-4132	80	800.00	.50
AT10-810-50	96.57	7762-4133	81	810.00	.51
AT10-840-50	99.34	7762-4134	84	840.00	.53
AT10-890-50	103.98	7762-4135	89	890.00	.56
AT10-920-50	106.77	7762-4136	92	920.00	.58
AT10-960-50	110.51	7762-4137	96	960.00	.60

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-50	$112.39	7762-4138	98	980.00	.61
AT10-1010-50	115.21	7762-4139	101	1010.00	.63
AT10-1050-50	118.99	7762-4140	105	1050.00	.66
AT10-1080-50	121.83	7762-4141	108	1080.00	.68
AT10-1150-50	128.50	7762-4142	115	1150.00	.72
AT10-1210-50	134.25	7762-4143	121	1210.00	.76
AT10-1250-50	138.10	7762-4144	125	1250.00	.78
AT10-1320-50	144.89	7762-4145	132	1320.00	.83
AT10-1400-50	152.70	7762-4146	140	1400.00	.88
AT10-1500-50	162.54	7762-4147	150	1500.00	.94
AT10-1600-50	172.49	7762-4148	160	1600.00	1.00
AT10-1700-50	182.54	7762-4149	170	1700.00	1.07
AT10-1800-50	193.28	7762-4235	180	1800.00	1.13

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT10 Pitch—75mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-75	$102.65	7762-4150	50	500.00	.47
AT10-560-75	110.71	7762-4151	56	560.00	.53
AT10-610-75	117.46	7762-4152	61	610.00	.57
AT10-660-75	124.25	7762-4153	66	660.00	.62
AT10-700-75	129.71	7762-4154	70	700.00	.66
AT10-730-75	133.82	7762-4155	73	730.00	.69
AT10-780-75	140.70	7762-4156	78	780.00	.73
AT10-800-75	143.47	7762-4157	80	800.00	.75
AT10-810-75	144.85	7762-4158	81	810.00	.76
AT10-840-75	149.01	7762-4159	84	840.00	.79
AT10-890-75	155.97	7762-4160	89	890.00	.84
AT10-920-75	160.16	7762-4161	92	920.00	.87
AT10-960-75	165.77	7762-4162	96	960.00	.90

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-75	$168.59	7762-4163	98	980.00	.92
AT10-1010-75	172.82	7762-4164	101	1010.00	.95
AT10-1050-75	178.48	7762-4165	105	1050.00	.99
AT10-1080-75	182.75	7762-4166	108	1080.00	1.02
AT10-1150-75	192.75	7762-4167	115	1150.00	1.08
AT10-1210-75	201.37	7762-4168	121	1210.00	1.14
AT10-1250-75	207.16	7762-4169	125	1250.00	1.18
AT10-1320-75	217.33	7762-4170	132	1320.00	1.24
AT10-1400-75	229.04	7762-4171	140	1400.00	1.32
AT10-1500-75	243.82	7762-4172	150	1500.00	1.41
AT10-1600-75	258.74	7762-4173	160	1600.00	1.51
AT10-1700-75	273.80	7762-4174	170	1700.00	1.60
AT10-1800-75	289.92	7762-4237	180	1800.00	1.69

AT10 Pitch—100mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-100	$115.79	7762-4175	50	500.00	.63
AT10-560-100	124.91	7762-4176	56	560.00	.70
AT10-610-100	132.53	7762-4177	61	610.00	.77
AT10-660-100	140.16	7762-4178	66	660.00	.83
AT10-700-100	146.35	7762-4179	70	700.00	.88
AT10-730-100	150.99	7762-4180	73	730.00	.92
AT10-780-100	158.72	7762-4181	78	780.00	.98
AT10-800-100	161.87	7762-4182	80	800.00	1.00
AT10-810-100	163.41	7762-4183	81	810.00	1.02
AT10-840-100	168.11	7762-4184	84	840.00	1.05
AT10-890-100	175.95	7762-4185	89	890.00	1.12
AT10-920-100	180.69	7762-4186	92	920.00	1.15
AT10-960-100	187.04	7762-4187	96	960.00	1.20

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-100	$190.19	7762-4188	98	980.00	1.23
AT10-1010-100	194.99	7762-4189	101	1010.00	1.27
AT10-1050-100	201.39	7762-4190	105	1050.00	1.32
AT10-1080-100	206.19	7762-4191	108	1080.00	1.35
AT10-1150-100	217.44	7762-4192	115	1150.00	1.44
AT10-1210-100	227.20	7762-4193	121	1210.00	1.52
AT10-1250-100	233.71	7762-4194	125	1250.00	1.57
AT10-1320-100	245.17	7762-4195	132	1320.00	1.66
AT10-1400-100	258.40	7762-4196	140	1400.00	1.76
AT10-1500-100	275.09	7762-4197	150	1500.00	1.88
AT10-1600-100	291.89	7762-4198	160	1600.00	2.01
AT10-1700-100	308.91	7762-4199	170	1700.00	2.13
AT10-1800-100	327.09	7762-4239	180	1800.00	2.26

AT10 Pitch—200mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-200	$210.56	7762-4200	50	500.00	1.25
AT10-560-200	227.09	7762-4201	56	560.00	1.41
AT10-610-200	240.95	7762-4202	61	610.00	1.53
AT10-660-200	254.88	7762-4203	66	660.00	1.66
AT10-700-200	266.08	7762-4204	70	700.00	1.76
AT10-730-200	274.51	7762-4205	73	730.00	1.83
AT10-780-200	288.62	7762-4206	78	780.00	1.96
AT10-800-200	294.29	7762-4207	80	800.00	2.01
AT10-810-200	297.12	7762-4208	81	810.00	2.03
AT10-840-200	305.65	7762-4209	84	840.00	2.11
AT10-890-200	319.93	7762-4210	89	890.00	2.23
AT10-920-200	328.53	7762-4211	92	920.00	2.31
AT10-960-200	340.04	7762-4212	96	960.00	2.41

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-200	$345.82	7762-4213	98	980.00	2.46
AT10-1010-200	354.50	7762-4214	101	1010.00	2.53
AT10-1050-200	366.12	7762-4215	105	1050.00	2.63
AT10-1080-200	374.87	7762-4216	108	1080.00	2.71
AT10-1150-200	395.38	7762-4217	115	1150.00	2.89
AT10-1210-200	413.08	7762-4218	121	1210.00	3.04
AT10-1250-200	424.93	7762-4219	125	1250.00	3.14
AT10-1320-200	445.80	7762-4220	132	1320.00	3.31
AT10-1400-200	469.83	7762-4221	140	1400.00	3.51
AT10-1500-200	500.14	7762-4222	150	1500.00	3.76
AT10-1600-200	530.74	7762-4223	160	1600.00	4.01
AT10-1700-200	561.65	7762-4224	170	1700.00	4.27
AT10-1800-200	594.67	7762-4241	180	1800.00	4.52

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

Twin Power—DT5 Pitch—6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-6	$7.59	7762-5000	52	260.00	.01
DT5-410-6	9.41	7762-5001	82	410.00	.01
DT5-480-6	10.29	7762-5002	96	480.00	.02
DT5-515-6	10.73	7762-5003	103	515.00	.02
DT5-590-6	11.71	7762-5004	118	590.00	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-6	$12.11	7762-5005	124	620.00	.02
DT5-750-6	13.88	7762-5006	150	750.00	.03
DT5-815-6	14.80	7762-5007	163	815.00	.03
DT5-860-6	15.44	7762-5008	172	860.00	.03
DT5-940-6	16.61	7762-5009	188	940.00	.03

Twin Power—DT5 Pitch—8mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-8	$9.77	7762-5010	52	260.00	.01
DT5-410-8	12.07	7762-5011	82	410.00	.02
DT5-480-8	13.21	7762-5012	96	480.00	.02
DT5-515-8	13.80	7762-5013	103	515.00	.02
DT5-590-8	15.10	7762-5014	118	590.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-8	$15.64	7762-5015	124	620.00	.03
DT5-750-8	18.06	7762-5016	150	750.00	.03
DT5-815-8	19.33	7762-5017	163	815.00	.04
DT5-860-8	20.23	7762-5018	172	860.00	.04
DT5-940-8	21.88	7762-5019	188	940.00	.04

Twin Power—DT5 Pitch—10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-10	$11.80	7762-5020	52	260.00	.01
DT5-410-10	14.56	7762-5021	82	410.00	.02
DT5-480-10	15.94	7762-5022	96	480.00	.03
DT5-515-10	16.65	7762-5023	103	515.00	.03
DT5-590-10	18.22	7762-5024	118	590.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-10	$18.86	7762-5025	124	620.00	.04
DT5-750-10	21.78	7762-5026	150	750.00	.04
DT5-815-10	23.32	7762-5027	163	815.00	.05
DT5-860-10	24.41	7762-5028	172	860.00	.05
DT5-940-10	26.40	7762-5029	188	940.00	.05

Twin Power—DT5 Pitch—12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-12	$13.65	7762-5030	52	260.00	.02
DT5-410-12	16.85	7762-5031	82	410.00	.03
DT5-480-12	18.44	7762-5032	96	480.00	.03
DT5-515-12	19.26	7762-5033	103	515.00	.04
DT5-590-12	21.08	7762-5034	118	590.00	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-12	$21.82	7762-5035	124	620.00	.04
DT5-750-12	25.20	7762-5036	150	750.00	.05
DT5-815-12	26.98	7762-5037	163	815.00	.06
DT5-860-12	28.24	7762-5038	172	860.00	.06
DT5-940-12	30.55	7762-5039	188	940.00	.06

Twin Power—DT5 Pitch—16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-16	$16.85	7762-5040	52	260.00	.02
DT5-410-16	20.80	7762-5041	82	410.00	.04
DT5-480-16	22.77	7762-5042	96	480.00	.04
DT5-515-16	23.78	7762-5043	103	515.00	.05
DT5-590-16	26.03	7762-5044	118	590.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-16	$26.95	7762-5045	124	620.00	.06
DT5-750-16	31.12	7762-5046	150	750.00	.07
DT5-815-16	33.31	7762-5047	163	815.00	.07
DT5-860-16	34.87	7762-5048	172	860.00	.08
DT5-940-16	37.72	7762-5049	188	940.00	.09

Twin Power—DT5 Pitch—20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-20	$21.08	7762-5050	52	260.00	.03
DT5-410-20	26.00	7762-5051	82	410.00	.05
DT5-480-20	28.46	7762-5052	96	480.00	.05
DT5-515-20	29.73	7762-5053	103	515.00	.06
DT5-590-20	32.53	7762-5054	118	590.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-20	$33.69	7762-5055	124	620.00	.07
DT5-750-20	38.90	7762-5056	150	750.00	.09
DT5-815-20	41.64	7762-5057	163	815.00	.09
DT5-860-20	43.59	7762-5058	172	860.00	.10
DT5-940-20	47.15	7762-5059	188	940.00	.11

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

Twin Power—DT5 Pitch—25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-25	$25.28	7762-5060	52	260.00	.04
DT5-410-25	31.20	7762-5061	82	410.00	.06
DT5-480-25	34.15	7762-5062	96	480.00	.07
DT5-515-25	35.68	7762-5063	103	515.00	.07
DT5-590-25	39.04	7762-5064	118	590.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-25	$40.42	7762-5065	124	620.00	.09
DT5-750-25	46.68	7762-5066	150	750.00	.11
DT5-815-25	49.97	7762-5067	163	815.00	.12
DT5-860-25	52.30	7762-5068	172	860.00	.12
DT5-940-25	56.58	7762-5069	188	940.00	.13

Twin Power—DT5 Pitch—32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-32	$32.36	7762-5070	52	260.00	.05
DT5-410-32	39.93	7762-5071	82	410.00	.06
DT5-480-32	43.71	7762-5072	96	480.00	.09
DT5-515-32	45.66	7762-5073	103	515.00	.09
DT5-590-32	49.96	7762-5074	118	590.00	.11

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-32	$51.73	7762-5075	124	620.00	.11
DT5-750-32	59.74	7762-5076	150	750.00	.14
DT5-815-32	63.95	7762-5077	163	815.00	.15
DT5-860-32	66.94	7762-5078	172	860.00	.16
DT5-940-32	72.41	7762-5079	188	940.00	.17

Twin Power—DT5 Pitch—50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-50	$46.36	7762-5080	52	260.00	.07
DT5-410-50	57.21	7762-5081	82	410.00	.12
DT5-480-50	62.62	7762-5082	96	480.00	.14
DT5-515-50	65.41	7762-5083	103	515.00	.15
DT5-590-50	71.57	7762-5084	118	590.00	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-50	$74.11	7762-5085	124	620.00	.18
DT5-750-50	85.58	7762-5086	150	750.00	.21
DT5-815-50	91.60	7762-5087	163	815.00	.23
DT5-860-50	95.89	7762-5088	172	860.00	.24
DT5-940-50	103.73	7762-5089	188	940.00	.27

Twin Power—DT5 Pitch—75mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-75	$69.53	7762-5090	52	260.00	.11
DT5-410-75	85.81	7762-5091	82	410.00	.17
DT5-480-75	93.93	7762-5092	96	480.00	.20
DT5-515-75	98.12	7762-5093	103	515.00	.22
DT5-590-75	107.37	7762-5094	118	590.00	.25

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-75	$111.18	7762-5095	124	620.00	.26
DT5-750-75	128.38	7762-5096	150	750.00	.32
DT5-815-75	137.41	7762-5097	163	815.00	.35
DT5-860-75	143.83	7762-5098	172	860.00	.37
DT5-940-75	155.59	7762-5099	188	940.00	.40

Twin Power—DT5 Pitch—100mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-100	$92.69	7762-5100	52	260.00	.15
DT5-410-100	114.40	7762-5101	82	410.00	.23
DT5-480-100	125.23	7762-5102	96	480.00	.27
DT5-515-100	130.81	7762-5103	103	515.00	.29
DT5-590-100	143.15	7762-5104	118	590.00	.33

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-100	$148.22	7762-5105	124	620.00	.35
DT5-750-100	171.16	7762-5106	150	750.00	.43
DT5-815-100	183.21	7762-5107	163	815.00	.46
DT5-860-100	191.77	7762-5108	172	860.00	.49
DT5-940-100	207.44	7762-5109	188	940.00	.53

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

Twin Power—DT5 Pitch—200mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-200	$168.53	7762-5110	52	260.00	.30
DT5-410-200	208.01	7762-5111	82	410.00	.47
DT5-480-200	227.69	7762-5112	96	480.00	.54
DT5-515-200	237.84	7762-5113	103	515.00	.58
DT5-590-200	260.27	7762-5114	118	590.00	.67

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-200	$269.50	7762-5115	124	620.00	.70
DT5-750-200	311.20	7762-5116	150	750.00	.85
DT5-815-200	333.10	7762-5117	163	815.00	.93
DT5-860-200	348.67	7762-5118	172	860.00	.98
DT5-940-200	377.17	7762-5119	188	940.00	1.07

Twin Power—DT10 Pitch—10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-10	$18.30	7762-5500	60	600.00	.04
DT10-630-10	18.92	7762-5501	63	630.00	.04
DT10-720-10	20.80	7762-5502	72	720.00	.04
DT10-840-10	23.35	7762-5503	84	840.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-10	$25.08	7762-5504	92	920.00	.06
DT10-980-10	26.39	7762-5505	98	980.00	.06
DT10-1210-10	31.55	7762-5506	121	1210.00	.07

Twin Power—DT10 Pitch—12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-12	$22.75	7762-5507	60	600.00	.04
DT10-630-12	23.54	7762-5508	63	630.00	.05
DT10-720-12	25.92	7762-5509	72	720.00	.05
DT10-840-12	29.10	7762-5510	84	840.00	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-12	$31.23	7762-5511	92	920.00	.07
DT10-980-12	32.83	7762-5512	98	980.00	.07
DT10-1210-12	39.00	7762-5513	121	1210.00	.09

Twin Power—DT10 Pitch—14mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-14	$25.55	7762-5514	60	600.00	.05
DT10-630-14	26.45	7762-5515	63	630.00	.05
DT10-720-14	29.12	7762-5516	72	720.00	.06
DT10-840-14	32.69	7762-5517	84	840.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-14	$35.09	7762-5518	92	920.00	.08
DT10-980-14	36.91	7762-5519	98	980.00	.08
DT10-1210-14	43.84	7762-5520	121	1210.00	.10

Twin Power—DT10 Pitch—16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-16	$29.20	7762-5521	60	600.00	.06
DT10-630-16	30.22	7762-5522	63	630.00	.06
DT10-720-16	33.27	7762-5523	72	720.00	.07
DT10-840-16	37.36	7762-5524	84	840.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-16	$40.09	7762-5525	92	920.00	.09
DT10-980-16	42.15	7762-5526	98	980.00	.10
DT10-1210-16	50.08	7762-5527	121	1210.00	.12

Twin Power—DT10 Pitch—20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-20	$36.52	7762-5528	60	600.00	.07
DT10-630-20	37.79	7762-5529	63	630.00	.08
DT10-720-20	41.60	7762-5530	72	720.00	.09
DT10-840-20	46.71	7762-5531	84	840.00	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-20	$50.13	7762-5532	92	920.00	.11
DT10-980-20	52.70	7762-5533	98	980.00	.12
DT10-1210-20	62.61	7762-5534	121	1210.00	.15

Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

Twin Power—DT10 Pitch—25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-25	$45.64	7762-5535	60	600.00	.09
DT10-630-25	47.23	7762-5536	63	630.00	.10
DT10-720-25	52.00	7762-5537	72	720.00	.11
DT10-840-25	58.39	7762-5538	84	840.00	.13

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-25	$62.66	7762-5539	92	920.00	.14
DT10-980-25	65.87	7762-5540	98	980.00	.15
DT10-1210-25	78.26	7762-5541	121	1210.00	.19

Twin Power—DT10 Pitch—32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-32	$58.41	7762-5542	60	600.00	.12
DT10-630-32	60.44	7762-5543	63	630.00	.12
DT10-720-32	66.54	7762-5544	72	720.00	.14
DT10-840-32	74.72	7762-5545	84	840.00	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-32	$80.19	7762-5546	92	920.00	.18
DT10-980-32	84.30	7762-5547	98	980.00	.19
DT10-1210-32	100.16	7762-5548	121	1210.00	.24

Twin Power—DT10 Pitch—50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-50	$91.27	7762-5549	60	600.00	.18
DT10-630-50	94.45	7762-5550	63	630.00	.19
DT10-720-50	103.98	7762-5551	72	720.00	.22
DT10-840-50	116.75	7762-5552	84	840.00	.26

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-50	$125.30	7762-5553	92	920.00	.28
DT10-980-50	131.73	7762-5554	98	980.00	.30
DT10-1210-50	156.50	7762-5555	121	1210.00	.37

Twin Power—DT10 Pitch—75mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-75	$136.91	7762-5556	60	600.00	.28
DT10-630-75	141.67	7762-5557	63	630.00	.29
DT10-720-75	155.98	7762-5558	72	720.00	.33
DT10-840-75	175.13	7762-5559	84	840.00	.39

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-75	$187.95	7762-5560	92	920.00	.42
DT10-980-75	197.59	7762-5561	98	980.00	.45
DT10-1210-75	234.75	7762-5562	121	1210.00	.56

Twin Power—DT10 Pitch—100mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-100	$154.46	7762-5563	60	600.00	.37
DT10-630-100	159.83	7762-5564	63	630.00	.39
DT10-720-100	175.98	7762-5565	72	720.00	.44
DT10-840-100	197.59	7762-5566	84	840.00	.52

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-100	$212.05	7762-5567	92	920.00	.57
DT10-980-100	222.93	7762-5568	98	980.00	.60
DT10-1210-100	264.86	7762-5569	121	1210.00	.74

Twin Power—DT10 Pitch—200mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-200	$280.84	7762-5570	60	600.00	.74
DT10-630-200	290.61	7762-5571	63	630.00	.78
DT10-720-200	319.96	7762-5572	72	720.00	.89
DT10-840-200	359.25	7762-5573	84	840.00	1.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-200	$385.55	7762-5574	92	920.00	1.13
DT10-980-200	405.33	7762-5575	98	980.00	1.21
DT10-1210-200	481.56	7762-5576	121	1210.00	1.49

Super HC® Sheaves–QD®

Markets/Applications

Use with Super HC® and Super HC® PowerBand® belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sheave design produces positive, press fit to shaft.
- Narrower sheave design is precision manufactured, static balanced and transmits higher horsepower.

Notes
Sheaves and bushings must be ordered separately.
8V sheaves are Standard/Non-Stock.
WARNING: Do **NOT** use these sheaves with rim speeds in excess of 6,500 fpm.

Product No. Series 7872 & 7873

3V Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1/3V2.20	$25.20	7872-1022	1	JA	1 3/16	11/16	.60
QD2/3V2.20	36.29	7872-2022	2	JA	1 3/16	1 3/32	.90
QD1/3V2.35	26.21	7872-1023	1	JA	1 3/16	11/16	.80
QD2/3V2.35	37.30	7872-2023	2	JA	1 3/16	1 3/32	1.00
QD1/3V2.50	27.22	7872-1025	1	JA	1 3/16	11/16	.90
QD2/3V2.50	38.30	7872-2025	2	JA	1 3/16	1 3/32	1.20
QD3/3V2.50	45.36	7872-3025	3	JA	1 3/16	1 1/2	1.60
QD1/3V2.65	28.22	7872-1026	1	JA	1 3/16	11/16	.50
QD2/3V2.65	39.31	7872-2026	2	JA	1 3/16	1 3/32	.80
QD3/3V2.65	46.37	7872-3026	3	JA	1 3/16	1 1/2	1.00
QD4/3V2.65	53.42	7872-4026	4	JA	1 3/16	1 29/32	1.30
QD1/3V2.80	29.23	7872-1028	1	JA	1 3/16	11/16	.60
QD2/3V2.80	40.32	7872-2028	2	JA	1 3/16	1 3/32	.90
QD3/3V2.80	47.38	7872-3028	3	JA	1 3/16	1 1/2	1.30
QD4/3V2.80	53.93	7872-4028	4	JA	1 3/16	1 29/32	1.60
QD1/3V3.00	30.24	7872-1030	1	JA	1 3/16	11/16	.80
QD2/3V3.00	41.33	7872-2030	2	JA	1 3/16	1 3/32	1.20
QD3/3V3.00	48.89	7872-3030	3	SH	1 5/8	1 1/2	1.60
QD4/3V3.00	54.43	7872-4030	4	SH	1 5/8	1 29/32	1.90
QD1/3V3.15	31.50	7872-1031	1	JA	1 3/16	11/16	.90
QD2/3V3.15	42.84	7872-2031	2	JA	1 3/16	1 3/32	1.00
QD3/3V3.15	50.40	7872-3031	3	SH	1 5/8	1 1/2	1.90
QD4/3V3.15	56.45	7872-4031	4	SH	1 5/8	1 29/32	2.20
QD1/3V3.35	33.26	7872-1033	1	JA	1 3/16	11/16	1.10
QD2/3V3.35	44.35	7872-2033	2	SH	1 5/8	1 3/32	1.11
QD3/3V3.35	51.91	7872-3033	3	SH	1 5/8	1 1/2	1.70
QD4/3V3.35	58.46	7872-4033	4	SH	1 5/8	1 29/32	2.10
QD1/3V3.65	34.78	7872-1036	1	SH	1 5/8	11/16	1.30
QD2/3V3.65	45.86	7872-2036	2	SH	1 5/8	1 3/32	1.50
QD3/3V3.65	53.42	7872-3036	3	SH	1 5/8	1 1/2	2.20
QD4/3V3.65	60.48	7872-4036	4	SH	1 5/8	1 29/32	2.80
QD1/3V4.12	36.29	7872-1041	1	SH	1 5/8	11/16	1.70
QD2/3V4.12	50.40	7872-2041	2	SH	1 5/8	1 3/32	2.29
QD3/3V4.12	55.44	7872-3041	3	SH	1 5/8	1 1/2	2.60
QD4/3V4.12	63.00	7872-4041	4	SH	1 5/8	1 29/32	3.00
QD1/3V4.50	37.80	7872-1045	1	SH	1 5/8	11/16	2.10
QD2/3V4.50	55.44	7872-2045	2	SH	1 5/8	1 3/32	2.70
QD3/3V4.50	63.00	7872-3045	3	SDS	1 15/16	1 1/2	3.05
QD4/3V4.50	65.52	7872-4045	4	SDS	1 15/16	1 29/32	3.40

Super HC® Sheaves–QD®

Product No. Series 7872 & 7873 (continued)

3V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1/3V4.75	$40.32	7872-1047	1	SH	1 5/8	1 1/16	2.50
QD2/3V4.75	60.48	7872-2047	2	SH	1 5/8	1 3/32	3.10
QD3/3V4.75	68.04	7872-3047	3	SDS	1 15/16	1 1/2	3.69
QD4/3V4.75	70.56	7872-4047	4	SDS	1 15/16	1 29/32	4.37
QD5/3V4.75	78.12	7872-5047	5	SDS	1 15/16	2 5/16	4.50
QD6/3V4.75	105.84	7872-6047	6	SK	2 1/2	2 23/32	5.09
QD8/3V4.75	133.56	7872-8047	8	SK	2 1/2	3 17/32	6.64
QD10/3V4.75	158.76	7873-0047	10	SK	2 1/2	4 11/32	10.10
QD1/3V5.00	42.84	7872-1050	1	SH	1 5/8	1 1/16	2.80
QD2/3V5.00	65.52	7872-2050	2	SH	1 5/8	1 3/32	3.71
QD3/3V5.00	73.08	7872-3050	3	SDS	1 15/16	1 1/2	4.14
QD4/3V5.00	75.60	7872-4050	4	SDS	1 15/16	1 29/32	4.50
QD5/3V5.00	85.68	7872-5050	5	SDS	1 15/16	2 5/16	5.30
QD6/3V5.00	108.36	7872-6050	6	SK	2 1/2	2 23/32	7.70
QD8/3V5.00	138.60	7872-8050	8	SK	2 1/2	3 17/32	7.43
QD10/3V5.00	161.28	7873-0050	10	SK	2 1/2	4 11/32	8.60
QD1/3V5.30	45.36	7872-1053	1	SH	1 5/8	1 1/16	3.20
QD2/3V5.30	68.04	7872-2053	2	SH	1 5/8	1 3/32	4.37
QD3/3V5.30	75.60	7872-3053	3	SDS	1 15/16	1 1/2	4.40
QD4/3V5.30	80.64	7872-4053	4	SDS	1 15/16	1 29/32	5.10
QD5/3V5.30	88.20	7872-5053	5	SK	2 1/2	2 5/16	5.80
QD6/3V5.30	110.88	7872-6053	6	SK	2 1/2	2 23/32	6.70
QD8/3V5.30	156.24	7872-8053	8	SK	2 1/2	3 17/32	7.56
QD10/3V5.30	163.80	7873-0053	10	SK	2 1/2	4 11/32	9.60
QD1/3V5.60	47.88	7872-1056	1	SH	1 5/8	1 1/16	3.20
QD2/3V5.60	70.56	7872-2056	2	SH	1 5/8	1 3/32	4.72
QD3/3V5.60	78.12	7872-3056	3	SDS	1 15/16	1 1/2	4.90
QD4/3V5.60	83.16	7872-4056	4	SDS	1 15/16	1 29/32	5.60
QD5/3V5.60	95.76	7872-5056	5	SK	2 1/2	2 5/16	7.00
QD6/3V5.60	113.40	7872-6056	6	SK	2 1/2	2 23/32	7.72
QD8/3V5.60	158.76	7872-8056	8	SK	2 1/2	3 17/32	9.41
QD10/3V5.60	166.32	7873-0056	10	SK	2 1/2	4 11/32	10.70
QD1/3V6.00	50.40	7872-1060	1	SH	1 5/8	1 1/16	3.50
QD2/3V6.00	73.08	7872-2060	2	SH	1 5/8	1 3/32	5.87
QD3/3V6.00	83.16	7872-3060	3	SDS	1 15/16	1 1/2	6.90
QD4/3V6.00	88.20	7872-4060	4	SK	2 1/2	1 29/32	7.60
QD5/3V6.00	98.28	7872-5060	5	SK	2 1/2	2 5/16	8.30
QD6/3V6.00	115.92	7872-6060	6	SK	2 1/2	2 23/32	9.40
QD8/3V6.00	161.28	7872-8060	8	SK	2 1/2	3 17/32	10.05
QD10/3V6.00	168.84	7873-0060	10	SK	2 1/2	4 11/32	12.50
QD1/3V6.50	55.44	7872-1065	1	SH	1 5/8	1 1/16	3.90
QD2/3V6.50	80.64	7872-2065	2	SDS	1 5/8	1 3/32	6.56
QD3/3V6.50	85.68	7872-3065	3	SDS	1 15/16	1 1/2	8.22
QD4/3V6.50	90.72	7872-4065	4	SK	2 1/2	1 29/32	10.19
QD5/3V6.50	100.80	7872-5065	5	SK	2 1/2	2 5/16	10.30
QD6/3V6.50	118.44	7872-6065	6	SK	2 1/2	2 23/32	11.10
QD8/3V6.50	163.80	7872-8065	8	SK	2 1/2	3 17/32	12.90
QD10/3V6.50	181.44	7873-0065	10	SK	2 1/2	4 11/32	14.40
QD1/3V6.90	65.52	7872-1069	1	SH	1 5/8	1 1/16	3.60
QD2/3V6.90	88.20	7872-2069	2	SDS	1 5/8	1 3/32	4.90
QD3/3V6.90	100.80	7872-3069	3	SDS	1 15/16	1 1/2	8.98
QD4/3V6.90	103.32	7872-4069	4	SK	2 1/2	1 29/32	10.62
QD5/3V6.90	110.88	7872-5069	5	SK	2 1/2	2 5/16	11.80
QD6/3V6.90	141.12	7872-6069	6	SK	2 1/2	2 23/32	16.77
QD8/3V6.90	166.32	7872-8069	8	SK	2 1/2	3 17/32	13.84
QD10/3V6.90	183.96	7873-0069	10	SK	2 1/2	4 11/32	16.73

Super HC® Sheaves–QD®

Product No. Series 7872 & 7873 (continued)

3V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1/3V8.00	$75.60	7872-1080	1	SDS	1 15/16	1 1/16	5.20
QD2/3V8.00	90.72	7872-2080	2	SDS	1 15/16	1 3/32	9.68
QD3/3V8.00	108.36	7872-3080	3	SK	2 1/2	1 1/2	14.42
QD4/3V8.00	110.88	7872-4080	4	SK	2 1/2	1 29/32	11.60
QD5/3V8.00	118.44	7872-5080	5	SK	2 1/2	2 5/16	17.94
QD6/3V8.00	156.24	7872-6080	6	SK	2 1/2	2 23/32	13.80
QD8/3V8.00	186.48	7872-8080	8	SF	2 15/16	3 17/32	16.40
QD10/3V8.00	244.44	7873-0080	10	SF	2 15/16	4 11/32	19.00
QD1/3V10.60	126.00	7872-1106	1	SDS	1 15/16	1 1/16	8.00
QD2/3V10.60	138.60	7872-2106	2	SK	1 15/16	1 3/32	13.00
QD3/3V10.60	158.76	7872-3106	3	SK	2 1/2	1 1/2	17.50
QD4/3V10.60	161.28	7872-4106	4	SK	2 1/2	1 29/32	17.00
QD5/3V10.60	163.80	7872-5106	5	SK	2 1/2	2 5/16	16.80
QD6/3V10.60	181.44	7872-6106	6	SF	2 15/16	2 23/32	30.79
QD8/3V10.60	264.60	7872-8106	8	SF	2 15/16	3 17/32	26.50
QD10/3V10.60	315.00	7873-0106	10	E	3 1/2	4 11/32	31.50
QD1/3V14.00	151.20	7872-1140	1	SK	2 1/2	1 1/16	13.50
QD2/3V14.00	219.24	7872-2140	2	SK	2 1/2	1 3/32	19.36
QD3/3V14.00	231.84	7872-3140	3	SK	2 1/2	1 1/2	21.38
QD4/3V14.00	246.96	7872-4140	4	SK	2 1/2	1 29/32	21.00
QD5/3V14.00	292.32	7872-5140	5	SF	2 15/16	2 5/16	25.00
QD6/3V14.00	312.48	7872-6140	6	SF	2 15/16	2 23/32	31.12
QD8/3V14.00	357.84	7872-8140	8	E	3 1/2	3 17/32	38.00
QD10/3V14.00	403.20	7873-0140	10	E	3 1/2	4 11/32	43.00
QD1/3V19.00	252.00	7872-1190	1	SK	2 1/2	1 1/16	21.00
QD2/3V19.00	257.04	7872-2190	2	SK	2 1/2	1 3/32	13.00
QD3/3V19.00	272.16	7872-3190	3	SF	2 15/16	1 1/2	29.00
QD4/3V19.00	317.52	7872-4190	4	SF	2 15/16	1 29/32	32.00
QD5/3V19.00	367.92	7872-5190	5	SF	2 15/16	2 5/16	41.00
QD6/3V19.00	388.08	7872-6190	6	E	3 1/2	2 23/32	45.00
QD8/3V19.00	559.44	7872-8190	8	E	3 1/2	3 17/32	62.00
QD10/3V19.00	594.72	7873-0190	10	E	3 1/2	4 11/32	71.00
QD2/3V25.00	453.60	7872-2250	2	SF	2 15/16	1 3/32	33.00
QD3/3V25.00	504.00	7872-3250	3	SF	2 15/16	1 1/2	45.50
QD4/3V25.00	519.12	7872-4250	4	SF	2 15/16	1 29/32	49.20
QD5/3V25.00	549.36	7872-5250	5	E	3 1/2	2 5/16	62.20
QD6/3V25.00	569.52	7872-6250	6	E	3 1/2	2 23/32	66.50
QD8/3V25.00	655.20	7872-8250	8	E	3 1/2	3 17/32	84.50
QD10/3V25.00	750.96	7873-0250	10	F	3 15/16	4 11/32	98.60
QD3/3V33.50	907.20	7872-3335	3	SF	2 15/16	1 1/2	75.50
QD4/3V33.50	982.80	7872-4335	4	E	3 1/2	1 29/32	79.60
QD5/3V33.50	1071.00	7872-5335	5	E	3 1/2	2 5/16	97.50
QD6/3V33.50	1134.00	7872-6335	6	E	3 1/2	2 23/32	105.00
QD8/3V33.50	1234.80	7872-8335	8	F	3 15/16	3 17/32	137.00
QD10/3V33.50	1386.00	7873-0335	10	F	3 15/16	4 11/32	178.00

Super HC® Sheaves – QD®

Product No. Series 7874 & 7875

5V Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD2/5V4.40	$91.98	7874-2044	2	SH	1 5/8	1 11/16	3.10
QD3/5V4.40	99.54	7874-3044	3	SDS	1 15/16	2 3/8	4.84
QD4/5V4.40	115.92	7874-4044	4	SD	1 15/16	3 1/16	5.20
QD5/5V4.40	131.04	7874-5044	5	SD	1 15/16	3 3/4	5.47
QD6/5V4.40	143.64	7874-6044	6	SD	1 15/16	4 7/16	7.40
QD2/5V4.65	99.54	7874-2046	2	SDS	1 15/16	1 11/16	3.20
QD3/5V4.65	107.10	7874-3046	3	SDS	1 15/16	2 3/8	4.66
QD4/5V4.65	123.48	7874-4046	4	SD	1 15/16	3 1/16	6.10
QD5/5V4.65	138.60	7874-5046	5	SD	1 15/16	3 3/4	6.90
QD6/5V4.65	151.20	7874-6046	6	SD	1 15/16	4 7/16	7.80
QD2/5V4.90	107.10	7874-2049	2	SDS	1 15/16	1 11/16	3.80
QD3/5V4.90	114.66	7874-3049	3	SDS	1 15/16	2 3/8	5.00
QD4/5V4.90	131.04	7874-4049	4	SD	1 15/16	3 1/16	6.40
QD5/5V4.90	146.16	7874-5049	5	SD	1 15/16	3 3/4	7.80
QD6/5V4.90	158.76	7874-6049	6	SD	1 15/16	4 7/16	9.00
QD2/5V5.20	114.66	7874-2052	2	SDS	1 15/16	1 11/16	4.40
QD3/5V5.20	122.22	7874-3052	3	SDS	1 15/16	2 3/8	5.50
QD4/5V5.20	138.60	7874-4052	4	SD	1 15/16	3 1/16	7.10
QD5/5V5.20	153.72	7874-5052	5	SD	1 15/16	3 3/4	9.00
QD6/5V5.20	166.32	7874-6052	6	SD	1 15/16	4 7/16	9.80
QD2/5V5.50	122.22	7874-2055	2	SDS	1 15/16	1 11/16	4.60
QD3/5V5.50	129.78	7874-3055	3	SDS	1 15/16	2 3/8	6.63
QD4/5V5.50	146.16	7874-4055	4	SD	1 15/16	3 1/16	8.10
QD5/5V5.50	161.28	7874-5055	5	SD	1 15/16	3 3/4	9.50
QD6/5V5.50	173.88	7874-6055	6	SD	1 15/16	4 7/16	10.80
QD2/5V5.90	129.78	7874-2059	2	SDS	1 15/16	1 11/16	5.50
QD3/5V5.90	137.34	7874-3059	3	SDS	1 15/16	2 3/8	7.00
QD4/5V5.90	153.72	7874-4059	4	SD	1 15/16	3 1/16	12.00
QD5/5V5.90	168.84	7874-5059	5	SK	2 1/2	3 3/4	10.00
QD6/5V5.90	181.44	7874-6059	6	SK	2 1/2	4 7/16	12.25
QD2/5V6.30	137.34	7874-2063	2	SK	2 1/2	1 11/16	7.62
QD3/5V6.30	144.90	7874-3063	3	SK	2 1/2	2 3/8	9.65
QD4/5V6.30	161.28	7874-4063	4	SK	2 1/2	3 1/16	11.05
QD5/5V6.30	176.40	7874-5063	5	SK	2 1/2	3 3/4	11.80
QD6/5V6.30	189.00	7874-6063	6	SK	2 1/2	4 7/16	13.00
QD2/5V6.70	144.90	7874-2067	2	SK	2 1/2	1 11/16	8.95
QD3/5V6.70	152.46	7874-3067	3	SK	2 1/2	2 3/8	10.10
QD4/5V6.70	168.84	7874-4067	4	SK	2 1/2	3 1/16	11.90
QD5/5V6.70	183.96	7874-5067	5	SF	2 15/16	3 3/4	12.80
QD6/5V6.70	194.04	7874-6067	6	SF	2 15/16	4 7/16	15.10
QD2/5V7.10	151.20	7874-2071	2	SK	2 1/2	1 11/16	10.34
QD3/5V7.10	161.28	7874-3071	3	SF	2 15/16	2 3/8	12.39
QD4/5V7.10	176.40	7874-4071	4	SF	2 15/16	3 1/16	14.86
QD5/5V7.10	196.56	7874-5071	5	SF	2 15/16	3 3/4	15.66
QD6/5V7.10	201.60	7874-6071	6	SF	2 15/16	4 7/16	18.18
QD8/5V7.10	234.36	7874-8071	8	SF	2 15/16	5 13/16	21.00
QD2/5V7.50	153.72	7874-2075	2	SK	2 1/2	1 11/16	12.63
QD3/5V7.50	168.84	7874-3075	3	SF	2 15/16	2 3/8	13.28
QD4/5V7.50	186.48	7874-4075	4	SF	2 15/16	3 1/16	15.50
QD5/5V7.50	219.24	7874-5075	5	SF	2 15/16	3 3/4	18.11
QD6/5V7.50	221.76	7874-6075	6	SF	2 15/16	4 7/16	18.31
QD8/5V7.50	259.56	7874-8075	8	SF	2 15/16	5 13/16	24.40
QD2/5V8.00	156.24	7874-2080	2	SK	2 1/2	1 11/16	10.00
QD3/5V8.00	178.92	7874-3080	3	SF	2 15/16	2 3/8	16.65
QD4/5V8.00	196.56	7874-4080	4	E	3 1/2	3 1/16	18.20
QD5/5V8.00	231.84	7874-5080	5	E	3 1/2	3 3/4	20.50
QD6/5V8.00	234.36	7874-6080	6	E	3 1/2	4 7/16	22.63
QD8/5V8.00	284.76	7874-8080	8	E	3 1/2	5 13/16	26.00
QD10/5V8.00	317.52	7875-0080	10	E	3 1/2	7 3/16	30.60

Product No. Series 7874 & 7875 (continued)

5V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD2/5V8.50	$161.28	7874-2085	2	SK	2 1/2	1 11/16	11.40
QD3/5V8.50	183.96	7874-3085	3	SF	2 15/16	2 3/8	15.50
QD4/5V8.50	204.12	7874-4085	4	E	3 1/2	3 1/16	21.20
QD5/5V8.50	239.40	7874-5085	5	E	3 1/2	3 3/4	23.40
QD6/5V8.50	249.48	7874-6085	6	E	3 1/2	4 7/16	26.27
QD8/5V8.50	312.48	7874-8085	8	E	3 1/2	5 13/16	30.80
QD10/5V8.50	342.72	7875-0085	10	E	3 1/2	7 3/16	36.50
QD2/5V9.00	171.36	7874-2090	2	SK	2 1/2	1 11/16	11.70
QD3/5V9.00	189.00	7874-3090	3	SF	2 15/16	2 3/8	17.30
QD4/5V9.00	206.64	7874-4090	4	E	3 1/2	3 1/16	24.00
QD5/5V9.00	249.48	7874-5090	5	E	3 1/2	3 3/4	26.20
QD6/5V9.00	277.20	7874-6090	6	E	3 1/2	4 7/16	29.60
QD8/5V9.00	337.68	7874-8090	8	E	3 1/2	5 13/16	34.96
QD10/5V9.00	378.00	7875-0090	10	F	3 15/16	7 3/16	44.30
QD2/5V9.25	181.44	7874-2092	2	SK	2 1/2	1 11/16	19.54
QD3/5V9.25	196.56	7874-3092	3	SF	2 15/16	2 3/8	21.66
QD4/5V9.25	211.68	7874-4092	4	E	3 1/2	3 1/16	25.00
QD5/5V9.25	254.52	7874-5092	5	E	3 1/2	3 3/4	28.76
QD6/5V9.25	282.24	7874-6092	6	E	3 1/2	4 7/16	31.47
QD8/5V9.25	378.00	7874-8092	8	F	3 15/16	5 13/16	40.50
QD10/5V9.25	383.04	7875-0092	10	F	3 15/16	7 3/16	47.50
QD2/5V9.75	186.48	7874-2097	2	SK	2 1/2	1 11/16	13.20
QD3/5V9.75	204.12	7874-3097	3	SF	2 15/16	2 3/8	22.62
QD4/5V9.75	246.96	7874-4097	4	E	3 1/2	3 1/16	29.32
QD5/5V9.75	274.68	7874-5097	5	E	3 1/2	3 3/4	33.00
QD6/5V9.75	287.28	7874-6097	6	E	3 1/2	4 7/16	35.40
QD8/5V9.75	403.20	7874-8097	8	F	3 15/16	5 13/16	46.40
QD10/5V9.75	453.60	7875-0097	10	F	3 15/16	7 3/16	52.00
QD2/5V10.30	191.52	7874-2103	2	SK	2 1/2	1 11/16	22.60
QD3/5V10.30	216.72	7874-3103	3	SF	2 15/16	2 3/8	22.17
QD4/5V10.30	252.00	7874-4103	4	E	3 1/2	3 1/16	32.96
QD5/5V10.30	277.20	7874-5103	5	E	3 1/2	3 3/4	36.75
QD6/5V10.30	312.48	7874-6103	6	E	3 1/2	4 7/16	36.40
QD8/5V10.30	428.40	7874-8103	8	F	3 15/16	5 13/16	52.00
QD10/5V10.30	468.72	7875-0103	10	F	3 15/16	7 3/16	58.30
QD2/5V10.90	196.56	7874-2109	2	SK	2 1/2	1 11/16	15.90
QD3/5V10.90	221.76	7874-3109	3	SF	2 15/16	2 3/8	20.50
QD4/5V10.90	259.56	7874-4109	4	E	3 1/2	3 1/16	38.34
QD5/5V10.90	279.72	7874-5109	5	E	3 1/2	3 3/4	41.89
QD6/5V10.90	327.60	7874-6109	6	E	3 1/2	4 7/16	37.00
QD8/5V10.90	438.48	7874-8109	8	F	3 15/16	5 13/16	59.00
QD10/5V10.90	483.84	7875-0109	10	F	3 15/16	7 3/16	66.00
QD2/5V11.30	201.60	7874-2113	2	SK	2 1/2	1 11/16	16.10
QD3/5V11.30	226.80	7874-3113	3	SF	2 15/16	2 3/8	29.11
QD4/5V11.30	282.24	7874-4113	4	E	3 1/2	3 1/16	42.31
QD5/5V11.30	304.92	7874-5113	5	E	3 1/2	3 3/4	31.10
QD6/5V11.30	327.60	7874-6113	6	E	3 1/2	4 7/16	50.10
QD8/5V11.30	448.56	7874-8113	8	F	3 15/16	5 13/16	63.80
QD10/5V11.30	554.40	7875-0113	10	F	3 15/16	7 3/16	71.10
QD2/5V11.80	204.12	7874-2118	2	SK	2 1/2	1 11/16	28.09
QD3/5V11.80	244.44	7874-3118	3	SF	2 15/16	2 3/8	27.66
QD4/5V11.80	284.76	7874-4118	4	E	3 1/2	3 1/16	35.67
QD5/5V11.80	307.44	7874-5118	5	E	3 1/2	3 3/4	37.67
QD6/5V11.80	330.12	7874-6118	6	E	3 1/2	4 7/16	39.00
QD8/5V11.80	471.24	7874-8118	8	F	3 15/16	5 13/16	53.50
QD10/5V11.80	604.80	7875-0118	10	F	3 15/16	7 3/16	66.00

Super HC® Sheaves–QD®

Product No. Series 7874 & 7875 (continued)

5V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD2/5V12.50	$206.64	7874-2125	2	SF	2 1/2	1 11/16	28.84
QD3/5V12.50	254.52	7874-3125	3	E	3 1/2	2 3/8	32.00
QD4/5V12.50	294.84	7874-4125	4	E	3 1/2	3 1/16	39.62
QD5/5V12.50	355.32	7874-5125	5	E	3 1/2	3 3/4	39.50
QD6/5V12.50	403.20	7874-6125	6	F	3 15/16	4 7/16	62.92
QD8/5V12.50	488.88	7874-8125	8	F	3 15/16	5 13/16	58.50
QD10/5V12.50	630.00	7875-0125	10	J	4 1/2	7 3/16	92.40
QD2/5V13.20	221.76	7874-2132	2	SF	2 15/16	1 11/16	21.00
QD3/5V13.20	267.12	7874-3132	3	E	3 1/2	2 3/8	34.30
QD4/5V13.20	322.56	7874-4132	4	E	3 1/2	3 1/16	37.72
QD5/5V13.20	378.00	7874-5132	5	E	3 1/2	3 3/4	48.00
QD6/5V13.20	430.92	7874-6132	6	F	3 15/16	4 7/16	55.00
QD8/5V13.20	554.40	7874-8132	8	F	3 15/16	5 13/16	64.30
QD10/5V13.20	730.80	7875-0132	10	J	4 1/2	7 3/16	81.00
QD2/5V14.00	289.80	7874-2140	2	SF	2 15/16	1 11/16	30.91
QD3/5V14.00	325.08	7874-3140	3	E	3 1/2	2 3/8	36.47
QD4/5V14.00	365.40	7874-4140	4	E	3 1/2	3 1/16	42.50
QD5/5V14.00	433.44	7874-5140	5	E	3 1/2	3 3/4	53.66
QD6/5V14.00	483.84	7874-6140	6	F	3 15/16	4 7/16	61.00
QD8/5V14.00	604.80	7874-8140	8	F	3 15/16	5 13/16	70.00
QD10/5V14.00	806.40	7875-0140	10	J	4 1/2	7 3/16	91.20
QD2/5V15.00	294.84	7874-2150	2	SF	2 15/16	1 11/16	26.10
QD3/5V15.00	345.24	7874-3150	3	E	3 1/2	2 3/8	39.50
QD4/5V15.00	403.20	7874-4150	4	E	3 1/2	3 1/16	45.00
QD5/5V15.00	483.84	7874-5150	5	E	3 1/2	3 3/4	53.50
QD6/5V15.00	534.24	7874-6150	6	F	3 15/16	4 7/16	68.00
QD8/5V15.00	705.60	7874-8150	8	F	3 15/16	5 13/16	80.40
QD10/5V15.00	907.20	7875-0150	10	J	4 1/2	7 3/16	97.80
QD2/5V16.00	317.52	7874-2160	2	SF	2 15/16	1 11/16	29.20
QD3/5V16.00	355.32	7874-3160	3	E	3 1/2	2 3/8	39.70
QD4/5V16.00	428.40	7874-4160	4	E	3 1/2	3 1/16	44.00
QD5/5V16.00	509.04	7874-5160	5	E	3 1/2	3 3/4	53.50
QD6/5V16.00	584.64	7874-6160	6	F	3 15/16	4 7/16	71.00
QD8/5V16.00	806.40	7874-8160	8	F	3 15/16	5 13/16	89.50
QD10/5V16.00	982.80	7875-0160	10	J	4 1/2	7 3/16	146.00
QD2/5V18.70	378.00	7874-2187	2	SF	2 15/16	1 11/16	35.00
QD3/5V18.70	413.28	7874-3187	3	E	3 1/2	2 3/8	48.00
QD4/5V18.70	478.80	7874-4187	4	E	3 1/2	3 1/16	58.80
QD5/5V18.70	544.32	7874-5187	5	F	3 15/16	3 3/4	62.70
QD6/5V18.70	655.20	7874-6187	6	F	3 15/16	4 7/16	84.00
QD8/5V18.70	882.00	7874-8187	8	J	4 1/2	5 13/16	110.00
QD10/5V18.70	1083.60	7875-0187	10	J	4 1/2	7 3/16	164.00
QD2/5V21.20	524.16	7874-2212	2	SF	2 15/16	1 11/16	45.00
QD3/5V21.20	554.40	7874-3212	3	E	3 1/2	2 3/8	57.00
QD4/5V21.20	645.12	7874-4212	4	E	3 1/2	3 1/16	64.00
QD5/5V21.20	675.36	7874-5212	5	F	3 15/16	3 3/4	88.00
QD6/5V21.20	743.40	7874-6212	6	F	3 15/16	4 7/16	147.00
QD8/5V21.20	957.60	7874-8212	8	J	4 1/2	5 13/16	131.50
QD10/5V21.20	1209.60	7875-0212	10	J	4 1/2	7 3/16	188.00
QD2/5V23.60	604.80	7874-2236	2	E	3 1/2	1 11/16	60.80
QD3/5V23.60	630.00	7874-3236	3	E	3 1/2	2 3/8	74.30
QD4/5V23.60	687.96	7874-4236	4	F	3 15/16	3 1/16	95.10
QD5/5V23.60	738.36	7874-5236	5	F	3 15/16	3 3/4	114.90
QD6/5V23.60	831.60	7874-6236	6	J	4 1/2	4 7/16	150.00
QD8/5V23.60	1058.40	7874-8236	8	J	4 1/2	5 13/16	162.10
QD10/5V23.60	1310.40	7875-0236	10	M	5 1/2	7 3/16	217.00

Product No. Series 7874 & 7875 (continued)

5V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD2/5V28.00	$617.40	7874-2280	2	E	3 1/2	1 11/16	73.00
QD3/5V28.00	680.40	7874-3280	3	E	3 1/2	2 3/8	93.50
QD4/5V28.00	781.20	7874-4280	4	F	3 15/16	3 1/16	118.00
QD5/5V28.00	831.60	7874-5280	5	F	3 15/16	3 3/4	126.00
QD6/5V28.00	932.40	7874-6280	6	J	4 1/2	4 7/16	168.00
QD8/5V28.00	1285.20	7874-8280	8	J	4 1/2	5 13/16	177.00
QD10/5V28.00	1612.80	7875-0280	10	M	5 1/2	7 3/16	242.00
QD3/5V31.50	1159.20	7874-3315	3	F	3 15/16	2 3/8	122.90
QD4/5V31.50	1222.20	7874-4315	4	F	3 15/16	3 1/16	146.70
QD5/5V31.50	1360.80	7874-5315	5	J	4 1/2	3 3/4	165.90
QD6/5V31.50	1486.80	7874-6315	6	J	4 1/2	4 7/16	170.00
QD8/5V31.50	1814.40	7874-8315	8	M	5 1/2	5 13/16	225.00
QD10/5V31.50	1965.60	7875-0315	10	M	5 1/2	7 3/16	286.00
QD3/5V37.50	1486.80	7874-3375	3	F	3 15/16	2 3/8	135.00
QD4/5V37.50	1562.40	7874-4375	4	F	3 15/16	3 1/16	185.00
QD5/5V37.50	1738.80	7874-5375	5	J	4 1/2	3 3/4	195.00
QD6/5V37.50	1814.40	7874-6375	6	J	4 1/2	4 7/16	235.00
QD8/5V37.50	2242.80	7874-8375	8	M	5 1/2	5 13/16	305.00
QD10/5V37.50	2318.40	7875-0375	10	M	5 1/2	7 3/16	340.00
QD3/5V50.00	2242.80	7874-3500	3	F	3 15/16	2 3/8	205.00
QD4/5V50.00	2368.80	7874-4500	4	J	4 1/2	3 1/16	255.00
QD5/5V50.00	2419.20	7874-5500	5	J	4 1/2	3 3/4	290.00
QD6/5V50.00	2797.20	7874-6500	6	M	5 1/2	4 7/16	360.00
QD8/5V50.00	3074.40	7874-8500	8	M	5 1/2	5 13/16	423.00
QD10/5V50.00	3250.80	7875-0500	10	M	5 1/2	7 3/16	540.00

Product No. Series 7876 & 7877

8V Sheaves are Standard/Non-Stock.

8V Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD4/8V12.50	$685.44	7876-4125	4	F	3 15/16	4 7/8	83.00
QD5/8V12.50	740.88	7876-5125	5	F	3 15/16	6	70.00
QD6/8V12.50	778.68	7876-6125	6	F	3 15/16	7 1/8	79.00
QD8/8V12.50	982.80	7876-8125	8	J	4 1/2	9 3/8	110.00
QD10/8V12.50	1194.48	7877-0125	10	J	4 1/2	11 5/8	151.00
QD12/8V12.50	2620.80	7877-2125	12	M	5 1/2	13 7/8	153.00
QD4/8V13.20	695.52	7876-4132	4	F	3 15/16	4 7/8	88.00
QD5/8V13.20	778.68	7876-5132	5	F	3 15/16	6	100.00
QD6/8V13.20	831.60	7876-6132	6	F	3 15/16	7 1/8	114.00
QD8/8V13.20	1038.24	7876-8132	8	J	4 1/2	9 3/8	126.00
QD10/8V13.20	1403.64	7877-0132	10	J	4 1/2	11 5/8	151.00
QD12/8V13.20	2671.20	7877-2132	12	M	5 1/2	13 7/8	180.00
QD4/8V14.00	705.60	7876-4140	4	F	3 15/16	4 7/8	88.00
QD5/8V14.00	831.60	7876-5140	5	F	3 15/16	6	107.00
QD6/8V14.00	909.72	7876-6140	6	F	3 15/16	7 1/8	134.00
QD8/8V14.00	1091.16	7876-8140	8	J	4 1/2	9 3/8	140.00
QD10/8V14.00	1610.28	7877-0140	10	J	4 1/2	11 5/8	168.00
QD12/8V14.00	2721.60	7877-2140	12	M	5 1/2	13 7/8	186.00
QD4/8V15.00	750.96	7876-4150	4	F	3 15/16	4 7/8	111.00
QD5/8V15.00	882.00	7876-5150	5	F	3 15/16	6	106.00
QD6/8V15.00	975.24	7876-6150	6	J	4 1/2	7 1/8	140.00
QD8/8V15.00	1169.28	7876-8150	8	J	4 1/2	9 3/8	159.00
QD10/8V15.00	1816.92	7877-0150	10	M	5 1/2	11 5/8	181.00
QD12/8V15.00	2772.00	7877-2150	12	M	5 1/2	13 7/8	221.00

Super HC® Sheaves–QD®

Product No. Series 7876 & 7877 (continued)

8V Sheaves are Standard/Non-Stock.

8V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD4/8V16.00	$831.60	7876-4160	4	F	3 15/16	4 7/8	105.00
QD5/8V16.00	932.40	7876-5160	5	F	3 15/16	6	110.00
QD6/8V16.00	1038.24	7876-6160	6	J	4 1/2	7 1/8	146.00
QD8/8V16.00	1272.60	7876-8160	8	J	4 1/2	9 3/8	162.00
QD10/8V16.00	2026.08	7877-0160	10	M	5 1/2	11 5/8	216.00
QD12/8V16.00	2822.40	7877-2160	12	M	5 1/2	13 7/8	247.00
QD4/8V17.00	907.20	7876-4170	4	F	3 15/16	4 7/8	150.00
QD5/8V17.00	1065.96	7876-5170	5	J	4 1/2	6	150.00
QD6/8V17.00	1169.28	7876-6170	6	J	4 1/2	7 1/8	143.00
QD8/8V17.00	1416.24	7876-8170	8	M	5 1/2	9 3/8	199.00
QD10/8V17.00	2076.48	7877-0170	10	M	5 1/2	11 5/8	237.00
QD12/8V17.00	2872.80	7877-2170	12	M	5 1/2	13 7/8	267.00
QD4/8V18.00	957.60	7876-4180	4	F	3 15/16	4 7/8	150.00
QD5/8V18.00	1134.00	7876-5180	5	J	4 1/2	6	150.00
QD6/8V18.00	1260.00	7876-6180	6	J	4 1/2	7 1/8	137.00
QD8/8V18.00	1512.00	7876-8180	8	M	5 1/2	9 3/8	186.00
QD10/8V18.00	2167.20	7877-0180	10	M	5 1/2	11 5/8	217.00
QD12/8V18.00	2923.20	7877-2180	12	M	5 1/2	13 7/8	274.00
QD4/8V19.00	995.40	7876-4190	4	F	3 15/16	4 7/8	146.00
QD5/8V19.00	1209.60	7876-5190	5	J	4 1/2	6	146.00
QD6/8V19.00	1310.40	7876-6190	6	J	4 1/2	7 1/8	164.00
QD8/8V19.00	1562.40	7876-8190	8	M	5 1/2	9 3/8	221.00
QD10/8V19.00	2217.60	7877-0190	10	M	5 1/2	11 5/8	249.00
QD12/8V19.00	3024.00	7877-2190	12	N	5 7/8	13 7/8	306.00
QD4/8V20.00	1033.20	7876-4200	4	J	4 1/2	4 7/8	145.00
QD5/8V20.00	1247.40	7876-5200	5	J	4 1/2	6	145.00
QD6/8V20.00	1499.40	7876-6200	6	M	5 1/2	7 1/8	204.00
QD8/8V20.00	1612.80	7876-8200	8	M	5 1/2	9 3/8	210.00
QD10/8V20.00	2343.60	7877-0200	10	M	5 1/2	11 5/8	277.00
QD12/8V20.00	3124.80	7877-2200	12	N	5 7/8	13 7/8	338.00
QD4/8V21.20	1058.40	7876-4212	4	J	4 1/2	4 7/8	181.00
QD5/8V21.20	1449.00	7876-5212	5	J	4 1/2	6	181.00
QD6/8V21.20	1663.20	7876-6212	6	M	5 1/2	7 1/8	188.00
QD8/8V21.20	1738.80	7876-8212	8	M	5 1/2	9 3/8	249.00
QD10/8V21.20	2570.40	7877-0212	10	M	5 1/2	11 5/8	254.00
QD12/8V21.20	3225.60	7877-2212	12	N	5 7/8	13 7/8	310.00
QD4/8V22.40	1116.36	7876-4224	4	J	4 1/2	4 7/8	199.00
QD5/8V22.40	1650.60	7876-5224	5	J	4 1/2	6	199.00
QD6/8V22.40	1965.60	7876-6224	6	M	5 1/2	7 1/8	221.00
QD8/8V22.40	2003.40	7876-8224	8	M	5 1/2	9 3/8	258.00
QD10/8V22.40	2829.96	7877-0224	10	N	5 7/8	11 5/8	326.00
QD12/8V22.40	3326.40	7877-2224	12	N	5 7/8	13 7/8	361.00
QD4/8V24.80	1499.40	7876-4248	4	M	5 1/2	4 7/8	211.00
QD5/8V24.80	1751.40	7876-5248	5	M	5 1/2	6	232.00
QD6/8V24.80	2003.40	7876-6248	6	M	5 1/2	7 1/8	235.00
QD8/8V24.80	2255.40	7876-8248	8	N	5 7/8	9 3/8	300.00
QD10/8V24.80	2885.40	7877-0248	10	N	5 7/8	11 5/8	336.00
QD12/8V24.80	3780.00	7877-2248	12	N	5 7/8	13 7/8	313.00
QD4/8V30.00	1701.00	7876-4300	4	M	5 1/2	4 7/8	292.00
QD5/8V30.00	1978.20	7876-5300	5	M	5 1/2	6	319.00
QD6/8V30.00	2028.60	7876-6300	6	M	5 1/2	7 1/8	345.00
QD8/8V30.00	2318.40	7876-8300	8	N	5 7/8	9 3/8	410.00
QD10/8V30.00	2961.00	7877-0300	10	N	5 7/8	11 5/8	463.00
QD12/8V30.00	4258.80	7877-2300	12	P	7	13 7/8	567.00
QD4/8V35.50	2255.40	7876-4355	4	M	5 1/2	4 7/8	367.00
QD5/8V35.50	2507.40	7876-5355	5	M	5 1/2	6	399.00
QD6/8V35.50	2759.40	7876-6355	6	N	5 7/8	7 1/8	444.00
QD8/8V35.50	3011.40	7876-8355	8	N	5 7/8	9 3/8	508.00
QD10/8V35.50	3515.40	7877-0355	10	P	7	11 5/8	605.00
QD12/8V35.50	4611.60	7877-2355	12	P	7	13 7/8	693.00

Super HC® Sheaves–QD®

Product No. Series 7876 & 7877 (continued)

8V Sheaves are Standard/Non-Stock.

8V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD4/8V40.00	$2482.20	7876-4400	4	M	5½	4⅞	434.00
QD5/8V40.00	2822.40	7876-5400	5	M	5½	6	471.00
QD6/8V40.00	3074.40	7876-6400	6	N	5⅞	7⅛	519.00
QD8/8V40.00	3326.40	7876-8400	8	N	5⅞	9⅜	592.00
QD10/8V40.00	4221.00	7877-0400	10	P	7	11⅝	697.00
QD12/8V40.00	6300.00	7877-2400	12	P	7	13⅞	796.00
QD4/8V44.50	3263.40	7876-4445	4	M	5½	4⅞	369.00
QD5/8V44.50	3767.40	7876-5445	5	N	5⅞	6	427.00
QD6/8V44.50	4271.40	7876-6445	6	N	5⅞	7⅛	510.00
QD8/8V44.50	4775.40	7876-8445	8	P	7	9⅜	691.00
QD10/8V44.50	5279.40	7877-0445	10	P	7	11⅝	754.00
QD12/8V44.50	8190.00	7877-2445	12	P	7	13⅞	839.00
QD4/8V53.00	4082.40	7876-4530	4	M	5½	4⅞	818.00
QD5/8V53.00	4384.80	7876-5530	5	N	5⅞	6	613.00
QD6/8V53.00	4687.20	7876-6530	6	N	5⅞	7⅛	924.00
QD8/8V53.00	4989.60	7876-8530	8	P	7	9⅜	1040.00
QD10/8V53.00	6300.00	7877-0530	10	P	7	11⅝	1138.00
QD12/8V53.00	10080.00	7877-2530	12	W	8½	13⅞	1343.00
QD6/8V63.00	7799.40	7876-6630	6	P	7	7⅛	860.00
QD8/8V63.00	8807.40	7876-8630	8	P	7	9⅜	960.00
QD10/8V63.00	11340.00	7877-0630	10	W	8½	11⅝	1143.00
QD12/8V63.00	12600.00	7877-2630	12	W	8½	13⅞	1777.00
QD6/8V71.00	11340.00	7876-6710	6	P	7	7⅛	1558.00
QD8/8V71.00	12600.00	7876-8710	8	W	8½	9⅜	1490.00
QD10/8V71.00	14490.00	7877-0710	10	W	8½	11⅝	1881.00
QD12/8V71.00	16380.00	7877-2710	12	W	8½	13⅞	2002.00

Super HC® Sheaves – Taper Lock®

Markets/Applications

Use with Super HC® and Super HC® PowerBand® belts.

Features/Advantages

- Split tapered bushings allow quick, easy installation and removal.
- Sheave hub is flush with the bushing.
- Narrower sheave design is precision manufactured, static balanced and transmits higher horsepower.

Notes
Sheaves and bushings must be ordered separately.
8V sheaves are Standard/Non-Stock.
WARNING: Do **NOT** use these sheaves with rim speeds in excess of 6,500 fpm.

Product No. Series 7862 & 7863

3V Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL1/3V2.65	$28.22	7862-1026	1	1108	1 1/8	11/16	.80
TL2/3V2.65	39.31	7862-2026	2	1108	1 1/8	1 3/32	1.00
TL3/3V2.65	46.37	7862-3026	3	1108	1 1/8	1 1/2	1.20
TL4/3V2.65	53.42	7862-4026	4	1108	1 1/8	1 29/32	1.30
TL1/3V2.80	29.23	7862-1028	1	1108	1 1/8	11/16	1.10
TL2/3V2.80	40.32	7862-2028	2	1108	1 1/8	1 3/32	1.10
TL3/3V2.80	47.38	7862-3028	3	1108	1 1/8	1 1/2	1.30
TL4/3V2.80	53.93	7862-4028	4	1108	1 1/8	1 29/32	1.40
TL1/3V3.00	30.24	7862-1030	1	1108	1 1/8	11/16	1.20
TL2/3V3.00	41.33	7862-20309	2	1210	1 1/4	1 3/32	1.50
TL3/3V3.00	48.89	7862-30309	3	1210	1 1/4	1 1/2	1.70
TL4/3V3.00	54.43	7862-40309	4	1210	1 1/4	1 29/32	2.10
TL1/3V3.15	31.50	7862-1031	1	1108	1 1/8	11/16	1.40
TL2/3V3.15	42.84	7862-20319	2	1210	1 1/4	1 3/32	1.20
TL3/3V3.15	50.40	7862-30319	3	1210	1 1/4	1 1/2	1.60
TL4/3V3.15	56.45	7862-40319	4	1210	1 1/4	1 29/32	1.90
TL1/3V3.35	33.26	7862-10339	1	1610	1 5/8	11/16	1.30
TL2/3V3.35	44.35	7862-20339	2	1610	1 5/8	1 3/32	1.80
TL3/3V3.35	51.91	7862-30339	3	1610	1 5/8	1 1/2	2.20
TL4/3V3.35	58.46	7862-40339	4	1610	1 5/8	1 29/32	2.70
TL1/3V3.65	34.78	7862-10369	1	1610	1 5/8	11/16	1.80
TL2/3V3.65	45.86	7862-20369	2	1610	1 5/8	1 3/32	2.20
TL3/3V3.65	53.42	7862-30369	3	1610	1 5/8	1 1/2	2.40
TL4/3V3.65	60.48	7862-40369	4	1610	1 5/8	1 29/32	2.40
TL1/3V4.12	36.29	7862-10419	1	1610	1 5/8	11/16	2.30
TL2/3V4.12	50.40	7862-20419	2	1610	1 5/8	1 3/32	2.40
TL3/3V4.12	55.44	7862-30419	3	1610	1 5/8	1 1/2	2.72
TL4/3V4.12	63.00	7862-40419	4	1610	1 5/8	1 29/32	3.21
TL1/3V4.50	37.80	7862-10459	1	1610	1 5/8	11/16	2.80
TL2/3V4.50	55.44	7862-20459	2	1610	1 5/8	1 3/32	3.00
TL3/3V4.50	63.00	7862-30459	3	1610	1 5/8	1 1/2	3.70
TL4/3V4.50	65.52	7862-40459	4	1610	1 5/8	1 29/32	4.10
TL1/3V4.75	40.32	7862-10479	1	1610	1 5/8	11/16	3.10
TL2/3V4.75	60.48	7862-20479	2	1610	1 5/8	1 3/32	3.50
TL3/3V4.75	68.04	7862-30479	3	1610	1 5/8	1 1/2	4.04
TL4/3V4.75	70.56	7862-40479	4	1610	1 5/8	1 29/32	5.20
TL5/3V4.75	78.12	7862-50479	5	2517	2 1/2	2 5/16	3.90
TL6/3V4.75	105.84	7862-6047	6	2517	2 1/2	2 23/32	4.60
TL8/3V4.75	133.56	7862-8047	8	2517	2 1/2	3 17/32	5.45
TL10/3V4.75	158.76	7863-0047	10	2517	2 1/2	4 11/32	7.10

Super HC® Sheaves – Taper Lock®

Product No. Series 7862 & 7863 (continued)

3V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL1/3V5.00	$42.84	7862-10509	1	1610	1 5/8	11/16	3.20
TL2/3V5.00	65.52	7862-20509	2	1610	1 5/8	1 3/32	3.80
TL3/3V5.00	73.08	7862-30509	3	1610	1 5/8	1 1/2	4.40
TL4/3V5.00	75.60	7862-40509	4	1610	1 5/8	1 29/32	5.20
TL5/3V5.00	85.68	7862-5050	5	2517	2 1/2	2 5/16	4.70
TL6/3V5.00	108.36	7862-6050	6	2517	2 1/2	2 23/32	5.44
TL8/3V5.00	138.60	7862-8050	8	2517	2 1/2	3 17/32	6.80
TL10/3V5.00	161.28	7863-0050	10	2517	2 1/2	4 11/32	8.20
TL1/3V5.30	45.36	7862-10539	1	1610	1 5/8	11/16	3.70
TL2/3V5.30	68.04	7862-20539	2	1610	1 5/8	1 3/32	4.40
TL3/3V5.30	75.60	7862-30539	3	1610	1 5/8	1 1/2	5.30
TL4/3V5.30	80.64	7862-40539	4	1610	1 5/8	1 29/32	6.57
TL5/3V5.30	88.20	7862-5053	5	2517	2 1/2	2 5/16	7.56
TL6/3V5.30	110.88	7862-6053	6	2517	2 1/2	2 23/32	6.70
TL8/3V5.30	156.24	7862-8053	8	2517	2 1/2	3 17/32	7.60
TL1/3V5.60	47.88	7862-10569	1	1610	1 5/8	11/16	4.10
TL2/3V5.60	70.56	7862-20569	2	1610	1 5/8	1 3/32	5.10
TL3/3V5.60	78.12	7862-30569	3	1610	1 5/8	1 1/2	6.36
TL4/3V5.60	83.16	7862-40569	4	1610	1 5/8	1 29/32	7.49
TL5/3V5.60	95.76	7862-5056	5	2517	2 1/2	2 5/16	7.56
TL6/3V5.60	113.40	7862-6056	6	2517	2 1/2	2 23/32	7.60
TL8/3V5.60	158.76	7862-8056	8	2517	2 1/2	3 17/32	9.10
TL1/3V6.00	50.40	7862-10609	1	1610	1 5/8	11/16	4.85
TL2/3V6.00	73.08	7862-20609	2	1610	1 5/8	1 3/32	6.34
TL3/3V6.00	83.16	7862-3060	3	2517	2 1/2	1 1/2	7.28
TL4/3V6.00	88.20	7862-4060	4	2517	2 1/2	1 29/32	8.00
TL5/3V6.00	98.28	7862-5060	5	2517	2 1/2	2 5/16	10.60
TL6/3V6.00	115.92	7862-6060	6	2517	2 1/2	2 23/32	10.50
TL8/3V6.00	161.28	7862-8060	8	2517	2 1/2	3 17/32	11.10
TL10/3V6.00	168.84	7863-0060	10	2517	2 1/2	4 11/32	13.30
TL1/3V6.50	55.44	7862-10659	1	1610	1 5/8	11/16	5.62
TL2/3V6.50	80.64	7862-20659	2	1610	1 5/8	1 3/32	7.75
TL3/3V6.50	85.68	7862-3065	3	2517	2 1/2	1 1/2	9.42
TL4/3V6.50	90.72	7862-4065	4	2517	2 1/2	1 29/32	10.40
TL5/3V6.50	100.80	7862-5065	5	2517	2 1/2	2 5/16	11.04
TL6/3V6.50	118.44	7862-6065	6	2517	2 1/2	2 23/32	13.68
TL8/3V6.50	163.80	7862-8065	8	2517	2 1/2	3 17/32	13.49
TL1/3V6.90	65.52	7862-10699	1	1610	1 5/8	11/16	6.44
TL2/3V6.90	88.20	7862-20699	2	1610	1 5/8	1 3/32	8.83
TL3/3V6.90	100.80	7862-3069	3	2517	2 1/2	1 1/2	10.40
TL4/3V6.90	103.32	7862-4069	4	2517	2 1/2	1 29/32	12.36
TL5/3V6.90	110.88	7862-5069	5	2517	2 1/2	2 5/16	13.84
TL6/3V6.90	141.12	7862-6069	6	2517	2 1/2	2 23/32	15.39
TL8/3V6.90	166.32	7862-8069	8	2517	2 1/2	3 17/32	15.50
TL10/3V6.90	183.96	7863-0069	10	2517	2 1/2	4 11/32	18.00
TL1/3V8.00	75.60	7862-1080	1	2517	2 1/2	11/16	10.22
TL2/3V8.00	90.72	7862-2080	2	2517	2 1/2	1 3/32	12.89
TL3/3V8.00	108.36	7862-3080	3	2517	2 1/2	1 1/2	16.00
TL4/3V8.00	110.88	7862-4080	4	2517	2 1/2	1 29/32	26.65
TL5/3V8.00	118.44	7862-5080	5	2517	2 1/2	2 5/16	20.43
TL6/3V8.00	156.24	7862-6080	6	2517	2 1/2	2 23/32	22.80
TL8/3V8.00	186.48	7862-8080	8	3020	3	3 17/32	21.88
TL10/3V8.00	244.44	7863-0080	10	3020	3	4 11/32	24.70

Super HC® Sheaves – Taper Lock®

Product No. Series 7862 & 7863 (continued)

3V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL1/3V10.60	$126.00	7862-1106	1	2517	2 1/2	1 1/16	13.10
TL2/3V10.60	138.60	7862-2106	2	2517	2 1/2	1 3/32	23.25
TL3/3V10.60	158.76	7862-3106	3	2517	2 1/2	1 1/2	19.27
TL4/3V10.60	161.28	7862-4106	4	2517	2 1/2	1 29/32	20.70
TL5/3V10.60	163.80	7862-5106	5	2517	2 1/2	2 5/16	27.00
TL6/3V10.60	181.44	7862-6106	6	2517	2 1/2	2 23/32	30.15
TL8/3V10.60	264.60	7862-8106	8	3020	3	3 17/32	31.50
TL10/3V10.60	315.00	7863-0106	10	3020	3	4 11/32	39.20
TL1/3V14.00	151.20	7862-1140	1	2517	2 1/2	1 1/16	17.78
TL2/3V14.00	219.24	7862-2140	2	2517	2 1/2	1 3/32	20.20
TL3/3V14.00	231.84	7862-3140	3	2517	2 1/2	1 1/2	22.38
TL4/3V14.00	246.96	7862-4140	4	2517	2 1/2	1 29/32	26.65
TL5/3V14.00	292.32	7862-5140	5	2517	2 1/2	2 5/16	28.60
TL6/3V14.00	312.48	7862-6140	6	2517	2 1/2	2 23/32	30.70
TL10/3V14.00	403.20	7863-0140	10	3535	3 15/16	4 11/32	56.70
TL1/3V19.00	252.00	7862-1190	1	3020	3	1 1/16	30.40
TL2/3V19.00	257.04	7862-2190	2	3020	3	1 3/32	32.10
TL3/3V19.00	272.16	7862-3190	3	3020	3	1 1/2	40.00
TL4/3V19.00	317.52	7862-4190	4	3020	3	1 29/32	44.20
TL5/3V19.00	367.92	7862-5190	5	3020	3	2 5/16	47.00
TL6/3V19.00	388.08	7862-6190	6	3020	3	2 23/32	51.00
TL10/3V19.00	594.72	7863-0190	10	3535	3 15/16	4 11/32	81.00
TL2/3V25.00	453.60	7862-2250	2	3020	3	1 3/32	49.50
TL3/3V25.00	504.00	7862-3250	3	3020	3	1 1/2	53.90
TL4/3V25.00	519.12	7862-4250	4	3020	3	1 29/32	61.10
TL5/3V25.00	549.36	7862-5250	5	3030	3	2 5/16	65.00
TL8/3V25.00	655.20	7862-8250	8	3535	3 15/16	3 17/32	99.70
TL10/3V25.00	750.96	7863-0250	10	4040	4 7/16	4 11/32	133.30
TL4/3V33.50	982.80	7862-4335	4	3030	3	1 29/32	79.90
TL5/3V33.50	1071.00	7862-5335	5	3030	3	2 5/16	101.60
TL6/3V33.50	1134.00	7862-6335	6	3030	3	2 23/32	94.40
TL10/3V33.50	1386.00	7863-0335	10	4040	4 7/16	4 11/32	180.20

Super HC® Sheaves – Taper Lock®

Product No. Series 7864 & 7865

5V Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL2/5V4.40	$91.98	7864-2044	2	1610	1 5/8	1 11/16	3.25
TL3/5V4.40	99.54	7864-3044	3	1610	1 5/8	2 3/8	4.90
TL4/5V4.40	115.92	7864-4044	4	1610	1 5/8	3 1/16	5.20
TL2/5V4.65	99.54	7864-2046	2	1610	1 5/8	1 11/16	3.20
TL3/5V4.65	107.10	7864-3046	3	1610	1 5/8	2 3/8	4.90
TL4/5V4.65	123.48	7864-4046	4	1610	1 5/8	3 1/16	6.10
TL2/5V4.90	107.10	7864-2049	2	1610	1 5/8	1 11/16	3.80
TL3/5V4.90	114.66	7864-3049	3	1610	1 5/8	2 3/8	5.00
TL4/5V4.90	131.04	7864-4049	4	1610	1 5/8	3 1/16	6.40
TL2/5V5.20	114.66	7864-2052	2	1610	1 5/8	1 11/16	4.40
TL3/5V5.20	122.22	7864-3052	3	1610	1 5/8	2 3/8	5.50
TL4/5V5.20	138.60	7864-4052	4	2517	2 1/2	3 1/16	7.10
TL2/5V5.50	122.22	7864-2055	2	1610	1 5/8	1 11/16	4.60
TL3/5V5.50	129.78	7864-3055	3	1610	1 5/8	2 3/8	6.40
TL4/5V5.50	146.16	7864-4055	4	2517	2 1/2	3 1/16	8.10
TL2/5V5.90	129.78	7864-2059	2	1610	1 5/8	1 11/16	5.50
TL3/5V5.90	137.34	7864-3059	3	2517	2 1/2	2 3/8	7.00
TL4/5V5.90	153.72	7864-4059	4	2517	2 1/2	3 1/16	9.60
TL5/5V5.90	168.84	7864-5059	5	2517	2 1/2	3 3/4	11.30
TL6/5V5.90	181.44	7864-6059	6	2517	2 1/2	4 7/16	12.75
TL2/5V6.30	137.34	7864-2063	2	1610	1 5/8	1 11/16	7.75
TL3/5V6.30	144.90	7864-3063	3	2517	2 1/2	2 3/8	9.00
TL4/5V6.30	161.28	7864-4063	4	2517	2 1/2	3 1/16	12.25
TL5/5V6.30	176.40	7864-5063	5	2517	2 1/2	3 3/4	11.80
TL6/5V6.30	189.00	7864-6063	6	2517	2 1/2	4 7/16	13.00
TL2/5V6.70	144.90	7864-2067	2	1610	1 5/8	1 11/16	8.70
TL3/5V6.70	152.46	7864-3067	3	2517	2 1/2	2 3/8	11.70
TL4/5V6.70	168.84	7864-4067	4	2517	2 1/2	3 1/16	14.00
TL5/5V6.70	183.96	7864-5067	5	2517	2 1/2	3 3/4	12.80
TL6/5V6.70	194.04	7864-6067	6	2517	2 1/2	4 7/16	15.10
TL2/5V7.10	151.20	7864-2071	2	2517	2 1/2	1 11/16	11.66
TL3/5V7.10	161.28	7864-3071	3	2517	2 1/2	2 3/8	14.05
TL4/5V7.10	176.40	7864-4071	4	2517	2 1/2	3 1/16	16.64
TL5/5V7.10	196.56	7864-5071	5	3020	3	3 3/4	15.90
TL6/5V7.10	201.60	7864-6071	6	3020	3	4 7/16	18.01
TL8/5V7.10	234.36	7864-8071	8	3030	3	5 13/16	23.50
TL2/5V7.50	153.72	7864-2075	2	2517	2 1/2	1 11/16	13.40
TL3/5V7.50	168.84	7864-3075	3	2517	2 1/2	2 3/8	15.36
TL4/5V7.50	186.48	7864-4075	4	2517	2 1/2	3 1/16	17.60
TL5/5V7.50	219.24	7864-5075	5	3020	3	3 3/4	18.70
TL6/5V7.50	221.76	7864-6075	6	3020	3	4 7/16	20.60
TL8/5V7.50	259.56	7864-8075	8	3030	3	5 13/16	27.20
TL2/5V8.00	156.24	7864-2080	2	2517	2 1/2	1 11/16	15.76
TL3/5V8.00	178.92	7864-3080	3	2517	2 1/2	2 3/8	18.88
TL4/5V8.00	196.56	7864-4080	4	2517	2 1/2	3 1/16	21.86
TL5/5V8.00	231.84	7864-5080	5	3020	3	3 3/4	22.10
TL6/5V8.00	234.36	7864-6080	6	3020	3	4 7/16	24.17
TL8/5V8.00	284.76	7864-8080	8	3030	3	5 13/16	32.00
TL10/5V8.00	317.52	7865-0080	10	3030	3	7 3/16	37.20
TL2/5V8.50	161.28	7864-2085	2	2517	2 1/2	1 11/16	13.97
TL3/5V8.50	183.96	7864-3085	3	2517	2 1/2	2 3/8	21.25
TL4/5V8.50	204.12	7864-4085	4	2517	2 1/2	3 1/16	23.40
TL5/5V8.50	239.40	7864-5085	5	3020	3	3 3/4	25.52
TL6/5V8.50	249.48	7864-6085	6	3020	3	4 7/16	27.70
TL8/5V8.50	312.48	7864-8085	8	3030	3	5 13/16	36.70

Super HC® Sheaves – Taper Lock®

Product No. Series 7864 & 7865 (continued)

5V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL2/5V9.00	$171.36	7864-2090	2	2517	2 1/2	1 11/16	16.68
TL3/5V9.00	189.00	7864-3090	3	2517	2 1/2	2 3/8	25.16
TL4/5V9.00	206.64	7864-40909	4	2517	2 1/2	3 1/16	28.47
TL5/5V9.00	249.48	7864-5090	5	3020	3	3 3/4	29.56
TL6/5V9.00	277.20	7864-6090	6	3020	3	4 7/16	32.29
TL8/5V9.00	337.68	7864-8090	8	3535	3 15/16	5 13/16	47.70
TL10/5V9.00	378.00	7865-0090	10	3535	3 15/16	7 3/16	47.80
TL2/5V9.25	181.44	7864-2092	2	3020	3	1 11/16	21.94
TL3/5V9.25	196.56	7864-3092	3	3020	3	2 3/8	25.69
TL4/5V9.25	211.68	7864-4092	4	3020	3	3 1/16	28.38
TL5/5V9.25	254.52	7864-5092	5	3020	3	3 3/4	31.20
TL6/5V9.25	282.24	7864-6092	6	3535	3 15/16	4 7/16	40.70
TL8/5V9.25	378.00	7864-8092	8	3535	3 15/16	5 13/16	45.60
TL10/5V9.25	383.04	7865-0092	10	4040	4 7/16	7 3/16	48.10
TL2/5V9.75	186.48	7864-2097	2	3020	3	1 11/16	25.02
TL3/5V9.75	204.12	7864-3097	3	3020	3	2 3/8	26.20
TL4/5V9.75	246.96	7864-4097	4	3020	3	3 1/16	32.02
TL5/5V9.75	274.68	7864-5097	5	3020	3	3 3/4	35.76
TL6/5V9.75	287.28	7864-6097	6	3535	3 15/16	4 7/16	47.61
TL8/5V9.75	403.20	7864-8097	8	3535	3 15/16	5 13/16	52.90
TL10/5V9.75	453.60	7865-0097	10	4040	4 7/16	7 3/16	56.20
TL2/5V10.30	191.52	7864-2103	2	3020	3	1 11/16	24.97
TL3/5V10.30	216.72	7864-3103	3	3020	3	2 3/8	26.10
TL4/5V10.30	252.00	7864-4103	4	3020	3	3 1/16	37.30
TL5/5V10.30	277.20	7864-5103	5	3020	3	3 3/4	32.80
TL6/5V10.30	312.48	7864-6103	6	3535	3 15/16	4 7/16	55.91
TL8/5V10.30	428.40	7864-8103	8	3535	3 15/16	5 13/16	61.10
TL10/5V10.30	468.72	7865-0103	10	4040	4 7/16	7 3/16	66.20
TL2/5V10.90	196.56	7864-2109	2	3020	3	1 11/16	27.16
TL3/5V10.90	221.76	7864-3109	3	3020	3	2 3/8	28.86
TL4/5V10.90	259.56	7864-4109	4	3020	3	3 1/16	42.57
TL5/5V10.90	279.72	7864-5109	5	3020	3	3 3/4	36.20
TL6/5V10.90	327.60	7864-6109	6	3535	3 15/16	4 7/16	64.82
TL8/5V10.90	438.48	7864-8109	8	3535	3 15/16	5 13/16	70.30
TL10/5V10.90	483.84	7865-0109	10	4040	4 7/16	7 3/16	77.30
TL2/5V11.30	201.60	7864-2113	2	3020	3 1/4	1 11/16	16.60
TL3/5V11.30	226.80	7864-3113	3	3020	3	2 3/8	20.00
TL4/5V11.30	282.24	7864-4113	4	3020	3	3 1/16	29.70
TL5/5V11.30	304.92	7864-5113	5	3020	3	3 3/4	53.00
TL6/5V11.30	327.60	7864-6113	6	3535	3 15/16	4 7/16	53.00
TL8/5V11.30	448.56	7864-8113	8	3535	3 15/16	5 13/16	80.00
TL10/5V11.30	554.40	7865-0113	10	4040	4 7/16	7 3/16	80.00
TL2/5V11.80	204.12	7864-2118	2	3020	3	1 11/16	29.94
TL3/5V11.80	244.44	7864-3118	3	3020	3	2 3/8	30.51
TL4/5V11.80	284.76	7864-4118	4	3020	3	3 1/16	41.06
TL5/5V11.80	307.44	7864-5118	5	3020	3	3 3/4	40.00
TL6/5V11.80	330.12	7864-6118	6	3535	3 15/16	4 7/16	58.79
TL8/5V11.80	471.24	7864-8118	8	3535	3 15/16	5 13/16	66.90
TL10/5V11.80	604.80	7865-0118	10	4040	4 7/16	7 3/16	93.90
TL2/5V12.50	206.64	7864-2125	2	3020	3	1 11/16	32.51
TL3/5V12.50	254.52	7864-3125	3	3020	3	2 3/8	37.37
TL4/5V12.50	294.84	7864-4125	4	3020	3	3 1/16	44.47
TL5/5V12.50	355.32	7864-5125	5	3535	3 15/16	3 3/4	53.68
TL6/5V12.50	403.20	7864-6125	6	3535	3 15/16	4 7/16	58.19
TL8/5V12.50	488.88	7864-8125	8	4040	4 7/16	5 13/16	112.40
TL10/5V12.50	630.00	7865-0125	10	4040	4 7/16	7 3/16	120.10

Super HC® Sheaves – Taper Lock®

Product No. Series 7864 & 7865 (continued)

5V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL2/5V13.20	$221.76	7864-2132	2	3020	3	1 11/16	30.60
TL3/5V13.20	267.12	7864-3132	3	3020	3	2 3/8	35.83
TL4/5V13.20	322.56	7864-4132	4	3020	3	3 1/16	40.70
TL5/5V13.20	378.00	7864-5132	5	3535	3 15/16	3 3/4	56.50
TL6/5V13.20	430.92	7864-6132	6	3535	3 15/16	4 7/16	66.90
TL8/5V13.20	554.40	7864-8132	8	4040	4 7/16	5 13/16	91.50
TL10/5V13.20	730.80	7865-0132	10	4040	4 7/16	7 3/16	96.90
TL2/5V14.00	289.80	7864-2140	2	3020	3	1 11/16	33.12
TL3/5V14.00	325.08	7864-3140	3	3020	3	2 3/8	38.53
TL4/5V14.00	365.40	7864-4140	4	3535	3 15/16	3 1/16	51.90
TL5/5V14.00	433.44	7864-5140	5	3535	3 15/16	3 3/4	55.61
TL6/5V14.00	483.84	7864-6140	6	3535	3 15/16	4 7/16	65.40
TL8/5V14.00	604.80	7864-8140	8	4040	4 7/16	5 13/16	97.60
TL10/5V14.00	806.40	7865-0140	10	4545	4 15/16	7 3/16	121.70
TL2/5V15.00	294.84	7864-2150	2	3020	3	1 11/16	36.20
TL3/5V15.00	345.24	7864-3150	3	3020	3	2 3/8	35.10
TL4/5V15.00	403.20	7864-4150	4	3535	3 15/16	3 1/16	53.00
TL5/5V15.00	483.84	7864-5150	5	3535	3 15/16	3 3/4	65.10
TL6/5V15.00	534.24	7864-6150	6	4040	4 7/16	4 7/16	95.30
TL8/5V15.00	705.60	7864-8150	8	4040	4 7/16	5 13/16	106.90
TL10/5V15.00	907.20	7865-0150	10	4545	4 15/16	7 3/16	130.40
TL2/5V16.00	317.52	7864-2160	2	3020	3	1 11/16	37.20
TL3/5V16.00	355.32	7864-3160	3	3020	3	2 3/8	36.20
TL4/5V16.00	428.40	7864-4160	4	3535	3 15/16	3 1/16	55.20
TL5/5V16.00	509.04	7864-5160	5	3535	3 15/16	3 3/4	70.00
TL6/5V16.00	584.64	7864-6160	6	4040	4 7/16	4 7/16	84.00
TL8/5V16.00	806.40	7864-8160	8	4040	4 7/16	5 13/16	111.10
TL10/5V16.00	982.80	7865-0160	10	4545	4 15/16	7 3/16	146.00
TL2/5V18.70	378.00	7864-2187	2	3020	3 1/4	1 11/16	35.00
TL3/5V18.70	413.28	7864-3187	3	3020	3	2 3/8	67.50
TL4/5V18.70	478.80	7864-4187	4	3535	3 15/16	3 1/16	80.50
TL5/5V18.70	544.32	7864-5187	5	3535	3 15/16	3 3/4	84.25
TL6/5V18.70	655.20	7864-6187	6	4040	4 7/16	4 7/16	174.00
TL8/5V18.70	882.00	7864-8187	8	4040	4 7/16	5 13/16	102.00
TL10/5V18.70	1083.60	7865-0187	10	4545	4 15/16	7 3/16	164.00
TL3/5V21.20	554.40	7864-3212	3	3535	3 15/16	2 3/8	75.00
TL4/5V21.20	645.12	7864-4212	4	3535	3 15/16	3 1/16	78.00
TL5/5V21.20	675.36	7864-5212	5	4040	4 7/16	3 3/4	102.00
TL6/5V21.20	743.40	7864-6212	6	4040	4 7/16	4 7/16	110.00
TL8/5V21.20	957.60	7864-8212	8	4040	4 7/16	5 13/16	135.00
TL10/5V21.20	1209.60	7865-0212	10	4545	4 15/16	7 3/16	188.00
TL2/5V23.60	604.80	7864-2236	2	3535	3 15/16	1 11/16	58.00
TL3/5V23.60	630.00	7864-3236	3	3535	3 15/16	2 3/8	75.00
TL4/5V23.60	687.96	7864-4236	4	3535	3 15/16	3 1/16	83.00
TL5/5V23.60	738.36	7864-5236	5	4040	4 7/16	3 3/4	101.00
TL6/5V23.60	831.60	7864-6236	6	4040	4 7/16	4 7/16	115.00
TL8/5V23.60	1058.40	7864-8236	8	4040	4 7/16	5 13/16	132.00
TL10/5V23.60	1310.40	7865-0236	10	4545	4 15/16	7 3/16	217.00
TL3/5V28.00	680.40	7864-3280	3	3535	3 15/16	2 3/8	92.90
TL4/5V28.00	781.20	7864-4280	4	3535	3 15/16	3 1/16	106.40
TL6/5V28.00	932.40	7864-6280	6	4040	4 7/16	4 7/16	147.60
TL8/5V28.00	1285.20	7864-8280	8	4545	4 15/16	5 13/16	194.00
TL10/5V28.00	1612.80	7865-0280	10	4545	4 15/16	7 3/16	232.00
TL3/5V31.50	1159.20	7864-3315	3	3535	3 15/16	2 3/8	111.00
TL4/5V31.50	1222.20	7864-4315	4	3535	3 15/16	3 1/16	119.00
TL5/5V31.50	1360.80	7864-5315	5	4040	4 7/16	3 3/4	141.00
TL6/5V31.50	1486.80	7864-6315	6	4040	4 7/16	4 7/16	154.00
TL8/5V31.50	1814.40	7864-8315	8	4545	4 15/16	5 13/16	211.00
TL10/5V31.50	1965.60	7865-0315	10	4545	4 15/16	7 3/16	237.00

Super HC® Sheaves – Taper Lock®

Product No. Series 7866 & 7867

5V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL3/5V37.50	$1486.80	7864-3375	3	4040	4 7/16	2 3/8	146.10
TL4/5V37.50	1562.40	7864-4375	4	4040	4 7/16	3 1/16	194.00
TL5/5V37.50	1738.80	7864-5375	5	4040	4 7/16	3 3/4	206.00
TL6/5V37.50	1814.40	7864-6375	6	4545	4 15/16	4 7/16	256.00
TL8/5V37.50	2242.80	7864-8375	8	4545	4 15/16	5 13/16	285.00
TL10/5V37.50	2318.40	7865-0375	10	4545	4 15/16	7 3/16	335.00
TL3/5V50.00	2242.80	7864-3500	3	4040	4 7/16	2 3/8	220.00
TL4/5V50.00	2368.80	7864-4500	4	4040	4 7/16	3 1/16	264.00
TL5/5V50.00	2419.20	7864-5500	5	4545	4 15/16	3 3/4	425.00
TL6/5V50.00	2797.20	7864-6500	6	4545	4 15/16	4 7/16	362.00
TL8/5V50.00	3074.40	7864-8500	8	4545	4 15/16	5 13/16	400.00

8V Sheaves are Standard/Non-Stock.

8V Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL4/8V12.50	$685.44	7866-4125	4	4040	4 7/16	4 7/8	83.00
TL5/8V12.50	740.88	7866-5125	5	4040	4 7/16	6	95.00
TL6/8V12.50	778.68	7866-6125	6	4040	4 7/16	7 1/8	98.00
TL8/8V12.50	982.80	7866-8125	8	4545	4 15/16	9 3/8	150.00
TL12/8V12.50	2620.80	7867-2125	12	5050	5	13 7/8	153.00
TL4/8V13.20	695.52	7866-4132	4	4040	4 7/16	4 7/8	125.00
TL5/8V13.20	778.68	7866-5132	5	4040	4 7/16	6	100.00
TL6/8V13.20	831.60	7866-6132	6	4040	4 7/16	7 1/8	114.00
TL8/8V13.20	1038.24	7866-8132	8	4545	4 15/16	9 3/8	140.40
TL10/8V13.20	1403.64	7867-0132	10	4545	4 15/16	11 5/8	151.00
TL12/8V13.20	2671.20	7867-2132	12	5050	5	13 7/8	180.00
TL4/8V14.00	705.60	7866-4140	4	4040	4 7/16	4 7/8	88.00
TL5/8V14.00	831.60	7866-5140	5	4040	4 7/16	6	107.00
TL6/8V14.00	909.72	7866-6140	6	4040	4 7/16	7 1/8	134.00
TL8/8V14.00	1091.16	7866-8140	8	4545	4 15/16	9 3/8	159.70
TL10/8V14.00	1610.28	7867-0140	10	5050	5	11 5/8	177.70
TL12/8V14.00	2721.60	7867-2140	12	5050	5	13 7/8	186.00
TL4/8V15.00	750.96	7866-4150	4	4040	4 7/16	4 7/8	111.00
TL5/8V15.00	882.00	7866-5150	5	4040	4 7/16	6	106.00
TL6/8V15.00	975.24	7866-6150	6	4545	4 15/16	7 1/8	146.00
TL8/8V15.00	1169.28	7866-8150	8	4545	4 15/16	9 3/8	184.20
TL10/8V15.00	1816.92	7867-0150	10	5050	5	11 5/8	181.00
TL12/8V15.00	2772.00	7867-2150	12	5050	5	13 7/8	221.00
TL4/8V16.00	831.60	7866-4160	4	4040	4 7/16	4 7/8	105.00
TL5/8V16.00	932.40	7866-5160	5	4040	4 7/16	6	110.00
TL6/8V16.00	1038.24	7866-6160	6	4545	4 15/16	7 1/8	140.00
TL8/8V16.00	1272.60	7866-8160	8	4545	4 15/16	9 3/8	167.70
TL10/8V16.00	2026.08	7867-0160	10	5050	5	11 5/8	249.00
TL12/8V16.00	2822.40	7867-2160	12	5050	5	13 7/8	247.00
TL4/8V17.00	907.20	7866-4170	4	4040	4 7/16	4 7/8	150.00
TL5/8V17.00	1065.96	7866-5170	5	4545	4 15/16	6	170.00
TL6/8V17.00	1169.28	7866-6170	6	4545	4 15/16	7 1/8	143.00
TL8/8V17.00	1416.24	7866-8170	8	5050	5	9 3/8	199.00
TL10/8V17.00	2076.48	7867-0170	10	5050	5	11 5/8	237.00
TL12/8V17.00	2872.80	7867-2170	12	5050	5	13 7/8	267.00
TL4/8V18.00	957.60	7866-4180	4	4040	4 7/16	4 7/8	150.00
TL5/8V18.00	1134.00	7866-5180	5	4545	4 15/16	6	180.00
TL6/8V18.00	1260.00	7866-6180	6	4545	4 15/16	7 1/8	163.70
TL8/8V18.00	1512.00	7866-8180	8	5050	5	9 3/8	204.00
TL10/8V18.00	2167.20	7867-0180	10	5050	5	11 5/8	217.00
TL12/8V18.00	2923.20	7867-2180	12	5050	5	13 7/8	274.00

Super HC® Sheaves – Taper Lock®

Product No. Series 7866 & 7867 (continued)

8V Sheaves are Standard/Non-Stock.

8V Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL4/8V19.00	$995.40	7866-4190	4	4040	4 7/16	4 7/8	146.00
TL5/8V19.00	1209.60	7866-5190	5	4545	4 15/16	6	200.00
TL6/8V19.00	1310.40	7866-6190	6	4545	4 15/16	7 1/8	166.00
TL8/8V19.00	1562.40	7866-8190	8	5050	5	9 3/8	223.00
TL10/8V19.00	2217.60	7867-0190	10	5050	5	11 5/8	248.00
TL12/8V19.00	3024.00	7867-2190	12	5050	5	13 7/8	306.00
TL4/8V20.00	1033.20	7866-4200	4	4545	4 15/16	4 7/8	145.00
TL5/8V20.00	1247.40	7866-5200	5	4545	4 15/16	6	145.00
TL6/8V20.00	1499.40	7866-6200	6	5050	5	7 1/8	204.00
TL8/8V20.00	1612.80	7866-8200	8	5050	5	9 3/8	210.00
TL10/8V20.00	2343.60	7867-0200	10	5050	5	11 5/8	277.00
TL12/8V20.00	3124.80	7867-2200	12	5050	5	13 7/8	338.00
TL4/8V21.20	1058.40	7866-4212	4	4545	4 15/16	4 7/8	170.00
TL5/8V21.20	1449.00	7866-5212	5	4545	4 15/16	6	185.00
TL6/8V21.20	1663.20	7866-6212	6	5050	5	7 1/8	188.00
TL8/8V21.20	1738.80	7866-8212	8	5050	5	9 3/8	248.00
TL10/8V21.20	2570.40	7867-0212	10	5050	5	11 5/8	254.00
TL12/8V21.20	3225.60	7867-2212	12	5050	5	13 7/8	310.00
TL4/8V22.40	1116.36	7866-4224	4	4545	4 15/16	4 7/8	161.00
TL5/8V22.40	1650.60	7866-5224	5	4545	4 15/16	6	176.00
TL6/8V22.40	1965.60	7866-6224	6	5050	5	7 1/8	221.00
TL8/8V22.40	2003.40	7866-8224	8	5050	5	9 3/8	258.00
TL10/8V22.40	2829.96	7867-0224	10	5050	5	11 5/8	338.00
TL12/8V22.40	3326.40	7867-2224	12	5050	5	13 7/8	361.00
TL4/8V24.80	1499.40	7866-4248	4	5050	5	4 7/8	190.00
TL5/8V24.80	1751.40	7866-5248	5	4545	4 15/16	6	206.00
TL6/8V24.80	2003.40	7866-6248	6	5050	5	7 1/8	200.00
TL8/8V24.80	2255.40	7866-8248	8	5050	5	9 3/8	302.00
TL10/8V24.80	2885.40	7867-0248	10	5050	5	11 5/8	336.00
TL12/8V24.80	3780.00	7867-2248	12	5050	5	13 7/8	212.00
TL4/8V30.00	1701.00	7866-4300	4	5050	5	4 7/8	292.00
TL5/8V30.00	1978.20	7866-5300	5	5050	5	6	319.00
TL6/8V30.00	2028.60	7866-6300	6	5050	5	7 1/8	342.00
TL8/8V30.00	2318.40	7866-8300	8	5050	5	9 3/8	436.00
TL10/8V30.00	2961.00	7867-0300	10	5050	5	11 5/8	463.00
TL12/8V30.00	4258.80	7867-2300	12	6050	6	13 7/8	567.00
TL4/8V35.50	2255.40	7866-4355	4	5050	5	4 7/8	315.00
TL5/8V35.50	2507.40	7866-5355	5	5050	5	6	399.00
TL6/8V35.50	2759.40	7866-6355	6	5050	5	7 1/8	444.00
TL8/8V35.50	3011.40	7866-8355	8	5050	5	9 3/8	508.00
TL10/8V35.50	3515.40	7867-0355	10	6050	6	11 5/8	469.00
TL12/8V35.50	4611.60	7867-2355	12	6050	6	13 7/8	693.00
TL4/8V40.00	2482.20	7866-4400	4	5050	5	4 7/8	316.00
TL5/8V40.00	2822.40	7866-5400	5	5050	5	6	350.00
TL6/8V40.00	3074.40	7866-6400	6	5050	5	7 1/8	519.00
TL8/8V40.00	3326.40	7866-8400	8	5050	5	9 3/8	624.00
TL10/8V40.00	4221.00	7867-0400	10	6050	6	11 5/8	697.00
TL12/8V40.00	6300.00	7867-2400	12	6050	6	13 7/8	796.00
TL4/8V44.50	3263.40	7866-4450	4	5050	5	4 7/8	371.00
TL5/8V44.50	3767.40	7866-5445	5	5050	5	6	572.00
TL6/8V44.50	4271.40	7866-6445	6	5050	5	7 1/8	451.00
TL8/8V44.50	4767.84	7866-8445	8	6050	6	9 3/8	550.00
TL10/8V44.50	5279.40	7867-0445	10	6050	6	11 5/8	661.00
TL12/8V44.50	8190.00	7867-2445	12	6050	6	13 7/8	839.00
TL4/8V53.00	4082.40	7866-4530	4	5050	5	4 7/8	476.00
TL5/8V53.00	4384.80	7866-5530	5	5050	5	6	565.00
TL6/8V53.00	4687.20	7866-6530	6	5050	5	7 1/8	664.00
TL8/8V53.00	4989.60	7866-8530	8	6050	6	9 3/8	1040.00
TL10/8V53.00	6300.00	7867-0530	10	6050	6	11 5/8	1138.00
TL12/8V53.00	10080.00	7867-2530	12	7060	7	13 7/8	1343.00

Multi-Duty® Sheaves–QD®

Markets/Applications

Use with Hi-Power® II, Tri-Power®, Power Cable®, Dubl-V, Power Curve™, PowerBack™ and classical section PowerBand™ belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sheave design produces positive, press fit to shaft.
- Precision manufactured and static balanced.

Notes
The multi-duty function applies to part numbers showing both the A and B dimensions.
Sheaves and bushings must be ordered separately.
D-Section Sheaves are Standard/Non-Stock.
WARNING: Do **NOT** use with "A" section PowerBand® belts.
WARNING: Do **NOT** use these sheaves with rim speeds in excess of 6,500 fpm.

Product No. Series 7831, 7832 and 7833

(Combination A or B Section)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1A3.0/B3.4	$32.76	7831-1030	1	3.75	SH	1 5/8	7/8	1.20
QD2A3.0/B3.4	47.88	7831-2030	2	3.75	SH	1 5/8	1 3/4	2.50
QD3A3.0/B3.4	55.44	7831-3030	3	3.75	SH	1 5/8	2 1/2	3.40
QD4A3.0/B3.4	80.64	7831-4030	4	3.75	SD	1 15/16	3 1/4	4.43
QD5A3.0/B3.4	93.24	7831-5030	5	3.75	SD	1 15/16	4	5.11
QD6A3.0/B3.4	123.48	7831-6030	6	3.75	SD	1 15/16	4 3/4	5.70
QD1A3.2/B3.6	34.02	7831-1032	1	3.95	SH	1 5/8	7/8	1.30
QD2A3.2/B3.6	50.40	7831-2032	2	3.95	SH	1 5/8	1 3/4	2.70
QD3A3.2/B3.6	57.96	7831-3032	3	3.95	SH	1 5/8	2 1/2	3.80
QD4A3.2/B3.6	83.16	7831-4032	4	3.95	SD	1 15/16	3 1/4	5.07
QD5A3.2/B3.6	95.76	7831-5032	5	3.95	SD	1 15/16	4	5.80
QD6A3.2/B3.6	126.00	7831-6032	6	3.95	SD	1 15/16	4 3/4	6.90
QD1A3.4/B3.8	35.28	7831-1034	1	4.15	SH	1 5/8	7/8	1.60
QD2A3.4/B3.8	52.92	7831-2034	2	4.15	SH	1 5/8	1 3/4	3.20
QD3A3.4/B3.8	60.48	7831-3034	3	4.15	SH	1 5/8	2 1/2	4.50
QD4A3.4/B3.8	85.68	7831-4034	4	4.15	SD	1 15/16	3 1/4	5.67
QD5A3.4/B3.8	98.28	7831-5034	5	4.15	SD	1 15/16	4	6.40
QD6A3.4/B3.8	128.52	7831-6034	6	4.15	SD	1 15/16	4 3/4	7.40
QD1A3.6/B4.0	36.54	7831-1036	1	4.35	SH	1 5/8	7/8	1.80
QD2A3.6/B4.0	55.44	7831-2036	2	4.35	SH	1 5/8	1 3/4	3.17
QD3A3.6/B4.0	63.00	7831-3036	3	4.35	SH	1 5/8	2 1/2	4.18
QD4A3.6/B4.0	88.20	7831-4036	4	4.35	SD	1 15/16	3 1/4	5.58
QD5A3.6/B4.0	100.80	7831-5036	5	4.35	SD	1 15/16	4	6.67
QD6A3.6/B4.0	131.04	7831-6036	6	4.35	SD	1 15/16	4 3/4	7.21
QD1A3.8/B4.2	37.80	7831-1038	1	4.55	SH	1 5/8	7/8	2.00
QD2A3.8/B4.2	57.96	7831-2038	2	4.55	SH	1 5/8	1 3/4	3.69
QD3A3.8/B4.2	65.52	7831-3038	3	4.55	SH	1 5/8	2 1/2	4.85
QD4A3.8/B4.2	90.72	7831-4038	4	4.55	SD	1 15/16	3 1/4	5.90
QD5A3.8/B4.2	103.32	7831-5038	5	4.55	SD	1 15/16	4	6.60
QD6A3.8/B4.2	133.56	7831-6038	6	4.55	SD	1 15/16	4 3/4	7.70
QD1A4.0/B4.4	39.06	7831-1040	1	4.75	SH	1 5/8	7/8	2.20
QD2A4.0/B4.4	60.48	7831-2040	2	4.75	SH	1 5/8	1 3/4	4.02
QD3A4.0/B4.4	68.04	7831-3040	3	4.75	SH	1 5/8	2 1/2	5.02
QD4A4.0/B4.4	93.24	7831-4040	4	4.75	SD	1 15/16	3 1/4	6.76
QD5A4.0/B4.4	105.84	7831-5040	5	4.75	SD	1 15/16	4	7.50
QD6A4.0/B4.4	138.60	7831-6040	6	4.75	SD	1 15/16	4 3/4	9.23

Product No. Series 7831, 7832 and 7833

(Combination A or B Section) (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1A4.2/B4.6	$40.32	7831-1042	1	4.95	SDS	1 15/16	7/8	2.40
QD2A4.2/B4.6	63.00	7831-2042	2	4.95	SDS	1 15/16	1 3/4	4.05
QD3A4.2/B4.6	70.56	7831-3042	3	4.95	SD	1 15/16	2 1/2	5.40
QD4A4.2/B4.6	95.76	7831-4042	4	4.95	SD	1 15/16	3 1/4	7.03
QD5A4.2/B4.6	108.36	7831-5042	5	4.95	SD	1 15/16	4	8.30
QD6A4.2/B4.6	141.12	7831-6042	6	4.95	SD	1 15/16	4 3/4	8.80
QD1A4.4/B4.8	41.58	7831-1044	1	5.15	SDS	1 15/16	7/8	2.60
QD2A4.4/B4.8	65.52	7831-2044	2	5.15	SDS	1 15/16	1 3/4	4.36
QD3A4.4/B4.8	73.08	7831-3044	3	5.15	SD	1 15/16	2 1/2	6.30
QD4A4.4/B4.8	98.28	7831-4044	4	5.15	SD	1 15/16	3 1/4	7.58
QD5A4.4/B4.8	113.40	7831-5044	5	5.15	SD	1 15/16	4	8.50
QD6A4.4/B4.8	143.64	7831-6044	6	5.15	SD	1 15/16	4 3/4	9.70
QD1A4.6/B5.0	42.84	7831-1046	1	5.35	SDS	1 15/16	7/8	2.80
QD2A4.6/B5.0	68.04	7831-2046	2	5.35	SDS	1 15/16	1 3/4	4.74
QD3A4.6/B5.0	75.60	7831-3046	3	5.35	SD	1 15/16	2 1/2	6.92
QD4A4.6/B5.0	100.80	7831-4046	4	5.35	SD	1 15/16	3 1/4	7.90
QD5A4.6/B5.0	115.92	7831-5046	5	5.35	SD	1 15/16	4	10.49
QD6A4.6/B5.0	146.16	7831-6046	6	5.35	SD	1 15/16	4 3/4	11.08
QD1A4.8/B5.2	44.10	7831-1048	1	5.55	SDS	1 15/16	7/8	3.10
QD2A4.8/B5.2	70.56	7831-2048	2	5.55	SDS	1 15/16	1 3/4	4.70
QD3A4.8/B5.2	78.12	7831-3048	3	5.55	SD	1 15/16	2 1/2	7.30
QD4A4.8/B5.2	103.32	7831-4048	4	5.55	SD	1 15/16	3 1/4	8.50
QD5A4.8/B5.2	118.44	7831-5048	5	5.55	SD	1 15/16	4	9.90
QD6A4.8/B5.2	148.68	7831-6048	6	5.55	SD	1 15/16	4 3/4	12.85
QD1A5.0/B5.4	45.36	7831-1050	1	5.75	SDS	1 15/16	7/8	3.40
QD2A5.0/B5.4	73.08	7831-2050	2	5.75	SDS	1 15/16	1 3/4	6.22
QD3A5.0/B5.4	80.64	7831-3050	3	5.75	SD	1 15/16	2 1/2	8.38
QD4A5.0/B5.4	105.84	7831-4050	4	5.75	SD	1 15/16	3 1/4	10.04
QD5A5.0/B5.4	120.96	7831-5050	5	5.75	SK	2 1/2	4	10.49
QD6A5.0/B5.4	151.20	7831-6050	6	5.75	SK	2 1/2	4 3/4	11.30
QD8B5.4	226.80	7832-8054	8	5.75	SK	2 1/2	6 1/4	13.30
QD10B5.4	352.80	7833-0054	10	5.75	SK	2 1/2	7 3/4	16.00
QD1A5.2/B5.6	46.62	7831-1052	1	5.95	SDS	1 15/16	7/8	4.72
QD2A5.2/B5.6	75.60	7831-2052	2	5.95	SDS	1 15/16	1 3/4	6.60
QD3A5.2/B5.6	83.16	7831-3052	3	5.95	SD	1 15/16	2 1/2	9.57
QD4A5.2/B5.6	108.36	7831-4052	4	5.95	SD	1 15/16	3 1/4	11.42
QD5A5.2/B5.6	123.48	7831-5052	5	5.95	SK	2 1/2	4	10.50
QD6A5.2/B5.6	153.72	7831-6052	6	5.95	SK	2 1/2	4 3/4	12.65
QD8B5.6	231.84	7832-8056	8	5.95	SK	2 1/2	6 1/4	14.00
QD10B5.6	362.88	7833-0056	10	5.95	SK	2 1/2	7 3/4	16.70
QD1A5.4/B5.8	47.88	7831-1054	1	6.15	SDS	1 15/16	7/8	4.87
QD2A5.4/B5.8	78.12	7831-2054	2	6.15	SDS	1 15/16	1 3/4	6.58
QD3A5.4/B5.8	85.68	7831-3054	3	6.15	SD	1 15/16	2 1/2	9.10
QD4A5.4/B5.8	110.88	7831-4054	4	6.15	SD	1 15/16	3 1/4	11.25
QD5A5.4/B5.8	126.00	7831-5054	5	6.15	SK	2 1/2	4	11.40
QD6A5.4/B5.8	156.24	7831-6054	6	6.15	SK	2 1/2	4 3/4	14.16
QD1A5.6/B6.0	50.40	7831-1056	1	6.35	SDS	1 15/16	7/8	5.31
QD2A5.6/B6.0	80.64	7831-2056	2	6.35	SDS	1 15/16	1 3/4	7.40
QD3A5.6/B6.0	88.20	7831-3056	3	6.35	SD	1 15/16	2 1/2	10.89
QD4A5.6/B6.0	113.40	7831-4056	4	6.35	SD	1 15/16	3 1/4	12.98
QD5A5.6/B6.0	133.56	7831-5056	5	6.35	SK	2 1/2	4	12.78
QD6A5.6/B6.0	158.76	7831-6056	6	6.35	SK	2 1/2	4 3/4	13.70
QD8B6.0	241.92	7832-8060	8	6.35	SF	2 15/16	6 1/4	15.30
QD10B6.0	383.04	7833-0060	10	6.35	SF	2 15/16	7 3/4	18.50
QD1A5.8/B6.2	52.92	7831-1058	1	6.55	SDS	1 15/16	7/8	5.84
QD2A5.8/B6.2	83.16	7831-2058	2	6.55	SDS	1 15/16	1 3/4	6.30
QD3A5.8/B6.2	90.72	7831-3058	3	6.55	SD	1 15/16	2 1/2	10.60
QD4A5.8/B6.2	115.92	7831-4058	4	6.55	SD	1 15/16	3 1/4	14.54
QD5A5.8/B6.2	141.12	7831-5058	5	6.55	SK	2 1/2	4	14.62
QD6A5.8/B6.2	163.80	7831-6058	6	6.55	SK	2 1/2	4 3/4	16.12

Multi-Duty® Sheaves–QD®

Product No. Series 7831, 7832 and 7833 (continued)

(Combination A or B Section) (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1A6.0/B6.4	$55.44	7831-1060	1	6.75	SDS	1 15/16	7/8	6.87
QD2A6.0/B6.4	85.68	7831-2060	2	6.75	SDS	1 15/16	1 3/4	8.37
QD3A6.0/B6.4	95.76	7831-3060	3	6.75	SD	1 15/16	2 1/2	13.51
QD4A6.0/B6.4	120.96	7831-4060	4	6.75	SD	1 15/16	3 1/4	14.47
QD5A6.0/B6.4	146.16	7831-5060	5	6.75	SK	2 1/2	4	15.60
QD6A6.0/B6.4	168.84	7831-6060	6	6.75	SK	2 1/2	4 3/4	15.70
QD8B6.4	252.00	7832-8064	8	6.75	SF	2 15/16	6 1/4	18.60
QD10B6.4	403.20	7833-0064	10	6.75	SF	2 15/16	7 3/4	21.00
QD1A6.2/B6.6	60.48	7831-1062	1	6.95	SDS	1 15/16	7/8	6.83
QD2A6.2/B6.6	86.94	7831-2062	2	6.95	SDS	1 15/16	1 3/4	10.28
QD3A6.2/B6.6	98.28	7831-3062	3	6.95	SD	1 15/16	2 1/2	13.49
QD4A6.2/B6.6	126.00	7831-4062	4	6.95	SD	1 15/16	3 1/4	15.45
QD5A6.2/B6.6	151.20	7831-5062	5	6.95	SK	2 1/2	4	14.80
QD6A6.2/B6.6	175.14	7831-6062	6	6.95	SK	2 1/2	4 3/4	16.50
QD1A6.4/B6.8	63.00	7831-1064	1	7.15	SDS	1 15/16	7/8	4.40
QD2A6.4/B6.8	88.20	7831-2064	2	7.15	SDS	1 15/16	1 3/4	10.28
QD3A6.4/B6.8	100.80	7831-3064	3	7.15	SD	1 15/16	2 1/2	13.47
QD4A6.4/B6.8	131.04	7831-4064	4	7.15	SD	1 15/16	3 1/4	17.71
QD5A6.4/B6.8	156.24	7831-5064	5	7.15	SK	2 1/2	4	16.91
QD6A6.4/B6.8	178.92	7831-6064	6	7.15	SK	2 1/2	4 3/4	19.01
QD8B6.8	267.12	7832-8068	8	7.15	SF	2 15/16	6 1/4	20.50
QD10B6.8	433.44	7833-0068	10	7.15	SF	2 15/16	7 3/4	23.00
QD1A6.6/B7.0	65.52	7831-1066	1	7.35	SDS	1 15/16	7/8	7.17
QD2A6.6/B7.0	90.72	7831-2066	2	7.35	SK	2 1/2	1 3/4	11.78
QD3A6.6/B7.0	103.32	7831-3066	3	7.35	SK	2 1/2	2 1/2	13.30
QD4A6.6/B7.0	136.08	7831-4066	4	7.35	SK	2 1/2	3 1/4	17.04
QD5A6.6/B7.0	166.32	7831-5066	5	7.35	SF	2 15/16	4	16.10
QD6A6.6/B7.0	189.00	7831-6066	6	7.35	SF	2 15/16	4 3/4	18.10
QD1A7.0/B7.4	70.56	7831-1070	1	7.75	SDS	1 15/16	1	8.04
QD2A7.0/B7.4	91.98	7831-2070	2	7.75	SK	2 1/2	1 3/4	13.29
QD3A7.0/B7.4	105.84	7831-3070	3	7.75	SK	2 1/2	2 1/2	15.82
QD4A7.0/B7.4	141.12	7831-4070	4	7.75	SK	2 1/2	3 1/4	18.96
QD5A7.0/B7.4	189.00	7831-5070	5	7.75	SF	2 15/16	4	21.50
QD6A7.0/B7.4	257.04	7831-6070	6	7.75	SF	2 15/16	4 3/4	19.70
QD8B7.4	357.84	7832-8074	8	7.75	SF	2 15/16	6 1/4	23.40
QD10B7.4	453.60	7833-0074	10	7.75	SF	2 15/16	7 3/4	27.20
QD1A7.6/B8.0	73.08	7831-1076	1	8.35	SDS	1 15/16	1	9.81
QD2A7.6/B8.0	93.24	7831-2076	2	8.35	SK	2 1/2	1 3/4	12.74
QD3A7.6/B8.0	110.88	7831-3076	3	8.35	SK	2 1/2	2 1/2	18.32
QD4A7.6/B8.0	146.16	7831-4076	4	8.35	SK	2 1/2	3 1/4	15.30
QD5A7.6/B8.0	194.04	7831-5076	5	8.35	SF	2 15/16	4	16.50
QD6A7.6/B8.0	262.08	7831-6076	6	8.35	SF	2 15/16	4 3/4	23.00
QD1A8.2/B8.6	78.12	7831-1082	1	8.95	SDS	1 15/16	1	10.06
QD2A8.2/B8.6	95.76	7831-2082	2	8.95	SK	2 1/2	1 3/4	15.75
QD3A8.2/B8.6	120.96	7831-3082	3	8.95	SK	2 1/2	2 1/2	22.98
QD4A8.2/B8.6	156.24	7831-4082	4	8.95	SK	2 1/2	3 1/4	25.74
QD5A8.2/B8.6	206.64	7831-5082	5	8.95	SF	2 15/16	4	25.44
QD6A8.2/B8.6	277.20	7831-6082	6	8.95	SF	2 15/16	4 3/4	25.65
QD8B8.6	367.92	7832-8086	8	8.95	E	3 1/2	6 1/4	33.50
QD10B8.6	468.72	7833-0086	10	8.95	E	3 1/2	7 3/4	36.20
QD1A9.0/B9.4	80.64	7831-1090	1	9.75	SDS	1 15/16	1	11.67
QD2A9.0/B9.4	98.28	7831-2090	2	9.75	SK	2 1/2	1 3/4	16.92
QD3A9.0/B9.4	131.04	7831-3090	3	9.75	SK	2 1/2	2 1/2	14.10
QD4A9.0/B9.4	173.88	7831-4090	4	9.75	SK	2 1/2	3 1/4	24.04
QD5A9.0/B9.4	216.72	7831-5090	5	9.75	SF	2 15/16	4	29.99
QD6A9.0/B9.4	289.80	7831-6090	6	9.75	SF	2 15/16	4 3/4	23.80
QD8B9.4	378.00	7832-8094	8	9.75	E	3 1/2	6 1/4	38.50
QD10B9.4	529.20	7833-0094	10	9.75	E	3 1/2	7 3/4	43.20

Multi-Duty® Sheaves–QD®

Product No. Series 7831, 7832 and 7833 (continued)

(Combination A or B Section) (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1A10.6/B11.0	$95.76	7831-1106	1	11.35	SDS	1 15/16	1	12.83
QD2A10.6/B11.0	115.92	7831-2106	2	11.35	SK	2 1/2	1 3/4	20.31
QD3A10.6/B11.0	156.24	7831-3106	3	11.35	SK	2 1/2	2 1/2	27.96
QD4A10.6/B11.0	191.52	7831-4106	4	11.35	SK	2 1/2	3 1/4	26.04
QD5A10.6/B11.0	244.44	7831-5106	5	11.35	SF	2 15/16	4	25.40
QD6A10.6/B11.0	312.48	7831-6106	6	11.35	SF	2 15/16	4 3/4	35.67
QD8B11.0	448.56	7832-8110	8	11.35	E	3 1/2	6 1/4	38.40
QD10B11.0	655.20	7833-0110	10	11.35	E	3 1/2	7 3/4	47.00
QD1A12.0/B12.4	113.40	7831-1120	1	12.75	SDS	1 15/16	1	14.25
QD2A12.0/B12.4	126.00	7831-2120	2	12.75	SK	2 1/2	1 3/4	18.64
QD3A12.0/B12.4	181.44	7831-3120	3	12.75	SK	2 1/2	2 1/2	20.20
QD4A12.0/B12.4	214.20	7831-4120	4	12.75	SK	2 1/2	3 1/4	28.58
QD5A12.0/B12.4	262.08	7831-5120	5	12.75	SF	2 15/16	4	34.71
QD6A12.0/B12.4	347.76	7831-6120	6	12.75	SF	2 15/16	4 3/4	32.90
QD8B12.4	468.72	7832-8124	8	12.75	E	3 1/2	6 1/4	51.20
QD10B12.4	670.32	7833-0124	10	12.75	F	3 15/16	7 3/4	55.00
QD1A13.2/B13.6	120.96	7831-1132	1	13.95	SDS	1 15/16	1	16.78
QD2A13.2/B13.6	151.20	7831-2132	2	13.95	SK	2 1/2	1 3/4	22.66
QD3A13.2/B13.6	196.56	7831-3132	3	13.95	SK	2 1/2	2 1/2	29.76
QD4A13.2/B13.6	257.04	7831-4132	4	13.95	SK	2 1/2	3 1/4	28.60
QD5A13.2/B13.6	302.40	7831-5132	5	13.95	SF	2 15/16	4	32.60
QD6A13.2/B13.6	352.80	7831-6132	6	13.95	SF	2 15/16	4 3/4	37.90
QD1A15.0/B15.4	146.16	7831-1150	1	15.75	SK	2 1/2	1	18.50
QD2A15.0/B15.4	211.68	7831-2150	2	15.75	SK	2 1/2	1 3/4	22.10
QD3A15.0/B15.4	252.00	7831-3150	3	15.75	SK	2 1/2	2 1/2	26.80
QD4A15.0/B15.4	282.24	7831-4150	4	15.75	SF	2 15/16	3 1/4	32.40
QD5A15.0/B15.4	337.68	7831-5150	5	15.75	SF	2 15/16	4	36.30
QD6A15.0/B15.4	378.00	7831-6150	6	15.75	SF	2 15/16	4 3/4	43.10
QD8B15.4	630.00	7832-8154	8	15.75	E	3 1/2	6 1/4	61.20
QD10B15.4	856.80	7833-0154	10	15.75	F	3 15/16	7 3/4	84.00
QD1A15.6/B16.0	171.36	7831-1156	1	16.35	SK	2 1/2	1	18.20
QD2A15.6/B16.0	224.28	7831-2156	2	16.35	SK	2 1/2	1 3/4	22.00
QD3A15.6/B16.0	267.12	7831-3156	3	16.35	SK	2 1/2	2 1/2	27.00
QD4A15.6/B16.0	307.44	7831-4156	4	16.35	SF	2 15/16	3 1/4	34.00
QD5A15.6/B16.0	370.44	7831-5156	5	16.35	SF	2 15/16	4	37.50
QD6A15.6/B16.0	413.28	7831-6156	6	16.35	SF	2 15/16	4 3/4	43.50
QD1A18.0/B18.4	196.56	7831-1180	1	18.75	SK	2 1/2	1	20.70
QD2A18.0/B18.4	282.24	7831-2180	2	18.75	SK	2 1/2	1 3/4	27.00
QD3A18.0/B18.4	307.44	7831-3180	3	18.75	SK	2 1/2	2 1/2	33.90
QD4A18.0/B18.4	327.60	7831-4180	4	18.75	SF	2 15/16	3 1/4	37.70
QD5A18.0/B18.4	398.16	7831-5180	5	18.75	SF	2 15/16	4	46.00
QD6A18.0/B18.4	438.48	7831-6180	6	18.75	SF	2 15/16	4 3/4	56.40
QD8B18.4	801.36	7832-8184	8	18.75	F	3 15/16	6 1/4	87.70
QD10B18.4	1008.00	7833-0184	10	18.75	F	3 15/16	7 3/4	98.70
QD1A19.6/B20.0	289.80	7832-1200	1	20.35	SK	2 1/2	1	23.70
QD2A19.6/B20.0	327.60	7832-2200	2	20.35	SF	2 15/16	1 3/4	33.50
QD3A19.6/B20.0	408.24	7832-3200	3	20.35	SF	2 15/16	2 1/2	39.50
QD4A19.6/B20.0	458.64	7832-4200	4	20.35	SF	2 15/16	3 3/4	51.00
QD5A19.6/B20.0	491.40	7832-5200	5	20.35	E	3 1/2	4	74.00
QD6A19.6/B20.0	584.64	7832-6200	6	20.35	E	3 1/2	4 3/4	70.00
QD8B20.0	869.40	7832-8200	8	20.35	F	3 15/16	6 1/4	87.00
QD10B20.0	1083.60	7833-0200	10	20.35	F	3 15/16	7 3/4	110.00
QD2A24.6/B25.0	498.96	7832-2250	2	25.35	SF	2 15/16	1 3/4	46.00
QD3A24.6/B25.0	554.40	7832-3250	3	25.35	SF	2 15/16	2 1/2	75.00
QD4A24.6/B25.0	604.80	7832-4250	4	25.35	E	3 1/2	3 1/4	74.50
QD5A24.6/B25.0	630.00	7832-5250	5	25.35	E	3 1/2	4	84.00
QD6A24.6/B25.0	730.80	7832-6250	6	25.35	E	3 1/2	4 3/4	90.00
QD8B25.0	1108.80	7832-8250	8	25.35	F	3 15/16	6 1/4	118.00

Multi-Duty® Sheaves–QD®

Product No. Series 7831, 7832 and 7833 (continued)

(Combination A or B Section) (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD2A29.6/B30.0	$554.40	7832-2300	2	30.35	SF	2 15/16	1 3/4	55.00
QD3A29.6/B30.0	630.00	7832-3300	3	30.35	SF	2 15/16	2 1/2	76.00
QD4A29.6/B30.0	705.60	7832-4300	4	30.35	E	3 1/2	3 1/4	95.00
QD5A29.6/B30.0	876.96	7832-5300	5	30.35	E	3 1/2	4	105.00
QD6A29.6/B30.0	982.80	7832-6300	6	30.35	E	3 1/2	4 3/4	124.00
QD8B30.0	1587.60	7832-8300	8	30.35	F	3 15/16	6 1/4	149.00
QD10B30.0	1738.80	7833-0300	10	30.35	F	3 15/16	7 3/4	165.00
QD2A37.6/B38.0	1058.40	7832-2380	2	38.35	SF	2 15/16	1 3/4	85.00
QD3A37.6/B38.0	1108.80	7832-3380	3	38.35	E	3 1/2	2 1/2	115.00
QD4A37.6/B38.0	1234.80	7832-4380	4	38.35	E	3 1/2	3 1/4	130.00
QD5A37.6/B38.0	1360.80	7832-5380	5	38.35	E	3 1/2	4	145.00
QD6A37.6/B38.0	1411.20	7832-6380	6	38.35	E	3 1/2	4 3/4	175.00
QD8B38.0	2192.40	7832-8380	8	38.35	F	3 15/16	6 1/4	205.00
QD10B38.0	2242.80	7833-0380	10	38.35	J	4 1/2	7 3/4	230.00

Multi-Duty® Sheaves–QD®

Product No. Series 7834 & 7835

C Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD3C5.0	$171.36	7834-3050	3	5.40	SD	1 15/16	3 3/8	8.57
QD4C5.0	201.60	7834-4050	4	5.40	SD	1 15/16	4 3/8	11.00
QD3C5.5	176.40	7834-3055	3	5.90	SD	1 15/16	3 3/8	10.20
QD4C5.5	202.86	7834-4055	4	5.90	SD	1 15/16	4 3/8	12.40
QD3C6.0	178.92	7834-3060	3	6.40	SF	2 15/16	3 3/8	9.70
QD4C6.0	204.12	7834-4060	4	6.40	SF	2 15/16	4 3/8	11.40
QD5C6.0	219.24	7834-5060	5	6.40	SF	2 15/16	5 3/8	13.10
QD6C6.0	307.44	7834-6060	6	6.40	SF	2 15/16	6 3/8	14.60
QD1C7.0	141.12	7834-1070	1	7.40	SF	2 15/16	1 3/8	9.55
QD2C7.0	166.32	7834-2070	2	7.40	SF	2 15/16	2 3/8	12.00
QD3C7.0	181.44	7834-3070	3	7.40	SF	2 15/16	3 3/8	15.39
QD4C7.0	206.64	7834-4070	4	7.40	SF	2 15/16	4 3/8	18.17
QD5C7.0	221.76	7834-5070	5	7.40	SF	2 15/16	5 3/8	20.00
QD6C7.0	312.48	7834-6070	6	7.40	SF	2 15/16	6 3/8	23.60
QD8C7.0	466.20	7834-8070	8	7.40	SF	2 15/16	8 3/8	31.50
QD1C7.5	151.20	7834-1075	1	7.90	SF	2 15/16	1 3/8	11.42
QD2C7.5	171.36	7834-2075	2	7.90	SF	2 15/16	2 3/8	14.20
QD3C7.5	186.48	7834-3075	3	7.90	SF	2 15/16	3 3/8	17.00
QD4C7.5	216.72	7834-4075	4	7.90	SF	2 15/16	4 3/8	20.83
QD5C7.5	282.24	7834-5075	5	7.90	SF	2 15/16	5 3/8	24.00
QD6C7.5	332.64	7834-6075	6	7.90	SF	2 15/16	6 3/8	26.60
QD1C8.0	156.24	7834-1080	1	8.40	SF	2 15/16	1 3/8	11.00
QD2C8.0	181.44	7834-2080	2	8.40	SF	2 15/16	2 3/8	16.30
QD3C8.0	196.56	7834-3080	3	8.40	E	3 1/2	3 3/8	20.41
QD4C8.0	246.96	7834-4080	4	8.40	E	3 1/2	4 3/8	23.30
QD5C8.0	297.36	7834-5080	5	8.40	E	3 1/2	5 3/8	28.00
QD6C8.0	352.80	7834-6080	6	8.40	E	3 1/2	6 3/8	31.90
QD8C8.0	491.40	7834-8080	8	8.40	E	3 1/2	8 3/8	36.60
QD10C8.0	579.60	7835-0080	10	8.40	E	3 1/2	10 3/8	44.00
QD1C8.5	161.28	7834-1085	1	8.90	SF	2 15/16	1 3/8	11.06
QD2C8.5	186.48	7834-2085	2	8.90	SF	2 15/16	2 3/8	18.84
QD3C8.5	221.76	7834-3085	3	8.90	E	3 1/2	3 3/8	23.42
QD4C8.5	262.08	7834-4085	4	8.90	E	3 1/2	4 3/8	27.30
QD5C8.5	317.52	7834-5085	5	8.90	E	3 1/2	5 3/8	31.20
QD6C8.5	362.88	7834-6085	6	8.90	E	3 1/2	6 3/8	34.80
QD8C8.5	504.00	7834-8085	8	8.90	E	3 1/2	8 3/8	42.60
QD10C8.5	604.80	7835-0085	10	8.90	E	3 1/2	10 3/8	48.50

Multi-Duty® Sheaves–QD®

Product No. Series 7834 & 7835 (continued)

C Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1C9.0	$166.32	7834-1090	1	9.40	SF	2 15/16	1 3/8	12.40
QD2C9.0	191.52	7834-2090	2	9.40	SF	2 15/16	2 3/8	21.70
QD3C9.0	236.88	7834-3090	3	9.40	E	3 1/2	3 3/8	27.28
QD4C9.0	282.24	7834-4090	4	9.40	E	3 1/2	4 3/8	31.11
QD5C9.0	322.56	7834-5090	5	9.40	E	3 1/2	5 3/8	35.00
QD6C9.0	372.96	7834-6090	6	9.40	F	3 15/16	6 3/8	43.00
QD8C9.0	516.60	7834-8090	8	9.40	F	3 15/16	8 3/8	50.90
QD10C9.0	630.00	7835-0090	10	9.40	J	4 1/2	10 3/8	101.00
[6]QD12C9.0	882.00	7835-2090	12	9.40	J	4 1/2	12 3/8	75.00
QD1C9.5	171.36	7834-1095	1	9.90	SF	2 15/16	1 3/8	14.80
QD2C9.5	201.60	7834-2095	2	9.90	SF	2 15/16	2 3/8	17.70
QD3C9.5	252.00	7834-3095	3	9.90	E	3 1/2	3 3/8	30.25
QD4C9.5	287.28	7834-4095	4	9.90	E	3 1/2	4 3/8	34.44
QD5C9.5	342.72	7834-5095	5	9.90	E	3 1/2	5 3/8	37.80
QD6C9.5	398.16	7834-6095	6	9.90	F	3 15/16	6 3/8	47.00
QD8C9.5	529.20	7834-8095	8	9.90	F	3 15/16	8 3/8	56.00
QD10C9.5	645.12	7835-0095	10	9.90	J	4 1/2	10 3/8	71.00
[6]QD12C9.5	907.20	7835-2095	12	9.90	J	4 1/2	12 3/8	86.00
QD1C10.0	176.40	7834-1100	1	10.40	SF	2 15/16	1 3/8	15.80
QD2C10.0	221.76	7834-2100	2	10.40	SF	2 15/16	2 3/8	19.70
QD3C10.0	277.20	7834-3100	3	10.40	E	3 1/2	3 3/8	33.60
QD4C10.0	302.40	7834-4100	4	10.40	E	3 1/2	4 3/8	38.51
QD5C10.0	347.76	7834-5100	5	10.40	E	3 1/2	5 3/8	43.00
QD6C10.0	413.28	7834-6100	6	10.40	F	3 15/16	6 3/8	54.00
QD8C10.0	541.80	7834-8100	8	10.40	F	3 15/16	8 3/8	62.00
QD10C10.0	655.20	7835-0100	10	10.40	J	4 1/2	10 3/8	71.00
[6]QD12C10.0	932.40	7835-2100	12	10.40	J	4 1/2	12 3/8	86.00
QD1C10.5	191.52	7834-1105	1	10.90	SF	2 15/16	1 3/8	15.82
QD2C10.5	236.88	7834-2105	2	10.90	SF	2 15/16	2 3/8	20.43
QD3C10.5	289.80	7834-3105	3	10.90	E	3 1/2	3 3/8	41.54
QD4C10.5	327.60	7834-4105	4	10.90	E	3 1/2	4 3/8	42.20
QD5C10.5	372.96	7834-5105	5	10.90	E	3 1/2	5 3/8	42.00
QD6C10.5	423.36	7834-6105	6	10.90	F	3 15/16	6 3/8	58.00
QD8C10.5	567.00	7834-8105	8	10.90	F	3 15/16	8 3/8	69.00
QD10C10.5	730.80	7835-0105	10	10.90	J	4 1/2	10 3/8	84.00
[6]QD12C10.5	957.60	7835-2105	12	10.90	J	4 1/2	12 3/8	96.00
QD1C11.0	216.72	7834-1110	1	11.40	SF	2 15/16	1 3/8	15.60
QD2C11.0	252.00	7834-2110	2	11.40	SF	2 15/16	2 3/8	22.00
QD3C11.0	302.40	7834-3110	3	11.40	E	3 1/2	3 3/8	41.88
QD4C11.0	342.72	7834-4110	4	11.40	E	3 1/2	4 3/8	40.08
QD5C11.0	418.32	7834-5110	5	11.40	E	3 1/2	5 3/8	49.00
QD6C11.0	448.56	7834-6110	6	11.40	F	3 15/16	6 3/8	62.80
QD8C11.0	604.80	7834-8110	8	11.40	F	3 15/16	8 3/8	75.00
QD10C11.0	756.00	7835-0110	10	11.40	J	4 1/2	10 3/8	88.00
[6]QD12C11.0	982.80	7835-2110	12	11.40	J	4 1/2	12 3/8	104.00
QD1C12.0	231.84	7834-1120	1	12.40	SF	2 15/16	1 3/8	22.30
QD2C12.0	264.60	7834-2120	2	12.40	SF	2 15/16	2 3/8	23.00
QD3C12.0	315.00	7834-3120	3	12.40	E	3 1/2	3 3/8	36.74
QD4C12.0	378.00	7834-4120	4	12.40	E	3 1/2	4 3/8	48.37
QD5C12.0	423.36	7834-5120	5	12.40	E	3 1/2	5 3/8	48.00
QD6C12.0	504.00	7834-6120	6	12.40	F	3 15/16	6 3/8	59.00
QD8C12.0	655.20	7834-8120	8	12.40	F	3 15/16	8 3/8	75.00
QD10C12.0	957.60	7835-0120	10	12.40	J	4 1/2	10 3/8	101.00
[6]QD12C12.0	1008.00	7835-2120	12	12.40	J	4 1/2	12 3/8	126.00

[6] **Standard/Non-Stock item. Check with Customer Service for availability.**

Product No. Series 7834 & 7835 (continued)

C Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD1C13.0	$302.40	7834-1130	1	13.40	SF	2 15/16	1 3/8	24.99
QD2C13.0	315.00	7834-2130	2	13.40	SF	2 15/16	2 3/8	30.86
QD3C13.0	365.40	7834-3130	3	13.40	E	3 1/2	3 3/8	39.94
QD4C13.0	423.36	7834-4130	4	13.40	E	3 1/2	4 3/8	48.00
QD5C13.0	473.76	7834-5130	5	13.40	E	3 1/2	5 3/8	55.00
QD6C13.0	559.44	7834-6130	6	13.40	F	3 15/16	6 3/8	65.00
QD8C13.0	705.60	7834-8130	8	13.40	F	3 15/16	8 3/8	82.00
QD10C13.0	1058.40	7835-0130	10	13.40	J	4 1/2	10 3/8	120.00
[6]QD12C13.0	1159.20	7835-2130	12	13.40	J	4 1/2	12 3/8	138.00
QD1C14.0	327.60	7834-1140	1	14.40	SF	2 15/16	1 3/8	20.50
QD2C14.0	340.20	7834-2140	2	14.40	SF	2 15/16	2 3/8	28.70
QD3C14.0	403.20	7834-3140	3	14.40	E	3 1/2	3 3/8	44.00
QD4C14.0	458.64	7834-4140	4	14.40	E	3 1/2	4 3/8	50.98
QD5C14.0	478.80	7834-5140	5	14.40	E	3 1/2	5 3/8	59.00
QD6C14.0	604.80	7834-6140	6	14.40	F	3 15/16	6 3/8	69.00
QD8C14.0	819.00	7834-8140	8	14.40	F	3 15/16	8 3/8	92.00
QD10C14.0	1134.00	7835-0140	10	14.40	J	4 1/2	10 3/8	121.00
[6]QD12C14.0	1486.80	7835-2140	12	14.40	J	4 1/2	12 3/8	153.00
QD1C16.0	352.80	7834-1160	1	16.40	SF	2 15/16	1 3/8	24.00
QD2C16.0	365.40	7834-2160	2	16.40	SF	2 15/16	2 3/8	34.00
QD3C16.0	415.80	7834-3160	3	16.40	E	3 1/2	3 3/8	48.00
QD4C16.0	529.20	7834-4160	4	16.40	E	3 1/2	4 3/8	56.00
QD5C16.0	541.80	7834-5160	5	16.40	E	3 1/2	5 3/8	66.00
QD6C16.0	655.20	7834-6160	6	16.40	F	3 15/16	6 3/8	81.00
QD8C16.0	932.40	7834-8160	8	16.40	F	3 15/16	8 3/8	110.00
QD10C16.0	1209.60	7835-0160	10	16.40	J	4 1/2	10 3/8	137.00
[6]QD12C16.0	1713.60	7835-2160	12	16.40	J	4 1/2	12 3/8	175.00
QD1C18.0	378.00	7834-1180	1	18.40	SF	2 15/16	1 3/8	26.60
QD2C18.0	390.60	7834-2180	2	18.40	SF	2 15/16	2 3/8	38.50
QD3C18.0	441.00	7834-3180	3	18.40	E	3 1/2	3 3/8	55.00
QD4C18.0	541.80	7834-4180	4	18.40	E	3 1/2	4 3/8	66.00
QD5C18.0	604.80	7834-5180	5	18.40	E	3 1/2	5 3/8	74.00
QD6C18.0	705.60	7834-6180	6	18.40	F	3 15/16	6 3/8	90.00
QD8C18.0	1083.60	7834-8180	8	18.40	F	3 15/16	8 3/8	133.00
QD10C18.0	1360.80	7835-0180	10	18.40	J	4 1/2	10 3/8	149.00
[6]QD12C18.0	1764.00	7835-2180	12	18.40	J	4 1/2	12 3/8	198.00
QD1C20.0	403.20	7834-1200	1	20.40	SF	2 15/16	1 3/8	28.60
QD2C20.0	428.40	7834-2200	2	20.40	SF	2 15/16	2 3/8	46.00
QD3C20.0	504.00	7834-3200	3	20.40	E	3 1/2	3 3/8	58.00
QD4C20.0	567.00	7834-4200	4	20.40	E	3 1/2	4 3/8	76.00
QD5C20.0	756.00	7834-5200	5	20.40	F	3 15/16	5 3/8	90.00
QD6C20.0	781.20	7834-6200	6	20.40	F	3 15/16	6 3/8	102.00
QD8C20.0	1096.20	7834-8200	8	20.40	J	4 1/2	8 3/8	146.00
QD10C20.0	1411.20	7835-0200	10	20.40	J	4 1/2	10 3/8	177.00
[6]QD12C20.0	1864.80	7835-2200	12	20.40	M	5 1/2	12 3/8	237.00
QD1C24.0	453.60	7834-1240	1	24.40	SF	2 15/16	1 3/8	31.80
QD2C24.0	579.60	7834-2240	2	24.40	SF	2 15/16	2 3/8	57.00
QD3C24.0	604.80	7834-3240	3	24.40	E	3 1/2	3 3/8	77.00
QD4C24.0	705.60	7834-4240	4	24.40	F	3 15/16	4 3/8	99.00
QD5C24.0	806.40	7834-5240	5	24.40	F	3 15/16	5 3/8	109.00
QD6C24.0	907.20	7834-6240	6	24.40	F	3 15/16	6 3/8	150.00
QD8C24.0	1285.20	7834-8240	8	24.40	J	4 1/2	8 3/8	183.00
QD10C24.0	1713.60	7835-0240	10	24.40	M	5 1/2	10 3/8	236.00
[6]QD12C24.0	1915.20	7835-2240	12	24.40	M	5 1/2	12 3/8	277.00
QD2C27.0	693.00	7834-2270	2	27.40	F	3 15/16	2 3/8	88.00
QD3C27.0	730.80	7834-3270	3	27.40	F	3 15/16	3 3/8	101.00
QD4C27.0	831.60	7834-4270	4	27.40	F	3 15/16	4 3/8	116.00
QD5C27.0	957.60	7834-5270	5	27.40	F	3 15/16	5 3/8	133.00
QD6C27.0	1108.80	7834-6270	6	27.40	J	4 1/2	6 3/8	162.00
[6]QD8C27.0	1411.20	7834-8270	8	27.40	J	4 1/2	8 3/8	203.00

[6] **Standard/Non-Stock item. Check with Customer Service for availability.**

Multi-Duty® Sheaves–QD®

Product No. Series 7834 & 7835 (continued)

C Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD2C30.0	$781.20	7834-2300	2	30.40	F	3 15/16	2 3/8	79.00
QD3C30.0	806.40	7834-3300	3	30.40	F	3 15/16	3 3/8	129.00
QD4C30.0	957.60	7834-4300	4	30.40	F	3 15/16	4 3/8	148.00
QD5C30.0	1058.40	7834-5300	5	30.40	F	3 15/16	5 3/8	160.00
QD6C30.0	1310.40	7834-6300	6	30.40	J	4 1/2	6 3/8	180.00
QD8C30.0	1612.80	7834-8300	8	30.40	J	4 1/2	8 3/8	230.00
QD10C30.0	2217.60	7835-0300	10	30.40	M	5 1/2	10 3/8	305.00
[6]QD12C30.0	2242.80	7835-2300	12	30.40	M	5 1/2	12 3/8	357.00
QD3C36.0	1234.80	7834-3360	3	36.40	F	3 15/16	3 3/8	143.00
QD4C36.0	1411.20	7834-4360	4	36.40	F	3 15/16	4 3/8	170.00
QD5C36.0	1486.80	7834-5360	5	36.40	J	4 1/2	5 3/8	205.00
QD6C36.0	1638.00	7834-6360	6	36.40	J	4 1/2	6 3/8	230.00
QD8C36.0	2016.00	7834-8360	8	36.40	M	5 1/2	8 3/8	285.00
QD10C36.0	3225.60	7835-0360	10	36.40	M	5 1/2	10 3/8	335.00
[6]QD12C36.0	3326.40	7835-2360	12	36.40	M	5 1/2	12 3/8	430.00
QD3C44.0	2167.20	7834-3440	3	44.40	F	3 15/16	3 3/8	170.00
QD4C44.0	2268.00	7834-4440	4	44.40	J	4 1/2	4 3/8	235.00
QD5C44.0	2444.40	7834-5440	5	44.40	J	4 1/2	5 3/8	260.00
QD6C44.0	2570.40	7834-6440	6	44.40	J	4 1/2	6 3/8	315.00
QD8C44.0	3225.60	7834-8440	8	44.40	M	5 1/2	8 3/8	415.00
QD10C44.0	3528.00	7835-0440	10	44.40	M	5 1/2	10 3/8	455.00
[6]QD12C44.0	4032.00	7835-2440	12	44.40	M	5 1/2	12 3/8	520.00
QD3C50.0	2419.20	7834-3500	3	50.40	F	3 15/16	3 3/8	190.00
QD4C50.0	2671.20	7834-4500	4	50.40	J	4 1/2	4 3/8	256.00
QD5C50.0	2872.80	7834-5500	5	50.40	J	4 1/2	5 3/8	275.00
QD6C50.0	3376.80	7834-6500	6	50.40	J	4 1/2	6 3/8	325.00
QD8C50.0	3780.00	7834-8500	8	50.40	M	5 1/2	8 3/8	530.00
QD10C50.0	4410.00	7835-0500	10	50.40	M	5 1/2	10 3/8	503.00
[6]QD12C50.0	4914.00	7835-2500	12	50.40	M	5 1/2	12 3/8	595.00

[6] **Standard/Non-Stock item. Check with Customer Service for availability.**

Product No. Series 7836 & 7837

D Section Sheaves are Standard/Non-Stock.

D Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD3D12.0	$705.60	7836-3120	3	12.60	F	3 15/16	4 5/8	83.00
QD4D12.0	756.00	7836-4120	4	12.60	F	3 15/16	6 1/16	85.00
QD5D12.0	982.80	7836-5120	5	12.60	F	3 15/16	7 1/2	98.00
QD6D12.0	1209.60	7836-6120	6	12.60	J	4 1/2	8 15/16	126.00
QD8D12.0	1562.40	7836-8120	8	12.60	J	4 1/2	11 13/16	151.00
QD10D12.0	1915.20	7837-0120	10	12.60	M	5 1/2	14 11/16	153.00
QD3D13.0	756.00	7836-3130	3	13.60	F	3 15/16	4 5/8	88.00
QD4D13.0	806.40	7836-4130	4	13.60	F	3 15/16	6 1/16	76.00
QD5D13.0	1008.00	7836-5130	5	13.60	F	3 15/16	7 1/2	114.00
QD6D13.0	1234.80	7836-6130	6	13.60	J	4 1/2	8 15/16	140.00
QD8D13.0	1587.60	7836-8130	8	13.60	J	4 1/2	11 13/16	168.00
QD10D13.0	1990.80	7837-0130	10	13.60	M	5 1/2	14 11/16	180.00
QD3D13.5	781.20	7836-3135	3	14.10	F	3 15/16	4 5/8	88.00
QD4D13.5	831.60	7836-4135	4	14.10	F	3 15/16	6 1/16	107.00
QD5D13.5	1033.20	7836-5135	5	14.10	F	3 15/16	7 1/2	134.00
QD6D13.5	1260.00	7836-6135	6	14.10	J	4 1/2	8 15/16	140.00
QD8D13.5	1612.80	7836-8135	8	14.10	J	4 1/2	11 13/16	168.00
QD10D13.5	2091.60	7837-0135	10	14.10	M	5 1/2	14 11/16	186.00
QD3D14.0	806.40	7836-3140	3	14.60	F	3 15/16	4 5/8	111.00
QD4D14.0	856.80	7836-4140	4	14.60	F	3 15/16	6 1/16	106.00
QD5D14.0	1083.60	7836-5140	5	14.60	F	3 15/16	7 1/2	140.00
QD6D14.0	1285.20	7836-6140	6	14.60	J	4 1/2	8 15/16	159.00
QD8D14.0	1663.20	7836-8140	8	14.60	J	4 1/2	11 13/16	181.00
QD10D14.0	2192.40	7837-0140	10	14.60	M	5 1/2	14 11/16	221.00

Product No. Series 7836 & 7837 (continued)

D Section Sheaves are Standard/Non-Stock.

D Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD3D14.5	$856.80	7836-3145	3	15.10	F	3 15/16	4 5/8	111.00
QD4D14.5	982.80	7836-4145	4	15.10	F	3 15/16	6 1/16	106.00
QD5D14.5	1159.20	7836-5145	5	15.10	F	3 15/16	7 1/2	140.00
QD6D14.5	1310.40	7836-6145	6	15.10	J	4 1/2	8 15/16	159.00
QD8D14.5	1713.60	7836-8145	8	15.10	J	4 1/2	11 13/16	181.00
QD10D14.5	2318.40	7837-0145	10	15.10	M	5 1/2	14 11/16	221.00
QD3D15.0	907.20	7836-3150	3	15.60	F	3 15/16	4 5/8	105.00
QD4D15.0	1008.00	7836-4150	4	15.60	F	3 15/16	6 1/16	110.00
QD5D15.0	1184.40	7836-5150	5	15.60	F	3 15/16	7 1/2	146.00
QD6D15.0	1335.60	7836-6150	6	15.60	J	4 1/2	8 15/16	162.00
QD8D15.0	1738.80	7836-8150	8	15.60	J	4 1/2	11 13/16	216.00
QD10D15.0	2343.60	7837-0150	10	15.60	M	5 1/2	14 11/16	247.00
QD3D15.5	932.40	7836-3155	3	16.10	F	3 15/16	4 5/8	105.00
QD4D15.5	1033.20	7836-4155	4	16.10	F	3 15/16	6 1/16	110.00
QD5D15.5	1209.60	7836-5155	5	16.10	F	3 15/16	7 1/2	146.00
QD6D15.5	1360.80	7836-6155	6	16.10	J	4 1/2	8 15/16	162.00
QD8D15.5	1764.00	7836-8155	8	16.10	J	4 1/2	11 13/16	216.00
QD10D15.5	2368.80	7837-0155	10	16.10	M	5 1/2	14 11/16	270.00
QD3D16.0	957.60	7836-3160	3	16.60	F	3 15/16	4 5/8	150.00
QD4D16.0	1058.40	7836-4160	4	16.60	F	3 15/16	6 1/16	150.00
QD5D16.0	1234.80	7836-5160	5	16.60	F	3 15/16	7 1/2	143.00
QD6D16.0	1386.00	7836-6160	6	16.60	J	4 1/2	8 15/16	199.00
QD8D16.0	1965.60	7836-8160	8	16.60	J	4 1/2	11 13/16	237.00
QD10D16.0	2394.00	7837-0160	10	16.60	M	5 1/2	14 11/16	267.00
QD3D18.0	1008.00	7836-3180	3	18.60	J	4 1/2	4 5/8	146.00
QD4D18.0	1209.60	7836-4180	4	18.60	J	4 1/2	6 1/16	146.00
QD5D18.0	1285.20	7836-5180	5	18.60	J	4 1/2	7 1/2	164.00
QD6D18.0	1436.40	7836-6180	6	18.60	J	4 1/2	8 15/16	223.00
QD8D18.0	2293.20	7836-8180	8	18.60	M	5 1/2	11 13/16	249.00
QD10D18.0	2671.20	7837-0180	10	18.60	M	5 1/2	14 11/16	274.00
QD3D20.0	1134.00	7836-3200	3	20.60	J	4 1/2	4 5/8	181.00
QD4D20.0	1234.80	7836-4200	4	20.60	J	4 1/2	6 1/16	181.00
QD5D20.0	1537.20	7836-5200	5	20.60	J	4 1/2	7 1/2	188.00
QD6D20.0	1864.80	7836-6200	6	20.60	J	4 1/2	8 15/16	249.00
QD8D20.0	2520.00	7836-8200	8	20.60	M	5 1/2	11 13/16	277.00
QD10D20.0	2998.80	7837-0200	10	20.60	M	5 1/2	14 11/16	338.00
QD3D22.0	1209.60	7836-3220	3	22.60	J	4 1/2	4 5/8	199.00
QD4D22.0	1260.00	7836-4220	4	22.60	J	4 1/2	6 1/16	199.00
QD5D22.0	1789.20	7836-5220	5	22.60	J	4 1/2	7 1/2	221.00
QD6D22.0	2318.40	7836-6220	6	22.60	M	5 1/2	8 15/16	258.00
QD8D22.0	2721.60	7836-8220	8	22.60	M	5 1/2	11 13/16	326.00
QD10D22.0	3124.80	7837-0220	10	22.60	M	5 1/2	14 11/16	361.00
QD3D27.0	1461.60	7836-3270	3	27.60	J	4 1/2	4 5/8	236.00
QD4D27.0	1612.80	7836-4270	4	27.60	J	4 1/2	6 1/16	257.00
QD5D27.0	2192.40	7836-5270	5	27.60	M	5 1/2	7 1/2	296.00
QD6D27.0	2394.00	7836-6270	6	27.60	M	5 1/2	8 15/16	331.00
QD8D27.0	3351.60	7836-8270	8	27.60	M	5 1/2	11 13/16	376.00
QD10D27.0	3754.80	7837-0270	10	27.60	M	5 1/2	14 11/16	430.00
QD3D33.0	2066.40	7836-3330	3	33.60	J	4 1/2	4 5/8	332.00
QD4D33.0	2671.20	7836-4330	4	33.60	M	5 1/2	6 1/16	361.00
QD5D33.0	2746.80	7836-5330	5	33.60	M	5 1/2	7 1/2	411.00
QD6D33.0	3099.60	7836-6330	6	33.60	M	5 1/2	8 15/16	460.00
QD8D33.0	3578.40	7836-8330	8	33.60	M	5 1/2	11 13/16	524.00
QD10D33.0	4132.80	7837-0330	10	33.60	N	5 7/8	14 11/16	614.00
QD3D40.0	2570.40	7836-3400	3	40.60	J	4 1/2	4 5/8	250.00
QD4D40.0	2822.40	7836-4400	4	40.60	M	5 1/2	6 1/16	498.00
QD5D40.0	3402.00	7836-5400	5	40.60	M	5 1/2	7 1/2	546.00
QD6D40.0	3754.80	7836-6400	6	40.60	M	5 1/2	8 15/16	606.00
QD8D40.0	4687.20	7836-8400	8	40.60	N	5 7/8	11 13/16	695.00
QD10D40.0	5418.00	7837-0400	10	40.60	N	5 7/8	14 11/16	788.00

Multi-Duty® Sheaves–QD®

Product No. Series 7836 & 7837 (continued)

D Section Sheaves are Standard/Non-Stock.

D Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
QD4D48.0	$3376.80	7836-4480	4	48.60	M	5 1/2	6 1/16	613.00
QD5D48.0	3880.80	7836-5480	5	48.60	M	5 1/2	7 1/2	671.00
QD6D48.0	4384.80	7836-6480	6	48.60	M	5 1/2	8 15/16	744.00
QD8D48.0	5443.20	7836-8480	8	48.60	N	5 7/8	11 13/16	849.00
QD10D48.0	6400.80	7837-0480	10	48.60	P	7	14 11/16	961.00
QD4D58.0	4888.80	7836-4580	4	58.60	M	5 1/2	6 1/16	450.00
QD5D58.0	5392.80	7836-5580	5	58.60	M	5 1/2	7 1/2	500.00
QD6D58.0	5695.20	7836-6580	6	58.60	N	5 7/8	8 15/16	660.00
QD8D58.0	6652.80	7836-8580	8	58.60	N	5 7/8	11 13/16	975.00
QD10D58.0	7408.80	7837-0580	10	58.60	P	7	14 11/16	1235.00

Multi-Duty® Sheaves – Taper Lock®

Markets/Applications

Use with Hi-Power® II, Tri-Power®, Power Cable®, Dubl-V, Power Curve™, PowerBack™ and classical section PowerBand™ belts.

Features/Advantages

- Split, tapered bushings allow quick, easy installation and removal.
- Sheave hub is flush with the bushing.
- Precision manufactured and static balanced.

Notes

The multi-duty function applies to part numbers showing both the A and B dimensions.
Sheaves and bushings must be ordered separately.
WARNING: Do **NOT** use with "A" section PowerBand® belts.
WARNING: Do **NOT** use these sheaves with rim speeds in excess of 6,500 fpm.

Product No. Series 7851, 7852, 7853 and 7861

(Combination A or B Section)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL1A3.0/B3.4	$32.76	7851-10309	1	3.75	1210	1 1/4	7/8	1.60
TL2A3.0/B3.4	47.88	7851-20309	2	3.75	1210	1 1/4	1 3/4	2.30
TL3A3.0/B3.4	55.44	7851-30309	3	3.75	1210	1 1/4	2 1/2	3.10
TL4A3.0/B3.4	80.64	7851-40309	4	3.75	1210	1 1/4	3 1/4	3.80
TL5A3.0/B3.4	93.24	7851-5030	5	3.75	1215	1 1/4	4	4.90
TL1A3.2/B3.6	34.02	7851-10329	1	3.95	1210	1 1/4	7/8	1.80
TL2A3.2/B3.6	50.40	7851-20329	2	3.95	1210	1 1/4	1 3/4	2.66
TL3A3.2/B3.6	57.96	7851-30329	3	3.95	1210	1 1/4	2 1/2	3.90
TL4A3.2/B3.6	83.16	7851-40329	4	3.95	1210	1 1/4	3 1/4	4.90
TL5A3.2/B3.6	95.76	7851-5032	5	3.95	1215	1 1/4	4	5.40
TL1A3.4/B3.8	35.28	7861-1034	1	4.15	1610	1 5/8	7/8	1.80
TL2A3.4/B3.8	52.92	7861-2034	2	4.15	1610	1 5/8	1 3/4	2.70
TL3A3.4/B3.8	60.48	7861-3034	3	4.15	1610	1 5/8	2 1/2	3.65
TL4A3.4/B3.8	85.68	7861-4034	4	4.15	1610	1 5/8	3 1/4	8.00
TL5A3.4/B3.8	98.28	7861-5034	5	4.15	1215	1 1/4	4	5.10
TL1A3.6/B4.0	36.54	7861-1036	1	4.35	1610	1 5/8	7/8	2.10
TL2A3.6/B4.0	55.44	7861-2036	2	4.35	1610	1 5/8	1 3/4	3.16
TL3A3.6/B4.0	63.00	7861-3036	3	4.35	1610	1 5/8	2 1/2	4.20
TL4A3.6/B4.0	88.20	7861-4036	4	4.35	1610	1 5/8	3 1/4	4.60
TL5A3.6/B4.0	100.80	7861-5036	5	4.35	1215	1 1/4	4	6.09
TL1A3.8/B4.2	37.80	7851-10389	1	4.55	1610	1 5/8	7/8	2.40
TL2A3.8/B4.2	57.96	7851-20389	2	4.55	1610	1 5/8	1 3/4	3.65
TL3A3.8/B4.2	65.52	7851-30389	3	4.55	1610	1 5/8	2 1/2	4.80
TL4A3.8/B4.2	90.72	7851-40389	4	4.55	1610	1 5/8	3 1/4	6.40
TL5A3.8/B4.2	103.32	7851-5038	5	4.55	1615	1 5/8	4	7.61
TL1A4.0/B4.4	39.06	7851-10409	1	4.75	1610	1 5/8	7/8	2.80
TL2A4.0/B4.4	60.48	7851-20409	2	4.75	1610	1 5/8	1 3/4	4.14
TL3A4.0/B4.4	68.04	7851-30409	3	4.75	1610	1 5/8	2 1/2	5.18
TL4A4.0/B4.4	93.24	7851-40409	4	4.75	1610	1 5/8	3 1/4	6.50
TL5A4.0/B4.4	105.84	7851-5040	5	4.75	1615	1 5/8	4	6.90
TL6A4.0/B4.4	138.60	7851-6040	6	4.75	1615	1 5/8	4 3/4	9.30

Multi-Duty® Sheaves–Taper Lock®

Product No. Series 7851, 7852, 7853 and 7861 (continued)

(Combination A or B Section) (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL1A4.2/B4.6	$40.32	7851-10429	1	4.95	1610	1 5/8	7/8	3.10
TL2A4.2/B4.6	63.00	7851-20429	2	4.95	1610	1 5/8	1 3/4	4.48
TL3A4.2/B4.6	70.56	7851-30429	3	4.95	1610	1 5/8	2 1/2	6.17
TL4A4.2/B4.6	95.76	7851-40429	4	4.95	1610	1 5/8	3 1/4	7.60
TL5A4.2/B4.6	108.36	7851-5042	5	4.95	1615	1 5/8	4	8.64
TL6A4.2/B4.6	141.12	7851-6042	6	4.95	1615	1 5/8	4 3/4	9.70
TL1A4.4/B4.8	41.58	7851-10449	1	5.15	1610	1 5/8	7/8	3.60
TL2A4.4/B4.8	65.52	7851-20449	2	5.15	1610	1 5/8	1 3/4	4.79
TL3A4.4/B4.8	73.08	7861-3044	3	5.15	1610	1 5/8	2 1/2	6.94
TL4A4.4/B4.8	98.28	7861-4044	4	5.15	1610	1 5/8	3 1/4	8.60
TL5A4.4/B4.8	113.40	7851-5044	5	5.15	1615	1 5/8	4	9.40
TL1A4.6/B5.0	42.84	7851-10469	1	5.35	1610	1 5/8	7/8	3.90
TL2A4.6/B5.0	68.04	7851-20469	2	5.35	1610	1 5/8	1 3/4	5.23
TL3A4.6/B5.0	75.60	7861-3046	3	5.35	1610	1 5/8	2 1/2	6.68
TL4A4.6/B5.0	100.80	7861-4046	4	5.35	2517	2 1/2	3 1/4	7.12
TL5A4.6/B5.0	115.92	7861-5046	5	5.35	1615	1 5/8	4	8.20
TL6A4.6/B5.0	146.16	7861-6046	6	5.35	1615	1 5/8	4 3/4	3.90
TL1A4.8/B5.2	44.10	7851-10489	1	5.55	1610	1 5/8	7/8	4.30
TL2A4.8/B5.2	70.56	7851-20489	2	5.55	1610	1 5/8	1 3/4	5.93
TL3A4.8/B5.2	78.12	7861-3048	3	5.55	1610	1 5/8	2 1/2	7.66
TL4A4.8/B5.2	103.32	7861-4048	4	5.55	2517	2 1/2	3 1/4	8.00
TL5A4.8/B5.2	118.44	7861-5048	5	5.55	1615	1 5/8	4	9.90
TL6A4.8/B5.2	148.68	7861-6048	6	5.55	1615	1 5/8	4 3/4	11.00
TL1A5.0/B5.4	45.36	7851-10509	1	5.75	1610	1 5/8	7/8	3.13
TL2A5.0/B5.4	73.08	7851-20509	2	5.75	1610	1 5/8	1 3/4	6.67
TL3A5.0/B5.4	80.64	7861-3050	3	5.75	2517	2 1/2	2 1/2	7.32
TL4A5.0/B5.4	105.84	7861-4050	4	5.75	2517	2 1/2	3 1/4	9.70
TL5A5.0/B5.4	120.96	7851-5050	5	5.75	2517	2 1/2	4	10.90
TL6A5.0/B5.4	151.20	7851-6050	6	5.75	2517	2 1/2	4 3/4	12.10
TL8B5.4	226.80	7852-8054	8	5.75	2517	2 1/2	6 1/4	15.00
TL1A5.2/B5.6	46.62	7851-10529	1	5.95	1610	1 5/8	7/8	5.25
TL2A5.2/B5.6	75.60	7851-20529	2	5.95	1610	1 5/8	1 3/4	7.00
TL3A5.2/B5.6	83.16	7861-3052	3	5.95	2517	2 1/2	2 1/2	8.39
TL4A5.2/B5.6	108.36	7861-4052	4	5.95	2517	2 1/2	3 1/4	10.21
TL5A5.2/B5.6	123.48	7851-5052	5	5.95	2517	2 1/2	4	11.22
TL6A5.2/B5.6	153.72	7851-6052	6	5.95	2517	2 1/2	4 3/4	12.50
TL8B5.6	231.84	7852-8056	8	5.95	2517	2 1/2	6 1/4	17.00
TL10B5.6	362.88	7853-0056	10	5.95	2517	2 1/2	7 3/4	20.00
TL1A5.4/B5.8	47.88	7851-10549	1	6.15	1610	1 5/8	7/8	5.65
TL2A5.4/B5.8	78.12	7851-20549	2	6.15	1610	1 5/8	1 3/4	7.37
TL3A5.4/B5.8	85.68	7861-3054	3	6.15	2517	2 1/2	2 1/2	8.97
TL4A5.4/B5.8	110.88	7861-4054	4	6.15	2517	2 1/2	3 1/4	10.70
TL5A5.4/B5.8	126.00	7851-5054	5	6.15	2517	2 1/2	4	12.70
TL6A5.4/B5.8	156.24	7851-6054	6	6.15	2517	2 1/2	4 3/4	14.30
TL1A5.6/B6.0	50.40	7851-10569	1	6.35	1610	1 5/8	7/8	6.13
TL2A5.6/B6.0	80.64	7851-20569	2	6.35	1610	1 5/8	1 3/4	8.16
TL3A5.6/B6.0	88.20	7861-3056	3	6.35	2517	2 1/2	2 1/2	10.26
TL4A5.6/B6.0	113.40	7861-4056	4	6.35	2517	2 1/2	3 1/4	12.10
TL5A5.6/B6.0	133.56	7851-5056	5	6.35	2517	2 1/2	4	13.26
TL6A5.6/B6.0	158.76	7851-6056	6	6.35	2517	2 1/2	4 3/4	15.39
TL8B6.0	241.92	7852-8060	8	6.35	2517	2 1/2	6 1/4	19.00
TL1A5.8/B6.2	52.92	7851-10589	1	6.55	1610	1 5/8	7/8	6.50
TL2A5.8/B6.2	83.16	7851-20589	2	6.55	1610	1 5/8	1 3/4	8.97
TL3A5.8/B6.2	90.72	7861-3058	3	6.55	2517	2 1/2	2 1/2	11.51
TL4A5.8/B6.2	115.92	7851-4058	4	6.55	2517	2 1/2	3 1/4	13.84
TL5A5.8/B6.2	141.12	7851-5058	5	6.55	2517	2 1/2	4	14.00
TL6A5.8/B6.2	163.80	7851-6058	6	6.55	2517	2 1/2	4 3/4	16.00

Multi-Duty® Sheaves – Taper Lock®

Product No. Series 7851, 7852, 7853 and 7861 (continued)

(Combination A or B Section) (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL1A6.0/B6.4	$55.44	7851-10609	1	6.75	1610	1 5/8	7/8	7.18
TL2A6.0/B6.4	85.68	7851-20609	2	6.75	1610	1 5/8	1 3/4	8.80
TL3A6.0/B6.4	95.76	7861-3060	3	6.75	2517	2 1/2	2 1/2	11.60
TL4A6.0/B6.4	120.96	7851-4060	4	6.75	2517	2 1/2	3 1/4	13.20
TL5A6.0/B6.4	146.16	7851-5060	5	6.75	2517	2 1/2	4	15.00
TL6A6.0/B6.4	168.84	7851-6060	6	6.75	2517	2 1/2	4 3/4	18.98
TL8B6.4	252.00	7852-8064	8	6.75	2517	2 1/2	6 1/4	22.00
TL1A6.2/B6.6	60.48	7851-10629	1	6.95	1610	1 5/8	7/8	5.10
TL2A6.2/B6.6	86.94	7851-20629	2	6.95	1610	1 5/8	1 3/4	9.80
TL3A6.2/B6.6	98.28	7861-3062	3	6.95	2517	2 1/2	2 1/2	13.04
TL4A6.2/B6.6	126.00	7851-4062	4	6.95	2517	2 1/2	3 1/4	15.37
TL5A6.2/B6.6	151.20	7851-5062	5	6.95	2517	2 1/2	4	16.00
TL6A6.2/B6.6	175.14	7851-6062	6	6.95	2517	2 1/2	4 3/4	19.75
TL1A6.4/B6.8	63.00	7851-10649	1	7.15	1610	1 5/8	7/8	8.25
TL2A6.4/B6.8	88.20	7851-20649	2	7.15	1610	1 5/8	1 3/4	10.88
TL3A6.4/B6.8	100.80	7861-3064	3	7.15	2517	2 1/2	2 1/2	14.61
TL4A6.4/B6.8	131.04	7851-4064	4	7.15	2517	2 1/2	3 1/4	17.50
TL5A6.4/B6.8	156.24	7851-5064	5	7.15	2517	2 1/2	4	18.07
TL6A6.4/B6.8	178.92	7851-6064	6	7.15	2517	2 1/2	4 3/4	23.79
TL8B6.8	267.12	7852-8068	8	7.15	2517	2 1/2	6 1/4	26.00
TL10B6.8	433.44	7853-0068	10	7.15	2517	2 1/2	7 3/4	29.00
TL1A6.6/B7.0	65.52	7851-1066	1	7.35	2517	2 1/2	7/8	8.30
TL2A6.6/B7.0	90.72	7851-2066	2	7.35	2517	2 1/2	1 3/4	12.00
TL3A6.6/B7.0	103.32	7851-3066	3	7.35	2517	2 1/2	2 1/2	15.00
TL4A6.6/B7.0	136.08	7851-4066	4	7.35	2517	2 1/2	3 1/4	16.00
TL5A6.6/B7.0	166.32	7851-5066	5	7.35	2517	2 1/2	4	18.00
TL6A6.6/B7.0	189.00	7851-6066	6	7.35	2517	2 1/2	4 3/4	21.00
TL1A7.0/B7.4	70.56	7861-1070	1	7.75	2517	2 1/2	1	10.85
TL2A7.0/B7.4	91.98	7851-2070	2	7.75	2517	2 1/2	1 3/4	14.66
TL3A7.0/B7.4	105.84	7851-3070	3	7.75	2517	2 1/2	2 1/2	17.73
TL4A7.0/B7.4	141.12	7851-4070	4	7.75	2517	2 1/2	3 1/4	20.60
TL5A7.0/B7.4	189.00	7851-5070	5	7.75	2517	2 1/2	4	21.69
TL6A7.0/B7.4	257.04	7851-6070	6	7.75	2517	2 1/2	4 3/4	24.28
TL8B7.4	357.84	7852-8074	8	7.75	2517	2 1/2	6 1/4	34.00
TL1A7.6/B8.0	73.08	7851-1076	1	8.35	2517	2 1/2	7/8	10.10
TL2A7.6/B8.0	93.24	7851-2076	2	8.35	2517	2 1/2	1 3/4	14.50
TL3A7.6/B8.0	110.88	7851-3076	3	8.35	2517	2 1/2	2 1/2	18.00
TL4A7.6/B8.0	146.16	7851-4076	4	8.35	2517	2 1/2	3 1/4	20.00
TL5A7.6/B8.0	194.04	7851-5076	5	8.35	2517	2 1/2	4	23.00
TL6A7.6/B8.0	262.08	7851-6076	6	8.35	2517	2 1/2	4 3/4	26.00
TL1A8.2/B8.6	78.12	7861-1082	1	8.95	2517	2 1/2	1	12.28
TL2A8.2/B8.6	95.76	7851-2082	2	8.95	2517	2 1/2	1 3/4	16.34
TL3A8.2/B8.6	120.96	7851-3082	3	8.95	2517	2 1/2	2 1/2	25.31
TL4A8.2/B8.6	156.24	7851-4082	4	8.95	2517	2 1/2	3 1/4	29.25
TL5A8.2/B8.6	206.64	7851-5082	5	8.95	2517	2 1/2	4	24.10
TL6A8.2/B8.6	277.20	7851-6082	6	8.95	2517	2 1/2	4 3/4	29.86
TL8B8.6	367.92	7852-8086	8	8.95	3030	3	6 1/4	43.00
TL1A9.0/B9.4	80.64	7861-1090	1	9.75	2517	2 1/2	1	13.81
TL2A9.0/B9.4	98.28	7851-2090	2	9.75	2517	2 1/2	1 3/4	17.38
TL3A9.0/B9.4	131.04	7851-3090	3	9.75	2517	2 1/2	2 1/2	24.80
TL4A9.0/B9.4	173.88	7851-4090	4	9.75	2517	2 1/2	3 1/4	29.20
TL5A9.0/B9.4	216.72	7851-5090	5	9.75	2517	2 1/2	4	35.52
TL6A9.0/B9.4	289.80	7851-6090	6	9.75	2517	2 1/2	4 3/4	29.90
TL8B9.4	378.00	7852-8094	8	9.75	3030	3	6 1/4	40.70
TL1A10.6/B11.0	95.76	7851-1106	1	11.35	2517	2 1/2	1	21.34
TL2A10.6/B11.0	115.92	7851-2106	2	11.35	2517	2 1/2	1 3/4	24.06
TL3A10.6/B11.0	156.24	7851-3106	3	11.35	2517	2 1/2	2 1/2	28.97
TL4A10.6/B11.0	191.52	7851-4106	4	11.35	2517	2 1/2	3 1/4	28.90
TL5A10.6/B11.0	244.44	7851-5106	5	11.35	2517	2 1/2	4	32.23
TL6A10.6/B11.0	312.48	7851-6106	6	11.35	2517	2 1/2	4 3/4	33.10
TL8B11.0	448.56	7852-8110	8	11.35	3030	3	6 1/4	44.80

Multi-Duty® Sheaves–Taper Lock®

Product No. Series 7851, 7852, 7853 and 7861 (continued)

(Combination A or B Section) (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Diameter (In.)	Bushing	Max. Bore (In.)	Face Width (In.)	Wt. Ea. (Lbs.)
TL1A12.0/B12.4	$113.40	7851-1120	1	12.75	2517	2½	1	15.83
TL2A12.0/B12.4	126.00	7851-2120	2	12.75	2517	2½	1¾	19.70
TL3A12.0/B12.4	181.44	7851-3120	3	12.75	2517	2½	2½	23.40
TL4A12.0/B12.4	214.20	7851-4120	4	12.75	2517	2½	3¼	29.43
TL5A12.0/B12.4	262.08	7851-5120	5	12.75	2517	2½	4	34.70
TL6A12.0/B12.4	289.80	7851-6120	6	12.75	2517	2½	4¾	37.00
TL8B12.4	468.72	7852-8124	8	12.75	3030	3	6¼	47.70
TL1A13.2/B13.6	120.96	7851-1132	1	13.95	2517	2½	⅞	19.75
TL2A13.2/B13.6	151.20	7851-2132	2	13.95	2517	2½	1¾	24.25
TL3A13.2/B13.6	196.56	7851-3132	3	13.95	2517	2½	2½	33.20
TL4A13.2/B13.6	257.04	7851-4132	4	13.95	2517	2½	3¼	34.00
TL5A13.2/B13.6	302.40	7851-5132	5	13.95	2517	2½	4	38.00
TL6A13.2/B13.6	352.80	7851-6132	6	13.95	2517	2½	4¾	42.00
TL1A15.0/B15.4	146.16	7851-1150	1	15.75	2517	2½	1	20.90
TL2A15.0/B15.4	211.68	7851-2150	2	15.75	2517	2½	1¾	26.60
TL3A15.0/B15.4	252.00	7851-3150	3	15.75	2517	2½	2½	31.00
TL4A15.0/B15.4	282.24	7851-4150	4	15.75	2517	2½	3¼	36.80
TL5A15.0/B15.4	337.68	7851-5150	5	15.75	2517	2½	4	43.00
TL6A15.0/B15.4	378.00	7851-6150	6	15.75	2517	2½	4¾	47.20
TL8B15.4	630.00	7852-8154	8	15.75	3030	3	6¼	64.80
TL1A15.6/B16.0	171.36	7851-1156	1	16.35	2517	2½	⅞	19.50
TL2A15.6/B16.0	224.28	7851-2156	2	16.35	2517	2½	1¾	32.00
TL3A15.6/B16.0	267.12	7851-3156	3	16.35	2517	2½	2½	42.50
TL4A15.6/B16.0	307.44	7851-4156	4	16.35	2517	2½	3¼	47.20
TL5A15.6/B16.0	370.44	7851-5156	5	16.35	2517	2½	4	67.20
TL6A15.6/B16.0	413.28	7851-6156	6	16.35	2517	2½	4¾	53.00
TL1A18.0/B18.4	196.56	7851-1180	1	18.75	2517	2½	1	35.70
TL2A18.0/B18.4	282.24	7851-2180	2	18.75	2517	2½	1¾	37.10
TL3A18.0/B18.4	307.44	7851-3180	3	18.75	2517	2½	2½	40.00
TL4A18.0/B18.4	327.60	7851-4180	4	18.75	2517	2½	3¼	47.70
TL6A18.0/B18.4	438.48	7851-6180	6	18.75	2517	2½	4¾	67.80
TL8B18.4	801.36	7852-8184	8	18.75	3030	3	6¼	79.70
TL2A19.6/B20.0	327.60	7852-2200	2	20.35	3020	3	1¾	52.50
TL3A19.6/B20.0	408.24	7852-3200	3	20.35	3020	3	2½	57.90
TL4A19.6/B20.0	458.64	7852-4200	4	20.35	3020	3	3¼	64.00
TL5A19.6/B20.0	491.40	7852-5200	5	20.35	3030	3	4	71.40
TL6A19.6/B20.0	584.64	7852-6200	6	20.35	3030	3	4¾	80.50
TL8B20.0	869.40	7852-8200	8	20.35	3030	3	6¼	112.00
TL2A24.6/B25.0	498.96	7852-2250	2	25.35	3020	3	1¾	52.50
TL3A24.6/B25.0	554.40	7852-3250	3	25.35	3020	3	2½	72.80
TL4A24.6/B25.0	604.80	7852-4250	4	25.35	3030	3	3¼	80.60
TL5A24.6/B25.0	630.00	7852-5250	5	25.35	3030	3	4	89.60
TL6A24.6/B25.0	730.80	7852-6250	6	25.35	3030	3	4¾	98.30
TL8B25.0	1108.80	7852-8250	8	25.35	3535	3 15/16	6¼	133.30
TL3A29.6/B30.0	630.00	7852-3300	3	30.35	3020	3	2½	107.00
TL4A29.6/B30.0	705.60	7852-4300	4	30.35	3030	3	3¼	103.70
TL5A29.6/B30.0	876.96	7852-5300	5	30.35	3030	3	4	116.30
TL6A29.6/B30.0	982.80	7852-6300	6	30.35	3030	3	4¾	123.60
TL8B30.0	1587.60	7852-8300	8	30.35	3535	3 15/16	6¼	148.00
TL2A37.6/B38.0	1058.40	7852-2380	2	38.35	3020	3	1¾	121.50
TL3A37.6/B38.0	1108.80	7852-3380	3	38.35	3030	3	2½	135.00
TL4A37.6/B38.0	1234.80	7852-4380	4	38.35	3030	3	3¼	152.70
TL5A37.6/B38.0	1360.80	7852-5380	5	38.35	3030	3	4	160.80
TL8B38.0	2192.40	7852-8380	8	38.35	4040	4 7/16	6¼	225.00

Multi-Duty® Sheaves – Taper Lock®

Product No. Series 7854 and 7855

C Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt.Ea. (Lbs.)
TL2C7.0	$166.32	7854-2070	2	2517	2 1/2	2 3/8	14.12
TL3C7.0	181.44	7854-3070	3	2517	2 1/2	3 3/8	16.30
TL4C7.0	206.64	7854-4070	4	2517	2 1/2	4 3/8	18.80
TL5C7.0	221.76	7854-5070	5	2517	2 1/2	5 3/8	20.00
TL6C7.0	312.48	7854-6070	6	3030	3	6 3/8	26.20
TL2C7.5	171.36	7854-2075	2	2517	2 1/2	2 3/8	14.60
TL3C7.5	186.48	7854-3075	3	2517	2 1/2	3 3/8	19.93
TL4C7.5	216.72	7854-4075	4	2517	2 1/2	4 3/8	22.86
TL5C7.5	282.24	7854-5075	5	2517	2 1/2	5 3/8	23.40
TL6C7.5	332.64	7854-6075	6	3030	3	6 3/8	31.40
TL2C8.0	181.44	7854-2080	2	2517	2 1/2	2 3/8	14.90
TL3C8.0	196.56	7854-3080	3	2517	2 1/2	3 3/8	20.20
TL4C8.0	246.96	7854-4080	4	2517	2 1/2	4 3/8	26.40
TL5C8.0	297.36	7854-5080	5	2517	2 1/2	5 3/8	25.90
TL6C8.0	352.80	7854-6080	6	3030	3	6 3/8	37.70
TL8C8.0	491.40	7854-8080	8	3030	3	8 3/8	44.90
TL2C8.5	186.48	7854-2085	2	2517	2 1/2	2 3/8	22.75
TL3C8.5	221.76	7854-3085	3	2517	2 1/2	3 3/8	26.54
TL4C8.5	262.08	7854-4085	4	2517	2 1/2	4 3/8	24.90
TL5C8.5	317.52	7854-5085	5	2517	2 1/2	5 3/8	29.00
TL6C8.5	362.88	7854-6085	6	3030	3	6 3/8	41.50
TL8C8.5	504.00	7854-8085	8	3030	3	8 3/8	51.40
TL2C9.0	191.52	7854-2090	2	2517	2 1/2	2 3/8	26.07
TL3C9.0	236.88	7854-3090	3	2517	2 1/2	3 3/8	30.11
TL4C9.0	282.24	7854-4090	4	2517	2 1/2	4 3/8	34.70
TL5C9.0	322.56	7854-5090	5	2517	2 1/2	5 3/8	31.30
TL6C9.0	372.96	7854-6090	6	3030	3	6 3/8	47.10
TL8C9.0	516.60	7854-8090	8	3535	3 15/16	8 3/8	53.00
TL2C9.5	201.60	7854-2095	2	2517	2 1/2	2 3/8	29.05
TL3C9.5	252.00	7854-3095	3	2517	2 1/2	3 3/8	23.30
TL4C9.5	287.28	7854-4095	4	2517	2 1/2	4 3/8	38.25
TL5C9.5	342.72	7854-5095	5	2517	2 1/2	5 3/8	35.40
TL6C9.5	398.16	7854-6095	6	3030	3	6 3/8	58.20
TL8C9.5	529.20	7854-8095	8	3535	3 15/16	8 3/8	70.70
TL10C9.5	645.12	7855-0095	10	4545	4 15/16	10 3/8	101.00
TL2C10.0	221.76	7854-2100	2	2517	2 1/2	2 3/8	22.65
TL3C10.0	277.20	7854-3100	3	2517	2 1/2	3 3/8	37.48
TL4C10.0	302.40	7854-4100	4	2517	2 1/2	4 3/8	41.97
TL5C10.0	347.76	7854-5100	5	2517	2 1/2	5 3/8	36.00
TL6C10.0	413.28	7854-6100	6	3030	3	6 3/8	55.10
TL8C10.0	541.80	7854-8100	8	3535	3 15/16	8 3/8	72.20
TL2C10.5	236.88	7854-2105	2	2517	2 1/2	2 3/8	25.88
TL3C10.5	289.80	7854-3105	3	2517	2 1/2	3 3/8	41.95
TL4C10.5	327.60	7854-4105	4	2517	2 1/2	4 3/8	33.40
TL5C10.5	372.96	7854-5105	5	2517	2 1/2	5 3/8	42.50
TL6C10.5	423.36	7854-6105	6	3030	3	6 3/8	48.13
TL8C10.5	567.00	7854-8105	8	3535	3 15/16	8 3/8	87.10
TL10C10.5	730.80	7855-0105	10	4545	4 15/16	10 3/8	108.00
TL2C11.0	252.00	7854-2110	2	2517	2 1/2	2 3/8	23.74
TL3C11.0	302.40	7854-3110	3	2517	2 1/2	3 3/8	45.79
TL4C11.0	342.72	7854-4110	4	2517	2 1/2	4 3/8	44.27
TL5C11.0	418.32	7854-5110	5	2517	2 1/2	5 3/8	39.70
TL6C11.0	448.56	7854-6110	6	3030	3	6 3/8	52.20
TL8C11.0	604.80	7854-8110	8	3535	3 15/16	8 3/8	77.20
TL2C12.0	264.60	7854-2120	2	2517	2 1/2	2 3/8	31.13
TL3C12.0	315.00	7854-3120	3	3020	3	3 3/8	39.50
TL4C12.0	378.00	7854-4120	4	3030	3	4 3/8	61.30
TL5C12.0	423.36	7854-5120	5	3030	3	5 3/8	42.90
TL6C12.0	504.00	7854-6120	6	3030	3	6 3/8	53.10
TL8C12.0	655.20	7854-8120	8	3535	3 15/16	8 3/8	91.10

Multi-Duty® Sheaves–Taper Lock®

Product No. Series 7854 and 7855 (continued)

C Section (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt.Ea. (Lbs.)
TL2C13.0	$315.00	7854-2130	2	2517	2 1/2	2 3/8	32.65
TL3C13.0	365.40	7854-3130	3	3020	3	3 3/8	43.10
TL4C13.0	423.36	7854-4130	4	3030	3	4 3/8	50.20
TL5C13.0	473.76	7854-5130	5	3030	3	5 3/8	56.50
TL6C13.0	559.44	7854-6130	6	3030	3	6 3/8	60.90
TL8C13.0	705.60	7854-8130	8	3535	3 15/16	8 3/8	88.00
TL10C13.0	1058.40	7855-0130	10	4545	4 15/16	10 3/8	168.00
TL2C14.0	340.20	7854-2140	2	2517	2 1/2	2 3/8	33.40
TL3C14.0	403.20	7854-3140	3	3020	3	3 3/8	49.50
TL4C14.0	458.64	7854-4140	4	3030	3	4 3/8	59.92
TL5C14.0	478.80	7854-5140	5	3030	3	5 3/8	64.40
TL6C14.0	604.80	7854-6140	6	3535	3 15/16	6 3/8	80.30
TL8C14.0	819.00	7854-8140	8	3535	3 15/16	8 3/8	107.00
TL2C16.0	365.40	7854-2160	2	2517	2 1/2	2 3/8	39.90
TL3C16.0	415.80	7854-3160	3	3020	3	3 3/8	56.60
TL4C16.0	529.20	7854-4160	4	3030	3	4 3/8	63.90
TL5C16.0	541.80	7854-5160	5	3030	3	5 3/8	80.20
TL6C16.0	655.20	7854-6160	6	3535	3 15/16	6 3/8	92.40
TL8C16.0	932.40	7854-8160	8	3535	3 15/16	8 3/8	111.00
TL10C16.0	1209.60	7855-0160	10	4545	4 15/16	10 3/8	237.00
TL2C18.0	390.60	7854-2180	2	3020	3	2 3/8	42.00
TL3C18.0	441.00	7854-3180	3	3030	3	3 3/8	72.00
TL4C18.0	541.80	7854-4180	4	3030	3	4 3/8	81.00
TL5C18.0	604.80	7854-5180	5	3535	3 15/16	5 3/8	105.00
TL6C18.0	705.60	7854-6180	6	3535	3 15/16	6 3/8	112.80
TL8C18.0	1083.60	7854-8180	8	4040	4 7/16	8 3/8	155.00
TL3C20.0	504.00	7854-3200	3	3030	3	3 3/8	71.00
TL4C20.0	567.00	7854-4200	4	3030	3	4 3/8	84.40
TL5C20.0	756.00	7854-5200	5	3535	3 15/16	5 3/8	106.00
TL8C20.0	1096.20	7854-8200	8	4040	4 7/16	8 3/8	164.00
TL2C24.0	579.60	7854-2240	2	3020	3	2 3/8	76.00
TL3C24.0	604.80	7854-3240	3	3030	3	3 3/8	90.00
TL5C24.0	806.40	7854-5240	5	3535	3 15/16	5 3/8	130.00
TL6C24.0	907.20	7854-6240	6	3535	3 15/16	6 3/8	144.60
TL8C24.0	1285.20	7854-8240	8	4040	4 7/16	8 3/8	193.00
TL10C24.0	1713.60	7855-0240	10	4545	4 15/16	10 3/8	336.00
TL3C30.0	806.40	7854-3300	3	3535	3 15/16	3 3/8	132.00
TL4C30.0	957.60	7854-4300	4	3535	3 15/16	4 3/8	150.00
TL5C30.0	1058.40	7854-5300	5	3535	3 15/16	5 3/8	172.00
TL6C30.0	1310.40	7854-6300	6	4040	4 7/16	6 3/8	175.30
TL8C30.0	1612.80	7854-8300	8	4040	4 7/16	8 3/8	230.00
TL10C30.0	2217.60	7855-0300	10	5050	5	10 3/8	340.00
TL3C36.0	1234.80	7854-3360	3	3535	3 15/16	3 3/8	166.70
TL4C36.0	1411.20	7854-4360	4	3535	3 15/16	4 3/8	193.30
TL5C36.0	1486.80	7854-5360	5	4040	4 7/16	5 3/8	210.00
TL6C36.0	1638.00	7854-6360	6	4040	4 7/16	6 3/8	230.00
TL8C36.0	2016.00	7854-8360	8	4545	4 15/16	8 3/8	316.00
TL10C36.0	3225.60	7855-0360	10	5050	5	10 3/8	380.00
TL4C44.0	2268.00	7854-4440	4	4040	4 7/16	4 3/8	366.00
TL5C44.0	2444.40	7854-5440	5	4040	4 7/16	5 3/8	270.00
TL6C44.0	2570.40	7854-6440	6	4040	4 7/16	6 3/8	292.50
TL8C44.0	3225.60	7854-8440	8	4545	4 15/16	8 3/8	372.00
TL10C44.0	3528.00	7855-0440	10	5050	5	10 3/8	480.00

Micro-V® Sheaves–Taper Lock®

Markets/Applications

Use with Micro-V® belts.

Features/Advantages

- Available in J section, 6 and 10 groove configurations.

Product No. Series 7813

J Section

Part No.	Suggested List Price	Product No.	No. of Grooves	Bushing	Max. Bore (In.)	Face Width (In.)	Wt.Ea. (Lbs.)
TL6J1.94	$26.46	7813-6194	6	1108	1 1/8	23/32	.50
TL6J2.00	26.71	7813-6200	6	1108	1 1/8	23/32	.80
TL6J2.06	26.96	7813-6206	6	1108	1 1/8	23/32	.85
TL6J2.12	27.22	7813-6212	6	1108	1 1/8	23/32	.65
TL10J2.12	37.80	7813-0212	10	1108	1 1/8	1 3/32	.65
TL6J2.24	27.47	7813-6224	6	1108	1 1/8	11/16	.70
TL10J2.24	38.05	7813-0224	10	1108	1 1/8	1 3/32	.70
TL6J2.36	27.72	7813-6236	6	1108	1 1/8	11/16	.70
TL10J2.36	38.30	7813-0236	10	1108	1 1/8	1 3/32	.70
TL6J2.50	27.97	7813-6250	6	1108	1 1/8	11/16	.75
TL10J2.50	38.81	7813-0250	10	1108	1 1/8	1 3/32	.75
TL6J2.65	28.22	7813-6265	6	1108	1 1/8	11/16	.75
TL10J2.65	39.31	7813-0265	10	1108	1 1/8	1 3/32	.75
TL6J2.80	29.23	7813-6280	6	1108	1 1/8	11/16	.85
TL10J2.80	40.32	7813-0280	10	1108	1 1/8	1 3/32	.90
TL6J3.00	30.24	7813-6300	6	1108	1 1/8	11/16	1.00
TL10J3.00	41.33	7813-0300	10	1210	1 1/4	1 3/32	1.40
TL6J3.15	31.75	7813-6315	6	1108	1 1/8	11/16	1.00
TL10J3.15	42.84	7813-0315	10	1210	1 1/4	1 3/32	1.45
TL6J3.35	33.26	7813-6335	6	1610	1 5/8	11/16	1.10
TL10J3.35	44.35	7813-0335	10	1610	1 5/8	1 3/32	1.50
TL6J3.60	34.78	7813-6360	6	1610	1 5/8	11/16	1.30
TL10J3.60	45.86	7813-0360	10	1610	1 5/8	1 3/32	1.60
TL6J4.00	36.29	7813-6400	6	1610	1 5/8	11/16	2.00
TL10J4.00	50.40	7813-0400	10	1610	1 5/8	1 3/32	2.10
TL6J4.50	37.80	7813-6450	6	1610	1 5/8	11/16	3.25
TL10J4.50	55.44	7813-0450	10	1610	1 5/8	1 3/32	3.25
TL6J4.75	40.32	7813-6475	6	1610	1 5/8	11/16	2.60
TL10J4.75	60.48	7813-0475	10	1610	1 5/8	1 3/32	3.10
TL6J5.00	42.84	7813-6500	6	1610	1 5/8	11/16	2.90
TL10J5.00	65.52	7813-0500	10	1610	1 5/8	1 3/32	3.60
TL6J5.30	45.36	7813-6530	6	1610	1 5/8	11/16	3.30
TL10J5.30	68.04	7813-0530	10	1610	1 5/8	1 3/32	4.20
TL6J5.60	47.88	7813-6560	6	1610	1 5/8	11/16	3.70
TL10J5.60	70.56	7813-0560	10	1610	1 5/8	1 3/32	5.50

Light-Duty Sheaves – Bored-to-Size

Markets/Applications

Use with Truflex® belts.

Features/Advantages

- Precision machined grooves.
- Single or double groove designs are available.

Notes

Sheaves up to 3.80" outside diameter are Solid Type.
Sheaves with outside diameter larger than 3.80" are Web and Spoke Types.

Solid Type

Spoke Type

Web Type

Product No. Series 7805 & 7807

ONE GROOVE "3L" – "4L" — Bored-to-Size

[For Use with No. 1 (3L) or No. 2 (4L) Section Truflex® V-Belts]

Part No.	Sugg. List Price	O.D. (In.)	Avg. Wt. Ea. (Lbs.)	[7]Pitch Diameter (In.)		Stock Bore (In.)										
				3L	4L	½	⅝	¾	⅞	15/16	1	1⅛	1 3/16	1¼	1⅜	1 7/16
						7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-
AK15	$9.32	1.50	.30	1.00	1.30	2046	2047	—	—	—	—	—	—	—	—	—
AK17	10.46	1.75	.30	1.16	1.50	2041	2042	[8]2043	—	—	—	—	—	—	—	—
AK20	10.46	2.00	.30	1.46	1.80	2056	2057	2058	—	—	—	—	—	—	—	—
AK21	10.77	2.10	.40	1.56	1.90	2059	2060	2061	—	—	—	—	—	—	—	—
AK22	10.77	2.20	.50	1.66	2.00	2062	2063	2064	—	—	—	—	—	—	—	—
AK23	11.42	2.30	.40	1.76	2.10	2066	2067	2068	2069	—	—	—	—	—	—	—
AK25	12.10	2.50	.80	1.96	2.30	2083	2084	2085	2086	—	—	—	—	—	—	—
AK26	12.41	2.60	.50	2.06	2.40	2087	2088	2089	—	—	—	—	—	—	—	—
AK27	12.89	2.70	.60	2.16	2.50	2090	2091	2092	—	—	—	—	—	—	—	—
AK28	13.36	2.80	.90	2.26	2.60	2108	2109	2110	2111	—	2112	—	—	—	—	—
AK30	14.87	3.05	1.20	2.46	2.80	2120	2121	2122	2123	—	2125	—	—	—	—	—
AK32	15.37	3.25	1.50	2.66	3.00	2402	2403	2404	2405	—	2406	2407	—	—	—	—
AK34	16.76	3.45	1.60	2.86	3.20	2144	2145	2146	2147	—	2149	2150	—	—	—	—
						7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-
AK39	20.92	3.75	1.70	3.16	3.50	2412	2413	2414	2415	2418	2416	2417	—	—	—	—
AK41	24.19	3.95	2.10	3.36	3.70	2168	2169	2170	2171	2172	2173	2174	—	—	—	—
AK44	24.81	4.25	1.40	3.66	4.00	2422	2423	2424	2425	2428	2426	2427	—	—	—	—
AK46	25.83	4.45	1.40	3.86	4.20	2192	2193	2194	2195	2196	2197	2198	—	—	—	—
AK49	26.07	4.75	1.50	4.16	4.50	2432	2433	2434	2435	2438	2436	2437	—	—	—	—
AK51	27.55	4.95	1.70	4.36	4.70	2216	2217	2218	2219	—	2221	2222	—	—	—	—
AK54	28.12	5.25	1.80	4.66	5.00	2442	2443	2444	2445	2449	2446	2447	2448	—	—	—
AK56	30.18	5.45	1.90	4.86	5.20	2240	2241	2242	2243	2244	2245	2246	2247	—	—	—
AK59	31.14	5.75	2.00	5.16	5.50	2250	2251	2252	2253	2254	2255	2256	2257	—	—	—
AK61	32.12	5.95	2.20	5.36	5.70	2264	2265	2266	2267	2268	2269	2270	2271	—	—	—
AK64	33.03	6.25	2.30	5.66	6.00	2452	2453	2454	2455	2459	2456	2457	2458	—	—	—
AK66	34.29	6.45	2.30	5.86	6.20	—	2463	2464	—	—	2466	2467	—	—	—	—
AK69	36.58	6.75	3.50	6.16	6.50	—	—	2474	—	—	2476	2477	—	—	—	—
AK71	38.87	6.95	3.80	6.36	6.70	—	2483	2484	—	—	2486	2487	—	—	—	—
AK74	38.99	7.25	3.60	6.66	7.00	2492	2493	2494	—	2495	2496	2497	2498	2499	—	2500
AK79	43.39	7.75	3.80	7.16	7.50	—	—	2504	—	—	2506	2507	—	—	—	2510
AK84	47.78	8.25	3.70	7.66	8.00	2532	2533	2534	—	2535	2536	—	2538	—	—	2540
AK89	50.41	8.75	4.30	8.16	8.50	—	—	2544	—	—	2546	2547	—	—	—	2550
AK94	53.05	9.25	3.50	8.66	9.00	2572	2573	2574	—	2571	2576	—	2578	2579	—	2580
AK99	54.81	9.75	5.10	9.16	9.50	—	—	2583	—	—	2586	—	—	—	—	2590
AK104	56.58	10.25	5.30	9.66	10.00	—	2613	2614	—	—	2616	—	2618	2619	2621	2620
AK109	59.45	10.75	6.10	10.16	10.50	—	—	2644	—	—	2646	—	—	—	2648	2640
AK114	62.31	11.25	5.60	10.66	11.00	—	—	2664	—	—	2666	—	2668	—	—	2670
AK124	71.21	12.25	4.50	11.66	12.00	—	2703	2704	—	—	2706	—	2708	2709	—	2710
AK134	85.50	13.25	8.00	12.66	13.00	—	—	2740	—	—	2741	—	2742	—	2743	2744
AK144	94.76	14.25	10.00	13.66	14.00	—	—	2780	—	—	2781	—	2782	—	—	2783
AK154	106.89	15.25	12.00	14.66	15.00	—	—	2790	—	—	2791	—	2792	—	2794	2793
AK184	135.24	18.25	14.00	17.66	18.00	—	—	2800	—	—	2801	—	2802	—	—	2803

[7]Pitch diameter is a reference diameter only.
[8]No Keyseat.

Prices Subject To Change Without Notice

Light-Duty Sheaves – Bored-to-Size

Product No. Series 7805 and 7807 (continued)

TWO GROOVE "3L" – "4L" — Bored-to-Size

[For Use with No. 1 (3L) or No. 2 (4L) Section Truflex® V-Belts]

Part No.	Sugg. List Price	O.D. (In.)	Avg. Wt. Ea. (Lbs.)	[7]Pitch Diameter (In.)		Stock Bore (In.)										
				3L	4L	½	⅝	¾	⅞	15/16	1	1⅛	1 3/16	1¼	1⅜	1 7/16
						7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-
2AK20	$25.96	2.00	.80	1.46	1.80	0011	0012	0013	0014	—	—	—	—	—	—	—
2AK21	27.28	2.15	.90	1.56	1.90	0015	0016	0017	—	—	—	—	—	—	—	—
2AK22	28.60	2.25	1.00	1.66	2.00	0021	0022	0023	0024	—	0025	—	—	—	—	—
2AK23	28.73	2.35	1.10	1.76	2.10	—	0032	0033	0034	—	0035	—	—	—	—	—
2AK25	28.85	2.55	.90	1.96	2.30	0111	0112	0113	0114	—	0115	0116	—	—	—	—
2AK26	30.87	2.65	1.40	2.06	2.40	—	0117	0118	0119	—	—	—	—	—	—	—
2AK27	32.89	2.75	1.80	2.16	2.50	0121	0122	0123	0124	—	0125	0126	—	—	—	—
2AK28	35.78	2.85	1.80	2.26	2.60	—	0132	0133	0134	—	0135	—	—	—	—	—
2AK30	38.68	3.05	2.40	2.46	2.80	0221	0222	0223	0224	—	0225	0226	—	—	—	—
2AK32	43.60	3.25	1.40	2.66	3.00	0141	0142	0143	0144	—	0145	0146	—	—	—	—
2AK34	44.98	3.45	1.50	2.86	3.20	0151	0152	0153	0154	—	0155	0156	—	—	—	—
2AK41	50.91	3.95	3.40	3.36	3.70	—	0171	0172	0173	—	0174	0175	—	—	—	—
						7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-
2AK39	45.74	3.75	1.60	3.16	3.50	0161	0162	0163	0164	—	0165	0166	—	—	—	—
2AK44	52.35	4.25	3.50	3.66	4.00	—	0171	0172	0173	—	0174	0175	—	—	—	—
2AK46	54.54	4.45	3.60	3.86	4.20	—	—	—	0178	—	0179	0180	—	—	—	—
2AK49	55.80	4.75	4.10	4.16	4.50	—	—	0182	0183	—	0184	0242	—	—	0243	—
2AK51	57.15	4.95	4.30	4.36	4.70	—	—	0186	0187	—	0188	0244	—	—	0245	—
2AK54	57.73	5.25	5.50	4.66	5.00	—	0189	0190	0191	—	0192	0246	—	—	0247	—
2AK56	58.76	5.45	3.90	4.86	5.20	—	0193	0194	—	—	0196	0248	—	—	0249	—
2AK59	63.56	5.75	4.00	5.16	5.50	—	—	—	—	—	0250	0251	—	—	0252	—
2AK61	65.51	5.95	4.10	5.36	5.70	—	—	0197	0198	—	0199	0253	—	—	0254	—
2AK64	68.48	6.25	5.20	5.66	6.00	—	—	0200	—	—	0202	0255	0203	—	0256	0204
2AK74	77.97	7.25	6.10	6.66	7.00	—	—	0205	—	—	0206	0257	0207	—	0258	0208
2AK84	85.30	8.25	6.90	7.66	8.00	—	—	0209	—	0210	0211	0259	0212	—	0260	0214
2AK94	92.82	9.25	7.80	8.66	9.00	—	—	0215	—	—	0217	0261	0218	—	0262	0219
2AK104	99.80	10.25	8.60	9.66	10.00	—	—	0220	—	0221	0222	—	—	—	—	0224
2AK114	108.26	11.25	9.00	10.66	11.00	—	—	—	—	—	0226	—	0227	—	0263	0228
2AK124	118.55	12.25	10.30	11.66	12.00	—	—	—	—	—	0230	—	0231	—	—	0232
2AK134	139.59	13.25	11.50	12.66	13.00	—	—	—	—	—	—	—	0264	—	—	0265
2AK144	147.47	14.25	12.00	13.66	14.00	—	—	—	—	—	0233	—	—	—	—	0235
2AK154	170.10	15.25	14.80	14.66	15.00	—	—	—	—	—	—	—	0237	—	—	0238
2AK184	214.35	18.25	21.20	17.66	18.00	—	—	—	—	—	—	—	0240	—	—	0241

[7]Pitch diameter is a reference diameter only.

Light-Duty Sheaves – Bored-to-Size

Product No. Series 7805 and 7807(continued)

ONE GROOVE "4L" – "5L" — Bored-to-Size

[For Use with No. 2 (4L) or No. 3 (5L) Section Truflex® V-Belts]

Part No.	Sugg. List Price	O.D. (In.)	Avg. Wt. Ea. (Lbs.)	[7]Pitch Diameter (In.)		Stock Bore (In.)										
				4L	5L	1/2	5/8	3/4	7/8	15/16	1	1 1/8	1 3/16	1 1/4	1 3/8	1 7/16
						7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-
BK20	$13.23	2.00	.30	1.30	1.70	3527	3528	3529	—	—	—	—	—	—	—	—
BK23	13.99	2.25	.40	1.60	2.00	3539	3540	3541	3542	—	3543	—	—	—	—	—
BK24	14.62	2.40	.40	1.80	2.20	3545	3546	3547	—	—	—	—	—	—	—	—
BK25	15.12	2.50	.90	1.90	2.30	3551	3552	3553	3554	—	3555	—	—	—	—	—
BK26	15.88	2.60	.60	2.00	2.40	3565	3566	3567	3568	—	—	—	—	—	—	—
BK27	16.63	2.70	1.00	2.10	2.50	3575	3576	3577	3578	—	3580	—	—	—	—	—
BK28	16.76	2.95	1.20	2.20	2.60	3587	3588	3589	3590	—	3592	3593	—	—	—	—
BK30	18.27	3.00	.80	2.44	2.84	3597	3598	3599	3600	—	—	—	—	—	—	—
BK31	18.27	3.25	1.40	2.50	2.90	3907	3908	3909	3916	—	3917	3919	—	—	—	—
BK32	20.48	3.35	1.40	2.60	3.00	3621	3622	3623	3624	—	—	—	—	—	—	—
BK34	22.81	3.55	1.70	2.80	3.20	3611	3612	3613	3614	—	3616	3618	—	—	—	—
						7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-
BK36	24.82	3.75	1.80	3.00	3.40	3930	3931	3932	3933	—	3934	3935	—	—	—	—
BK40	25.96	3.95	2.00	3.20	3.60	3635	3636	3637	3638	—	3640	3641	—	—	—	—
BK45	26.41	4.25	1.80	3.50	3.90	3950	3951	3952	3953	—	3954	3955	—	—	—	—
BK47	28.58	4.45	1.90	3.70	4.10	5201	5202	5203	5204	—	5205	5238	—	—	—	—
BK50	28.92	4.75	1.90	4.00	4.40	3980	3981	3982	3983	—	3984	3985	—	—	—	—
BK52	29.03	4.95	2.00	4.20	4.60	3683	3684	3685	3686	—	3688	3689	—	—	—	—
BK55	30.75	5.25	2.20	4.50	4.90	5206	5207	5208	5209	—	5210	5211	5239	—	—	—
BK57	32.12	5.45	2.50	4.70	5.10	—	5213	5214	5215	5240	5216	5217	—	—	—	—
BK60	33.03	5.75	2.20	5.00	5.40	4050	4051	4052	4053	—	4054	4055	4056	—	—	—
BK62	33.26	5.95	2.80	5.20	5.60	3731	3732	3733	3734	3692	3736	3737	3738	—	—	—
BK65	37.28	6.25	2.40	5.50	5.90	—	4071	4072	—	—	4074	4075	—	—	—	—
BK67	38.64	6.45	3.50	5.70	6.10	—	5218	5219	—	—	5221	5222	—	—	—	—
BK70	43.09	6.75	3.60	6.00	6.40	—	5001	5002	—	5241	5004	5005	5006	—	—	5008
BK72	45.73	6.95	3.50	6.20	6.60	—	—	5012	—	—	5014	5242	—	—	5243	—
BK75	46.64	7.25	3.50	6.50	6.90	—	—	5224	—	—	5225	5244	—	—	—	—
BK77	47.12	7.45	4.10	6.70	7.10	—	—	5246	—	—	5247	5248	—	—	5249	—
BK80	47.78	7.75	3.70	7.00	7.40	—	5031	5032	5033	—	5034	5035	5036	5037	5250	5038
BK85	53.73	8.25	4.80	7.50	7.90	—	—	5226	—	—	5227	5251	—	—	5252	5253
BK90	55.32	8.75	5.20	8.00	8.40	—	—	5282	5043	5254	5044	5255	5256	—	5257	5258
BK95	58.25	9.25	5.40	8.50	8.90	—	—	5259	—	—	5260	5261	—	—	5262	—
BK100	61.16	9.75	5.00	9.00	9.40	—	—	5092	5093	5263	5094	5095	5096	5097	5266	5098
BK105	65.73	10.25	5.80	9.50	9.90	—	—	—	—	—	5265	—	—	—	5283	5267
BK110	70.31	10.75	5.00	10.00	10.40	—	—	5102	—	—	5104	5268	5106	—	5269	5270
BK115	73.28	11.25	6.20	10.50	10.90	—	—	—	—	—	5271	—	—	—	—	5272
BK120	74.99	11.75	5.00	11.00	11.40	—	—	5172	—	—	5174	—	5176	—	—	5178
BK130	83.91	12.75	7.40	12.00	12.40	—	—	6002	—	—	6004	6005	6006	6007	—	6008
BK140	107.46	13.75	8.60	13.00	13.40	—	—	5273	—	—	5274	5275	5276	—	—	5277
BK160	131.00	15.75	11.70	15.00	15.40	—	—	—	—	—	5229	5278	5230	—	—	5232
BK190	150.90	18.75	14.00	18.00	18.40	—	—	—	—	—	—	5280	5235	5281	—	5237

[7]Pitch diameter is a reference diameter only.

Light-Duty Sheaves – Bored-to-Size

Product No. Series 7805 and 7807 (continued)

TWO GROOVE "4L" – "5L" — Bored-to-Size

[For Use with No. 2 (4L) or No. 3 (5L) Section Truflex® V-Belts]

Part No.	Sugg. List Price	O.D. (In.)	Avg. Wt. Ea. (Lbs.)	[7]Pitch Diameter (In.)		Stock Bore (In.)										
				4L	5L	½	⅝	¾	⅞	15/16	1	1⅛	1 3/16	1¼	1⅜	1 7/16
						7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-	7807-
2BK25	$36.67	2.50	1.20	1.90	2.30	7211	7212	7213	7214	—	7215	—	—	—	—	—
2BK27	38.05	2.70	1.60	2.10	2.50	7221	7222	7223	7224	—	7225	7836	—	—	—	—
2BK28	40.82	2.95	1.80	2.20	2.60	7231	7232	7233	7234	—	7235	7236	—	—	—	—
2BK30	43.97	3.15	2.30	2.40	2.80	7837	7838	7839	7840	—	7841	7842	—	—	—	—
2BK32	45.36	3.35	2.10	2.60	3.00	—	7812	7813	7814	—	7815	7816	—	—	—	—
2BK34	47.38	3.55	2.50	2.80	3.20	—	7822	7823	7824	—	7825	7826	—	—	—	—
2BK40	50.90	3.95	3.30	3.20	3.60	—	7830	7831	7832	—	7833	7834	—	—	7835	—
						7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-	7805-
2BK36	48.64	3.75	3.50	3.00	3.40	—	—	7273	7274	—	7275	7276	—	—	7351	—
2BK45	54.64	4.25	3.50	3.50	3.90	—	—	—	—	—	7277	7281	—	—	7282	—
2BK47	55.32	4.45	3.90	3.70	4.10	—	—	—	7284	—	7285	7286	—	—	—	—
2BK50	58.40	4.75	4.60	4.00	4.40	—	—	7288	—	—	7290	7291	—	—	7292	—
2BK52	58.64	4.95	4.90	4.20	4.60	—	—	—	7294	—	7295	7296	—	—	7297	—
2BK55	63.33	5.25	5.00	4.50	4.90	—	—	—	—	—	—	7301	—	—	7352	—
2BK57	65.15	5.45	5.50	4.70	5.10	—	—	—	—	—	7304	7305	—	—	7353	—
2BK60	68.02	5.75	5.90	5.00	5.40	—	—	7306	7307	—	7308	7309	—	—	7354	—
2BK62	69.38	5.95	6.00	5.20	5.60	—	—	—	—	—	7355	7356	—	—	7357	—
2BK65	73.63	6.25	5.80	5.50	5.90	—	—	—	—	—	7312	7313	—	—	7358	—
2BK67	77.86	6.45	6.30	5.70	6.10	—	—	—	—	—	7315	7316	—	—	7359	—
2BK70	86.31	6.75	6.90	6.00	6.40	—	—	7317	—	—	7318	7360	7319	—	7361	7320
2BK80	91.68	7.75	7.40	7.00	7.40	—	—	7321	—	—	7323	7362	7324	—	7363	7325
2BK90	94.76	8.75	8.90	8.00	8.40	—	—	7326	—	—	7327	7364	7328	—	7365	7329
2BK100	111.46	9.75	10.40	9.00	9.40	—	—	7330	—	—	7332	—	7333	—	7366	7334
2BK110	118.43	10.75	10.40	10.00	10.40	—	—	—	—	—	7335	—	7336	—	—	7337
2BK120	128.27	11.75	13.40	11.00	11.40	—	—	—	—	—	7339	—	7340	—	—	7341
2BK130	144.15	12.75	15.00	12.00	12.40	—	—	—	—	—	7367	—	7368	—	—	7369
2BK140	151.24	13.75	16.00	13.00	13.40	—	—	—	—	—	7342	—	7343	—	—	7344
2BK160	180.17	15.75	18.00	15.00	15.40	—	—	—	—	—	7345	—	7346	—	—	7347
2BK190	231.03	18.75	25.50	18.00	18.40	—	—	—	—	—	—	—	7349	—	—	7350

[7]Pitch diameter is a reference diameter only.

Light-Duty Sheaves – Variable Pitch

Markets/Applications

Use with Truflex® belts.

Features/Advantages

- Sheave grooves are precision machined.
- Single or double groove designs are available.

One-Groove

Two-Groove

Product No. Series 7810

ONE GROOVE — "3L" - "4L" - "5L" - PITCH

[For Use with No. 1 (3L), No. 2 (4L) or No. 3 (5L) Section Truflex® V-Belts]

Part No.	Sugg. List Price	O.D. (In.)	Avg. Wt. Ea. (Lbs.)	[9]Pitch Diameter Range (In.) 3L Min.	3L Max.	4L Min.	4L Max.	5L Min.	5L Max.	Stock Bore (In.) ½	⅝	¾	⅞	1	1⅛	1¼	1⅜
										7810-	7810-	7810-	7810-	7810-	7810-	7810-	7810-
1VP25	$27.97	2.32	.70	1.40	2.20	—	—	—	—	1108	—	—	—	—	—	—	—
1VP30	28.35	2.87	1.10	1.80	2.70	—	—	—	—	1208	1210	1212	—	—	—	—	—
1VP34	35.66	3.15	1.60	1.70	2.50	1.9	2.9	2.4	3.2	1308	1310	1312	1314	—	—	—	—
1VP40	36.16	3.75	2.00	2.30	3.10	2.4	3.4	2.7	3.7	1408	1410	1412	1414	—	—	—	—
1VP44S	39.06	4.15	2.30	2.70	3.50	2.8	3.8	3.1	4.1	1508	1510	1512	—	—	—	—	—
1VP44L	54.18	4.15	2.30	2.70	3.50	2.8	3.8	3.1	4.1	—	—	—	1514	1516	1518	—	—
1VP50S	45.36	4.75	3.50	3.30	4.10	3.4	4.4	3.7	4.7	1608	1610	1612	—	—	—	—	—
1VP50L	65.77	4.75	3.50	3.30	4.10	3.4	4.4	3.7	4.7	—	—	—	1614	1616	1618	—	—
1VP56S	68.67	5.35	4.00	3.90	4.70	4.0	5.0	4.3	5.3	1708	1710	1712	—	—	—	—	—
1VP56L	88.58	5.35	4.00	3.90	4.70	4.0	5.0	4.3	5.3	—	—	—	1714	1716	1718	—	—
1VP60	107.35	6.00	6.50	—	—	4.2	5.2	4.3	5.5	—	—	1722	1724	—	1728	—	—
1VP62	108.36	5.95	6.10	4.50	5.30	4.6	5.6	4.9	5.9	—	1810	1812	1814	1816	1818	1822	—
1VP65	112.39	6.50	6.80	—	—	4.7	5.7	4.8	6.0	—	—	1832	1834	—	1838	—	—
1VP68	112.39	6.55	6.80	5.10	5.90	5.2	6.2	5.5	6.5	—	1840	1842	1844	1846	1848	1852	—
1VP71	119.83	7.10	8.20	—	—	5.3	6.3	5.4	6.6	—	—	1882	1884	—	1888	—	—
1VP75	159.77	7.50	8.20	—	—	5.7	6.7	5.8	7.0	—	—	1862	1864	—	1868	—	—

[9]Pitch diameter is a reference diameter only. The minimum recommended pitch diameters should be observed for the specific belt section used.

TWO GROOVE — "3L" - "4L" - "5L" PITCH

[For Use with No. 1 (3L), No. 2 (4L) or No. 3 (5L) Section Truflex® V-Belts]

Part No.	Sugg. List Price	O.D. (In.)	Avg. Wt. Ea. (Lbs.)	[9]Pitch Diameter Range (In.) 3L Min.	3L Max.	4L Min.	4L Max.	5L Min.	5L Max.	Stock Bore (In.) ½	⅝	¾	⅞	1	1⅛	1¼	1⅜
										7810-	7810-	7810-	7810-	7810-	7810-	7810-	7810-
2VP36	$85.93	3.35	3.40	1.90	2.70	2.0	3.0	2.5	3.5	4358	4360	4362	4364	4366	—	—	—
2VP42	98.41	3.95	3.80	2.50	3.30	2.6	3.6	2.9	3.9	—	4420	4422	4424	4426	4428	—	—
2VP50	113.40	4.75	6.40	3.30	4.10	3.4	4.4	3.7	4.7	—	4610	4612	4614	4616	4618	—	—
2VP56	133.43	5.35	7.50	3.90	4.70	4.0	5.0	4.3	5.3	—	4720	—	4724	4726	4728	—	—
2VP60	170.60	6.00	10.60	—	—	4.2	5.2	4.3	5.5	—	—	4742	4744	—	4748	—	4752
2VP62	170.73	5.95	10.50	4.50	5.30	4.6	5.6	4.9	5.9	—	—	4812	4814	4816	4818	4830	4832
2VP65	182.95	6.50	12.30	—	—	4.7	5.7	4.8	6.0	—	—	4822	4824	—	4828	—	4829
2VP68	188.87	6.55	12.50	5.10	5.90	5.2	6.2	5.5	6.5	—	—	—	4844	4846	4848	4850	4852
2VP71	193.54	7.10	14.60	—	—	5.3	6.3	5.4	6.6	—	—	4882	4884	—	4888	—	4892
2VP75	286.65	7.50	14.60	—	—	5.7	6.7	5.8	7.0	—	—	4862	4864	—	4868	—	4872

[9]Pitch diameter is a reference diameter only. The minimum recommended pitch diameters should be observed for the specific belt section used.

Light-Duty Sheaves – Bushed

Markets/Applications
Use with Truflex® belts.

Features/Advantages
- Sheave grooves are precision machined.

Notes
H Type bushings are sold separately.
Sheaves up to 3.95" diameter are Solid Type.
Sheaves with diameters from 3.95" to 5.25" are Web Type.
Sheaves with diameters larger than 5.25" are Spoke Type.

Product No. Series 7801

ONE GROOVE "3L" — "4L"
Taper Bushed
[For Use with No. 1 (3L) or No. 2 (4L) Section Truflex® V-Belts]

Part No.	Suggested List Price	Product No.	O.D. (In.)	[7]Pitch Diameter (In.)		Wt. Ea. (Lbs.)
				3L	4L	
AK30H	$19.78	7801-0030	3.05	2.46	2.80	1.20
AK32H	24.44	7801-0032	3.25	2.66	3.00	1.40
AK34H	24.70	7801-0034	3.45	2.86	3.20	1.10
AK39H	26.21	7801-0100	3.75	3.16	3.50	1.30
AK41H	26.59	7801-0101	3.95	3.36	3.70	1.60
AK44H	26.84	7801-0102	4.25	3.66	4.00	1.70
AK46H	27.22	7801-0103	4.45	3.86	4.20	1.70
AK49H	27.59	7801-0104	4.75	4.16	4.50	2.10
AK51H	27.97	7801-0105	4.95	4.36	4.70	2.10
AK54H	28.35	7801-0106	5.25	4.66	5.00	2.30
AK56H	28.73	7801-0107	5.45	4.86	5.20	2.00
AK59H	29.23	7801-0108	5.75	5.16	5.50	2.10
AK61H	29.86	7801-0109	5.95	5.36	5.70	2.20
AK64H	30.62	7801-0110	6.25	5.66	6.00	2.20
AK66H	31.63	7801-0111	6.45	5.86	6.20	2.40
AK69H	34.65	7801-0112	6.75	6.16	6.50	2.50
AK71H	36.54	7801-0113	6.95	6.36	6.70	2.60
AK74H	38.30	7801-0114	7.25	6.66	7.00	2.80
AK79H	41.71	7801-0115	7.75	7.16	7.50	3.20
AK84H	44.35	7801-0118	8.25	7.66	8.00	3.60
AK89H	47.75	7801-0116	8.75	8.16	8.50	3.80
AK94H	51.66	7801-0120	9.25	8.66	9.00	3.90
AK99H	54.81	7801-0121	9.75	9.16	9.50	4.30
AK104H	55.57	7801-0122	10.25	9.66	10.00	4.50
AK109H	58.46	7801-0123	10.75	10.16	10.50	4.70
AK114H	60.23	7801-0124	11.25	10.66	11.00	4.90
AK124H	65.90	7801-0126	12.25	11.66	12.00	5.50
AK134H	75.98	7801-0128	13.25	12.66	13.00	6.10
AK144H	85.30	7801-0130	14.25	13.66	14.00	7.10
AK154H	93.87	7801-0131	15.25	14.66	15.00	9.40
AK184H	110.88	7801-0133	18.25	17.66	18.00	15.00

[7]Pitch diameter is a reference diameter only.

Light-Duty Sheaves – Bushed

Product No. Series 7801 (continued)

ONE GROOVE "4L" — "5L"

Taper Bushed

[For Use with No. 2 (4L) or No. 3 (5L) Section Truflex® V-Belts]

Part No.	Suggested List Price	Product No.	O.D. (In.)	[7]Pitch Diameter (In.)		Wt. Ea. (Lbs.)
				3L	4L	
BK30H	$27.34	7801-0140	3.15	2.40	2.80	1.20
BK32H	29.11	7801-0142	3.35	2.60	3.00	1.40
BK34H	29.11	7801-0144	3.55	2.80	3.20	1.60
BK36H	29.36	7801-0150	3.75	3.00	3.40	1.20
BK40H	29.36	7801-0151	3.95	3.20	3.60	1.40
BK45H	29.99	7801-0152	4.25	3.50	3.90	1.70
BK47H	30.74	7801-0153	4.45	3.70	4.10	1.90
BK50H	31.37	7801-0154	4.75	4.00	4.40	2.10
BK52H	32.00	7801-0155	4.95	4.20	4.60	2.30
BK55H	32.76	7801-0156	5.25	4.50	4.90	2.40
BK57H	33.39	7801-0157	5.45	4.70	5.10	2.40
BK60H	33.77	7801-0158	5.75	5.00	5.40	2.30
BK62H	35.53	7801-0159	5.95	5.20	5.60	2.40
BK65H	37.93	7801-0160	6.25	5.50	5.90	2.80
BK67H	39.06	7801-0161	6.45	5.70	6.10	2.80
BK70H	40.32	7801-0162	6.75	6.00	6.40	2.90
BK72H	42.21	7801-0163	6.95	6.20	6.60	2.90
BK75H	43.97	7801-0164	7.25	6.50	6.90	3.10
BK77H	44.60	7801-0165	7.45	6.70	7.10	3.20
BK80H	45.36	7801-0166	7.75	7.00	7.40	3.20
BK85H	50.27	7801-0168	8.25	7.50	7.90	3.70
BK90H	53.55	7801-0169	8.75	8.00	8.40	4.00
BK95H	57.58	7801-0170	9.25	8.50	8.90	4.50
BK100H	59.72	7801-0171	9.75	9.00	9.40	4.80
BK105H	60.98	7801-0172	10.25	9.50	9.90	5.30
BK110H	65.77	7801-0173	10.75	10.00	10.40	5.40
BK115H	67.79	7801-0174	11.25	10.50	10.90	5.70
BK120H	72.70	7801-0175	11.75	11.00	11.40	5.80
BK130H	79.63	7801-0177	12.75	12.00	12.40	6.50
BK140H	90.22	7801-0179	13.75	13.00	13.40	7.70
BK150H	98.03	7801-0180	14.75	14.00	14.40	8.50
BK160H	105.46	7801-0182	15.75	15.00	15.40	9.60
BK190H	144.27	7801-0184	18.75	18.00	18.40	17.00

[7]Pitch diameter is a reference diameter only.

Product No. Series 7801 (continued)

TWO GROOVE "3L" — "4L"

Taper Bushed

[For Use with No. 1 (3L) or No. 2 (4L) Section Truflex® V-Belts]

Part No.	Suggested List Price	Product No.	O.D. (In.)	[7]Pitch Diameter (In.) 3L	[7]Pitch Diameter (In.) 4L	Wt. Ea. (Lbs.)
2AK30H	$42.08	7801-0197	3.05	2.46	2.80	1.60
2AK32H	47.25	7801-0198	3.25	2.66	3.00	2.00
2AK34H	47.25	7801-0199	3.45	2.86	3.20	1.60
2AK39H	48.64	7801-0200	3.75	3.16	3.50	1.80
2AK41H	53.80	7801-0201	3.95	3.36	3.70	2.00
2AK44H	55.69	7801-0202	4.25	3.66	4.00	2.30
2AK46H	58.21	7801-0203	4.45	3.86	4.20	2.60
2AK49H	59.35	7801-0204	4.75	4.16	4.50	2.90
2AK51H	60.98	7801-0205	4.95	4.36	4.70	3.20
2AK54H	64.39	7801-0206	5.25	4.66	5.00	3.50
2AK56H	64.51	7801-0207	5.45	4.86	5.20	2.80
2AK59H	65.14	7801-0208	5.75	5.16	5.50	3.40
2AK61H	66.65	7801-0209	5.95	5.36	5.70	3.40
2AK64H	70.31	7801-0210	6.25	5.66	6.00	3.70
2AK74H	78.62	7801-0214	7.25	6.66	7.00	4.40
2AK84H	87.19	7801-0218	8.25	7.66	8.00	5.10
2AK94H	93.74	7801-0220	9.25	8.66	9.00	5.80
2AK104H	98.15	7801-0222	10.25	9.66	10.00	6.00
2AK114H	109.24	7801-0224	11.25	10.66	11.00	7.50
2AK124H	115.16	7801-0226	12.25	11.66	12.00	8.30
2AK134H	121.97	7801-0228	13.25	12.66	13.00	9.00
2AK144H	129.02	7801-0230	14.25	13.66	14.00	9.70
2AK154H	144.52	7801-0231	15.25	14.66	15.00	11.90
2AK184H	190.39	7801-0233	18.25	17.66	18.00	24.00

[7]Pitch diameter is a reference diameter only.

TWO GROOVE "4L" — "5L"

Taper Bushed

[For Use with No. 2 (4L) or No. 3 (5L) Section Truflex® V-Belts]

Part No.	Suggested List Price	Product No.	O.D. (In.)	[7]Pitch Diameter (In.) 3L	[7]Pitch Diameter (In.) 4L	Wt. Ea. (Lbs.)
2BK32H	$49.90	7801-0248	3.35	2.60	3.00	2.20
2BK34H	50.15	7801-0249	3.55	2.80	3.20	2.40
2BK36H	51.16	7801-0250	3.75	3.00	3.40	2.10
2BK40H	51.66	7801-0251	3.95	3.20	3.60	2.00
2BK45H	53.05	7801-0252	4.25	3.50	3.90	2.40
2BK47H	58.46	7801-0253	4.45	3.70	4.10	2.60
2BK50H	59.47	7801-0254	4.75	4.00	4.40	3.10
2BK52H	60.98	7801-0255	4.95	4.20	4.60	3.40
2BK55H	66.02	7801-0256	5.25	4.50	4.90	3.80
2BK57H	67.16	7801-0257	5.45	4.70	5.10	4.00
2BK60H	68.67	7801-0258	5.75	5.00	5.40	4.60
2BK62H	69.55	7801-0259	5.95	5.20	5.60	4.00
2BK65H	75.10	7801-0260	6.25	5.50	5.90	4.30
2BK67H	76.36	7801-0261	6.45	5.70	6.10	4.40
2BK70H	78.37	7801-0262	6.75	6.00	6.40	4.90
2BK80H	91.10	7801-0266	7.75	7.00	7.40	5.60
2BK90H	92.74	7801-0269	8.75	8.00	8.40	6.70
2BK100H	107.73	7801-0271	9.75	9.00	9.40	7.60
2BK110H	116.93	7801-0273	10.75	10.00	10.40	8.10
2BK120H	133.31	7801-0275	11.75	11.00	11.40	9.70
2BK130H	143.14	7801-0277	12.75	12.00	12.40	11.50
2BK140H	162.04	7801-0279	13.75	13.00	13.40	11.60
2BK160H	169.97	7801-0282	15.75	15.00	15.40	14.10
2BK190H	190.76	7801-0284	18.75	18.00	18.40	26.00

[7]Pitch diameter is a reference diameter only.

Polyflex™ Sheaves

Markets/Applications

Use with Polyflex® and Polyflex JB® belts.

Features/Advantages

- Steel sheaves are suitable for precision applications at high speeds.
- Sheaves with smaller diameters are available with Minimum Plain Bore (MPB).
- Sheaves with larger diameters are available in Taper-Lock® Style.

Notes
Sheaves and bushings must be ordered separately.

Product No. Series 7868

STANDARD STOCKED PRODUCT

Sheaves for 3M Polyflex® belts—3 Groove

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Dia. (In.)	Material	Bore or Bushing	Bore Range (In.)	Bore Range Max. (In.)	Wt. Ea. (Lbs.)
3/3M0.67 X 1/8	$51.15	7868-1001	3	.67	Steel	MPB	.125	.125	.05
3/3M0.71 X 1/8	52.15	7868-1002	3	.71	Steel	MPB	.125	.188	.06
3/3M0.75 X 1/8	52.70	7868-1003	3	.75	Steel	MPB	.125	.250	.07
3/3M0.79 X 1/8	53.80	7868-1004	3	.79	Steel	MPB	.125	.250	.08
3/3M0.83 X 1/8	54.85	7868-1005	3	.83	Steel	MPB	.125	.313	.09
3/3M0.88 X 1/8	56.00	7868-1006	3	.88	Steel	MPB	.125	.375	.10
3/3M0.93 X 1/8	57.10	7868-1007	3	.93	Steel	MPB	.125	.375	.12
3/3M0.98 X 1/8	58.25	7868-1008	3	.98	Steel	MPB	.125	.438	.13
3/3M1.04 X 1/8	61.40	7868-1009	3	1.04	Steel	MPB	.125	.500	.15
3/3M1.10 X 1/8	67.55	7868-1010	3	1.10	Steel	MPB	.125	.563	.19
3/3M1.17 X 1/8	71.25	7868-1011	3	1.17	Steel	MPB	.125	.625	.22
3/3M1.24 X 1/8	72.70	7868-1012	3	1.24	Steel	MPB	.125	.750	.25
3/3M1.57 X 1/8	83.05	7868-1013	3	1.57	Steel	MPB	.125	1.000	.40
3/3M1.97 X 1/8	84.70	7868-1014	3	1.97	Steel	MPB	.125	1.250	.62

Sheaves for 5M Polyflex® belts—3 Groove

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Dia. (In.)	Material	Bore or Bushing	Bore Range (In.)	Bore Range Max. (In.)	Wt. Ea. (Lbs.)
3/5M1.04 X 3/8	$66.40	7868-1101	3	1.04	Steel	MPB	.375	.406	.13
3/5M1.10 X 3/8	67.55	7868-1102	3	1.10	Steel	MPB	.375	.469	.16
3/5M1.17 X 3/8	71.20	7868-1103	3	1.17	Steel	MPB	.375	.500	.20
3/5M1.24 X 3/8	72.70	7868-1104	3	1.24	Steel	MPB	.375	.563	.23
3/5M1.32 X 3/8	74.95	7868-1105	3	1.32	Steel	MPB	.375	.625	.28
3/5M1.40 X 3/8	77.80	7868-1106	3	1.40	Steel	MPB	.375	.688	.32
3/5M1.48 X 3/8	79.90	7868-1107	3	1.48	Steel	MPB	.375	.750	.38
3/5M1.57 X 3/8	81.05	7868-1108	3	1.57	Steel	MPB	.375	.875	.44
3/5M1.67 X 3/8	82.70	7868-1109	3	1.67	Steel	MPB	.375	.938	.52
3/5M1.77 X 3/8	83.90	7868-1110	3	1.77	Steel	MPB	.375	1.063	.60
3/5M1.87 X 3/8	84.15	7868-1111	3	1.87	Steel	MPB	.375	1.125	.68
3/5M1.97 X 3/8	84.70	7868-1112	3	1.97	Steel	MPB	.375	1.250	.77
3/5M2.48	112.35	7868-1113	3	2.48	Steel	1108	.500	1.125	.84
3/5M3.15	127.50	7868-1114	3	3.15	Steel	1108	.500	1.125	1.20
3/5M3.94	147.70	7868-1115	3	3.94	Steel	1610	.500	1.688	1.60
3/5M4.92	157.85	7868-1116	3	4.92	Steel	2012	.500	2.125	3.20
3/5M6.30	192.60	7868-1117	3	6.30	Steel	2012	.500	2.125	4.60
3/5M7.87	227.30	7868-1118	3	7.87	Steel	2517	.500	2.125	8.80
3/5M9.84	325.85	7868-1119	3	9.84	Steel	2517	.500	2.125	9.80
3/5M12.40	595.75	7868-1120	3	12.40	Steel	2517	.500	2.125	15.00
3/5M15.70	949.70	7868-1121	3	15.70	Steel	2517	.500	2.125	26.70

Product No. Series 7868 (continued)

Sheaves for 5M Polyflex® belts—5 Groove

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Dia. (In.)	Material	Bore or Bushing	Bore Range (In.)	Bore Range Max. (In.)	Wt. Ea. (Lbs.)
5/5M1.04 X 3/8	$71.40	7868-1201	5	1.04	Steel	MPB	.375	.406	.18
5/5M1.10 X 3/8	72.55	7868-1202	5	1.10	Steel	MPB	.375	.469	.22
5/5M1.17 X 3/8	76.20	7868-1203	5	1.17	Steel	MPB	.375	.500	.28
5/5M1.24 X 3/8	77.70	7868-1204	5	1.24	Steel	MPB	.375	.563	.38
5/5M1.32 X 3/8	79.95	7868-1205	5	1.32	Steel	MPB	.375	.625	.39
5/5M1.40 X 3/8	82.80	7868-1206	5	1.40	Steel	MPB	.375	.688	.46
5/5M1.48 X 3/8	84.90	7868-1207	5	1.48	Steel	MPB	.375	.750	.53
5/5M1.57 X 3/8	86.05	7868-1208	5	1.57	Steel	MPB	.375	.875	.61
5/5M1.67 X 3/8	87.70	7868-1209	5	1.67	Steel	MPB	.375	.938	.72
5/5M1.77 X 3/8	88.90	7868-1210	5	1.77	Steel	MPB	.375	1.063	.82
5/5M1.87 X 3/8	89.05	7868-1211	5	1.87	Steel	MPB	.375	1.125	.94
5/5M1.97 X 3/8	89.70	7868-1212	5	1.97	Steel	MPB	.375	1.250	1.11
5/5M2.48	130.45	7868-1213	5	2.48	Steel	1108	.500	1.125	.72
5/5M3.15	142.20	7868-1214	5	3.15	Steel	1108	.500	1.125	1.50
5/5M3.94	153.95	7868-1215	5	3.94	Steel	1610	.500	1.688	2.80
5/5M4.92	165.70	7868-1216	5	4.92	Steel	2012	.500	2.125	3.80
5/5M6.30	223.60	7868-1217	5	6.30	Steel	2012	.500	2.125	5.60
5/5M7.87	281.55	7868-1218	5	7.87	Steel	2517	.500	2.688	11.50
5/5M9.84	408.85	7868-1219	5	9.84	Steel	2517	.500	2.688	13.50
5/5M12.40	794.30	7868-1220	5	12.40	Steel	2517	.500	2.688	20.70
5/5M15.70	1122.90	7868-1221	5	15.70	Steel	2517	.500	2.688	38.50

Sheaves for 7M Polyflex® belts—3 Groove

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Dia. (In.)	Material	Bore or Bushing	Bore Range (In.)	Bore Range Max. (In.)	Wt. Ea. (Lbs.)
3/7M1.67 X 5/8	$88.05	7868-1301	3	1.67	Steel	MPB	.625	.875	.50
3/7M1.77 X 5/8	88.70	7868-1302	3	1.77	Steel	MPB	.625	.875	.61
3/7M1.87 X 5/8	89.30	7868-1303	3	1.87	Steel	MPB	.625	1.000	.74
3/7M1.97 X 5/8	89.70	7868-1304	3	1.97	Steel	MPB	.625	1.125	.86
3/7M2.08 X 5/8	92.80	7868-1305	3	2.08	Steel	MPB	.625	1.250	1.00
3/7M2.20 X 5/8	94.55	7868-1306	3	2.20	Steel	MPB	.625	1.375	1.20
3/7M2.34 X 5/8	96.15	7868-1307	3	2.34	Steel	MPB	.625	1.500	1.40
3/7M2.48 X 5/8	97.80	7868-1308	3	2.48	Steel	MPB	.625	1.625	1.60
3/7M2.64 X 5/8	101.60	7868-1309	3	2.64	Steel	MPB	.625	1.750	1.80
3/7M2.80 X 5/8	103.05	7868-1310	3	2.80	Steel	MPB	.625	1.875	2.10
3/7M2.95 X 5/8	104.90	7868-1311	3	2.95	Steel	MPB	.625	2.000	2.40
3/7M3.15 X 5/8	107.50	7868-1312	3	3.15	Steel	MPB	.625	2.250	2.80
3/7M3.94	138.50	7868-1313	3	3.94	Steel	1610	.500	1.688	2.10
3/7M4.92	162.45	7868-1314	3	4.92	Steel	2012	.500	2.125	3.80
3/7M6.30	221.75	7868-1315	3	6.30	Steel	2012	.500	2.125	5.40
3/7M7.87	281.00	7868-1316	3	7.87	Steel	2517	.500	2.688	9.10
3/7M9.84	422.15	7868-1317	3	9.84	Steel	2517	.500	2.688	12.80
3/7M12.40	782.10	7868-1318	3	12.40	Steel	2517	.500	2.688	18.80
3/7M15.70	1099.00	7868-1319	3	15.70	Steel	2517	.500	2.688	35.10
3/7M19.70	1703.75	7868-1320	3	19.70	Steel	3020	.875	3.250	57.40

Polyflex™ Sheaves

Product No. Series 7868 (continued)

Sheaves for 7M Polyflex® belts—5 Groove

Part No.	Suggested List Price	Product No.	No. of Grooves	Outside Dia. (In.)	Material	Bore or Bushing	Bore Range (In.)	Bore Range Max. (In.)	Wt. Ea. (Lbs.)
5/7M1.67 X 5/8	$93.05	7868-1401	5	1.67	Steel	MPB	.625	.875	.70
5/7M1.77 X 5/8	93.70	7868-1402	5	1.77	Steel	MPB	.625	.875	.90
5/7M1.87 X 5/8	94.30	7868-1403	5	1.87	Steel	MPB	.625	1.000	1.10
5/7M1.97 X 5/8	94.70	7868-1404	5	1.97	Steel	MPB	.625	1.125	1.20
5/7M2.08 X 5/8	97.80	7868-1405	5	2.08	Steel	MPB	.625	1.250	1.40
5/7M2.20 X 5/8	99.55	7868-1406	5	2.20	Steel	MPB	.625	1.375	1.70
5/7M2.34 X 5/8	101.15	7868-1407	5	2.34	Steel	MPB	.625	1.500	1.90
5/7M2.48 X 5/8	102.90	7868-1408	5	2.48	Steel	MPB	.625	1.625	2.20
5/7M2.64 X 5/8	106.60	7868-1409	5	2.64	Steel	MPB	.625	1.750	2.60
5/7M2.80 X 5/8	108.05	7868-1410	5	2.80	Steel	MPB	.625	1.875	2.90
5/7M2.95 X 5/8	109.90	7868-1411	5	2.95	Steel	MPB	.625	2.000	3.40
5/7M3.15 X 5/8	112.50	7868-1412	5	3.15	Steel	MPB	.625	2.250	3.90
5/7M3.94	145.55	7868-1413	5	3.94	Steel	1610	.500	1.688	3.00
5/7M4.92	171.40	7868-1414	5	4.92	Steel	2012	.500	2.125	5.00
5/7M6.30	229.35	7868-1415	5	6.30	Steel	2012	.500	2.125	9.20
5/7M7.87	287.30	7868-1416	5	7.87	Steel	2517	.500	2.688	18.40
5/7M9.84	434.50	7868-1417	5	9.84	Steel	2517	.500	2.688	31.60
5/7M12.40	822.60	7868-1418	5	12.40	Steel	2517	.500	2.688	53.50
5/7M15.70	1175.90	7868-1419	5	15.70	Steel	2517	.500	2.688	89.30
5/7M19.70	1879.00	7868-1420	5	19.70	Steel	3020	.875	3.250	72.90

Poly Chain® GT®2 Sprockets

Markets/Applications

Use with Poly Chain® GT®2 Belts or Poly Chain® GT® Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space, keep the load closer to bearing and extend life of reducer.
- Poly Chain® GT®2 Sprockets keep overhung load below manufacturers recommendation.
- Sprockets are precision manufactured and static balanced.

Notes

Sprockets for the Poly Chain® GT®2 belts are available in 8mm and 14mm pitches.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example, part number 8MX-48S-12 denotes 8mm pitch, 48 grooves, "S" for sprocket and 12mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Abbreviations used for sprocket materials: GI = Gray Iron DI = Ductile Iron SIS = Sintered Steel CI = Cast Iron

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.

Product No. Series 7715 & 7718

8mm Pitch Sprockets
For Belts 12mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8MX-22S-12	$95.05	7718-1022	22	2.206	.40	DI	1008	1/2—1
PB8MX-22S-12	95.05	7715-1222	22	2.206	1.00	DI	MPB	1/2—1 3/16
8MX-25S-12	79.20	7718-1025	25	2.506	.60	GI	1108	1/2—1 1/8
PB8MX-25S-12	79.20	7715-1225	25	2.506	1.40	DI	MPB	1/2—1 1/2
8MX-26S-12	82.37	7718-1026	26	2.607	.60	GI	1108	1/2—1 1/8
8MX-27S-12	82.97	7718-1027	27	2.707	.70	GI	1108	1/2—1 1/8
8MX-28S-12	83.17	7718-1028	28	2.807	.90	GI	1108	1/2—1 1/8
PB8MX-28S-12	83.17	7715-1228	28	2.807	1.80	DI	MPB	1/2—1 3/4
8MX-29S-12	85.89	7718-1029	29	2.907	.90	GI	1108	1/2—1 1/8
8MX-30S-12	87.13	7718-1030	30	3.008	1.10	GI	1108	1/2—1 1/8
PB8MX-30S-12	87.13	7715-1230	30	3.008	2.20	DI	MPB	1/2—1 13/16
8MX-31S-12	90.42	7718-1031	31	3.108	1.10	GI	1210	1/2—1 1/4
8MX-32S-12	91.08	7718-1032	32	3.208	1.20	DI	1210	1/2—1 1/4
PB8MX-32S-12	91.08	7715-1232	32	3.208	2.50	DI	MPB	1/2—2
8MX-33S-12	91.08	7718-1033	33	3.308	1.10	DI	1610	1/2—1 11/16
8MX-34S-12	91.08	7718-1034	34	3.409	1.10	DI	1610	1/2—1 11/16
8MX-35S-12	93.24	7718-1035	35	3.509	1.30	GI	1610	1/2—1 11/16
8MX-36S-12	95.03	7718-1036	36	3.609	1.40	SiS	1610	1/2—1 11/16
8MX-37S-12	96.39	7718-1037	37	3.709	1.60	GI	1610	1/2—1 11/16
8MX-38S-12	99.00	7718-1038	38	3.810	1.70	SiS	1610	1/2—1 11/16
8MX-39S-12	100.39	7718-1039	39	3.910	1.90	GI	1610	1/2—1 11/16
8MX-40S-12	102.94	7718-1040	40	4.010	1.70	SiS	2012	1/2—2 1/8
8MX-41S-12	115.27	7718-1041	41	4.110	2.30	DI	2012	1/2—2 1/8
8MX-42S-12	117.45	7718-1042	42	4.211	2.10	GI	2012	1/2—2 1/8
8MX-45S-12	122.76	7718-1045	45	4.511	2.60	SiS	2012	1/2—2 1/8

Poly Chain® GT®2 Sprockets

Product No. Series 7715 & 7718 (continued)

8mm Pitch Sprockets
For Belts 12mm Wide (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8MX-48S-12	$138.61	7718-1048	48	4.812	3.40	GI	2012	1/2—2 1/8
8MX-50S-12	146.53	7718-1050	50	5.013	3.70	GI	2012	1/2—2 1/8
8MX-53S-12	152.20	7718-1053	53	5.314	4.70	GI	2012	1/2—2 1/8
8MX-56S-12	154.42	7718-1056	56	5.614	5.40	GI	2012	1/2—2 1/8
8MX-60S-12	190.10	7718-1060	60	6.015	6.30	GI	2012	1/2—2 1/8
8MX-63S-12	194.05	7718-1063	63	6.316	4.10	GI	2012	1/2—2 1/8
8MX-67S-12	197.55	7718-1067	67	6.717	4.30	GI	2012	1/2—2 1/8
8MX-71S-12	198.01	7718-1071	71	7.118	4.70	GI	2012	1/2—2 1/8
8MX-75S-12	198.01	7718-1075	75	7.519	5.10	GI	2012	1/2—2 1/8
8MX-80S-12	209.89	7718-1080	80	8.020	5.80	GI	2012	1/2—2 1/8
8MX-90S-12	213.84	7718-1090	90	9.023	8.00	GI	2012	1/2—2 1/8
8MX-112S-12	269.29	7718-1112	112	11.229	12.00	GI	2012	1/2—2 1/8
8MX-140S-12	336.61	7718-1140	140	14.036	17.00	GI	2012	1/2—2 1/8
8MX-180S-12	431.66	7718-1180	180	18.046	26.60	GI	2517	1/2—2 11/16
8MX-224S-12	534.63	7718-1224	224	22.457	37.00	GI	2517	1/2—2 11/16

8mm Pitch Sprockets
For Belts 21mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8MX-22S-21	$118.80	7718-2022	22	2.206	.60	DI	1008	1/2—1
PB8MX-22S-21	118.80	7715-2022	22	2.206	1.30	DI	MPB	1/2—1 3/16
8MX-25S-21	118.80	7718-2025	25	2.506	.80	GI	1108	1/2—1 1/8
PB8MX-25S-21	118.80	7715-2025	25	2.506	1.80	DI	MPB	1/2—1 1/2
8MX-26S-21	121.78	7718-2026	26	2.607	.80	GI	1108	1/2—1 1/8
8MX-27S-21	122.76	7718-2027	27	2.707	.90	GI	1108	1/2—1 1/8
8MX-28S-21	122.76	7718-2028	28	2.807	1.00	GI	1108	1/2—1 1/8
PB8MX-28S-21	122.76	7715-2028	28	2.807	2.30	DI	MPB	1/2—1 3/4
8MX-29S-21	122.76	7718-2029	29	2.907	1.00	GI	1108	1/2—1 1/8
8MX-30S-21	122.76	7718-2030	30	3.008	1.30	GI	1108	1/2—1 1/8
PB8MX-30S-21	122.76	7715-2030	30	3.008	2.80	DI	MPB	1/2—1 13/16
8MX-31S-21	124.33	7718-2031	31	3.108	1.10	GI	1210	1/2—1 1/4
8MX-32S-21	126.73	7718-2032	32	3.208	1.40	DI	1210	1/2—1 1/4
PB8MX-32S-21	126.73	7715-2032	32	3.208	3.20	DI	MPB	1/2—2
8MX-33S-21	126.73	7718-2033	33	3.308	1.10	DI	1610	1/2—1 11/16
8MX-34S-21	114.84	7718-2034	34	3.409	1.40	DI	1610	1/2—1 11/16
8MX-35S-21	115.62	7718-2035	35	3.509	1.30	GI	1610	1/2—1 11/16
8MX-36S-21	118.80	7718-2036	36	3.609	1.60	SiS	1610	1/2—1 11/16
8MX-37S-21	120.77	7718-2037	37	3.709	1.60	GI	1610	1/2—1 11/16
8MX-38S-21	122.76	7718-2038	38	3.810	1.90	SiS	1610	1/2—1 11/16
8MX-39S-21	127.88	7718-2039	39	3.910	1.90	GI	1610	1/2—1 11/16
8MX-40S-21	130.69	7718-2040	40	4.010	2.00	SiS	2012	1/2—2 1/8
8MX-41S-21	144.11	7718-2041	41	4.110	2.30	DI	2012	1/2—2 1/8
8MX-42S-21	147.20	7718-2042	42	4.211	2.40	GI	2012	1/2—2 1/8
8MX-45S-21	150.48	7718-2045	45	4.511	3.00	SiS	2012	1/2—2 1/8
8MX-48S-21	174.25	7718-2048	48	4.812	3.70	GI	2012	1/2—2 1/8
8MX-50S-21	186.13	7718-2050	50	5.013	4.20	GI	2012	1/2—2 1/8
8MX-53S-21	189.22	7718-2053	53	5.314	5.00	GI	2012	1/2—2 1/8
8MX-56S-21	190.10	7718-2056	56	5.614	5.80	GI	2012	1/2—2 1/8
8MX-60S-21	237.61	7718-2060	60	6.015	6.90	GI	2012	1/2—2 1/8
8MX-63S-21	237.61	7718-2063	63	6.316	4.10	GI	2012	1/2—2 1/8
8MX-67S-21	241.58	7718-2067	67	6.717	5.70	GI	2517	1/2—2 11/16
8MX-71S-21	241.58	7718-2071	71	7.118	6.10	GI	2517	1/2—2 11/16
8MX-75S-21	241.58	7718-2075	75	7.519	6.50	GI	2517	1/2—2 11/16
8MX-80S-21	261.37	7718-2080	80	8.020	7.50	GI	2517	1/2—2 11/16

Poly Chain® GT®2 Sprockets

Product No. Series 7715 & 7718 (continued)

8mm Pitch Sprockets
For Belts 21mm Wide (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8MX-90S-21	$269.29	7718-2090	90	9.023	11.00	GI	2517	1/2—2 11/16
8MX-112S-21	336.61	7718-2112	112	11.229	16.00	GI	2517	1/2—2 11/16
8MX-140S-21	419.77	7718-2140	140	14.036	24.10	GI	2517	1/2—2 11/16
8MX-180S-21	538.59	7718-2180	180	18.046	39.00	GI	3020	7/8—3 1/4
8MX-224S-21	669.28	7718-2224	224	22.457	53.40	GI	3020	7/8—3 1/4

8mm Pitch Sprockets
For Belts 36mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB8MX-22S-36	$126.73	7715-3022	22	2.206	2.00	DI	MPB	1/2—1 3/16
PB8MX-25S-36	134.65	7715-3025	25	2.506	2.70	DI	MPB	1/2—1 1/2
PB8MX-28S-36	150.48	7715-3028	28	2.807	3.40	DI	MPB	1/2—1 3/4
PB8MX-30S-36	154.45	7715-3030	30	3.008	3.90	DI	MPB	1/2—1 13/16
8MX-32S-36	158.41	7718-3032	32	3.208	1.70	DI	1210	1/2—1 1/4
PB8MX-32S-36	158.41	7715-3032	32	3.208	4.50	DI	MPB	1/2—2
8MX-33S-36	158.41	7718-3033	33	3.308	1.50	DI	1610	1/2—1 11/16
8MX-34S-36	158.41	7718-3034	34	3.409	1.80	DI	1610	1/2—1 11/16
PB8MX-34S-36	158.41	7715-3034	34	3.409	5.10	DI	MPB	1/2—2 1/8
8MX-35S-36	160.92	7718-3035	35	3.509	1.80	DI	1610	1/2—1 11/16
8MX-36S-36	162.36	7718-3036	36	3.609	2.10	DI	1610	1/2—1 11/16
PB8MX-36S-36	162.36	7715-3036	36	3.609	5.90	DI	MPB	1/2—2 5/16
8MX-37S-36	162.36	7718-3037	37	3.709	2.10	GI	1610	1/2—1 11/16
8MX-38S-36	162.36	7718-3038	38	3.810	2.40	DI	1610	1/2—1 11/16
PB8MX-38S-36	162.36	7715-3038	38	3.810	6.70	DI	MPB	1/2—2 7/16
8MX-39S-36	169.01	7718-3039	39	3.910	2.40	GI	1610	1/2—1 11/16
8MX-40S-36	170.28	7718-3040	40	4.010	2.50	DI	2012	1/2—2 1/8
8MX-41S-36	173.87	7718-3041	41	4.110	2.40	DI	2012	1/2—2 1/8
8MX-42S-36	174.77	7718-3042	42	4.211	2.80	DI	2012	1/2—2 1/8
8MX-45S-36	178.22	7718-3045	45	4.511	3.80	GI	2012	1/2—2 1/8
8MX-48S-36	186.13	7718-3048	48	4.812	4.30	GI	2012	1/2—2 1/8
8MX-50S-36	201.96	7718-3050	50	5.013	5.10	GI	2012	1/2—2 1/8
8MX-53S-36	210.80	7718-3053	53	5.314	5.50	GI	2012	1/2—2 1/8
8MX-56S-36	217.81	7718-3056	56	5.614	6.50	GI	2012	1/2—2 1/8
8MX-60S-36	245.53	7718-3060	60	6.015	8.90	GI	2517	1/2—2 11/16
8MX-63S-36	257.41	7718-3063	63	6.316	10.40	GI	2517	1/2—2 11/16
8MX-67S-36	265.78	7718-3067	67	6.717	6.50	GI	2517	1/2—2 11/16
8MX-71S-36	269.87	7718-3071	71	7.118	7.00	GI	2517	1/2—2 11/16
8MX-75S-36	273.26	7718-3075	75	7.519	7.30	GI	2517	1/2—2 11/16
8MX-80S-36	293.06	7718-3080	80	8.020	17.90	GI	3020	7/8—3 1/4
8MX-90S-36	352.46	7718-3090	90	9.023	24.20	GI	3020	7/8—3 1/4
8MX-112S-36	443.54	7718-3112	112	11.229	22.70	GI	3020	7/8—3 1/4
8MX-140S-36	708.87	7718-3140	140	14.036	36.20	GI	3020	7/8—3 1/4
8MX-180S-36	764.31	7718-3180	180	18.046	54.40	GI	3020	7/8—3 1/4
8MX-224S-36	819.77	7718-3224	224	22.457	91.10	GI	3525	1 3/16—3 15/16

8mm Pitch Sprockets
For Belts 62mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB8MX-22S-62	$146.00	7715-6022	22	2.206	2.40	DI	MPB	1—1 3/16
PB8MX-25S-62	146.53	7715-6025	25	2.506	3.40	DI	MPB	1—1 1/2
PB8MX-28S-62	150.48	7715-6028	28	2.807	4.50	DI	MPB	1—1 3/4
PB8MX-30S-62	166.33	7715-6030	30	3.008	5.20	DI	MPB	1—1 13/16
PB8MX-32S-62	170.28	7715-6032	32	3.208	6.10	DI	MPB	1—2

Poly Chain® GT®2 Sprockets

Product No. Series 7715 & 7718 (continued)

8mm Pitch Sprockets
For Belts 62mm Wide (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8MX-34S-62	$182.17	7718-6034	34	3.409	2.60	DI	1610	1/2—1 11/16
PB8MX-34S-62	182.17	7715-6034	34	3.409	6.90	DI	MPB	1—2 1/8
8MX-36S-62	190.10	7718-6036	36	3.609	2.80	DI	1610	1/2—1 11/16
PB8MX-36S-62	190.10	7715-6036	36	3.609	8.00	DI	MPB	1—2 5/16
8MX-38S-62	194.05	7718-6038	38	3.812	3.10	DI	1610	1/2—1 11/16
PB8MX-38S-62	194.05	7715-6038	38	3.812	9.10	DI	MPB	1—2 7/16
8MX-40S-62	201.96	7718-6040	40	4.010	3.30	DI	2012	1/2—2 1/8
PB8MX-40S-62	201.96	7715-6040	40	4.010	10.30	DI	MPB	1—2 9/16
8MX-42S-62	210.80	7718-6042	42	4.211	3.60	DI	2012	1/2—2 1/8
PB8MX-42S-62	210.80	7715-6042	42	4.211	11.60	DI	MPB	1—2 3/4
8MX-45S-62	229.70	7718-6045	45	4.511	5.10	DI	2012	1/2—2 1/8
PB8MX-45S-62	229.70	7715-6045	45	4.511	13.10	DI	MPB	1—2 3/4
8MX-48S-62	237.61	7718-6048	48	4.812	5.10	GI	2517	1/2—2 11/16
8MX-50S-62	241.58	7718-6050	50	5.013	6.30	GI	2517	1/2—2 11/16
8MX-53S-62	254.12	7718-6053	53	5.314	6.70	GI	2517	1/2—2 11/16
8MX-56S-62	265.33	7718-6056	56	5.614	8.30	GI	2517	1/2—2 11/16
8MX-60S-62	308.89	7718-6060	60	6.015	8.90	GI	3020	7/8—3 1/4
8MX-63S-62	324.74	7718-6063	63	6.316	9.90	GI	3020	7/8—3 1/4
8MX-67S-62	329.01	7718-6067	67	6.717	12.00	GI	3020	7/8—3 1/4
8MX-71S-62	332.18	7718-6071	71	7.118	14.40	GI	3020	7/8—3 1/4
8MX-75S-62	336.61	7718-6075	75	7.519	16.80	GI	3020	7/8—3 1/4
8MX-80S-62	372.26	7718-6080	80	8.020	20.50	GI	3020	7/8—3 1/4
8MX-90S-62	463.34	7718-6090	90	9.023	30.10	GI	3020	7/8—3 1/4
8MX-112S-62	586.11	7718-6112	112	11.229	31.00	GI	3020	7/8—3 1/4
8MX-140S-62	819.77	7718-6140	140	14.036	62.80	GI	3525	1 3/16—3 15/16
8MX-180S-62	867.29	7718-6180	180	18.046	91.60	GI	3525	1 3/16—3 15/16
8MX-224S-62	922.73	7718-6224	224	22.457	127.10	GI	3525	1 3/16—3 15/16

Product No. Series 7727

8mm Pitch Poly Chain® GT®2 — QD® Sprockets for ACHE Applications
For 21mm Poly Chain® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F8M-36S-21	$118.80	7727-9536	36	3.609	2.10	GI	SH	1/2—1 5/8
F8M-38S-21	122.76	7727-9538	38	3.810	2.10	GI	SH	1/2—1 5/8
F8M-40S-21	130.69	7727-9540	40	4.010	2.30	GI	SH	1/2—1 5/8
F8M-42S-21	147.20	7727-9542	42	4.211	2.50	GI	SH	1/2—1 5/8
F8M-140S-21	419.77	7727-9544	140	14.036	25.00	GI	SF	1/2—2 13/16
F8M-168S-21	502.32	7727-9568	168	16.843	33.80	GI	SF	1/2—2 13/16
F8M-180S-21	538.59	7727-9580	180	18.046	36.60	GI	SF	1/2—2 13/16
F8M-224S-21	669.28	7727-9524	224	22.457	50.10	GI	E	7/8—3 1/2

Product No. Series 7716 & 7719

14mm Pitch Sprockets
For Belts 20mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14MX-28S-20	$142.57	7719-2028	28	4.912	3.90	GI	2012	1/2—2 1/8
14MX-29S-20	154.45	7719-2029	29	5.088	4.30	GI	2012	1/2—2 1/8
14MX-30S-20	154.45	7719-2030	30	5.263	4.80	GI	2012	1/2—2 1/8
14MX-31S-20	170.28	7719-2031	31	5.439	5.30	GI	2012	1/2—2 1/8
14MX-32S-20	170.28	7719-2032	32	5.614	5.80	GI	2012	1/2—2 1/8
14MX-33S-20	174.25	7719-2033	33	5.790	6.30	GI	2012	1/2—2 1/8
14MX-34S-20	174.25	7719-2034	34	5.965	6.80	GI	2012	1/2—2 1/8
14MX-35S-20	190.10	7719-2035	35	6.141	7.30	GI	2012	1/2—2 1/8
14MX-36S-20	190.10	7719-2036	36	6.316	8.40	GI	2517	1/2—2 11/16
14MX-37S-20	213.84	7719-2037	37	6.492	9.30	GI	2517	1/2—2 11/16

Prices Subject To Change Without Notice

Product No. Series 7716 & 7719 (continued)

14mm Pitch Sprockets
For Belts 20mm Wide (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14MX-38S-20	$213.84	7719-2038	38	6.667	9.90	GI	2517	1/2—2 11/16
14MX-39S-20	221.76	7719-2039	39	6.842	10.70	GI	2517	1/2—2 11/16
14MX-40S-20	221.76	7719-2040	40	7.018	11.40	GI	2517	1/2—2 11/16
14MX-43S-20	257.41	7719-2043	43	7.544	14.00	GI	2517	1/2—2 11/16
14MX-45S-20	265.33	7719-2045	45	7.895	15.00	GI	3020	7/8—3 1/4
14MX-48S-20	277.22	7719-2048	48	8.421	18.20	GI	3020	7/8—3 1/4
14MX-50S-20	289.10	7719-2050	50	8.772	20.80	GI	3020	7/8—3 1/4
14MX-53S-20	293.06	7719-2053	53	9.299	24.10	GI	3020	7/8—3 1/4
14MX-56S-20	293.06	7719-2056	56	9.825	30.20	GI	3525	1 3/16—3 15/16
14MX-60S-20	380.18	7719-2060	60	10.527	36.90	GI	3525	1 3/16—3 15/16
14MX-63S-20	435.62	7719-2063	63	11.053	42.30	GI	3525	1 3/16—3 15/16
14MX-67S-20	451.20	7719-2067	67	11.755	50.30	GI	3525	1 3/16—3 15/16
14MX-71S-20	455.42	7719-2071	71	12.457	40.60	GI	3525	1 3/16—3 15/16
14MX-75S-20	495.02	7719-2075	75	13.158	42.30	GI	3525	1 3/16—3 15/16
14MX-80S-20	530.67	7719-2080	80	14.036	48.00	GI	3525	1 3/16—3 15/16
14MX-90S-20	538.59	7719-2090	90	15.790	53.80	GI	3525	1 3/16—3 15/16
14MX-112S-20	609.87	7719-2112	112	19.650	70.10	GI	3525	1 3/16—3 15/16
14MX-140S-20	799.95	7719-2140	140	24.562	94.80	GI	3525	1 3/16—3 15/16
14MX-168S-20	1074.41	7719-2168	168	29.475	120.80	GI	3525	1 3/16—3 15/16
14MX-180S-20	1192.01	7719-2180	180	31.580	134.60	GI	3525	1 3/16—3 15/16
14MX-200S-20	1651.39	7719-2200	200	35.089	158.10	GI	3525	1 3/16—3 15/16
14MX-224S-20	2114.74	7719-2224	224	39.300	201.10	GI	4030	1 7/16—4 7/16

14mm Pitch Sprockets
For Belts 37mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14MX-28S-37	$178.22	7719-3028	28	4.912	5.20	GI	2012	1/2—2 1/8
PB14MX-28S-37	178.22	7716-3028	28	4.912	11.70	DI	MPB	1/2—2 15/16
14MX-29S-37	188.43	7719-3029	29	5.088	5.10	GI	2517	1/2—2 11/16
14MX-30S-37	194.05	7719-3030	30	5.263	5.80	GI	2517	1/2—2 11/16
14MX-31S-37	204.87	7719-3031	31	5.439	6.40	GI	2517	1/2—2 11/16
14MX-32S-37	213.84	7719-3032	32	5.614	7.20	GI	2517	1/2—2 11/16
14MX-33S-37	219.74	7719-3033	33	5.790	7.80	GI	2517	1/2—2 11/16
14MX-34S-37	225.13	7719-3034	34	5.965	8.70	GI	2517	1/2—2 11/16
14MX-35S-37	232.66	7719-3035	35	6.141	9.30	GI	2517	1/2—2 11/16
14MX-36S-37	237.40	7719-3036	36	6.316	10.20	GI	2517	1/2—2 11/16
14MX-37S-37	249.11	7719-3037	37	6.492	10.80	GI	2517	1/2—2 11/16
14MX-38S-37	273.26	7719-3038	38	6.667	10.30	GI	3020	7/8—3 1/4
14MX-39S-37	278.88	7719-3039	39	6.842	11.30	GI	3020	7/8—3 1/4
14MX-40S-37	281.18	7719-3040	40	7.018	12.30	GI	3020	7/8—3 1/4
14MX-43S-37	324.74	7719-3043	43	7.544	15.60	GI	3020	7/8—3 1/4
14MX-45S-37	332.66	7719-3045	45	7.895	18.00	GI	3020	7/8—3 1/4
14MX-48S-37	344.54	7719-3048	48	8.421	21.50	GI	3020	7/8—3 1/4
14MX-50S-37	360.37	7719-3050	50	8.772	24.10	GI	3020	7/8—3 1/4
14MX-53S-37	365.42	7719-3053	53	9.299	28.30	GI	3020	7/8—3 1/4
14MX-56S-37	368.29	7719-3056	56	9.825	33.00	GI	3525	1 3/16—3 15/16
14MX-60S-37	475.23	7719-3060	60	10.527	40.60	GI	3525	1 3/16—3 15/16
14MX-63S-37	542.54	7719-3063	63	11.053	46.70	GI	3525	1 3/16—3 15/16
14MX-67S-37	557.01	7719-3067	67	11.755	55.60	GI	3525	1 3/16—3 15/16
14MX-71S-37	570.27	7719-3071	71	12.457	61.20	GI	3525	1 3/16—3 15/16
14MX-75S-37	574.23	7719-3075	75	13.158	46.90	GI	3525	1 3/16—3 15/16

Poly Chain® GT®2 Sprockets

Product No. Series 7716 & 7719 (continued)

14mm Pitch Sprockets
For Belts 37mm Wide (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14MX-80S-37	$586.11	7719-3080	80	14.036	52.50	GI	3525	1 3/16—3 15/16
14MX-90S-37	601.95	7719-3090	90	15.790	61.50	GI	3525	1 3/16—3 15/16
14MX-112S-37	764.31	7719-3112	112	19.650	89.10	GI	3525	1 3/16—3 15/16
14MX-140S-37	1001.93	7719-3140	140	24.562	125.50	GI	3525	1 3/16—3 15/16
14MX-168S-37	1293.00	7719-3168	168	29.475	175.10	GI	4030	1 7/16—4 7/16
14MX-180S-37	1417.75	7719-3180	180	31.580	191.40	GI	4030	1 7/16—4 7/16
14MX-200S-37	1976.13	7719-3200	200	35.089	224.90	GI	4030	1 7/16—4 7/16
14MX-224S-37	2538.48	7719-3224	224	39.300	267.70	GI	4030	1 7/16—4 7/16

14mm Pitch Sprockets
For Belts 68mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB14MX-28S-68	$293.06	7716-6028	28	4.912	17.40	DI	MPB	1—2 15/16
14MX-29S-68	306.24	7719-6029	29	5.088	7.00	GI	2517	1/2—2 11/16
PB14MX-29S-68	306.24	7716-6029	29	5.088	19.10	DI	MPB	1—3 3/16
14MX-30S-68	316.81	7719-6030	30	5.263	8.02	GI	2517	1/2—2 11/16
PB14MX-30S-68	316.81	7716-6030	30	5.263	20.30	DI	MPB	1—3 3/16
14MX-31S-68	333.01	7719-6031	31	5.439	8.80	GI	2517	1/2—2 11/16
PB14MX-31S-68	333.01	7716-6031	31	5.439	21.90	DI	MPB	1—3 7/16
14MX-32S-68	348.49	7719-6032	32	5.614	10.00	GI	2517	1/2—2 11/16
PB14MX-32S-68	348.49	7716-6032	32	5.614	23.20	DI	MPB	1—3 7/16
14MX-33S-68	355.00	7719-6033	33	5.790	10.50	GI	2517	1/2—2 11/16
PB14MX-33S-68	355.00	7716-6033	33	5.790	25.90	DI	MPB	1—3 1/2
14MX-34S-68	360.37	7719-6034	34	5.965	11.80	GI	2517	1/2—2 11/16
PB14MX-34S-68	360.37	7716-6034	34	5.965	27.30	DI	MPB	1—3 1/2
14MX-35S-68	368.56	7719-6035	35	6.141	10.30	DI	3020	7/8—3 1/4
14MX-36S-68	376.23	7719-6036	36	6.316	11.70	DI	3020	7/8—3 1/4
14MX-37S-68	380.44	7719-6037	37	6.492	12.30	GI	3020	7/8—3 1/4
14MX-38S-68	384.14	7719-6038	38	6.667	13.80	GI	3020	7/8—3 1/4
14MX-39S-68	392.38	7719-6039	39	6.842	14.60	GI	3020	7/8—3 1/4
14MX-40S-68	399.98	7719-6040	40	7.018	16.20	GI	3020	7/8—3 1/4
14MX-43S-68	425.29	7719-6043	43	7.544	18.40	GI	3020	7/8—3 1/4
14MX-45S-68	433.19	7719-6045	45	7.895	21.90	GI	3020	7/8—3 1/4
14MX-48S-68	448.75	7719-6048	48	8.421	25.70	DI	3525	1 3/16—3 15/16
14MX-50S-68	459.37	7719-6050	50	8.772	28.50	DI	3525	1 3/16—3 15/16
14MX-53S-68	485.62	7719-6053	53	9.299	33.70	GI	3525	1 3/16—3 15/16
14MX-56S-68	510.86	7719-6056	56	9.825	39.00	GI	3525	1 3/16—3 15/16
14MX-60S-68	605.90	7719-6060	60	10.527	46.40	GI	3525	1 3/16—3 15/16
14MX-63S-68	625.71	7719-6063	63	11.053	52.30	GI	3525	1 3/16—3 15/16
14MX-67S-68	647.70	7719-6067	67	11.755	56.40	GI	3525	1 3/16—3 15/16
14MX-71S-68	665.30	7719-6071	71	12.457	64.10	GI	3525	1 3/16—3 15/16
14MX-75S-68	728.67	7719-6075	75	13.158	56.90	GI	3525	1 3/16—3 15/16
14MX-80S-68	796.00	7719-6080	80	14.036	62.10	GI	3525	1 3/16—3 15/16
14MX-90S-68	815.69	7719-6090	90	15.790	86.20	GI	4030	1 7/16—4 7/16
14MX-112S-68	958.36	7719-6112	112	19.650	135.10	GI	4030	1 7/16—4 7/16
14MX-140S-68	1231.62	7719-6140	140	24.562	189.00	GI	4030	1 7/16—4 7/16
14MX-168S-68	1744.46	7719-6168	168	29.475	259.50	GI	4535	1 15/16—4 15/16
14MX-180S-68	1964.26	7719-6180	180	31.580	288.60	GI	4535	1 15/16—4 15/16
14MX-200S-68	2637.48	7719-6200	200	35.089	331.90	GI	4535	1 15/16—4 15/16
14MX-224S-68	2989.93	7719-6224	224	39.300	404.30	GI	5040	2 7/16—5

Poly Chain® GT®2 Sprockets

Product No. Series 7716 & 7719 (continued)

14mm Pitch Sprockets
For Belts 90mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB14MX-28S-90	$360.31	7716-9028	28	4.912	20.40	DI	MPB	1 1/2—2 15/16
PB14MX-29S-90	375.15	7716-9029	29	5.088	22.00	DI	MPB	1 1/2—3 3/16
PB14MX-30S-90	391.72	7716-9030	30	5.263	23.60	DI	MPB	1 1/2—3 3/16
PB14MX-31S-90	406.55	7716-9031	31	5.439	25.50	DI	MPB	1 1/2—3 7/16
PB14MX-32S-90	418.81	7716-9032	32	5.614	27.10	DI	MPB	1 1/2—3 7/16
PB14MX-33S-90	423.23	7716-9033	33	5.790	30.20	DI	MPB	1 1/2—3 1/2
PB14MX-34S-90	427.64	7716-9034	34	5.965	31.90	DI	MPB	1 1/2—3 1/2
14MX-35S-90	434.62	7719-9035	35	6.141	12.10	DI	3020	7/8—3 1/4
PB14MX-35S-90	434.62	7716-9035	35	6.141	34.60	DI	MPB	1 1/2—3 13/16
14MX-36S-90	440.43	7719-9036	36	6.316	13.90	DI	3020	7/8—3 1/4
PB14MX-36S-90	440.43	7716-9036	36	6.316	36.40	DI	MPB	1 1/2—3 13/16
14MX-37S-90	450.01	7719-9037	37	6.492	14.20	GI	3020	7/8—3 1/4
PB14MX-37S-90	450.01	7716-9037	37	6.492	39.00	DI	MPB	1 1/2—4 1/8
14MX-38S-90	459.03	7719-9038	38	6.667	16.10	GI	3020	7/8—3 1/4
PB14MX-38S-90	459.03	7716-9038	38	6.667	41.00	DI	MPB	1 1/2—4 1/8
14MX-39S-90	466.99	7719-9039	39	6.842	16.80	GI	3020	7/8—3 1/4
PB14MX-39S-90	466.99	7716-9039	39	6.842	43.60	DI	MPB	1 1/2—4 3/8
14MX-40S-90	474.88	7719-9040	40	7.018	18.80	GI	3020	7/8—3 1/4
PB14MX-40S-90	474.88	7716-9040	40	7.018	45.60	DI	MPB	1 1/2—4 3/8
14MX-43S-90	478.62	7719-9043	43	7.544	20.90	DI	3525	1 3/16—3 15/16
14MX-45S-90	498.79	7719-9045	45	7.895	24.30	DI	3525	1 3/16—3 15/16
14MX-48S-90	522.00	7719-9048	48	8.421	28.90	DI	3525	1 3/16—3 15/16
14MX-50S-90	569.69	7719-9050	50	8.772	31.50	DI	3525	1 3/16—3 15/16
14MX-53S-90	595.53	7719-9053	53	9.299	37.40	GI	3525	1 3/16—3 15/16
14MX-56S-90	620.36	7719-9056	56	9.825	43.20	GI	4030	1 7/16—4 7/16
14MX-60S-90	691.44	7719-9060	60	10.527	52.20	GI	4030	1 7/16—4 7/16
14MX-63S-90	713.14	7719-9063	63	11.053	59.30	GI	4030	1 7/16—4 7/16
14MX-67S-90	738.67	7719-9067	67	11.755	71.30	GI	4030	1 7/16—4 7/16
14MX-71S-90	763.14	7719-9071	71	12.457	81.60	GI	4030	1 7/16—4 7/16
14MX-75S-90	818.87	7719-9075	75	13.158	95.90	GI	4030	1 7/16—4 7/16
14MX-80S-90	886.93	7719-9080	80	14.036	94.10	GI	4030	1 7/16—4 7/16
14MX-90S-90	896.80	7719-9090	90	15.790	94.50	GI	4030	1 7/16-4 7/16
14MX-112S-90	1108.17	7719-9112	112	19.650	173.70	GI	4535	1 15/16-4 15/16
14MX-140S-90	1433.38	7719-9140	140	24.562	245.30	GI	5040	2 7/16—5
14MX-168S-90	1932.42	7719-9168	168	29.475	395.10	GI	6050	4 7/16—6
14MX-180S-90	2146.15	7719-9180	180	31.580	429.40	GI	6050	4 7/16—6
14MX-200S-90	2998.21	7719-9200	200	35.089	493.00	GI	6050	4 7/16—6
14MX-224S-90	3356.79	7719-9224	224	39.300	562.60	GI	6050	4 7/16—6

Poly Chain® GT®2 Sprockets

Product No. Series 7716 & 7719 (continued)

14mm Pitch Sprockets
For Belts 125mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB14MX-28S-125	$467.30	7716-8028	28	4.912	24.80	DI	MPB	1 1/2—2 15/16
PB14MX-29S-125	487.45	7716-8029	29	5.087	27.20	DI	MPB	1 1/2—3 3/16
PB14MX-30S-125	510.86	7716-8030	30	5.263	29.20	DI	MPB	1 1/2—3 3/16
PB14MX-31S-125	520.33	7716-8031	31	5.438	31.60	DI	MPB	1 1/2—3 7/16
PB14MX-32S-125	530.67	7716-8032	32	5.614	33.80	DI	MPB	1 1/2—3 7/16
PB14MX-33S-125	532.12	7716-8033	33	5.790	37.30	DI	MPB	1 1/2—3 1/2
PB14MX-34S-125	534.63	7716-8034	34	5.965	39.60	DI	MPB	1 1/2—3 1/2
PB14MX-35S-125	539.01	7716-8035	35	6.140	42.90	DI	MPB	1 1/2—3 13/16
PB14MX-36S-125	542.54	7716-8036	36	6.315	45.30	DI	MPB	1 1/2—3 13/16
PB14MX-37S-125	561.13	7716-8037	37	6.491	48.50	DI	MPB	1 1/2—4 1/8
PB14MX-38S-125	578.19	7716-8038	38	6.666	51.10	DI	MPB	1 1/2—4 1/8
PB14MX-39S-125	587.00	7716-8039	39	6.842	54.30	DI	MPB	1 1/2—4 3/8
PB14MX-40S-125	594.02	7716-8040	40	7.017	57.00	DI	MPB	1 1/2—4 3/8
PB14MX-43S-125	641.55	7716-8043	43	7.543	68.20	DI	MPB	1 1/2—4 13/16
PB14MX-45S-125	681.15	7716-8045	45	7.894	75.00	DI	MPB	1 1/2—5
PB14MX-48S-125	728.67	7716-8048	48	8.421	86.30	DI	MPB	1 1/2—5 5/8
14MX-50S-125	745.15	7719-8050	50	8.771	38.00	GI	4535	1 15/16—4 15/16
14MX-53S-125	760.02	7719-8053	53	9.290	46.00	GI	4535	1 15/16—4 15/16
14MX-56S-125	794.57	7719-8056	56	9.824	53.60	GI	4535	1 15/16—4 15/16
14MX-60S-125	827.50	7719-8060	60	10.526	64.30	GI	4535	1 15/16—4 15/16
14MX-63S-125	852.23	7719-8063	63	11.052	72.80	GI	4535	1 15/16—4 15/16
14MX-67S-125	885.00	7719-8067	67	11.754	88.20	GI	4535	1 15/16—4 15/16
14MX-71S-125	918.77	7719-8071	71	12.455	103.00	GI	5040	2 7/16—5
14MX-75S-125	962.32	7719-8075	75	13.157	117.00	GI	5040	2 7/16—5
14MX-80S-125	1029.65	7719-8080	80	14.034	136.00	GI	5040	2 7/16—5
14MX-90S-125	1119.88	7719-8090	90	15.790	135.00	GI	5040	2 7/16—5
14MX-112S-125	1346.46	7719-8112	112	19.650	317.00	GI	6050	4 7/16—6
14MX-140S-125	1754.36	7719-8140	140	24.560	373.00	GI	6050	4 7/16—6
14MX-168S-125	2231.18	7719-8168	168	29.472	524.00	GI	7060	4 15/16—7
14MX-180S-125	2435.51	7719-8180	180	31.580	567.00	GI	7060	4 15/16—7
14MX-200S-125	3572.09	7719-8200	200	35.086	648.00	GI	7060	4 15/16—7
14MX-224S-125	3940.39	7719-8224	224	39.300	753.00	GI	7060	4 15/16—7

Poly Chain® GT®2 Sprockets

Product No. Series 7719

14mm Pitch Poly Chain® GT®2 — Taper-Lock® Sprockets for ACHE Applications For Belts 37mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F14MX-180S-37	$1417.75	7719-9702	180	31.580	120.00	GI	3020	7/8—3 1/4
F14MX-200S-37	1976.13	7719-9700	200	35.086	130.00	GI	3020	7/8—3 1/4
F14MX-224S-37	2538.48	7719-9704	224	39.296	177.00	GI	3020	7/8—3 1/4

Product No. Series 7727

14mm Pitch Poly Chain® GT®2 — QD® Sprockets for ACHE Applications For Belts 20mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F14M-28S-20	$142.57	7727-9628	28	4.912	3.90	GI	SK	1/2—2 1/2
F14M-29S-20	154.45	7727-9629	29	5.088	4.50	GI	SK	1/2—2 1/2
F14M-30S-20	154.45	7727-9630	30	5.263	4.80	GI	SK	1/2—2 1/2
F14M-31S-20	170.28	7727-9631	31	5.439	5.50	GI	SK	1/2—2 1/2
F14M-32S-20	170.28	7727-9632	32	5.614	5.90	GI	SK	1/2—2 1/2
F14M-33S-20	174.25	7727-9633	33	5.790	6.30	GI	SK	1/2—2 1/2
F14M-34S-20	174.25	7727-9634	34	5.965	6.90	GI	SK	1/2—2 1/2
F14M-35S-20	190.10	7727-9635	35	6.141	7.30	GI	SK	1/2—2 1/2
F14M-140S-20	799.95	7727-9644	140	24.562	66.10	GI	E	7/8—3 1/2
F14M-168S-20	1074.41	7727-9668	168	29.475	157.00	GI	F	1—3 15/16
F14M-180S-20	1192.01	7727-9680	180	31.580	108.00	GI	F	1—3 15/16
F14M-200S-20	1651.39	7727-9600	200	35.089	107.00	GI	F	1—3 15/16
F14M-224S-20	2114.74	7727-9624	224	39.300	125.00	GI	F	1—3 15/16

14mm Pitch Poly Chain® GT®2 — QD® Sprockets for ACHE Applications For Belts 37mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F14M-28S-37	$178.22	7727-9728	28	4.912	4.20	GI	SK	1/2—2 1/2
F14M-29S-37	188.43	7727-9729	29	5.088	4.70	GI	SK	1/2—2 1/2
F14M-30S-37	194.05	7727-9730	30	5.263	5.00	GI	SK	1/2—2 1/2
F14M-31S-37	204.87	7727-9731	31	5.439	6.00	GI	SK	1/2—2 1/2
F14M-32S-37	213.84	7727-9732	32	5.614	7.10	GI	SK	1/2—2 1/2
F14M-33S-37	219.74	7727-9733	33	5.790	7.50	GI	SK	1/2—2 1/2
F14M-34S-37	225.13	7727-9734	34	5.965	7.80	GI	SK	1/2—2 1/2
F14M-35S-37	232.66	7727-9735	35	6.141	8.30	GI	SK	1/2—2 1/2
F14M-180S-37	1363.23	7727-9702	180	31.580	117.00	GI	E	7/8—3 1/2
F14M-200S-37	1900.12	7727-9700	200	35.089	119.00	GI	E	7/8—3 1/2
F14M-224S-37	2440.84	7727-9704	224	39.300	178.00	GI	E	7/8—3 1/2

Poly Chain® GT®2 Idler Hardware

Product No. Series 7720

Idler Sprockets (Integral Shaft Included)

Part No.	Sugg. List Price	Product No.	Size	Wt. Ea. (Lbs.)
12-IDL-SPRK	$257.12	7720-1500	IDLR 8M-32S-12	1.02
21-IDL-SPRK	273.24	7720-1510	IDLR 8M-32S-21	1.08
36-IDL-SPRK	358.21	7720-1520	IDLR 8M-36S-36	2.00
62-IDL-SPRK	400.88	7720-1530	IDLR 8M-36S-62	2.14
20-IDL-SPRK	552.83	7720-1600	IDLR 14M-30S-20	9.00
37-IDL-SPRK	610.64	7720-1610	IDLR 14M-30S-37	12.04
68-IDL-SPRK	757.53	7720-1620	IDLR 14M-34S-68	15.60
90-IDL-SPRK	853.81	7720-1640	IDLR 14M-34S-90	16.66
125-IDL-SPRK	949.21	7720-1630	IDLR 14M-34S-125	23.14

Idler Bushings (Integral Shaft Included)

Part No.	Sugg. List Price	Product No.	Wt. Ea. (Lbs.)
20-IDL-BUSH(SK)	$182.27	7720-1120	4.10
30-IDL-BUSH(SF)	209.56	7720-1130	6.40
40-IDL-BUSH(E)	651.53	7720-1140	8.60
1610-IDL-BUSH	190.27	7720-2610	1.30
2012-IDL-BUSH	229.59	7720-2012	2.50
2517-IDL-BUSH	279.28	7720-2517	3.90

Idler Brackets

Part No.	Sugg. List Price	Product No.	Wt. Ea. (Lbs.)
5-IDL-BRAK	$99.21	7720-1005	2.80
10-IDL-BRAK	99.21	7720-1010	3.40
20-IDL-BRAK	226.53	7720-1020	11.20

8mm Idler Sprockets: Use 05-IDL-BRAK with 1610-IDL-BUSH; Use 10-IDL-BRAK WITH 2012-IDL-BUSH, 2517-IDL-BUSH and 20-IDL-BUSH.

14mm Idler Sprockets: Use 20-IDL-BRAK with 30-IDL-BUSH and 40-IDL-BUSH.

Poly Chain® GT®2 Sprockets – Stainless Steel

Markets/Applications

Use with Poly Chain® GT®2 belts. Stainless steel Poly Chain® GT®2 sprockets are ideal for the food and beverage market or where non-corrosive sprockets are needed to prevent rust.

Features/Advantages

- Cost effective alternative to stainless roller chain drives.
- Taper-Lock® bushings save shaft space allowing load to be closer to bearing.
- Can be used with rim speeds of 8,000 fpm.

Notes

Sprocket part numbers are comprised of pitch, number of grooves and width. For example, part number SS8MX-28S-12 denotes "SS" for stainless steel, 8mm pitch, 28 grooves, "S" for sprocket and 12mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Product No. Series 7769

8mm Pitch Sprockets
For Belts 12mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
SS 8MX-28S-12 MPB	$108.75	7769-9128	28	2.807	1.80	SS	MPB	1/2—1 3/4
SS 8MX-28S-12	111.93	7769-1228	28	2.807	.90	SS	1108	1/2—1 1/8
SS 8MX-29S-12 MPB	111.12	7769-9129	29	2.907	2.00	SS	MPB	1/2—1 3/4
SS 8MX-29S-12	113.71	7769-1229	29	2.907	1.00	SS	1108	1/2—1 1/8
SS 8MX-30S-12 MPB	131.93	7769-9130	30	3.008	2.20	SS	MPB	1/2—1 13/16
SS 8MX-30S-12	132.71	7769-1230	30	3.008	1.10	SS	1108	1/2—1 1/8
SS 8MX-32S-12 MPB	138.60	7769-9132	32	3.208	2.50	SS	MPB	1/2—2
SS 8MX-32S-12	141.71	7769-1232	32	3.208	1.20	SS	1210	1/2—1 1/4
SS 8MX-34S-12 MPB	155.76	7769-9134	34	3.409	2.80	SS	MPB	1/2—2 1/8
SS 8MX-34S-12	146.42	7769-1234	34	3.409	1.30	SS	1610	1/2—1 11/16
SS 8MX-36S-12	168.66	7769-1236	36	3.609	1.40	SS	1610	1/2—1 11/16
SS 8MX-38S-12	176.95	7769-1238	38	3.810	1.60	SS	1610	1/2—1 11/16
SS 8MX-40S-12	228.69	7769-1240	40	4.010	1.70	SS	2012	1/2—2 1/8
SS 8MX-42S-12	236.76	7769-1242	42	4.211	2.10	SS	2012	1/2—2 1/8
SS 8MX-45S-12	266.95	7769-1245	45	4.511	2.60	SS	2012	1/2—2 1/8
SS 8MX-48S-12	271.03	7769-1248	48	4.812	3.40	SS	2012	1/2—2 1/8
SS 8MX-50S-12	308.54	7769-1250	50	5.013	3.70	SS	2012	1/2—2 1/8
SS 8MX-53S-12	317.79	7769-1253	53	5.314	4.70	SS	2012	1/2—2 1/8
SS 8MX-56S-12	352.34	7769-1256	56	5.514	5.40	SS	2012	1/2—2 1/8
SS 8MX-60S-12	376.04	7769-1260	60	6.015	6.30	SS	2012	1/2—2 1/8

Poly Chain® GT®2 Sprockets – Stainless Steel

Product No. Series 7769 (continued)

8mm Pitch Sprockets
For Belts 21mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
SS 8MX-28S-21 MPB	$122.27	7769-9228	28	2.807	2.30	SS	MPB	1/2—1 3/4
SS 8MX-28S-21	130.69	7769-2128	28	2.807	1.00	SS	1108	1/2—1 1/8
SS 8MX-29S-21 MPB	126.32	7769-9229	29	2.907	2.50	SS	MPB	1/2—1 3/4
SS 8MX-29S-21	130.28	7769-2129	29	2.907	1.15	SS	1108	1/2—1 1/8
SS 8MX-30S-21 MPB	150.59	7769-9230	30	3.008	2.80	SS	MPB	1/2—1 13/16
SS 8MX-30S-21	157.32	7769-2130	30	3.008	1.30	SS	1108	1/2—1 1/8
SS 8MX-32S-21 MPB	149.97	7769-9232	32	3.208	3.20	SS	MPB	1/2—2
SS 8MX-32S-21	157.85	7769-2132	32	3.208	1.40	SS	1210	1/2—1 1/4
SS 8MX-34S-21 MPB	158.88	7769-9234	34	3.409	3.60	SS	MPB	1/2—2
SS 8MX-34S-21	158.75	7769-2134	34	3.409	1.50	SS	1610	1/2—1 11/16
SS 8MX-36S-21	190.00	7769-2136	36	3.609	1.60	SS	1610	1/2—1 11/16
SS 8MX-38S-21	196.26	7769-2138	38	3.810	1.90	SS	1610	1/2—1 11/16
SS 8MX-40S-21	233.65	7769-2140	40	4.010	2.00	SS	2012	1/2—2 1/8
SS 8MX-42S-21	246.11	7769-2142	42	4.211	2.40	SS	2012	1/2—2 1/8
SS 8MX-45S-21	267.91	7769-2145	45	4.511	3.00	SS	2012	1/2—2 1/8
SS 8MX-48S-21	277.26	7769-2148	48	4.812	3.70	SS	2012	1/2—2 1/8
SS 8MX-50S-21	317.76	7769-2150	50	5.013	4.20	SS	2012	1/2—2 1/8
SS 8MX-53S-21	327.10	7769-2153	53	5.314	5.00	SS	2012	1/2—2 1/8
SS 8MX-56S-21	358.26	7769-2156	56	5.614	5.80	SS	2012	1/2—2 1/8
SS 8MX-60S-21	380.06	7769-2160	60	6.015	6.90	SS	2012	1/2—2 1/8

Poly Chain® GT®2 Sprockets – Nickel Plated

Markets/Applications

Use with Poly Chain® GT®2 belts. Nickel plated sprockets are ideal for chemical processing, gas/oil production, kilns, HVAC and wash down applications.

Features/Advantages

- Nickel plated sprockets are corrosion resistant, preventing rust build-up and increasing product life.
- Narrower sprocket design transmits higher horsepower.
- Taper-Lock® bushings save shaft space allowing load to be closer to bearing.
- Sprockets are precision manufactured and static balanced.

Notes

Sprocket part numbers are comprised of pitch, number of grooves and width. For example, part number NP14MX-30S-20 denotes "NP" for nickel plated, 14mm pitch, 30 grooves, "S" for sprocket and 20mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Abbreviations used for sprocket materials: NP = Nickel Plated GI = Gray Iron DI = Ductile Iron SiS = Sintered Steel CI = Cast Iron

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.

Product No. Series 7707

8mm Pitch Sprockets
For Belts 21mm Wide

Part No.	Suggested List Price	Product No.	No. Of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
NP 8MX-22S-21	$130.41	7707-2022	22	2.206	.41	NP-DI	1008	1/2—1 1/8
NP 8MX-25S-21	130.41	7707-2025	25	2.506	.62	NP-SS	1108	1/2—1 1/8
NP 8MX-26S-21	133.69	7707-2026	26	2.607	.69	NP-CI	1108	1/2—1 1/8
NP 8MX-27S-21	134.79	7707-2027	27	2.707	.82	NP-CI	1108	1/2—1 1/8
NP 8MX-28S-21	134.79	7707-2028	28	2.807	.86	NP-CI	1108	1/2—1 1/8
NP 8MX-29S-21	134.79	7707-2029	29	2.907	.99	NP-CI	1108	1/2—1 1/8
NP 8MX-30S-21	134.79	7707-2030	30	3.008	1.05	NP-CI	1108	1/2—1 1/8
NP 8MX-31S-21	136.50	7707-2031	31	3.108	4.06	NP-DI	1210	1/2—1 1/4
NP 8MX-32S-21	139.13	7707-2032	32	3.208	1.18	NP-SS	1210	1/2—1 1/4
NP 8MX-33S-21	139.13	7707-2033	33	3.308	1.01	NP-DI	1610	1/2—1 11/16
NP 8MX-34S-21	126.07	7707-2034	34	3.409	1.07	NP-SS	1610	1/2—1 11/16
NP 8MX-35S-21	126.92	7707-2035	35	3.509	1.27	NP-CI	1610	1/2—1 11/16
NP 8MX-36S-21	130.41	7707-2036	36	3.609	1.42	NP-SS	1610	1/2—1 11/16
NP 8MX-37S-21	132.60	7707-2037	37	3.709	1.55	NP-CI	1610	1/2—1 11/16
NP 8MX-38S-21	134.79	7707-2038	38	3.810	1.73	NP-SS	1610	1/2—1 11/16
NP 8MX-39S-21	140.40	7707-2039	39	3.910	1.84	NP-CI	1610	1/2—1 11/16
NP 8MX-40S-21	143.47	7707-2040	40	4.010	1.68	NP-SS	2012	1/2—2 1/8
NP 8MX-41S-21	158.22	7707-2041	41	4.110	1.87	NP-DI	2012	1/2—2 1/8
NP 8MX-42S-21	161.60	7707-2042	42	4.211	2.09	NP-CI	2012	1/2—2 1/8
NP 8MX-45S-21	165.19	7707-2045	45	4.511	2.58	NP-SS	2012	1/2—2 1/8
NP 8MX-48S-21	191.29	7707-2048	47	4.812	3.33	NP-CI	2012	1/2—2 1/8
NP 8MX-50S-21	204.35	7707-2050	50	5.013	3.69	NP-CI	2012	1/2—2 1/8
NP 8MX-53S-21	207.74	7707-2053	53	5.514	4.60	NP-CI	2012	1/2—2 1/8
NP 8MX-56S-21	208.70	7707-2056	56	5.614	5.31	NP-CI	2012	1/2—2 1/8
NP 8MX-60S-21	260.85	7707-2060	60	6.015	6.30	NP-CI	2012	1/2—2 1/8
NP 8MX-63S-21	263.73	7707-2063	63	6.316	3.99	NP-CI	2012	1/2—2 1/8
NP 8MX-67S-21	289.39	7707-2067	67	6.717	5.16	NP-CI	2517	1/2—2 11/16
NP 8MX-71S-21	312.86	7707-2071	71	7.118	5.52	NP-CI	2517	1/2—2 11/16
NP 8MX-75S-21	331.53	7707-2075	75	7.519	5.88	NP-CI	2517	1/2—2 11/16
NP 8MX-80S-21	358.68	7707-2080	80	8.020	7.27	NP-CI	2517	1/2—2 11/16
NP 8MX-90S-21	369.54	7707-2090	90	9.023	11.00	NP-GI	2517	1/2—2 11/16
NP 8MX-112S-21	382.80	7707-2112	112	11.229	16.00	NP-GI	2517	1/2—2 11/16
NP 8MX-140S-21	477.39	7707-2140	140	14.036	24.10	NP-GI	2517	1/2—2 11/16
NP 8MX-180S-21	644.83	7707-2180	180	18.046	39.00	NP-GI	3020	7/8—3 1/4
NP 8MX-224S-21	947.04	7707-2224	224	22.457	42.00	NP-GI	3020	7/8—3 1/4

Prices Subject To Change Without Notice

Poly Chain® GT®2 Sprockets – Nickel Plated

Product No. Series 7707 (continued)

14mm Pitch Sprockets
For Belts 20mm Wide

Part No.	Suggested List Price	Product No.	No. Of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
NP 14MX-28S-20	$193.16	7707-3028	28	4.912	3.90	NP-GI	2012	1/2—2 1/8
NP 14MX-29S-20	205.22	7707-3029	29	5.088	4.30	NP-GI	2012	1/2—2 1/8
NP 14MX-30S-20	215.21	7707-3030	30	5.263	4.80	NP-GI	2012	1/2—2 1/8
NP 14MX-31S-20	226.23	7707-3031	31	5.439	5.30	NP-GI	2012	1/2—2 1/8
NP 14MX-32S-20	237.26	7707-3032	32	5.614	5.80	NP-GI	2012	1/2—2 1/8
NP 14MX-33S-20	245.91	7707-3033	33	5.790	6.30	NP-GI	2012	1/2—2 1/8
NP 14MX-34S-20	253.52	7707-3034	34	5.965	6.80	NP-GI	2012	1/2—2 1/8
NP 14MX-35S-20	262.18	7707-3035	35	6.141	7.30	NP-GI	2012	1/2—2 1/8
NP 14MX-36S-20	278.10	7707-3036	36	6.316	8.40	NP-GI	2517	1/2—2 11/16
NP 14MX-37S-20	293.21	7707-3037	37	6.492	9.30	NP-GI	2517	1/2—2 11/16
NP 14MX-38S-20	308.23	7707-3038	38	6.667	9.90	NP-GI	2517	1/2—2 11/16
NP 14MX-39S-20	325.50	7707-3039	39	6.842	10.70	NP-GI	2517	1/2—2 11/16
NP 14MX-40S-20	342.77	7707-3040	40	7.018	11.40	NP-GI	2517	1/2—2 11/16
NP 14MX-43S-20	373.80	7707-3043	43	7.544	14.00	NP-GI	2517	1/2—2 11/16
NP 14MX-45S-20	404.21	7707-3045	45	7.895	15.00	NP-GI	3020	7/8—3 1/4
NP 14MX-48S-20	436.11	7707-3048	48	8.421	18.20	NP-GI	3020	7/8—3 1/4
NP 14MX-50S-20	465.51	7707-3050	50	8.772	20.80	NP-GI	3020	7/8—3 1/4
NP 14MX-53S-20	512.14	7707-3053	53	9.299	24.10	NP-GI	3020	7/8—3 1/4
NP 14MX-56S-20	591.92	7707-3056	56	9.825	30.20	NP-GI	3525	1 3/16—3 15/16
NP 14MX-60S-20	641.47	7707-3060	60	10.527	36.90	NP-GI	3525	1 3/16—3 15/16
NP 14MX-63S-20	753.09	7707-3063	63	11.053	42.30	NP-GI	3525	1 3/16—3 15/16
NP 14MX-67S-20	829.16	7707-3067	67	11.755	50.30	NP-GI	3525	1 3/16—3 15/16
NP 14MX-71S-20	991.41	7707-3071	71	12.457	40.60	NP-GI	3525	1 3/16—3 15/16
NP 14MX-75S-20	930.69	7707-3075	75	13.158	42.30	NP-GI	3525	1 3/16—3 15/16
NP 14MX-80S-20	996.05	7707-3080	80	14.036	48.00	NP-GI	3525	1 3/16—3 15/16
NP 14MX-90S-20	770.76	7707-3090	90	15.790	53.80	NP-GI	3525	1 3/16—3 15/16
NP 14MX-112S-20	842.30	7707-3112	112	19.650	70.10	NP-GI	3525	1 3/16—3 15/16
NP 14MX-140S-20	1206.61	7707-3140	140	24.562	94.80	NP-GI	3525	1 3/16—3 15/16
NP 14MX-168S-20	1702.44	7707-3168	168	29.475	120.80	NP-GI	3525	1 3/16—3 15/16
NP 14MX-180S-20	1947.13	7707-3180	180	31.580	134.60	NP-GI	3525	1 3/16—3 15/16
NP 14MX-200S-20	2711.33	7707-3200	200	35.089	158.10	NP-GI	3525	1 3/16—3 15/16
NP 14MX-224S-20	3247.93	7707-3224	224	39.300	201.10	NP-GI	4030	1 7/16—4 7/16

Poly Chain® GT®2 Idler Hardware – Nickel Plated

Product No. Series 7720

Idler Sprockets (Integral Shaft Included)

Part No.	Sugg. List Price	Product No.	Size	Wt. Ea. (Lbs.)
NP-12-IDL-SPRK	$269.23	7720-1501	NP-IDLR-8M-32S-12	1.02
NP-21-IDL-SPRK	284.58	7720-1511	NP-IDLR-8M-32S-21	1.08

Idler Brackets

Part No.	Sugg. List Price	Product No.
NP-10-IDL-BRAK	$134.86	7720-1011
NP-20-IDL-BRAK	278.05	7720-1021

Poly Chain® GT®2 Single-Double Sprockets

Markets/Applications

Use with Poly Chain® GT®2 belts. Single-Double sprockets are ideal for applications requiring multiple sprockets on a single shaft.

Features/Advantages

- Increased efficiency and cost effective alternative to using side-by-side single sprockets.

Notes

Single-Double sprockets are available in stainless steel or ductile iron.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example, part number SS8MX-32S-12-21 denotes "SS" for stainless steel, 8mm pitch, 32 grooves, "S" for sprocket and 12mm plus 21mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Product No. Series 7769 & 7718

8mm Pitch Sprockets

For Belts 12mm & 12mm Wide

Part No.	Sugg. List Price	Product No.	No. Of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bushing
SS8MX-32S-12-12-SD	$279.00	7769-3201	32	3.208	1.50	SS	1210
SS8MX-34S-12-12-SD	293.49	7769-3202	34	3.409	1.60	SS	1610
SS8MX-36S-12-12-SD	307.91	7769-3203	36	3.609	1.75	SS	1610
8MX-32S-12-12-SD	180.50	7718-3201	32	3.208	1.50	DI	1210
8MX-34S-12-12-SD	185.95	7718-3202	34	3.409	1.60	DI	1610
8MX-36S-12-12-SD	194.98	7718-3203	36	3.609	1.75	DI	1610

For Belts 12mm & 21mm Wide

Part No.	Sugg. List Price	Product No.	No. Of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bushing
SS8MX-32S-12-21-SD	$296.79	7769-3204	32	3.208	1.80	SS	1210
SS8MX-34S-12-21-SD	308.01	7769-3205	34	3.409	1.90	SS	1610
SS8MX-36S-12-21-SD	318.97	7769-3206	36	3.609	2.10	SS	1610
8MX-32S-12-21-SD	190.50	7718-3204	32	3.208	1.80	DI	1210
8MX-34S-12-21-SD	196.36	7718-3205	34	3.409	1.90	DI	1610
8MX-36S-12-21-SD	206.20	7718-3206	36	3.609	2.10	DI	1610

For Belts 21mm & 12mm Wide

Part No.	Sugg. List Price	Product No.	No. Of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bushing
SS8MX-32S-21-12-SD	$296.79	7769-3207	32	3.208	1.80	SS	1210
SS8MX-34S-21-12-SD	308.01	7769-3208	34	3.409	1.90	SS	1610
SS8MX-36S-21-12-SD	318.97	7769-3209	36	3.609	2.10	SS	1610
8MX-32S-21-12-SD	190.50	7718-3207	32	3.208	1.80	DI	1210
8MX-34S-21-12-SD	196.36	7718-3208	34	3.409	1.90	DI	1610
8MX-36S-21-12-SD	206.20	7718-3209	36	3.609	2.10	DI	1610

For Belts 21mm & 21mm Wide

Part No.	Sugg. List Price	Product No.	No. Of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bushing
SS8MX-32S-21-21-SD	$304.14	7769-3210	32	3.208	2.10	SS	1210
SS8MX-34S-21-21-SD	323.02	7769-3211	34	3.409	2.25	SS	1610
SS8MX-36S-21-21-SD	339.91	7769-3212	36	3.609	2.40	SS	1610
8MX-32S-21-21-SD	199.35	7718-3210	32	3.208	2.10	DI	1210
8MX-34S-21-21-SD	200.97	7718-3211	34	3.409	2.25	DI	1610
8MX-36S-21-21-SD	205.73	7718-3212	36	3.609	2.40	DI	1610

Driving Solutions
The Gates Made-To-Order Metals Team

Singles

Double-Singles

Stainless Steel
QD Bushing



Triple-Singles

"If you can design it, we can do it!"

When standard products won't work, call the Gates Made-To-Order Metals Team. We specialize in providing prototype and production pulleys, sheaves and sprockets to meet your design expectations.

- **Pulleys, Sheaves and Sprockets** — All Gates Synchronous Profiles and Pitches, Micro-V® and V-belt, Plain or Profiled Idlers
- **Bores** — Plain, Straight, Tapered, Splined or any special bore. Manufactured to accept Taper Lock®, Ringfeder®, QD, Torque Tamer, Tranforque® or other special bushings
- **Styles** — Bar Stock, Idlers, Ringfeder® Connections, Torque Tamers, Custom Configurations, Special Hubs and more
- **Materials** — Aluminum, Steel, Ductile, Cast Iron, Phenolic, Stainless Steel or Plastics
- **Finishes** — Hard Coat, Food Grade, Zinc, Black Anodize, Painted, Custom Plating or any special coatings
- **Other Services** — Sub-Assemblies, Press Bearings, Sprocket/Bushing Balancing and Index Marking
- **Processes** — Hob Cutting, Shaper Cutting, Die Casting and Molding



Aluminum

Stainless Steel
Taper Lock

* Taper Lock is a registered trademark of Reliance Electric.
* Ringfeder is a registered trademark of Ringfeder Corporation.
* Tranforque is a registered trademark of BTL, a subsidiary of Fenner PLC.

Gates.

Prices Subject To Change Without Notice

Driving Solutions
The Gates Made-To-Order Metals Team

In a hurry? Send CAD drawings by email (see below). Over 85 percent of quote requests are answered within 48 hours on quantities of one to one million, and emergency service is also available.

Best of all, the Gates Made-To-Order Metals Team even offers engineering assistance. If you're facing a unique design challenge or simply need technical assistance, our application engineers are always available to help you choose the best solution to meet your needs.

The Gates Made-To-Order Metals Team

- Dedicated staff
- Personal attention
- Immediate answers
- Engineering assistance
- Just a phone call away

Made-To-Order Pulleys, Sheaves & Sprockets

- What you need, when you need it
- Nearly any material to meet your needs
- Variety of bores, styles and finishes
- No order too large or too small
- Emergency service also available

Design Flex™

Precise design specifications reduce development time.

Visit **www.gates.com/designflex** to download program.

Design View™

Complete engineering views are downloadable into CAD programs.

Visit www.gates.com/designview to download drawings of PowerGrip® GT®2 and Poly Chain® GT®2 Sprockets.





To learn more, contact the Gates Made-To-Order Metals Team at
800-709-6001
or fax 303-744-4080

Gates Corporation
Made-To-Order Metals Team
P.O. Box 5887
Denver, CO 80217-5887
Mail Code: 5N-85

Gates
A Tomkins Company

The Driving Force in Power Transmission™

www.gates.com/mtometals

19994F 12/09 Printed in U.S.A.

Sandra Maher	smaher@gates.com
Mary Harris	mharris@gates.com
Roxanne Loehrig	r_loehrig@gates.com
Charlotte Anderson	canderson@gates.com

Made-To-Order Metals Team
Left to right

Prices Subject To Change Without Notice

Poly Chain® GT®2 Sprockets – Re-Work Charges

Markets/Applications

Use with Poly Chain® GT®2 Belts or Poly Chain® GT® belts.

Features/Advantages

- Re-work services have fast turn around time.
- Precise sprocket design produces positive press firm to shaft.
- Precision manufactured and static balanced.

Notes

To order, contact the Made-To-Order Metals Team at 800-709-6001 (phone), 303-744-4080 (fax) or at www.gates.com/mtometals.

Re-work applies only to plain bore sprockets. When ordering, specify the part number and re-work needed. Re-work options are as follows:

BTS = Bored To Size, Includes Standard Keyway and Set Screws.
PB = Plain Bore. No Keyway. No Set Screws.
KWY = Keyway only.
SS = Set Screw Only.

Prices shown here are in addition to your net price for the standard minimum plain bore sprocket. Orders must be placed through the Made-To-Order Metals team and should not be placed on PowerPro®.

Prices are not valid on non-standard keyways, or non-standard set screws.

Product No. Series 7896

Part No.	Pitch Diameter (In.)	Bore Range		Re-work Charges			
		Min.	Max.	Plain Bore	Keyway	Set Screws	BTS
8MX-22S-12 MTO	2.206	1/2	1 3/16	$22.88	$6.50	$3.90	$33.28
8MX-25S-12 MTO	2.506	1/2	1 1/2	22.88	6.50	3.90	33.28
8MX-28S-12 MTO	2.807	1/2	1 3/4	22.88	6.50	3.90	33.28
8MX-30S-12 MTO	3.008	1/2	1 13/16	22.88	6.50	3.90	33.28
8MX-32S-12 MTO	3.208	1/2	2	22.88	6.50	3.90	33.28
8MX-22S-21 MTO	2.206	1/2	1 3/16	23.86	6.50	3.90	34.26
8MX-25S-21 MTO	2.506	1/2	1 1/2	23.86	6.50	3.90	34.26
8MX-28S-21 MTO	2.807	1/2	1 3/4	23.86	6.50	3.90	34.26
8MX-30S-21 MTO	3.008	1/2	1 13/16	23.86	6.50	3.90	34.26
8MX-32S-21 MTO	3.208	1/2	2	23.86	6.50	3.90	34.26
8MX-22S-36 MTO	2.206	1/2	1 3/16	26.85	6.50	3.90	37.25
8MX-25S-36 MTO	2.506	1/2	1 1/2	26.85	6.50	3.90	37.25
8MX-28S-36 MTO	2.807	1/2	1 3/4	26.85	6.50	3.90	37.25
8MX-30S-36 MTO	3.008	1/2	1 13/16	26.85	6.50	3.90	37.25
8MX-32S-36 MTO	3.208	1/2	2	26.85	6.50	3.90	37.25
8MX-34S-36-MTO	3.409	1/2	2 1/8	26.85	6.50	3.90	37.25
8MX-36X-36 MTO	3.609	1/2	2 5/16	26.85	6.50	3.90	37.25
8MX-38S-36 MTO	3.81	1/2	2 7/16	26.85	6.50	3.90	37.25
8MX-22S-62 MTO	2.206	1	1 3/16	34.78	7.15	3.90	45.83
8MX-25S-62 MTO	2.506	1	1 1/2	34.78	7.15	3.90	45.83
8MX-28S-62 MTO	2.807	1	1 3/4	34.78	7.15	3.90	45.83
8MX-30S-62 MTO	3.008	1	1 13/16	34.78	7.15	3.90	45.83
8MX-32S-62 MTO	3.208	1	2	34.78	7.15	3.90	45.83
8MX-34S-62 MTO	3.409	1	2 1/8	34.78	7.15	3.90	45.83
8MX-36S-62 MTO	3.609	1	2 5/16	34.78	7.15	3.90	45.83
8MX-38S-62 MTO	3.812	1	2 7/16	34.78	7.15	3.90	45.83
8MX-40S-62 MTO	4.01	1	2 9/16	34.78	7.15	3.90	45.83
8MX-42S-62 MTO	4.211	1	2 3/4	34.78	7.15	3.90	45.83
8MX-45S-62 MTO	4.511	1	2 3/4	34.78	7.15	3.90	45.83
14MX-28S-37 MTO	4.912	1/2	2 15/16	31.85	7.80	5.20	44.85
14MX-28S-68 MTO	4.912	1	2 15/16	39.00	8.45	5.20	52.65
14MX-29S-68 MTO	5.088	1	3 3/16	39.00	8.45	5.20	52.65
14MX-30S-68 MTO	5.263	1	3 3/16	39.00	8.45	5.20	52.65
14MX-31S-68 MTO	5.439	1	3 7/16	39.00	8.45	5.20	52.65
14MX-32S-68 MTO	5.614	1	3 7/16	39.00	8.45	5.20	52.65
14MX-33S-68 MTO	5.79	1	3 1/2	39.00	8.45	5.20	52.65
14MX-34S-68 MTO	5.965	1	3 1/2	39.00	8.45	5.20	52.65
14MX-28S-90 MTO	4.912	1 1/2	2 15/16	45.50	9.10	5.20	59.80
14MX-29S-90 MTO	5.088	1 1/2	3 3/16	45.50	9.10	5.20	59.80
14MX-30S-90 MTO	5.263	1 1/2	3 3/16	45.50	9.10	5.20	59.80

Prices Subject To Change Without Notice

Poly Chain® GT®2 Sprockets – Re-Work Charges

Product No. Series 7896 (continued)

Part No.	Pitch Diameter (In.)	Bore Range		Re-work Charges			
		Min.	Max.	Plain Bore	Keyway	Set Screws	BTS
14MX-31S-90 MTO	5.439	1 1/2	3 7/16	$45.50	$9.10	$5.20	$59.80
14MX-32S-90 MTO	5.614	1 1/2	3 7/16	45.50	9.10	5.20	59.80
14MX-33S-90 MTO	5.79	1 1/2	3 1/2	45.50	9.10	5.20	59.80
14MX-34S-90 MTO	5.965	1 1/2	3 1/2	45.50	9.10	5.20	59.80
14MX-35S-90 MTO	6.141	1 1/2	3 13/16	45.50	9.10	5.20	59.80
14MX-36S-90 MTO	6.316	1 1/2	3 13/16	45.50	9.10	5.20	59.80
14MX-37S-90 MTO	6.492	1 1/2	4 1/8	45.50	9.10	5.20	59.80
14MX-38S-90 MTO	6.667	1 1/2	4 1/8	45.50	9.10	5.20	59.80
14MX-39S-90 MTO	6.842	1 1/2	4 3/8	45.50	9.10	5.20	59.80
14MX-40S-90 MTO	7.018	1 1/2	4 3/8	45.50	9.10	5.20	59.80
14MX-28S-125 MTO	4.912	1 1/2	2 15/16	48.75	9.75	5.20	63.70
14MX-29S-125 MTO	5.087	1 1/2	3 3/16	48.75	9.75	5.20	63.70
14MX-30S-125 MTO	5.263	1 1/2	3 3/16	48.75	9.75	5.20	63.70
14MX-31S-125 MTO	5.438	1 1/2	3 7/16	48.75	9.75	5.20	63.70
14MX-32S-125 MTO	5.614	1 1/2	3 7/16	48.75	9.75	5.20	63.70
14MX-33S-125 MTO	5.79	1 1/2	3 1/2	48.75	9.75	5.20	63.70
14MX-34S-125 MTO	5.965	1 1/2	3 1/2	48.75	9.75	5.20	63.70
14MX-35S-125 MTO	6.14	1 1/2	3 13/16	48.75	9.75	5.20	63.70
14MX-36S-125 MTO	6.315	1 1/2	3 13/16	48.75	9.75	5.20	63.70
14MX-37S-125 MTO	6.491	1 1/2	4 1/8	48.75	9.75	5.20	63.70
14MX-38S-125 MTO	6.666	1 1/2	4 1/8	48.75	9.75	5.20	63.70
14MX-39S-125 MTO	6.842	1 1/2	4 3/8	48.75	9.75	5.20	63.70
14MX-40S-125 MTO	7.017	1 1/2	4 3/8	48.75	9.75	5.20	63.70
14MX-43S-125 MTO	7.543	1 1/2	4 13/16	48.75	9.75	5.20	63.70
14MX-45S-125 MTO	7.894	1 1/2	5	48.75	9.75	5.20	63.70
14MX-48S-125 MTO	8.421	1 1/2	5 5/8	48.75	9.75	5.20	63.70

Poly Chain® GT®2 Sprockets for Air Cooled Heat Exchangers

Markets/Applications

These Poly Chain® GT2® Sprockets are designed for Air Cooled Heat Exchanger (ACHE) applications commonly found in industries such as oil/gas production, petroleum refining, petrochemical and power generation.

Features/Advantages

- Due to shorter length through bore and narrow design, sprockets have reduced weight for ease in mounting.
- Taper-Lock® style bushings use less shaft space allowing the load to be closer to the bearings.
- Designed to eliminate shaft overhang.

Notes

Sprocket part numbers are comprised of pitch, number of grooves and width. For example, part number F14MX-28S-37 denotes 14mm pitch, 28 grooves, "S" for sprocket and 37mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Abbreviations used for sprocket materials: GI = Gray Iron DI = Ductile Iron SiS = Sintered Steel CI = Cast Iron

WARNING: Do NOT use these sprockets with rim speeds in excess of 6,500 fpm.

WARNING: "F" SERIES SPROCKETS should be used with Motor Speeds greater than 575 RPM's.

Additional Taper-Lock® sprockets for these applications can be found on pages 273 thru 281. Poly Chain® GT®2 Belts can be found on pages 82 - 84.

Product No. Series 7718

8mm Pitch Poly Chain® GT®2 — Taper-Lock® Sprockets for ACHE Applications For 12mm Poly Chain® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8MX-26S-12	$82.37	7718-1026	26	2.607	.60	GI	1108	1/2—1 1/8
8MX-27S-12	82.97	7718-1027	27	2.707	.70	GI	1108	1/2—1 1/8
8MX-28S-12	83.17	7718-1028	28	2.807	.90	GI	1108	1/2—1 1/8
8MX-29S-12	85.89	7718-1029	29	2.907	.90	GI	1108	1/2—1 1/8
8MX-30S-12	87.13	7718-1030	30	3.008	1.10	GI	1108	1/2—1 1/8
8MX-31S-12	90.42	7718-1031	31	3.108	1.10	GI	1210	1/2—1 1/4
8MX-32S-12	91.08	7718-1032	32	3.208	1.20	DI	1210	1/2—1 1/4
8MX-33S-12	91.08	7718-1033	33	3.308	1.10	DI	1610	1/2—1 11/16
8MX-34S-12	91.08	7718-1034	34	3.409	1.10	DI	1610	1/2—1 11/16
8MX-35S-12	93.24	7718-1035	35	3.509	1.30	GI	1610	1/2—1 11/16
8MX-36S-12	95.03	7718-1036	36	3.609	1.40	SiS	1610	1/2—1 11/16
8MX-37S-12	96.39	7718-1037	37	3.709	1.60	GI	1610	1/2—1 11/16
8MX-38S-12	99.00	7718-1038	38	3.810	1.70	SiS	1610	1/2—1 11/16
8MX-39S-12	100.39	7718-1039	39	3.910	1.90	GI	1610	1/2—1 11/16
8MX-40S-12	102.94	7718-1040	40	4.010	1.70	SiS	2012	1/2—2 1/8
8MX-41S-12	115.27	7718-1041	41	4.110	2.30	DI	2012	1/2—2 1/8
8MX-42S-12	117.45	7718-1042	42	4.211	2.10	GI	2012	1/2—2 1/8
8MX-45S-12	122.76	7718-1045	45	4.511	2.60	SiS	2012	1/2—2 1/8
8MX-48S-12	138.61	7718-1048	48	4.812	3.40	GI	2012	1/2—2 1/8
8MX-50S-12	146.53	7718-1050	50	5.013	3.70	GI	2012	1/2—2 1/8

Poly Chain® GT®2 Sprockets for Air Cooled Heat Exchangers

Product No. Series 7718 (continued)

8mm Pitch Poly Chain® GT®2 — Taper-Lock® Sprockets for ACHE Applications For 12mm Poly Chain® GT®2 Belts (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8MX-53S-12	$152.20	7718-1053	53	5.314	4.70	GI	2012	1/2—2 1/8
8MX-56S-12	154.42	7718-1056	56	5.614	5.40	GI	2012	1/2—2 1/8
8MX-60S-12	190.10	7718-1060	60	6.015	6.30	GI	2012	1/2—2 1/8
8MX-63S-12	194.05	7718-1063	63	6.316	4.10	GI	2012	1/2—2 1/8
8MX-67S-12	197.55	7718-1067	67	6.717	4.30	GI	2012	1/2—2 1/8
8MX-71S-12	198.01	7718-1071	71	7.118	4.70	GI	2012	1/2—2 1/8
8MX-75S-12	198.01	7718-1075	75	7.519	5.10	GI	2012	1/2—2 1/8
8MX-80S-12	209.89	7718-1080	80	8.020	5.80	GI	2012	1/2—2 1/8
8MX-90S-12	213.84	7718-1090	90	9.023	8.00	GI	2012	1/2—2 1/8
8MX-112S-12	269.29	7718-1112	112	11.229	12.00	GI	2012	1/2-2 1/8
8MX-140S-12	336.61	7718-1140	140	14.036	17.00	GI	2012	1/2-2 1/8
8MX-180S-12	431.66	7718-1180	180	18.046	26.60	GI	2517	1/2-2 11/16
8MX-224S-12	534.63	7718-1224	224	22.457	37.00	GI	2517	1/2-2 11/16

8mm Pitch Poly Chain® GT®2 — Taper-Lock® Sprockets for ACHE Applications For 21mm Poly Chain® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8MX-26S-21	$121.78	7718-2026	26	2.607	.80	GI	1108	1/2—1 1/8
8MX-27S-21	122.76	7718-2027	27	2.707	.90	GI	1108	1/2—1 1/8
8MX-28S-21	122.76	7718-2028	28	2.807	1.00	GI	1108	1/2—1 1/8
8MX-29S-21	122.76	7718-2029	29	2.907	1.00	GI	1108	1/2—1 1/8
8MX-30S-21	122.76	7718-2030	30	3.008	1.30	GI	1108	1/2—1 1/8
8MX-31S-21	124.33	7718-2031	31	3.108	1.10	GI	1210	1/2—1 1/4
8MX-32S-21	126.73	7718-2032	32	3.208	1.40	DI	1210	1/2—1 1/4
8MX-33S-21	126.73	7718-2033	33	3.308	1.10	DI	1610	1/2—1 11/16
8MX-34S-21	114.84	7718-2034	34	3.409	1.40	DI	1610	1/2—1 11/16
8MX-35S-21	115.62	7718-2035	35	3.509	1.30	GI	1610	1/2—1 11/16
8MX-36S-21	118.80	7718-2036	36	3.609	1.60	SiS	1610	1/2—1 11/16
8MX-37S-21	120.77	7718-2037	37	3.709	1.60	GI	1610	1/2—1 11/16
8MX-38S-21	122.76	7718-2038	38	3.810	1.90	SiS	1610	1/2—1 11/16
8MX-39S-21	127.88	7718-2039	39	3.910	1.90	GI	1610	1/2—1 11/16
8MX-40S-21	130.69	7718-2040	40	4.010	2.00	SiS	2012	1/2—2 1/8
8MX-41S-21	144.11	7718-2041	41	4.110	2.30	DI	2012	1/2—2 1/8
8MX-42S-21	147.20	7718-2042	42	4.211	2.40	GI	2012	1/2—2 1/8
8MX-45S-21	150.48	7718-2045	45	4.511	3.00	SiS	2012	1/2—2 1/8
8MX-48S-21	174.25	7718-2048	48	4.812	3.70	GI	2012	1/2—2 1/8
8MX-50S-21	186.13	7718-2050	50	5.013	4.20	GI	2012	1/2—2 1/8
8MX-53S-21	189.22	7718-2053	53	5.314	5.00	GI	2012	1/2—2 1/8
8MX-56S-21	190.10	7718-2056	56	5.614	5.80	GI	2012	1/2—2 1/8
8MX-60S-21	237.61	7718-2060	60	6.015	6.90	GI	2012	1/2—2 1/8
8MX-63S-21	237.61	7718-2063	63	6.316	4.10	GI	2012	1/2—2 1/8
8MX-67S-21	241.58	7718-2067	67	6.717	5.70	GI	2517	1/2—2 11/16
8MX-71S-21	241.58	7718-2071	71	7.118	6.10	GI	2517	1/2—2 11/16
8MX-75S-21	241.58	7718-2075	75	7.519	6.50	GI	2517	1/2—2 11/16
8MX-80S-21	261.37	7718-2080	80	8.020	7.50	GI	2517	1/2—2 11/16
8MX-90S-21	269.29	7718-2090	90	9.023	11.00	GI	2517	1/2—2 11/16
8MX-112S-21	336.61	7718-2112	112	11.229	16.00	GI	2517	1/2-2 11/16
8MX-140S-21	419.77	7718-2140	140	14.036	24.10	GI	2517	1/2—2 11/16
8MX-180S-21	538.59	7718-2180	180	18.046	39.00	GI	3020	7/8—3 1/4
8MX-224S-21	669.28	7718-2224	224	22.457	53.40	GI	3020	7/8—3 1/4

Poly Chain® GT®2 Sprockets for Air Cooled Heat Exchangers

Product No. Series 7727

8mm Pitch Poly Chain® GT®2 — QD® Sprockets for ACHE Applications For 21mm Poly Chain® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F8M-36S-21	$118.80	7727-9536	36	3.609	2.10	GI	SH	1/2—1 5/8
F8M-38S-21	122.76	7727-9538	38	3.810	2.10	GI	SH	1/2—1 5/8
F8M-40S-21	130.69	7727-9540	40	4.010	2.30	GI	SH	1/2—1 5/8
F8M-42S-21	147.20	7727-9542	42	4.211	2.50	GI	SH	1/2—1 5/8
F8M-140S-21	419.77	7727-9544	140	14.036	25.00	GI	SF	1/2—2 13/16
F8M-168S-21	502.32	7727-9568	168	16.843	33.80	GI	SF	1/2—2 13/16
F8M-180S-21	538.59	7727-9580	180	18.046	36.60	GI	SF	1/2—2 13/16
F8M-224S-21	669.28	7727-9524	224	22.457	50.10	GI	E	7/8—3 1/2

Product No. Series 7719

14mm Pitch Poly Chain® GT®2 — Taper-Lock® Sprockets for ACHE Applications For 20mm Poly Chain® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14MX-28S-20	$142.57	7719-2028	28	4.912	3.90	GI	2012	1/2—2 1/8
14MX-29S-20	154.45	7719-2029	29	5.088	4.30	GI	2012	1/2—2 1/8
14MX-30S-20	154.45	7719-2030	30	5.263	4.80	GI	2012	1/2—2 1/8
14MX-31S-20	170.28	7719-2031	31	5.439	5.30	GI	2012	1/2—2 1/8
14MX-32S-20	170.28	7719-2032	32	5.614	5.80	GI	2012	1/2—2 1/8
14MX-33S-20	174.25	7719-2033	33	5.790	6.30	GI	2012	1/2—2 1/8
14MX-34S-20	174.25	7719-2034	34	5.965	6.80	GI	2012	1/2—2 1/8
14MX-35S-20	190.10	7719-2035	35	6.141	7.30	GI	2012	1/2—2 1/8
14MX-36S-20	190.10	7719-2036	36	6.316	8.40	GI	2517	1/2—2 11/16
14MX-37S-20	213.84	7719-2037	37	6.492	9.30	GI	2517	1/2—2 11/16
14MX-38S-20	213.84	7719-2038	38	6.667	9.90	GI	2517	1/2—2 11/16
14MX-39S-20	221.76	7719-2039	39	6.842	10.70	GI	2517	1/2—2 11/16
14MX-40S-20	221.76	7719-2040	40	7.018	11.40	GI	2517	1/2—2 11/16
14MX-43S-20	257.41	7719-2043	43	7.544	14.00	GI	2517	1/2—2 11/16
14MX-45S-20	265.33	7719-2045	45	7.895	15.00	GI	3020	7/8—3 1/4
14MX-48S-20	277.22	7719-2048	48	8.421	18.20	GI	3020	7/8—3 1/4
14MX-50S-20	289.10	7719-2050	50	8.772	20.80	GI	3020	7/8—3 1/4
14MX-53S-20	293.06	7719-2053	53	9.299	24.10	GI	3020	7/8—3 1/4
14MX-56S-20	293.06	7719-2056	56	9.825	30.20	GI	3525	1 3/16—3 15/16
14MX-60S-20	380.18	7719-2060	60	10.527	36.90	GI	3525	1 3/16—3 15/16
14MX-63S-20	435.62	7719-2063	63	11.053	42.30	GI	3525	1 3/16—3 15/16
14MX-67S-20	451.20	7719-2067	67	11.755	50.30	GI	3525	1 3/16—3 15/16
14MX-71S-20	455.42	7719-2071	71	12.457	40.60	GI	3525	1 3/16—3 15/16
14MX-75S-20	495.02	7719-2075	75	13.158	42.30	GI	3525	1 3/16—3 15/16
14MX-80S-20	530.67	7719-2080	80	14.036	48.00	GI	3525	1 3/16—3 15/16
14MX-90S-20	538.59	7719-2090	90	15.790	53.80	GI	3525	1 3/16—3 15/16
14MX-112S-20	609.87	7719-2112	112	19.650	70.10	GI	3525	1 3/16—3 15/16
14MX-140S-20	799.95	7719-2140	140	24.562	94.80	GI	3525	1 3/16—3 15/16
14MX-168S-20	1074.41	7719-2168	168	29.475	120.80	GI	3525	1 3/16—3 15/16
14MX-180S-20	1192.01	7719-2180	180	31.580	134.60	GI	3525	1 3/16—3 15/16
14MX-200S-20	1651.39	7719-2200	200	35.089	158.10	GI	3525	1 3/16—3 15/16
14MX-224S-20	2114.74	7719-2224	224	39.300	201.10	GI	4030	1 7/16—4 7/16

Poly Chain® GT®2 Sprockets for Air Cooled Heat Exchangers

Product No. Series 7719 (continued)

14mm Pitch Poly Chain® GT®2 — Taper-Lock® Sprockets for ACHE Applications For 37mm Poly Chain® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14MX-28S-37	$178.22	7719-3028	28	4.912	5.20	GI	2012	1/2—2 1/8
14MX-29S-37	188.43	7719-3029	29	5.088	5.10	GI	2517	1/2—2 11/16
14MX-30S-37	194.05	7719-3030	30	5.263	5.80	GI	2517	1/2—2 11/16
14MX-31S-37	204.87	7719-3031	31	5.439	6.40	GI	2517	1/2—2 11/16
14MX-32S-37	213.84	7719-3032	32	5.614	7.20	GI	2517	1/2—2 11/16
14MX-33S-37	219.74	7719-3033	33	5.790	7.80	GI	2517	1/2—2 11/16
14MX-34S-37	225.13	7719-3034	34	5.965	8.70	GI	2517	1/2—2 11/16
14MX-35S-37	232.66	7719-3035	35	6.141	9.30	GI	2517	1/2—2 11/16
14MX-36S-37	237.40	7719-3036	36	6.316	10.20	GI	2517	1/2—2 11/16
14MX-37S-37	249.11	7719-3037	37	6.492	10.80	GI	2517	1/2—2 11/16
14MX-38S-37	273.26	7719-3038	38	6.667	10.30	GI	3020	7/8—3 1/4
14MX-39S-37	278.88	7719-3039	39	6.842	11.30	GI	3020	7/8—3 1/4
14MX-40S-37	281.18	7719-3040	40	7.018	12.30	GI	3020	7/8—3 1/4
14MX-43S-37	324.74	7719-3043	43	7.544	15.60	GI	3020	7/8—3 1/4
14MX-45S-37	332.66	7719-3045	45	7.895	18.00	GI	3020	7/8—3 1/4
14MX-48S-37	344.54	7719-3048	48	8.421	21.50	GI	3020	7/8—3 1/4
14MX-50S-37	360.37	7719-3050	50	8.772	24.10	GI	3020	7/8—3 1/4
14MX-53S-37	365.42	7719-3053	53	9.299	28.30	GI	3020	7/8—3 1/4
14MX-56S-37	368.29	7719-3056	56	9.825	33.00	GI	3525	1 3/16—3 15/16
14MX-60S-37	475.23	7719-3060	60	10.527	40.60	GI	3525	1 3/16—3 15/16
14MX-63S-37	542.54	7719-3063	63	11.053	46.70	GI	3525	1 3/16—3 15/16
14MX-67S-37	557.01	7719-3067	67	11.755	55.60	GI	3525	1 3/16—3 15/16
14MX-71S-37	570.27	7719-3071	71	12.457	61.20	GI	3525	1 3/16—3 15/16
14MX-75S-37	574.23	7719-3075	75	13.158	46.90	GI	3525	1 3/16—3 15/16
14MX-80S-37	586.11	7719-3080	80	14.036	52.50	GI	3525	1 3/16—3 15/16
14MX-90S-37	601.95	7719-3090	90	15.790	61.50	GI	3525	1 3/16—3 15/16
14MX-112S-37	764.31	7719-3112	112	19.650	89.10	GI	3525	1 3/16—3 15/16
14MX-140S-37	1001.93	7719-3140	140	24.562	125.50	GI	3525	1 3/16—3 15/16
14MX-168S-37	1293.00	7719-3168	168	29.475	175.10	GI	4030	1 7/16—4 7/16
14MX-180S-37	1417.75	7719-3180	180	31.580	191.40	GI	4030	1 7/16—4 7/16
14MX-200S-37	1976.13	7719-3200	200	35.089	224.90	GI	4030	1 7/16—4 7/16
14MX-224S-37	2538.48	7719-3224	224	39.300	267.70	GI	4030	1 7/16—4 7/16

Product No. Series 7727

14mm Pitch Poly Chain® GT®2 - QD® Sprockets for ACHE Applications For 20mm Poly Chain® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F14M-28S-20	$142.57	7727-9628	28	4.912	3.90	GI	SK	1/2—2 1/2
F14M-29S-20	154.45	7727-9629	29	5.088	4.50	GI	SK	1/2—2 1/2
F14M-30S-20	154.45	7727-9630	30	5.263	4.80	GI	SK	1/2—2 1/2
F14M-31S-20	170.28	7727-9631	31	5.439	5.50	GI	SK	1/2—2 1/2
F14M-32S-20	170.28	7727-9632	32	5.614	5.90	GI	SK	1/2—2 1/2
F14M-33S-20	174.25	7727-9633	33	5.790	6.30	GI	SK	1/2—2 1/2
F14M-34S-20	174.25	7727-9634	34	5.965	6.90	GI	SK	1/2—2 1/2
F14M-35S-20	190.10	7727-9635	35	6.141	7.30	GI	SK	1/2—2 1/2
F14M-140S-20	799.95	7727-9644	140	24.562	66.10	GI	E	7/8—3 1/2
F14M-168S-20	1074.41	7727-9668	168	29.475	157.00	GI	F	1—3 15/16
F14M-180S-20	1192.01	7727-9680	180	31.580	108.00	GI	F	1—3 15/16
F14M-200S-20	1651.39	7727-9600	200	35.089	107.00	GI	F	1—3 15/16
F14M-224S-20	2114.74	7727-9624	224	39.300	125.00	GI	F	1—3 15/16

Poly Chain® GT®2 Sprockets for Air Cooled Heat Exchangers

Product No. Series 7727 (continued)

14mm Pitch Poly Chain® GT®2 - QD® Sprockets for ACHE Applications (continued)
For 37mm Poly Chain® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F14M-28S-37	$178.22	7727-9728	28	4.912	4.20	GI	SK	½—2½
F14M-29S-37	188.43	7727-9729	29	5.088	4.70	GI	SK	½—2½
F14M-30S-37	194.05	7727-9730	30	5.263	5.00	GI	SK	½—2½
F14M-31S-37	204.87	7727-9731	31	5.439	6.00	GI	SK	½—2½
F14M-32S-37	213.84	7727-9732	32	5.614	7.10	GI	SK	½—2½
F14M-33S-37	219.74	7727-9733	33	5.790	7.50	GI	SK	½—2½
F14M-34S-37	225.13	7727-9734	34	5.965	7.80	GI	SK	½—2½
F14M-35S-37	232.66	7727-9735	35	6.141	8.30	GI	SK	½—2½
F14M-180S-37	1363.23	7727-9702	180	31.580	117.00	GI	E	⅞—3½
F14M-200S-37	1900.12	7727-9700	200	35.089	119.00	GI	E	⅞—3½
F14M-224S-37	2440.84	7727-9704	224	39.300	178.00	GI	E	⅞—3½

PowerGrip® GT®2 Sprockets for Air Cooled Heat Exchangers

Markets/Applications

These PowerGrip® GT®2 Sprockets are designed for Air Cooled Heat Exchanger (ACHE) applications commonly found in industries such as oil/gas production, petroleum refining, petrochemical, power generation and cooling towers.

Features/Advantages

- Due to shorter length through bore and narrow design, sprockets have reduced weight for ease in mounting.
- Both QD® and Taper-Lock® styles are available.

Notes

Sprocket part numbers are comprised of pitch, number of grooves and width. For example, part number F34-14MGT-40 denotes 34 grooves, 14mm pitch, and 40mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Abbreviations used for sprocket materials: GI = Gray Iron DI = Ductile Iron SiS = Sintered Steel CI = Cast Iron

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.

WARNING: "F" SERIES SPROCKETS should be used with Motor Speeds greater than 575 RPM's.

Additional Taper Lock® sprockets for these applications can be found on pages 302 - 307. PowerGrip® GT®2 Belts can be found on pages 103-106.

Product No. Series 7711

14mm Pitch PowerGrip® GT®2 — Taper-Lock® Sprockets for ACHE Applications For 40mm PowerGrip® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P28-14MGT-40	$161.72	7711-4028	28	4.912	5.90	GI	2012	1/2—2 1/8
P29-14MGT-40	171.25	7711-4029	29	5.088	6.60	GI	2012	1/2—2 1/8
P30-14MGT-40	176.96	7711-4030	30	5.263	6.50	GI	2012	1/2—2 1/8
P32-14MGT-40	194.10	7711-4032	32	5.614	8.00	GI	2012	1/2—2 1/8
P34-14MGT-40	199.80	7711-4034	34	5.965	9.40	GI	2012	1/2—2 1/8
P36-14MGT-40	218.86	7711-4036	36	6.316	10.50	GI	2517	1/2—2 11/16
P38-14MGT-40	247.27	7711-4038	38	6.669	12.20	GI	2517	1/2—2 11/16
P40-14MGT-40	252.98	7711-4040	40	7.018	14.20	GI	2517	1/2—2 11/16
P44-14MGT-40	294.88	7711-4044	44	7.720	17.60	GI	2517	1/2—2 11/16
P48-14MGT-40	313.92	7711-4048	48	8.421	22.00	GI	2517	1/2—2 11/16
P52-14MGT-40	327.26	7711-4052	52	9.123	26.50	GI	2517	1/2—2 11/16
P56-14MGT-40	332.97	7711-4056	56	9.825	31.30	GI	2517	1/2—2 11/16
P60-14MGT-40	431.85	7711-4060	60	10.527	28.90	GI	3020	7/8—3 1/4
P64-14MGT-40	494.69	7711-4064	64	11.229	31.00	GI	3020	7/8—3 1/4
P68-14MGT-40	504.21	7711-4068	68	11.930	31.30	GI	3020	7/8—3 1/4
P72-14MGT-40	517.55	7711-4072	72	12.632	33.90	GI	3020	7/8—3 1/4
P80-14MGT-40	532.63	7711-4080	80	14.036	33.70	GI	3020	7/8—3 1/4
P90-14MGT-40	547.86	7711-4090	90	15.790	39.70	GI	3020	7/8—3 1/4
P112-14MGT-40	694.36	7711-4112	112	19.650	100.50	GI	3020	7/8—3 1/4
P144-14MGT-40	913.20	7711-4144	144	25.264	80.00	GI	3020	7/8—3 1/4
P168-14MGT-40	1171.90	7711-4168	168	29.475	115.00	GI	3020	7/8—3 1/4
P192-14MGT-40	1472.20	7711-4192	192	33.686	158.00	GI	3020	7/8—3 1/4

PowerGrip® GT®2 Sprockets for Air Cooled Heat Exchangers

Product No. Series 7711 (continued)

14mm Pitch PowerGrip® GT®2 — Taper-Lock® Sprockets for ACHE Applications For 55mm PowerGrip® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P28-14MGT-55	$190.29	7711-5028	28	4.912	7.40	GI	2012	1/2—2 1/8
P29-14MGT-55	199.80	7711-5029	29	5.088	8.40	GI	2012	1/2—2 1/8
P30-14MGT-55	205.52	7711-5030	30	5.263	7.40	GI	2517	1/2—2 11/16
P32-14MGT-55	216.94	7711-5032	32	5.614	9.30	GI	2517	1/2—2 11/16
P34-14MGT-55	228.37	7711-5034	34	5.965	11.20	GI	2517	1/2—2 11/16
P36-14MGT-55	237.90	7711-5036	36	6.316	12.40	GI	2517	1/2—2 11/16
P38-14MGT-55	266.31	7711-5038	38	6.669	14.40	GI	2517	1/2—2 11/16
P40-14MGT-55	272.03	7711-5040	40	7.018	16.70	GI	2517	1/2—2 11/16
P44-14MGT-55	313.92	7711-5044	44	7.720	19.90	GI	2517	1/2—2 11/16
P48-14MGT-55	323.44	7711-5048	48	8.421	24.40	GI	3020	7/8—3 1/4
P52-14MGT-55	338.68	7711-5052	52	9.123	29.60	GI	3020	7/8—3 1/4
P56-14MGT-55	342.49	7711-5056	56	9.825	35.30	GI	3020	7/8—3 1/4
P60-14MGT-55	456.60	7711-5060	60	10.527	41.60	GI	3020	7/8—3 1/4
P64-14MGT-55	523.11	7711-5064	64	11.229	47.90	GI	3020	7/8—3 1/4
P68-14MGT-55	542.15	7711-5068	68	11.930	40.20	GI	3020	7/8—3 1/4
P72-14MGT-55	551.67	7711-5072	72	12.632	45.10	GI	3020	7/8—3 1/4
P80-14MGT-55	656.42	7711-5080	80	14.036	41.60	GI	3020	7/8—3 1/4
P90-14MGT-55	715.94	7711-5090	90	15.790	45.00	GI	3020	7/8—3 1/4
P112-14MGT-55	770.53	7711-5112	112	19.650	116.70	GI	3020	7/8—3 1/4
P144-14MGT-55	989.23	7711-5144	144	25.264	104.00	GI	3020	7/8—3 1/4
P168-14MGT-55	1274.59	7711-5168	168	29.475	124.00	GI	3020	7/8—3 1/4
P192-14MGT-55	1596.71	7711-5192	192	33.686	140.00	GI	3535	1 3/16-3 15/16

14mm Pitch PowerGrip® GT®2 — QD® Sprockets for ACHE Applications For 40mm PowerGrip® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F28-14MGT-40	$161.72	7711-4328	28	4.912	4.30	GI	SK	1/2—2 1/2
F29-14MGT-40	171.25	7711-4329	29	5.088	4.60	GI	SK	1/2—2 1/2
F30-14MGT-40	176.95	7711-4330	30	5.263	5.20	GI	SK	1/2—2 1/2
F31-14MGT-40	188.12	7711-4331	31	5.439	5.60	GI	SK	1/2—2 1/2
F32-14MGT-40	194.10	7711-4332	32	5.614	6.40	GI	SK	1/2—2 1/2
F33-14MGT-40	196.56	7711-4333	33	5.790	6.70	GI	SK	1/2—2 1/2
F34-14MGT-40	199.80	7711-4334	34	5.965	7.10	GI	SK	1/2—2 1/2
F35-14MGT-40	212.59	7711-4335	35	6.141	7.70	GI	SK	1/2—2 1/2
F140-14MGT-40	901.22	7711-4340	140	24.562	64.60	GI	E	7/8—3 1/2
F168-14MGT-40	1400.00	7711-4368	168	29.475	85.30	GI	E	7/8—3 1/2
F180-14MGT-40	1550.00	7711-4380	180	31.580	95.00	GI	E	7/8—3 1/2
F192-14MGT-40	2125.00	7711-4392	192	33.686	109.80	GI	E	7/8—3 1/2
F200-14MGT-40	2200.00	7711-4320	200	35.089	112.20	GI	E	7/8—3 1/2
F216-14MGT-40	2450.00	7711-4316	216	37.896	125.90	GI	E	7/8—3 1/2
F224-14MGT-40	2550.00	7711-4322	224	39.300	134.60	GI	F	1—4

14mm Pitch PowerGrip® GT®2 — QD® Sprockets for ACHE Applications For 55mm PowerGrip® GT®2 Belts

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F28-14MGT-55	$190.29	7711-5528	28	4.912	5.00	GI	SK	1/2—2 1/2
F29-14MGT-55	199.80	7711-5529	29	5.088	5.50	GI	SK	1/2—2 1/2
F30-14MGT-55	205.52	7711-5530	30	5.263	6.00	GI	SK	1/2—2 1/2
F31-14MGT-55	210.43	7711-5531	31	5.439	6.50	GI	SK	1/2—2 1/2
F32-14MGT-55	216.94	7711-5532	32	5.614	7.10	GI	SK	1/2—2 1/2
F33-14MGT-55	222.22	7711-5533	33	5.790	7.60	GI	SK	1/2—2 1/2
F34-14MGT-55	228.37	7711-5534	34	5.965	8.20	GI	SK	1/2—2 1/2
F35-14MGT-55	238.78	7711-5535	35	6.141	8.80	GI	SK	1/2—2 1/2
F180-14MGT-55	1675.00	7711-5580	180	31.580	119.20	GI	F	1—4
F200-14MGT-55	2500.00	7711-5520	200	35.089	141.60	GI	F	1—4
F224-14MGT-55	2850.00	7711-5522	224	39.300	170.80	GI	F	1—4

Prices Subject To Change Without Notice

PowerGrip® GT®2 and Poly Chain® GT®–5M Sprockets

Markets/Applications

Use with 5mm pitch PowerGrip® GT®2 or Poly Chain® GT® Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space allowing load to be closer to bearing.
- Precision manufactured and static balanced.

Notes

Sprocket part numbers are comprised of pitch, number of grooves and width. For example, part number P52-5MGT-15 denotes 52 grooves, 5mm pitch, and 15mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter is always greater than its outside diameter.

Abbreviations used for sprocket materials: GI = Gray Iron DI = Ductile Iron SiS = Sintered Steel ST = Steel

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.

Product No. Series 7709

5mm Pitch Sprockets
For Belts 9 and 15mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P18-5MGT-15-MPB	$50.54	7709-3018	18	1.128	.26	ST	MPB	1/4—3/8
P19-5MGT-15-MPB	52.78	7709-3019	19	1.191	.32	ST	MPB	1/4—7/16
P20-5MGT-15-MPB	54.65	7709-3020	20	1.253	.34	ST	MPB	1/4—1/2
P21-5MGT-15-MPB	56.39	7709-3021	21	1.316	.37	ST	MPB	1/4—11/16
P22-5MGT-15-MPB	58.81	7709-3022	22	1.379	.38	ST	MPB	1/4—21/32
P23-5MGT-15-MPB	60.85	7709-3023	23	1.441	.48	ST	MPB	3/8—5/8
P24-5MGT-15-MPB	63.27	7709-3024	24	1.504	.53	ST	MPB	3/8—5/8
P25-5MGT-15-MPB	65.94	7709-3025	25	1.567	.57	ST	MPB	3/8—5/8
P26-5MGT-15-MPB	67.99	7709-3026	26	1.629	.60	ST	MPB	3/8—11/16
P28-5MGT-15-MPB	72.49	7709-3028	28	1.755	.68	ST	MPB	1/2—3/4
P30-5MGT-15-MPB	76.85	7709-3030	30	1.880	.80	ST	MPB	1/2—15/16
P32-5MGT-15-MPB	79.19	7709-3032	32	2.005	.92	ST	MPB	1/2—15/16
P34-5MGT-15-MPB	81.15	7709-3034	34	2.130	1.05	ST	MPB	1/2—1
P36-5MGT-15-MPB	83.14	7709-3036	36	2.256	1.12	ST	MPB	1/2—1
P36-5MGT-15	68.11	7709-1036	36	2.256	.50	SiS	1108	1/2—1 1/8
P38-5MGT-15-MPB	86.76	7709-3038	38	2.381	1.56	ST	MPB	1/2—1 1/4
P38-5MGT-15	68.70	7709-1038	38	2.381	.61	SiS	1108	1/2—1 1/8
P40-5MGT-15-MPB	89.17	7709-3040	40	2.506	1.60	ST	MPB	1/2—1 5/16
P40-5MGT-15	70.61	7709-1040	40	2.506	.72	SiS	1108	1/2—1 1/8
P44-5MGT-15	72.51	7709-1044	44	2.757	.95	SiS	1108	1/2—1 1/8
P45-5MGT-15-MPB	92.72	7709-3045	45	2.820	2.10	ST	MPB	1/2—1 1/2
P48-5MGT-15	74.42	7709-1048	48	3.007	.97	SiS	1210	1/2—1 1/4
P50-5MGT-15-MPB	95.96	7709-3050	50	3.113	2.60	ST	MPB	1/2—1 3/4
P52-5MGT-15	76.33	7709-1052	52	3.258	1.17	SiS	1210	1/2—1 1/4
P56-5MGT-15	80.15	7709-1056	56	3.509	1.37	SiS	1610	1/2—1 11/16

PowerGrip® GT®2 and Poly Chain® GT®–5M Sprockets

Product No. Series 7709 (continued)

5mm Pitch Sprockets
For Belts 9 and 15mm Wide (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P60-5MGT-15	$83.96	7709-1060	60	3.760	1.70	SiS	1610	1/2—1 11/16
P64-5MGT-15	99.23	7709-1064	64	4.010	2.10	SiS	1610	1/2—1 11/16
P68-5MGT-15	103.04	7709-1068	68	4.261	2.40	SiS	1610	1/2—1 11/16
P72-5MGT-15	106.86	7709-1072	72	4.511	2.80	SiS	1610	1/2—1 11/16
P80-5MGT-15	110.67	7709-1080	80	5.013	3.70	SiS	1610	1/2—1 11/16
P90-5MGT-15	114.49	7709-1090	90	5.639	4.90	SiS	1610	1/2—1 11/16
P112-5MGT-15	118.31	7709-1112	112	7.018	8.30	SiS	2012	1/2—2 1/8

5mm Pitch Sprockets
For Belts 25mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P18-5MGT-25-MPB	$53.06	7709-5018	18	1.128	.37	ST	MPB	1/4—3/8
P19-5MGT-25-MPB	55.41	7709-5019	19	1.191	.43	ST	MPB	1/4—7/16
P20-5MGT-25-MPB	57.38	7709-5020	20	1.253	.48	ST	MPB	1/4—1/2
P21-5MGT-25-MPB	59.20	7709-5021	21	1.316	.52	ST	MPB	1/4—11/16
P22-5MGT-25-MPB	61.75	7709-5022	22	1.379	.58	ST	MPB	1/4—21/32
P23-5MGT-25-MPB	63.90	7709-5023	23	1.441	.65	ST	MPB	3/8—5/8
P24-5MGT-25-MPB	66.42	7709-5024	24	1.504	.75	ST	MPB	3/8—5/8
P25-5MGT-25-MPB	69.24	7709-5025	25	1.566	.80	ST	MPB	3/8—5/8
P26-5MGT-25-MPB	71.38	7709-5026	26	1.629	.80	ST	MPB	3/8—11/16
P28-5MGT-25-MPB	76.12	7709-5028	28	1.754	1.00	ST	MPB	3/8—3/4
P30-5MGT-25-MPB	80.70	7709-5030	30	1.880	1.10	ST	MPB	1/2—15/16
P32-5MGT-25-MPB	81.15	7709-5032	32	2.005	1.20	ST	MPB	1/2—15/16
P34-5MGT-25-MPB	84.14	7709-5034	34	2.130	1.35	ST	MPB	1/2—1
P36-5MGT-25-MPB	87.11	7709-5036	36	2.256	1.55	ST	MPB	1/2—1
P36-5MGT-25	71.92	7709-2036	36	2.256	1.20	SiS	1108	1/2—1 1/8
P38-5MGT-25-MPB	91.58	7709-5038	38	2.381	1.90	ST	MPB	1/2—1 1/4
P38-5MGT-25	72.51	7709-2038	38	2.381	1.30	SiS	1108	1/2—1 1/8
P40-5MGT-25-MPB	96.41	7709-5040	40	2.506	2.16	ST	MPB	1/2—1 5/16
P40-5MGT-25	76.33	7709-2040	40	2.506	1.60	SiS	1108	1/2—1 1/8
P44-5MGT-25	80.15	7709-2044	44	2.757	1.70	SiS	1108	1/2—1 1/8
P45-5MGT-25-MPB	100.13	7709-5045	45	2.820	2.70	ST	MPB	1/2—1 1/2
P48-5MGT-25	83.96	7709-2048	48	3.008	1.80	SiS	1210	1/2—1 1/4
P50-5MGT-25-MPB	103.65	7709-5050	50	3.133	3.40	ST	MPB	1/2—1 3/4
P52-5MGT-25	87.78	7709-2052	52	3.258	2.10	SiS	1210	1/2—1 1/4
P56-5MGT-25	91.59	7709-2056	56	3.509	2.40	SiS	1610	1/2—1 11/16
P60-5MGT-25	95.41	7709-2060	60	3.760	2.80	SiS	1610	1/2—1 11/16
P64-5MGT-25	104.95	7709-2064	64	4.010	2.80	GI	1610	1/2—1 11/16
P68-5MGT-25	112.58	7709-2068	68	4.261	3.40	GI	2012	1/2—2 1/8
P72-5MGT-25	116.40	7709-2072	72	4.511	3.70	GI	2012	1/2—2 1/8
P80-5MGT-25	120.21	7709-2080	80	5.013	4.50	GI	2012	1/2—2 1/8
P90-5MGT-25	124.03	7709-2090	90	5.639	5.80	GI	2012	1/2—2 1/8
P112-5MGT-25	127.85	7709-2112	112	7.018	7.20	GI	2012	1/2—2 1/8

PowerGrip® GT®2 Sprockets – 8M and 14M

Markets/Applications

Use with PowerGrip® GT®2 and PowerGrip® GT®Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space allowing load to be closer to bearing.
- Precision manufactured and static balanced.

Notes

Sprocket part numbers are comprised of number of grooves, pitch and width. For example, part number P27-8MGT-30 denotes 27 grooves, 8mm pitch, and 30mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Abbreviations used for sprocket materials: GI = Gray Iron DI = Ductile Iron SiS = Sintered Steel ST = Steel

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.

Product No. Series 7708

8mm Pitch Sprockets
For Belts 20mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P22-8MGT-20	$98.88	7708-2022	22	2.206	.50	DI	1108	1/2—1 1/8
P24-8MGT-20	100.79	7708-2024	24	2.406	.70	DI	1108	1/2—1 1/8
P25-8MGT-20	102.69	7708-2025	25	2.507	.80	DI	1108	1/2—1 1/8
P26-8MGT-20	102.69	7708-2026	26	2.607	.90	DI	1108	1/2—1 1/8
P27-8MGT-20	103.75	7708-2027	27	2.707	1.10	DI	1108	1/2—1 1/8
P28-8MGT-20	104.59	7708-2028	28	2.807	1.20	DI	1108	1/2—1 1/8
P29-8MGT-20	107.53	7708-2029	29	2.908	1.30	DI	1108	1/2—1 1/8
P30-8MGT-20	108.40	7708-2030	30	3.008	1.20	DI	1210	1/2—1 1/4
P31-8MGT-20	111.02	7708-2031	31	3.108	1.40	DI	1210	1/2—1 1/4
P32-8MGT-20	112.21	7708-2032	32	3.208	1.40	DI	1210	1/2—1 1/4
P33-8MGT-20	113.78	7708-2033	33	3.309	1.50	DI	1210	1/2—1 1/4
P34-8MGT-20	114.12	7708-2034	34	3.409	1.40	DI	1610	1/2—1 11/16
P35-8MGT-20	116.92	7708-2035	35	3.509	1.60	DI	1610	1/2—1 11/16
P36-8MGT-20	117.93	7708-2036	36	3.609	1.70	DI	1610	1/2—1 11/16
P37-8MGT-20	120.10	7708-2037	37	3.710	1.90	DI	1610	1/2—1 11/16
P38-8MGT-20	121.73	7708-2038	38	3.810	2.00	GI	1610	1/2—1 11/16
P39-8MGT-20	127.45	7708-2039	39	3.909	2.30	GI	1610	1/2—1 11/16
P40-8MGT-20	129.34	7708-2040	40	4.010	2.40	GI	1610	1/2—1 11/16
P42-8MGT-20	140.00	7708-2042	42	4.211	2.60	GI	1610	1/2—1 11/16
P44-8MGT-20	150.30	7708-2044	44	4.411	2.70	GI	2012	1/2—2 1/8
P46-8MGT-20	169.78	7708-2046	46	4.612	3.20	GI	2012	1/2—2 1/8
P48-8MGT-20	175.05	7708-2048	48	4.812	3.70	GI	2012	1/2—2 1/8
P50-8MGT-20	181.24	7708-2050	50	5.013	4.50	GI	2012	1/2—2 1/8
P53-8MGT-20	189.89	7708-2053	53	5.313	5.00	GI	2012	1/2—2 1/8
P56-8MGT-20	194.10	7708-2056	56	5.614	5.60	GI	2012	1/2—2 1/8
P64-8MGT-20	237.75	7708-2064	64	6.416	7.70	GI	2012	1/2—2 1/8
P72-8MGT-20	243.46	7708-2072	72	7.218	10.20	GI	2012	1/2—2 1/8
P80-8MGT-20	262.51	7708-2080	80	8.020	13.10	GI	2517	1/2—2 11/16
P90-8MGT-20	270.12	7708-2090	90	9.023	12.50	GI	2517	1/2—2 11/16

PowerGrip® GT®2 Sprockets–8M and 14M

Product No. Series 7708 (continued)

8mm Pitch Sprockets
For Belts 30mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P22-8MGT-30	$100.79	7708-3022	22	2.206	.60	DI	1108	½—1⅛
P24-8MGT-30	102.69	7708-3024	24	2.406	.90	DI	1108	½—1⅛
P25-8MGT-30	105.24	7708-3025	25	2.507	1.00	DI	1108	½—1⅛
P26-8MGT-30	106.50	7708-3026	26	2.607	1.10	DI	1108	½—1⅛
P27-8MGT-30	109.98	7708-3027	27	2.707	1.40	DI	1108	½—1⅛
P28-8MGT-30	112.21	7708-3028	28	2.807	1.50	GI	1108	½—1⅛
P29-8MGT-30	113.13	7708-3029	29	2.908	1.55	DI	1108	½—1⅛
P30-8MGT-30	114.12	7708-3030	30	3.008	1.50	DI	1210	½—1¼
P31-8MGT-30	116.01	7708-3031	31	3.108	1.65	DI	1210	½—1¼
P32-8MGT-30	117.93	7708-3032	32	3.208	1.70	DI	1210	½—1¼
P33-8MGT-30	118.89	7708-3033	33	3.309	1.75	DI	1210	½—1¼
P34-8MGT-30	119.83	7708-3034	34	3.409	1.80	DI	1610	½—1 11/16
P35-8MGT-30	126.46	7708-3035	35	3.509	2.00	DI	1610	½—1 11/16
P36-8MGT-30	129.34	7708-3036	36	3.609	2.20	DI	1610	½—1 11/16
P37-8MGT-30	132.32	7708-3037	37	3.710	2.30	DI	1610	½—1 11/16
P38-8MGT-30	133.16	7708-3038	38	3.810	2.50	DI	1610	½—1 11/16
P39-8MGT-30	144.71	7708-3039	39	3.910	2.50	GI	1610	½—1 11/16
P40-8MGT-30	148.39	7708-3040	40	4.010	2.30	GI	2012	½—2⅛
P42-8MGT-30	158.92	7708-3042	42	4.211	3.00	GI	2012	½—2⅛
P44-8MGT-30	163.62	7708-3044	44	4.411	3.20	GI	2012	½—2⅛
P46-8MGT-30	173.67	7708-3046	46	4.612	3.90	GI	2012	½—2⅛
P48-8MGT-30	176.96	7708-3048	48	4.812	4.20	GI	2012	½—2⅛
P50-8MGT-30	188.19	7708-3050	50	5.013	5.00	GI	2012	½—2⅛
P53-8MGT-30	195.10	7708-3053	53	5.314	6.20	GI	2012	½—2⅛
P56-8MGT-30	197.90	7708-3056	56	5.614	6.30	GI	2012	½—2⅛
P64-8MGT-30	239.66	7708-3064	64	6.416	9.50	GI	2517	½—2 11/16
P72-8MGT-30	262.51	7708-3072	72	7.218	12.80	GI	2517	½—2 11/16
P80-8MGT-30	270.12	7708-3080	80	8.020	16.50	GI	2517	½—2 11/16
P90-8MGT-30	277.74	7708-3090	90	9.023	21.60	GI	2517	½—2 11/16
P112-8MGT-30	353.91	7708-3112	112	11.229	25.40	GI	2517	½—2 11/16
P144-8MGT-30	629.90	7708-3144	144	14.437	31.00	GI	2517	½—2 11/16

8mm Pitch Sprockets
For Belts 50mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P28-8MGT-50-MPB	$152.20	7708-1028	28	2.807	3.70	DI	MPB	½—1½
P30-8MGT-50	156.01	7708-5030	30	3.008	2.20	DI	1210	½—1¼
P32-8MGT-50	157.91	7708-5032	32	3.208	2.30	DI	1210	½—1¼
P34-8MGT-50	159.82	7708-5034	34	3.409	4.00	DI	1610	½—1 11/16
P36-8MGT-50	161.72	7708-5036	36	3.609	2.70	GI	1610	½—1 11/16
P38-8MGT-50	163.62	7708-5038	38	3.810	3.10	GI	1610	½—1 11/16
P40-8MGT-50	167.44	7708-5040	40	4.010	3.50	DI	2012	½—2⅛
P44-8MGT-50	178.86	7708-5044	44	4.411	4.30	GI	2012	½—2⅛
P48-8MGT-50	186.48	7708-5048	48	4.812	5.50	GI	2012	½—2⅛
P56-8MGT-50	218.86	7708-5056	56	5.614	8.10	GI	2517	½—2 11/16
P64-8MGT-50	247.27	7708-5064	64	6.416	11.70	GI	2517	½—2 11/16
P72-8MGT-50	273.94	7708-5072	72	7.218	15.70	GI	2517	½—2 11/16
P80-8MGT-50	294.88	7708-5080	80	8.020	20.30	GI	2517	½—2 11/16
P90-8MGT-50	353.91	7708-5090	90	9.023	26.90	GI	3020	⅞—3¼
P112-8MGT-50	445.17	7708-5112	112	11.229	29.80	GI	3020	⅞—3¼
P144-8MGT-50	709.59	7708-5144	144	14.437	49.00	DI	3020	⅞—3¼
P192-8MGT-50	821.80	7708-5192	192	19.249	108.00	GI	3020	⅞—3¼

PowerGrip® GT®2 Sprockets – 8M and 14M

Product No. Series 7708 (continued)

8mm Pitch Sprockets
For Belts 85mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P34-8MGT-85	$180.18	7708-8034	34	3.409	3.90	GI	1615	1/2—1 11/16
P36-8MGT-85	190.43	7708-8036	36	3.609	4.40	GI	1615	1/2—1 11/16
P38-8MGT-85	194.83	7708-8038	38	3.810	4.30	GI	1610	1/2—1 11/16
P40-8MGT-85	202.16	7708-8040	40	4.010	4.70	DI	2012	1/2—2 1/8
P44-8MGT-85	209.48	7708-8044	44	4.411	5.90	GI	2012	1/2—2 1/8
P48-8MGT-85	228.52	7708-8048	48	4.812	7.60	GI	2012	1/2—2 1/8
P56-8MGT-85	266.60	7708-8056	56	5.614	10.60	GI	2517	1/2—2 11/16
P64-8MGT-85	310.55	7708-8064	64	6.416	14.50	GI	2517	1/2—2 11/16
P72-8MGT-85	336.92	7708-8072	72	7.218	18.00	GI	3020	7/8—3 1/4
P80-8MGT-85	369.15	7708-8080	80	8.020	22.40	GI	3020	7/8—3 1/4
P90-8MGT-85	465.83	7708-8090	90	9.023	31.50	GI	3020	7/8—3 1/4
P112-8MGT-85	585.95	7708-8112	112	11.229	33.20	GI	3020	7/8—3 1/4
P144-8MGT-85	817.40	7708-8144	144	14.437	54.10	GI	3535	1 3/16-3 15/16
P192-8MGT-85	922.88	7708-8192	192	19.249	125.00	GI	3535	1 3/16-3 15/16

Product No. Series 7711

14mm Pitch Sprockets
For Belts 40mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P28-14MGT-40	$161.72	7711-4028	28	4.912	5.90	GI	2012	1/2—2 1/8
P29-14MGT-40	171.25	7711-4029	29	5.088	6.60	GI	2012	1/2—2 1/8
P30-14MGT-40	176.96	7711-4030	30	5.263	6.50	GI	2012	1/2—2 1/8
P31-14MGT-40	189.87	7711-4031	31	5.439	7.50	GI	2012	1/2—2 1/8
P32-14MGT-40	194.10	7711-4032	32	5.614	8.00	GI	2012	1/2—2 1/8
P33-14MGT-40	198.10	7711-4033	33	5.790	9.00	GI	2012	1/2—2 1/8
P34-14MGT-40	199.80	7711-4034	34	5.965	9.40	GI	2012	1/2—2 1/8
P35-14MGT-40	215.56	7711-4035	35	6.141	10.00	GI	2012	1/2—2 1/8
P36-14MGT-40	218.86	7711-4036	36	6.316	10.50	GI	2517	1/2—2 11/16
P37-14MGT-40	239.98	7711-4037	37	6.492	11.70	GI	2517	1/2—2 11/16
P38-14MGT-40	247.27	7711-4038	38	6.669	12.20	GI	2517	1/2—2 11/16
P39-14MGT-40	251.24	7711-4039	39	6.842	13.70	GI	2517	1/2—2 11/16
P40-14MGT-40	252.98	7711-4040	40	7.018	14.20	GI	2517	1/2—2 11/16
P42-14MGT-40	281.49	7711-4042	42	7.369	16.00	GI	2517	1/2—2 11/16
P44-14MGT-40	294.88	7711-4044	44	7.720	17.60	GI	2517	1/2—2 11/16
P46-14MGT-40	309.01	7711-4046	46	8.070	21.00	GI	2517	1/2—2 11/16
P48-14MGT-40	313.92	7711-4048	48	8.421	22.00	GI	2517	1/2—2 11/16
P50-14MGT-40	320.78	7711-4050	50	8.772	25.00	GI	2517	1/2—2 11/16
P52-14MGT-40	327.26	7711-4052	52	9.123	26.50	GI	2517	1/2—2 11/16
P56-14MGT-40	332.97	7711-4056	56	9.825	31.30	GI	2517	1/2—2 11/16
P60-14MGT-40	431.85	7711-4060	60	10.527	28.90	GI	3020	7/8—3 1/4
P64-14MGT-40	494.69	7711-4064	64	11.229	31.00	GI	3020	7/8—3 1/4
P68-14MGT-40	504.21	7711-4068	68	11.930	31.30	GI	3020	7/8—3 1/4
P72-14MGT-40	517.55	7711-4072	72	12.632	33.90	GI	3020	7/8—3 1/4
P80-14MGT-40	532.63	7711-4080	80	14.036	33.70	GI	3020	7/8—3 1/4
P90-14MGT-40	547.86	7711-4090	90	15.790	39.70	GI	3020	7/8—3 1/4
P112-14MGT-40	694.36	7711-4112	112	19.650	100.50	GI	3020	7/8—3 1/4
P144-14MGT-40	913.20	7711-4144	144	25.264	80.00	GI	3020	7/8—3 1/4
P168-14MGT-40	1171.90	7711-4168	168	29.475	115.00	GI	3020	7/8—3 1/4
P192-14MGT-40	1472.20	7711-4192	192	33.686	158.00	GI	3020	7/8—3 1/4

PowerGrip® GT®2 Sprockets–8M and 14M

Product No. Series 7711 (continued)

14mm Pitch Sprockets
For Belts 55mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P28-14MGT-55	$190.29	7711-5028	28	4.912	7.40	GI	2012	1/2—2 1/8
P29-14MGT-55	199.80	7711-5029	29	5.088	8.40	GI	2012	1/2—2 1/8
P30-14MGT-55	205.52	7711-5030	30	5.263	7.40	GI	2517	1/2—2 11/16
P32-14MGT-55	216.94	7711-5032	32	5.614	9.30	GI	2517	1/2—2 11/16
P34-14MGT-55	228.37	7711-5034	34	5.965	11.20	GI	2517	1/2—2 11/16
P36-14MGT-55	237.90	7711-5036	36	6.316	12.40	GI	2517	1/2—2 11/16
P38-14MGT-55	266.31	7711-5038	38	6.669	14.40	GI	2517	1/2—2 11/16
P40-14MGT-55	272.03	7711-5040	40	7.018	16.70	GI	2517	1/2—2 11/16
P44-14MGT-55	313.92	7711-5044	44	7.720	19.90	GI	2517	1/2—2 11/16
P48-14MGT-55	323.44	7711-5048	48	8.421	24.40	GI	3020	7/8—3 1/4
P52-14MGT-55	338.68	7711-5052	52	9.123	29.60	GI	3020	7/8—3 1/4
P56-14MGT-55	342.49	7711-5056	56	9.825	35.30	GI	3020	7/8—3 1/4
P60-14MGT-55	456.60	7711-5060	60	10.527	41.60	GI	3020	7/8—3 1/4
P64-14MGT-55	523.11	7711-5064	64	11.229	47.90	GI	3020	7/8—3 1/4
P68-14MGT-55	542.15	7711-5068	68	11.930	40.20	GI	3020	7/8—3 1/4
P72-14MGT-55	551.67	7711-5072	72	12.632	45.10	GI	3020	7/8—3 1/4
P80-14MGT-55	656.42	7711-5080	80	14.036	41.60	GI	3020	7/8—3 1/4
P90-14MGT-55	715.94	7711-5090	90	15.790	45.00	GI	3020	7/8—3 1/4
P112-14MGT-55	770.53	7711-5112	112	19.650	116.70	GI	3020	7/8—3 1/4
P144-14MGT-55	989.23	7711-5144	144	25.264	104.00	GI	3020	7/8—3 1/4
P168-14MGT-55	1274.59	7711-5168	168	29.475	124.00	GI	3020	7/8—3 1/4
P192-14MGT-55	1596.71	7711-5192	192	33.686	140.00	GI	3535	1 3/16-3 15/16

14mm Pitch Sprockets
For Belts 85mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P28-14MGT-85	$247.27	7711-8028	28	4.912	10.50	GI	2012	1/2—2 1/8
P29-14MGT-85	249.17	7711-8029	29	5.088	11.90	GI	2012	1/2—2 1/8
P30-14MGT-85	251.08	7711-8030	30	5.263	10.20	GI	2517	1/2—2 11/16
P32-14MGT-85	262.51	7711-8032	32	5.614	12.70	GI	2517	1/2—2 11/16
P34-14MGT-85	285.36	7711-8034	34	5.965	15.30	GI	2517	1/2—2 11/16
P36-14MGT-85	292.98	7711-8036	36	6.316	14.40	DI	3020	7/8—3 1/4
P38-14MGT-85	304.40	7711-8038	38	6.669	17.00	GI	3020	7/8—3 1/4
P40-14MGT-85	319.63	7711-8040	40	7.018	20.30	GI	3020	7/8—3 1/4
P44-14MGT-85	342.49	7711-8044	44	7.720	23.60	GI	3020	7/8—3 1/4
P48-14MGT-85	357.72	7711-8048	48	8.421	30.60	GI	3020	7/8—3 1/4
P52-14MGT-85	418.52	7711-8052	52	9.123	36.60	GI	3535	1 3/16—3 15/16
P56-14MGT-85	466.13	7711-8056	56	9.825	52.40	GI	3535	1 3/16—3 15/16
P60-14MGT-85	551.67	7711-8060	60	10.527	62.80	GI	3535	1 3/16—3 15/16
P64-14MGT-85	570.72	7711-8064	64	11.229	73.60	GI	3535	1 3/16—3 15/16
P68-14MGT-85	599.28	7711-8068	68	11.930	63.30	GI	3535	1 3/16—3 15/16
P72-14MGT-85	608.81	7711-8072	72	12.632	97.40	GI	3535	1 3/16—3 15/16
P80-14MGT-85	722.91	7711-8080	80	14.036	62.90	GI	3535	1 3/16—3 15/16
P90-14MGT-85	741.96	7711-8090	90	15.790	71.50	GI	3535	1 3/16—3 15/16
P112-14MGT-85	875.12	7711-8112	112	19.650	131.20	DI	3535	1 3/16—3 15/16
P144-14MGT-85	1122.39	7711-8144	144	25.264	137.40	GI	4040	1 7/16—4 7/16
P168-14MGT-85	1483.92	7711-8168	168	29.475	192.20	GI	4040	1 7/16—4 7/16
P192-14MGT-85	1788.32	7711-8192	192	33.686	448.00	GI	4040	1 7/16—4 7/16

PowerGrip® GT®2 Sprockets – 8M and 14M

Product No. Series 7711 (continued)

14mm Pitch Sprockets
For Belts 115mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P28-14MGT-115-MPB	$325.18	7711-1028	28	4.912	22.20	DI	MPB	1 1/4—2 11/16
P29-14MGT-115-MPB	335.52	7711-1029	29	5.088	24.00	DI	MPB	1 1/4—2 11/16
P30-14MGT-115	320.81	7711-1030	30	5.263	13.40	GI	2517	1/2—2 11/16
P32-14MGT-115	326.66	7711-1032	32	5.614	16.00	GI	2517	1/2—2 11/16
P34-14MGT-115	348.64	7711-1034	34	5.965	19.50	GI	2517	1/2—2 11/16
P36-14MGT-115	361.83	7711-1036	36	6.316	17.90	GI	3020	7/8—3 1/4
P38-14MGT-115	380.87	7711-1038	38	6.669	20.30	GI	3020	7/8—3 1/4
P40-14MGT-115	395.51	7711-1040	40	7.018	22.90	GI	3020	7/8—3 1/4
P44-14MGT-115	418.95	7711-1044	44	7.720	30.30	GI	3535	1 3/16—3 15/16
P48-14MGT-115	448.25	7711-1048	48	8.421	40.30	GI	3535	1 3/16—3 15/16
P52-14MGT-115	522.96	7711-1052	52	9.123	46.80	GI	4040	1 7/16—4 7/16
P56-14MGT-115	542.01	7711-1056	56	9.825	58.10	GI	4040	1 7/16—4 7/16
P60-14MGT-115	646.01	7711-1060	60	10.527	70.40	GI	4040	1 7/16—4 7/16
P64-14MGT-115	694.36	7711-1064	64	11.229	82.40	GI	4545	1 15/16—4 15/16
P68-14MGT-115	726.58	7711-1068	68	11.930	97.20	GI	4545	1 15/16—4 15/16
P72-14MGT-115	741.23	7711-1072	72	12.632	113.20	GI	4545	1 15/16—4 15/16
P80-14MGT-115	855.49	7711-1080	80	14.036	147.50	GI	4545	1 15/16—4 15/16
P90-14MGT-115	950.71	7711-1090	90	15.790	116.90	GI	4545	1 15/16—4 15/16
P112-14MGT-115	1179.22	7711-1112	112	19.650	173.30	GI	4545	1 15/16—4 15/16
P144-14MGT-115	1482.46	7711-1144	144	25.264	172.20	GI	4545	1 15/16—4 15/16
P168-14MGT-115	1844.28	7711-1168	168	29.475	223.40	GI	4545	1 15/16—4 15/16
P192-14MGT-115	2129.93	7711-1192	192	33.686	475.00	GI	4545	1 15/16—4 15/16
P216-14MGT-115	3213.94	7711-1216	216	37.896	378.00	GI	6050	4 7/16—6

14mm Pitch Sprockets
For Belts 170mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P36-14MGT-170-MPB	$548.76	7711-7036	36	6.316	47.30	DI	MPB	1 1/2—3 3/8
P38-14MGT-170-MPB	568.83	7711-7038	38	6.667	53.50	DI	MPB	1 1/2—3 3/8
P40-14MGT-170	550.79	7711-7040	40	7.018	28.60	GI	3535	1 3/16—3 15/16
P44-14MGT-170	569.84	7711-7044	44	7.720	38.90	GI	3535	1 3/16—3 15/16
P48-14MGT-170	574.24	7711-7048	48	8.421	51.00	GI	3535	1 3/16—3 15/16
P52-14MGT-170	607.92	7711-7052	52	9.123	58.60	GI	4040	1 7/16—4 7/16
P56-14MGT-170	626.96	7711-7056	56	9.825	70.90	GI	4040	1 7/16—4 7/16
P60-14MGT-170	817.40	7711-7060	60	10.527	82.90	GI	4545	1 15/16—4 15/16
P64-14MGT-170	874.54	7711-7064	64	11.229	94.50	GI	4545	1 15/16—4 15/16
P68-14MGT-170	931.66	7711-7068	68	11.930	113.00	GI	4545	1 15/16—4 15/16
P72-14MGT-170	988.79	7711-7072	72	12.632	130.10	GI	4545	1 15/16—4 15/16
P80-14MGT-170	1007.83	7711-7080	80	14.036	166.20	GI	4545	1 15/16—4 15/16
P90-14MGT-170	1160.18	7711-7090	90	15.790	159.20	GI	4545	1 15/16—4 15/16
P112-14MGT-170	1615.76	7711-7112	112	19.650	215.10	GI	4545	1 15/16—4 15/16
P144-14MGT-170	1996.63	7711-7144	144	25.264	264.00	GI	6050	4 7/16—6
P168-14MGT-170	2588.44	7711-7168	168	29.475	462.00	GI	6050	4 7/16—6
P192-14MGT-170	2775.95	7711-7192	192	33.686	616.00	GI	6050	4 7/16—6
P216-14MGT-170	3955.17	7711-7216	216	37.896	563.00	DI	6050	4 7/16—6

PowerGrip® GT®2 Sprockets–8M and 14M

Product No. Series 7711 (continued)

14mm Pitch PowerGrip® GT®2 — Taper-Lock® Sprockets for ACHE Applications For Belts 40mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P144-14MGT-40	$913.20	7711-4144	144	25.264	80.00	GI	3020	7/8—3 1/4
P168-14MGT-40	1171.90	7711-4168	168	29.475	115.00	GI	3020	7/8—3 1/4
P192-14MGT-40	1472.20	7711-4192	192	33.686	158.00	GI	3020	7/8—3 1/4

14mm Pitch PowerGrip® GT®2 — Taper-Lock® Sprockets for ACHE Applications For Belts 55mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
P144-14MGT-55	$989.23	7711-5144	144	25.264	104.00	GI	3020	7/8—3 1/4
P168-14MGT-55	1274.59	7711-5168	168	29.475	124.00	GI	3020	7/8—3 1/4
P192-14MGT-55	1596.71	7711-5192	192	33.686	140.00	GI	3535	1 3/16—3 15/16
P216-14MGT-55	2563.54	7711-0050	216	37.893	150.00	GI	3020	7/8—3 1/4

14mm Pitch PowerGrip® GT®2 — QD® Sprockets for ACHE Applications For Belts 40mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F28-14MGT-40	$161.72	7711-4328	28	4.912	4.30	GI	SK	1/2—2 1/2
F29-14MGT-40	171.25	7711-4329	29	5.088	4.60	GI	SK	1/2—2 1/2
F30-14MGT-40	176.95	7711-4330	30	5.263	5.20	GI	SK	1/2—2 1/2
F31-14MGT-40	188.12	7711-4331	31	5.439	5.60	GI	SK	1/2—2 1/2
F32-14MGT-40	194.10	7711-4332	32	5.614	6.40	GI	SK	1/2—2 1/2
F33-14MGT-40	196.56	7711-4333	33	5.790	6.70	GI	SK	1/2—2 1/2
F34-14MGT-40	199.80	7711-4334	34	5.965	7.10	GI	SK	1/2—2 1/2
F35-14MGT-40	212.59	7711-4335	35	6.141	7.70	GI	SK	1/2—2 1/2
F140-14MGT-40	901.22	7711-4340	140	24.562	64.60	GI	E	7/8—3 1/2
F168-14MGT-40	1400.00	7711-4368	168	29.475	85.30	GI	E	7/8—3 1/2
F180-14MGT-40	1550.00	7711-4380	180	31.580	95.00	GI	E	7/8—3 1/2
F192-14MGT-40	2125.00	7711-4392	192	33.686	109.80	GI	E	7/8—3 1/2
F200-14MGT-40	2200.00	7711-4320	200	35.089	112.20	GI	E	7/8—3 1/2
F216-14MGT-40	2450.00	7711-4316	216	37.896	125.90	GI	E	7/8—3 1/2
F224-14MGT-40	2550.00	7711-4322	224	39.300	134.60	GI	F	1—4

14mm Pitch PowerGrip® GT®2 — QD® Sprockets for ACHE Applications For Belts 55mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
F28-14MGT-55	$190.29	7711-5528	28	4.912	5.00	GI	SK	1/2—2 1/2
F29-14MGT-55	199.80	7711-5529	29	5.088	5.50	GI	SK	1/2—2 1/2
F30-14MGT-55	205.52	7711-5530	30	5.263	6.00	GI	SK	1/2—2 1/2
F31-14MGT-55	210.43	7711-5531	31	5.439	6.50	GI	SK	1/2—2 1/2
F32-14MGT-55	216.94	7711-5532	32	5.614	7.10	GI	SK	1/2—2 1/2
F33-14MGT-55	222.22	7711-5533	33	5.790	7.60	GI	SK	1/2—2 1/2
F34-14MGT-55	228.37	7711-5534	34	5.965	8.20	GI	SK	1/2—2 1/2
F35-14MGT-55	238.78	7711-5535	35	6.141	8.80	GI	SK	1/2—2 1/2
F180-14MGT-55	1675.00	7711-5580	180	31.580	119.20	GI	F	1—4
F200-14MGT-55	2500.00	7711-5520	200	35.089	141.60	GI	F	1—4
F224-14MGT-55	2850.00	7711-5522	224	39.300	170.80	GI	F	1—4

PowerGrip® GT®2 Idler Hardware

Product No. Series 7720

Idler Sprockets (Integral Shaft Included)

Part No.	Sugg. List Price	Product No.	Size	Wt. Ea. (Lbs.)
20-SPK2-IDL	$205.33	7720-1740	32S-8MGT-20	1.10
30-SPK2-IDL	436.30	7720-1750	36S-8MGT-30	2.00
40-SPK2-IDL	565.82	7720-1850	34S-14MGT-40	12.00
55-SPK2-IDL	650.94	7720-1860	38S-14MGT-55	15.60

Idler Bushings (Integral Shaft Included)

Part No.	Sugg. List Price	Product No.	Wt. Ea. (Lbs.)
20-IDL-BUSH(SK)	$182.27	7720-1120	4.10
30-IDL-BUSH(SF)	209.56	7720-1130	6.40
40-IDL-BUSH(E)	651.53	7720-1140	8.60
1610-IDL-BUSH	190.27	7720-2610	1.30
2012-IDL-BUSH	229.59	7720-2012	2.50
2517-IDL-BUSH	279.28	7720-2517	3.90

Idler Brackets

Part No.	Sugg. List Price	Product No.	Wt. Ea. (Lbs.)
5-IDL-BRAK	$99.21	7720-1005	2.80
10-IDL-BRAK	99.21	7720-1010	3.40
20-IDL-BRAK	226.53	7720-1020	11.20

8mm Idler Sprockets: Use 05-IDL-BRAK with 1610-IDL-BUSH; Use 10-IDL-BRAK WITH 2012-IDL-BUSH, 2517-IDL-BUSH and 20-IDL-BUSH.

14mm Idler Sprockets: Use 20-IDL-BRAK with 30-IDL-BUSH and 40-IDL-BUSH.

PowerGrip® GT®2 Sprockets – 2MR and 3MR

Markets/Applications

Use with 2MR and 3MR PowerGrip® GT®2 belts.

Features/Advantages

- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space.
- Precision manufactured and static balanced to eliminate sprocket wobble.

Notes

2MR and 3MR sprockets are available in minimum plain bore (MPB).

Sprocket part numbers are comprised of pitch, number of grooves and width. For example, part number 2MR-32S-06 denotes 2mm pitch, 32 grooves, "S" for sprocket and 6mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Abbreviations used for sprocket materials: AL = Aluminum

Product No. Series 7842

2MR Pitch Sprockets—Aluminum—MPB Type
For Belts 4 and 6mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
2MR-12S-06	$23.26	7842-6001	12	.301	.01	AL	MPB	1/8—1/8
2MR-13S-06	23.89	7842-6002	13	.326	.01	AL	MPB	1/8—1/8
2MR-14S-06	24.23	7842-6003	14	.351	.01	AL	MPB	1/8—1/8
2MR-15S-06	24.51	7842-6004	15	.376	.01	AL	MPB	3/16—3/16
2MR-16S-06	24.69	7842-6005	16	.401	.01	AL	MPB	3/16—3/16
2MR-17S-06	24.89	7842-6006	17	.426	.01	AL	MPB	3/16—3/16
2MR-18S-06	18.85	7842-6007	18	.451	.01	AL	MPB	3/16—3/16
2MR-19S-06	19.59	7842-6008	19	.476	.02	AL	MPB	3/16—3/16
2MR-20S-06	19.98	7842-6009	20	.501	.02	AL	MPB	3/16—3/16
2MR-21S-06	20.20	7842-6010	21	.526	.02	AL	MPB	3/16—3/16
2MR-22S-06	20.67	7842-6011	22	.551	.02	AL	MPB	3/16—3/16
2MR-24S-06	21.39	7842-6012	24	.602	.02	AL	MPB	1/4—1/4
2MR-26S-06	22.38	7842-6013	26	.652	.03	AL	MPB	1/4—1/4
2MR-28S-06	23.07	7842-6014	28	.702	.03	AL	MPB	1/4—1/4
2MR-30S-06	23.73	7842-6015	30	.752	.03	AL	MPB	1/4—5/16
2MR-32S-06	24.48	7842-6016	32	.802	.03	AL	MPB	1/4—3/8
2MR-36S-06	25.23	7842-6017	36	.902	.04	AL	MPB	1/4—7/16
2MR-40S-06	26.48	7842-6018	40	1.003	.06	AL	MPB	1/4—1/2
2MR-45S-06	27.56	7842-6019	45	1.128	.06	AL	MPB	1/4—11/16
2MR-50S-06	28.86	7842-6020	50	1.253	.06	AL	MPB	1/4—11/16
2MR-56S-06	30.33	7842-6021	56	1.404	.06	AL	MPB	1/4—13/16
2MR-62S-06	31.61	7842-6022	62	1.554	.08	AL	MPB	1/4—15/16
2MR-68S-06	32.94	7842-6023	68	1.704	.13	AL	MPB	1/4—15/16
2MR-74S-06	34.28	7842-6024	74	1.855	.13	AL	MPB	1/4—1
2MR-80S-06	38.88	7842-6025	80	2.005	.19	AL	MPB	5/16—1 1/4

PowerGrip® GT®2 Sprockets–2MR and 3MR

Product No. Series 7842 (continued)

2MR Pitch Sprockets—Aluminum—MPB Type
For Belts 9mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
2MR-12S-09	$24.66	7842-6026	12	.301	.01	AL	MPB	1/8—1/8
2MR-13S-09	25.32	7842-6027	13	.326	.01	AL	MPB	1/8—1/8
2MR-14S-09	25.68	7842-6028	14	.351	.01	AL	MPB	1/8—1/8
2MR-15S-09	25.97	7842-6029	15	.376	.01	AL	MPB	3/16—3/16
2MR-16S-09	26.16	7842-6030	16	.401	.01	AL	MPB	3/16—3/16
2MR-17S-09	26.39	7842-6031	17	.426	.01	AL	MPB	3/16—3/16
2MR-18S-09	20.36	7842-6032	18	.451	.01	AL	MPB	3/16—3/16
2MR-19S-09	21.16	7842-6033	19	.476	.02	AL	MPB	3/16—3/16
2MR-20S-09	21.57	7842-6034	20	.501	.02	AL	MPB	3/16—3/16
2MR-21S-09	21.81	7842-6035	21	.526	.02	AL	MPB	3/16—3/16
2MR-22S-09	22.32	7842-6036	22	.551	.02	AL	MPB	3/16—3/16
2MR-24S-09	23.11	7842-6037	24	.602	.02	AL	MPB	1/4—1/4
2MR-26S-09	24.17	7842-6038	26	.652	.03	AL	MPB	1/4—1/4
2MR-28S-09	24.91	7842-6039	28	.702	.03	AL	MPB	1/4—1/4
2MR-30S-09	25.63	7842-6040	30	.752	.03	AL	MPB	1/4—5/16
2MR-32S-09	26.44	7842-6041	32	.802	.03	AL	MPB	1/4—3/8
2MR-36S-09	27.24	7842-6042	36	.902	.04	AL	MPB	1/4—7/16
2MR-40S-09	28.61	7842-6043	40	1.003	.06	AL	MPB	1/4—1/2
2MR-45S-09	29.78	7842-6044	45	1.128	.06	AL	MPB	1/4—11/16
2MR-50S-09	31.16	7842-6045	50	1.253	.06	AL	MPB	1/4—11/16
2MR-56S-09	32.74	7842-6046	56	1.404	.06	AL	MPB	1/4—13/16
2MR-62S-09	34.14	7842-6047	62	1.554	.08	AL	MPB	1/4—15/16
2MR-68S-09	35.57	7842-6048	68	1.704	.13	AL	MPB	1/4—15/16
2MR-74S-09	37.03	7842-6049	74	1.855	.13	AL	MPB	1/4—1
2MR-80S-09	41.99	7842-6050	80	2.005	.19	AL	MPB	5/16—1 1/4

Product No. Series 7843

3MR Pitch Sprockets—Aluminum—MPB Type
For Belts 6 and 9mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
3MR-16S-09	$24.46	7843-6001	16	.602	.02	AL	MPB	1/8—3/16
3MR-17S-09	24.86	7843-6002	17	.639	.02	AL	MPB	1/8—3/16
3MR-18S-09	21.26	7843-6003	18	.677	.02	AL	MPB	3/16—3/16
3MR-19S-09	21.62	7843-6004	19	.714	.02	AL	MPB	3/16—1/4
3MR-20S-09	21.94	7843-6005	20	.752	.02	AL	MPB	3/16—1/4
3MR-21S-09	22.31	7843-6006	21	.790	.02	AL	MPB	3/16—1/4
3MR-22S-09	22.69	7843-6007	22	.827	.02	AL	MPB	3/16—5/16
3MR-24S-09	23.51	7843-6008	24	.902	.02	AL	MPB	1/4—3/8
3MR-26S-09	24.55	7843-6009	26	.978	.02	AL	MPB	1/4—3/8
3MR-28S-09	25.49	7843-6010	28	1.053	.02	AL	MPB	1/4—1/2
3MR-30S-09	26.37	7843-6011	30	1.128	.02	AL	MPB	1/4—9/16
3MR-32S-09	27.31	7843-6012	32	1.203	.02	AL	MPB	1/4—5/8
3MR-34S-09	28.26	7843-6013	34	1.278	.02	AL	MPB	1/4—11/16
3MR-36S-09	29.38	7843-6014	36	1.353	.02	AL	MPB	1/4—3/4
3MR-38S-09	30.60	7843-6015	38	1.429	.03	AL	MPB	1/4—7/8
3MR-40S-09	31.84	7843-6016	40	1.504	.09	AL	MPB	1/4—15/16
3MR-45S-09	35.19	7843-6017	45	1.692	.09	AL	MPB	5/16—1
3MR-50S-09	39.67	7843-6018	50	1.880	.10	AL	MPB	5/16—1
3MR-56S-09	44.91	7843-6019	56	2.105	.11	AL	MPB	5/16—1
3MR-62S-09	52.32	7843-6020	62	2.331	.12	AL	MPB	5/16—1
3MR-68S-09	54.51	7843-6021	68	2.557	.12	AL	MPB	5/16—1
3MR-74S-09	56.22	7843-6022	74	2.782	.13	AL	MPB	5/16—1
3MR-80S-09	58.34	7843-6023	80	3.008	.16	AL	MPB	5/16—1

PowerGrip® GT®2 Sprockets–2MR and 3MR

Product No. Series 7843 (continued)

3MR Pitch Sprockets—Aluminum—MPB Type
For Belts 15mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
3MR-16S-15	$25.69	7843-6024	16	.602	.02	AL	MPB	1/8—3/16
3MR-17S-15	26.10	7843-6025	17	.639	.02	AL	MPB	1/8—3/16
3MR-18S-15	22.32	7843-6026	18	.677	.02	AL	MPB	3/16—3/16
3MR-19S-15	22.69	7843-6027	19	.714	.02	AL	MPB	3/16—1/4
3MR-20S-15	23.03	7843-6028	20	.752	.02	AL	MPB	3/16—1/4
3MR-21S-15	23.43	7843-6029	21	.790	.02	AL	MPB	3/16—1/4
3MR-22S-15	23.83	7843-6030	22	.827	.02	AL	MPB	3/16—5/16
3MR-24S-15	25.27	7843-6031	24	.902	.02	AL	MPB	1/4—3/8
3MR-26S-15	26.39	7843-6032	26	.978	.02	AL	MPB	1/4—3/8
3MR-28S-15	27.40	7843-6033	28	1.053	.02	AL	MPB	1/4—1/2
3MR-30S-15	28.36	7843-6034	30	1.128	.02	AL	MPB	1/4—9/16
3MR-32S-15	29.36	7843-6035	32	1.203	.02	AL	MPB	1/4—5/8
3MR-34S-15	30.39	7843-6036	34	1.278	.02	AL	MPB	1/4—11/16
3MR-36S-15	31.59	7843-6037	36	1.353	.02	AL	MPB	1/4—3/4
3MR-38S-15	32.89	7843-6038	38	1.429	.03	AL	MPB	1/4—7/8
3MR-40S-15	34.22	7843-6039	40	1.504	.09	AL	MPB	1/4—15/16
3MR-45S-15	37.84	7843-6040	45	1.692	.09	AL	MPB	5/16—1
3MR-50S-15	42.63	7843-6041	50	1.880	.10	AL	MPB	5/16—1
3MR-56S-15	48.28	7843-6042	56	2.105	.11	AL	MPB	5/16—1
3MR-62S-15	56.23	7843-6043	62	2.331	.12	AL	MPB	5/16—1
3MR-68S-15	58.60	7843-6044	68	2.557	.12	AL	MPB	5/16—1
3MR-74S-15	60.43	7843-6045	74	2.782	.13	AL	MPB	5/16—1
3MR-80S-15	62.72	7843-6046	80	3.008	.16	AL	MPB	5/16—1

PowerGrip® GT®2 Sprocket Aluminum Bar Stock

Markets/Applications

Use with PowerGrip® GT®2 Belts.

Features/Advantages

- With aluminum bar stock readily available, sample sprockets and prototypes can be supplied quickly.

Notes

Bar stock must be ordered in lengths noted. Gates will not cut.

Additional sizes may be available on a Made-To-Order basis. Check with the Made-To-Order Metals Team at **www.gates.com/mtometals**.

Product No. Series 7890

2mm Pitch Sprocket Bar Stock — Aluminum

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Length (In.)	Wt. Ea. (Lbs.)	Material
2MR-12S-PS-2A	$41.97	7890-2122	12	.301	2	.03	AL
2MR-13S-PS-2A	43.02	7890-2132	13	.326	2	.04	AL
2MR-14S-PS-3A	49.09	7890-2143	14	.351	3	.04	AL
2MR-15S-PS-3A	50.45	7890-2153	15	.376	3	.05	AL
2MR-16S-PS-3A	52.15	7890-2163	16	.401	3	.06	AL
2MR-17S-PS-3A	53.42	7890-2173	17	.426	3	.07	AL
2MR-18S-PS-3A	54.64	7890-2183	18	.451	3	.08	AL
2MR-19S-PS-3A	55.87	7890-2193	19	.476	3	.08	AL
2MR-20S-PS-4A	57.97	7890-2204	20	.501	4	.08	AL
2MR-21S-PS-4A	61.38	7890-2214	21	.526	4	.09	AL
2MR-22S-PS-4A	64.79	7890-2224	22	.551	4	.10	AL
2MR-24S-PS-5A	70.64	7890-2245	24	.602	5	.14	AL
2MR-26S-PS-5A	76.42	7890-2265	26	.652	5	.18	AL
2MR-28S-PS-5A	82.27	7890-2285	28	.702	5	.23	AL
2MR-30S-PS-6A	91.19	7890-2306	30	.752	6	.28	AL
2MR-32S-PS-6A	97.09	7890-2326	32	.802	6	.32	AL
2MR-36S-PS-6A	110.47	7890-2366	36	.902	6	.44	AL
2MR-40S-PS-7A	126.08	7890-2407	40	1.003	7	.56	AL
2MR-45S-PS-7A	146.19	7890-2457	45	1.128	7	.85	AL
2MR-50S-PS-7A	169.31	7890-2507	50	1.253	7	1.25	AL
2MR-56S-PS-7A	203.41	7890-2567	56	1.404	7	1.48	AL
2MR-62S-PS-8A	224.57	7890-2628	62	1.554	8	1.56	AL
2MR-68S-PS-8A	248.31	7890-2688	68	1.704	8	1.80	AL
2MR-74S-PS-8A	269.55	7890-2748	74	1.855	8	2.27	AL
2MR-80S-PS-8A	287.43	7890-2808	80	2.005	8	2.50	AL

PowerGrip® GT®2 Sprocket Aluminum Bar Stock

Product No. Series 7890 (continued)

3mm Pitch Sprocket Bar Stock — Aluminum

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Length (In.)	Wt. Ea. (Lbs.)	Material
3MR-16S-PS-5A	$100.81	7890-3165	16	.602	5	.14	AL
3MR-17S-PS-5A	102.91	7890-3175	17	.639	5	.16	AL
3MR-18S-PS-5A	105.01	7890-3185	18	.677	5	.18	AL
3MR-19S-PS-5A	107.19	7890-3195	19	.714	5	.20	AL
3MR-20S-PS-6A	127.30	7890-3206	20	.752	6	.26	AL
3MR-21S-PS-6A	130.67	7890-3216	21	.790	6	.28	AL
3MR-22S-PS-6A	134.08	7890-3226	22	.827	6	.31	AL
3MR-24S-PS-6A	140.81	7890-3246	24	.902	6	.38	AL
3MR-26S-PS-6A	145.40	7890-3266	26	.978	6	.44	AL
3MR-28S-PS-6A	150.47	7890-3286	28	1.053	6	.52	AL
3MR-30S-PS-7A	178.14	7890-3307	30	1.128	7	.66	AL
3MR-32S-PS-7A	184.04	7890-3327	32	1.203	7	.75	AL
3MR-34S-PS-7A	189.90	7890-3347	34	1.278	7	.88	AL
3MR-36S-PS-8A	212.20	7890-3368	36	1.353	8	1.00	AL
3MR-38S-PS-8A	217.22	7890-3388	38	1.429	8	1.25	AL
3MR-40S-PS-8A	223.08	7890-3408	40	1.504	8	1.55	AL
3MR-45S-PS-8A	241.14	7890-3458	45	1.692	8	1.85	AL
3MR-50S-PS-8A	264.70	7890-3508	50	1.880	8	2.20	AL
3MR-56S-PS-8A	301.77	7890-3568	56	2.105	8	2.75	AL
3MR-62S-PS-8A	349.60	7890-3628	62	2.331	8	3.25	AL
3MR-68S-PS-8A	410.89	7890-3688	68	2.557	8	4.00	AL
3MR-74S-PS-8A	458.71	7890-3748	74	2.782	8	5.00	AL
3MR-80S-PS-8A	478.16	7890-3808	80	3.008	8	5.58	AL

Flanges for PowerGrip® GT®2 Sprocket Aluminum Bar Stock

Markets/Applications

Use with PowerGrip® GT®2 Sprocket Aluminum Bar Stock.

Features/Advantages

- With flanges readily available, sample sprockets and prototypes can be supplied quickly.

Product No. Series 7891

2mm Pitch Flanges for Bar Stock — Aluminum

Part No.	Suggested List Price	Product No.	Wt. Ea. (Lbs.)
10M2-FA	$3.54	7891-0102	.01
11M2-FA	3.63	7891-0112	.01
12M2-FA	3.72	7891-0122	.01
13M2-FA	3.80	7891-0132	.01
14M2-FA	3.89	7891-0142	.01
15M2-FA	3.98	7891-0152	.01
16M2-FA	4.07	7891-0162	.01
18M2-FA	4.15	7891-0182	.01
20M2-FA	4.24	7891-0202	.01
21M2-FA	4.33	7891-0212	.01
22M2-FA	4.42	7891-0222	.01
24M2-FA	4.50	7891-0242	.01
25M2-FA	4.59	7891-0252	.01
26M2-FA	4.68	7891-0262	.01
28M2-FA	4.77	7891-0282	.01

Part No.	Suggested List Price	Product No.	Wt. Ea. (Lbs.)
30M2-FA	$4.85	7891-0302	.01
32M2-FA	4.94	7891-0322	.01
33M2-FA	5.03	7891-0332	.01
34M2-FA	5.11	7891-0342	.01
35M2-FA	5.20	7891-0352	.01
36M2-FA	5.29	7891-0362	.01
38M2-FA	5.38	7891-0382	.01
40M2-FA	5.46	7891-0402	.01
42M2-FA	5.55	7891-0422	.01
44M2-FA	5.64	7891-0442	.01
45M2-FA	5.29	7891-0452	.01
48M2-FA	5.38	7891-0482	.01
50M2-FA	5.46	7891-0502	.01
54M2-FA	5.55	7891-0542	.01
60M2-FA	5.64	7891-0602	.01

3mm Pitch Flanges for Bar Stock — Aluminum

Part No.	Suggested List Price	Product No.	Wt. Ea. (Lbs.)
15M3-FA	$4.24	7891-0153	.01
16M3-FA	4.33	7891-0163	.01
17M3-FA	4.42	7891-0173	.01
18M3-FA	4.50	7891-0183	.01
19M3-FA	4.68	7891-0193	.01
20M3-FA	4.77	7891-0203	.01
22M3-FA	4.85	7891-0223	.01
24M3-FA	5.03	7891-0243	.01
25M3-FA	5.16	7891-0253	.01

Part No.	Suggested List Price	Product No.	Wt. Ea. (Lbs.)
26M3-FA	$5.29	7891-0263	.01
28M3-FA	4.77	7891-0283	.01
30M3-FA	4.85	7891-0303	.01
32M3-FA	5.03	7891-0323	.01
34M3-FA	5.16	7891-0343	.01
36M3-FA	5.29	7891-0363	.01
38M3-FA	5.42	7891-0383	.01
40M3-FA	5.60	7891-0403	.01
44M3-FA	5.77	7891-0443	.01

PowerGrip® HTD® Sprockets

Markets/Applications

Use with PowerGrip® HTD® Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Precision manufactured and static balanced to eliminate sprocket wobble.

Notes

3M and 5M PowerGrip® HTD® Sprockets are available in minimum plain bore (MPB). 20M sprockets are available in QD® style.

Sprocket part numbers are comprised of number of grooves, pitch and width. For example, part number P14-5M-09AL denotes 14 grooves, 5mm pitch, 9mm width and "AL" for aluminum.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Abbreviations used for sprocket materials: AL = Aluminum GI = Gray Iron

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.

Product No. Series 7882

3mm Pitch Sprockets — Aluminum — MPB Type
For Belts 6mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P10-3M-06AL	$18.28	7882-0001	10	.376	.01	AL	MPB	1/8—1/8
P12-3M-06AL	19.36	7882-0003	12	.451	.02	AL	MPB	3/16—3/16
P14-3M-06AL	20.34	7882-0005	14	.526	.02	AL	MPB	3/16—3/16
P15-3M-06AL	20.34	7882-0007	15	.564	.02	AL	MPB	3/16—3/16
P16-3M-06AL	20.92	7882-0009	16	.602	.02	AL	MPB	3/16—3/16
P17-3M-06AL	22.23	7882-0011	17	.639	.02	AL	MPB	3/16—3/16
P18-3M-06AL	19.22	7882-0048	18	.677	.02	AL	MPB	1/4—1/4
P19-3M-06AL	19.48	7882-0014	19	.714	.02	AL	MPB	1/4—1/4
P20-3M-06AL	19.64	7882-0016	20	.752	.02	AL	MPB	1/4—1/4
P22-3M-06AL	20.34	7882-0018	22	.827	.02	AL	MPB	1/4—1/4
P24-3M-06AL	20.96	7882-0020	24	.902	.02	AL	MPB	1/4—5/16
P26-3M-06AL	21.78	7882-0022	26	.977	.04	AL	MPB	1/4—5/16
P28-3M-06AL	22.51	7882-0024	28	1.053	.04	AL	MPB	1/4—3/8
P30-3M-06AL	23.34	7882-0026	30	1.128	.05	AL	MPB	1/4—7/16
P32-3M-06AL	24.07	7882-0028	32	1.203	.06	AL	MPB	1/4—1/2
P34-3M-06AL	24.91	7882-0030	34	1.278	.08	AL	MPB	1/4—9/16
P36-3M-06AL	25.78	7882-0032	36	1.353	.08	AL	MPB	1/4—5/8
P38-3M-06AL	26.76	7882-0034	38	1.429	.08	AL	MPB	1/4—3/4
P40-3M-06AL	27.76	7882-0036	40	1.504	.10	AL	MPB	1/4—13/16
P44-3M-06AL	29.95	7882-0038	44	1.654	.12	AL	MPB	1/4—15/16
P50-3M-06AL	35.71	7882-0040	50	1.880	.11	AL	MPB	5/16—15/16
P56-3M-06AL	41.52	7882-0042	56	2.105	.16	AL	MPB	5/16—15/16
P62-3M-06AL	47.86	7882-0044	62	2.331	.22	AL	MPB	5/16—15/16
P72-3M-06AL	59.65	7882-0046	72	2.707	.30	AL	MPB	5/16—15/16

PowerGrip® HTD® Sprockets

Product No. Series 7882 (continued)

3mm Pitch Sprockets — Aluminum — MPB Type
For Belts 9mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P10-3M-09AL	$18.54	7882-0002	10	.376	.01	AL	MPB	1/8—1/8
P12-3M-09AL	19.58	7882-0004	12	.451	.01	AL	MPB	3/16—3/16
P14-3M-09AL	20.78	7882-0006	14	.526	.02	AL	MPB	3/16—3/16
P15-3M-09AL	21.36	7882-0008	15	.564	.02	AL	MPB	3/16—3/16
P16-3M-09AL	22.40	7882-0010	16	.602	.02	AL	MPB	3/16—3/16
P17-3M-09AL	22.77	7882-0012	17	.639	.02	AL	MPB	3/16—3/16
P18-3M-09AL	19.48	7882-0013	18	.677	.02	AL	MPB	1/4—1/4
P19-3M-09AL	19.80	7882-0015	19	.714	.02	AL	MPB	1/4—1/4
P20-3M-09AL	20.09	7882-0017	20	.752	.02	AL	MPB	1/4—1/4
P22-3M-09AL	20.78	7882-0019	22	.827	.03	AL	MPB	1/4—1/4
P24-3M-09AL	21.53	7882-0021	24	.902	.03	AL	MPB	1/4—5/16
P26-3M-09AL	22.49	7882-0023	26	.977	.04	AL	MPB	1/4—5/16
P28-3M-09AL	23.34	7882-0025	28	1.053	.05	AL	MPB	1/4—3/8
P30-3M-09AL	24.15	7882-0027	30	1.128	.06	AL	MPB	1/4—7/16
P32-3M-09AL	25.01	7882-0029	32	1.203	.06	AL	MPB	1/4—1/2
P34-3M-09AL	25.88	7882-0031	34	1.278	.09	AL	MPB	1/4—9/16
P36-3M-09AL	26.90	7882-0033	36	1.353	.09	AL	MPB	1/4—5/8
P38-3M-09AL	28.02	7882-0035	38	1.429	.12	AL	MPB	1/4—3/4
P40-3M-09AL	29.15	7882-0037	40	1.504	.13	AL	MPB	1/4—13/16
P44-3M-09AL	31.47	7882-0039	44	1.654	.16	AL	MPB	1/4—15/16
P50-3M-09AL	37.97	7882-0041	50	1.880	.17	AL	MPB	5/16—15/16
P56-3M-09AL	44.21	7882-0043	56	2.105	.20	AL	MPB	5/16—15/16
P62-3M-09AL	51.49	7882-0045	62	2.331	.25	AL	MPB	5/16—15/16
P72-3M-09AL	63.52	7882-0047	72	2.707	.31	AL	MPB	5/16—15/16

5mm Pitch Sprockets — Aluminum — MPB Type
For Belts 9mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P14-5M-09AL	$17.55	7882-1077	14	.877	.04	AL	MPB	1/4—1/4
P15-5M-09AL	18.64	7882-1004	15	.940	.04	AL	MPB	1/4—1/4
P16-5M-09AL	19.03	7882-1006	16	1.003	.04	AL	MPB	1/4—1/4
P17-5M-09AL	19.80	7882-1008	17	1.065	.04	AL	MPB	1/4—5/16
P18-5M-09AL	20.52	7882-1010	18	1.128	.06	AL	MPB	1/4—3/8
P19-5M-09AL	21.29	7882-1078	19	1.191	.05	AL	MPB	1/4—7/16
P20-5M-09AL	22.09	7882-1013	20	1.253	.06	AL	MPB	1/4—1/2
P22-5M-09AL	23.79	7882-1015	22	1.379	.08	AL	MPB	1/4—5/8
P24-5M-09AL	25.60	7882-1017	24	1.504	.08	AL	MPB	1/4—11/16
P26-5M-09AL	27.27	7882-1021	26	1.629	.75	AL	MPB	1/4—3/4
P28-5M-09AL	28.97	7882-1023	28	1.754	.31	AL	MPB	1/4—7/8
P30-5M-09AL	30.71	7882-1025	30	1.880	.18	AL	MPB	1/4—7/8
P32-5M-09AL	32.38	7882-1027	32	2.005	.21	AL	MPB	1/4—15/16
P34-5M-09AL	38.44	7882-1031	34	2.130	.18	AL	MPB	1/4—1 1/16
P36-5M-09AL	41.88	7882-1035	36	2.256	.28	AL	MPB	5/16—1 1/16
P38-5M-09AL	43.43	7882-1039	38	2.381	.24	AL	MPB	5/16—1 3/16
P40-5M-09AL	44.93	7882-1043	40	2.506	.34	AL	MPB	5/16—1 3/16
P44-5M-09AL	48.00	7882-1047	44	2.757	.34	AL	MPB	5/16—1 3/16
P50-5M-09AL	53.48	7882-1053	50	3.133	.36	AL	MPB	3/8—1 3/16
P56-5M-09AL	56.59	7882-1057	56	3.509	.42	AL	MPB	3/8—1 3/16
P62-5M-09AL	61.96	7882-1063	62	3.885	.50	AL	MPB	3/8—1 3/16
P72-5M-09AL	69.73	7882-1069	72	4.511	.44	AL	MPB	3/8—1 3/16

PowerGrip® HTD® Sprockets

Product No. Series 7882 (continued)

5mm Pitch Sprockets — Aluminum — MPB Type
For Belts 15mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P14-5M-15AL	$17.99	7882-1003	14	.877	.04	AL	MPB	1/4—1/4
P15-5M-15AL	18.86	7882-1005	15	.940	.04	AL	MPB	1/4—1/4
P16-5M-15AL	19.58	7882-1007	16	1.003	.05	AL	MPB	1/4—1/4
P17-5M-15AL	20.48	7882-1009	17	1.065	.06	AL	MPB	1/4—5/16
P18-5M-15AL	21.29	7882-1011	18	1.128	.08	AL	MPB	1/4—3/8
P19-5M-15AL	22.23	7882-1012	19	1.191	.08	AL	MPB	1/4—7/16
P20-5M-15AL	23.03	7882-1014	20	1.253	.09	AL	MPB	1/4—1/2
P22-5M-15AL	24.77	7882-1016	22	1.379	.11	AL	MPB	1/4—5/8
P24-5M-15AL	26.66	7882-1018	24	1.504	.14	AL	MPB	1/4—11/16
P26-5M-15AL	28.64	7882-1022	26	1.629	.16	AL	MPB	1/4—3/4
P28-5M-15AL	30.53	7882-1024	28	1.754	.19	AL	MPB	1/4—7/8
P30-5M-15AL	32.38	7882-1026	30	1.880	.22	AL	MPB	1/4—7/8
P32-5M-15AL	34.19	7882-1029	32	2.005	.25	AL	MPB	1/4—15/16
P34-5M-15AL	40.32	7882-1033	34	2.130	.28	AL	MPB	1/4—1 1/16
P36-5M-15AL	44.93	7882-1037	36	2.256	.34	AL	MPB	5/16—1 1/16
P38-5M-15AL	46.45	7882-1041	38	2.381	.37	AL	MPB	5/16—1 3/16
P40-5M-15AL	48.44	7882-1045	40	2.506	.42	AL	MPB	5/16—1 3/16
P44-5M-15AL	51.92	7882-1049	44	2.757	.41	AL	MPB	5/16—1 3/16
P50-5M-15AL	58.08	7882-1054	50	3.133	.49	AL	MPB	3/8—1 3/16
P56-5M-15AL	61.60	7882-1059	56	3.509	.50	AL	MPB	3/8—1 3/16
P62-5M-15AL	67.76	7882-1064	62	3.885	.53	AL	MPB	3/8—1 3/16
P72-5M-15AL	75.88	7882-1071	72	4.511	.60	AL	MPB	3/8—1 3/16

20mm Pitch Sprockets
For Belts 115mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P34-20M-115	$935.45	7882-4024	34	8.522	36.50	GI	F	1—4
P36-20M-115	997.09	7882-4026	36	9.023	46.30	GI	F	1—4
P38-20M-115	1058.72	7882-4028	38	9.524	51.00	GI	F	1—4
P40-20M-115	1122.17	7882-4031	40	10.026	57.40	GI	F	1—4
P44-20M-115	1247.28	7882-4034	44	11.028	70.80	GI	F	1—4
P48-20M-115	1370.54	7882-4037	48	12.031	90.90	GI	J	1 1/2—4 1/2
P52-20M-115	1515.57	7882-4040	52	13.033	110.00	GI	J	1 1/2—4 1/2
P56-20M-115	1662.42	7882-4045	56	14.036	106.00	GI	J	1 1/2—4 1/2
P60-20M-115	1849.14	7882-4079	60	15.038	116.00	GI	J	1 1/2—4 1/2
P64-20M-115	2055.80	7882-4054	64	16.041	127.00	GI	J	1 1/2—4 1/2
P68-20M-115	2244.36	7882-4059	68	17.032	148.00	GI	J	1 1/2—4 1/2
P72-20M-115	2431.08	7882-4064	72	18.046	186.00	GI	J	1 1/2—4 1/2
P80-20M-115	2846.23	7882-4069	80	20.051	237.00	GI	M	2—5 1/2
P90-20M-115	3281.32	7882-4074	90	22.557	275.00	GI	M	2—5 1/2
P112-20M-115	3509.74	7882-4001	112	28.071	477.00	GI	M	2—5 1/2
P144-20M-115	4133.39	7882-4080	144	36.092	612.00	GI	N	2 7/16—5 7/8
P168-20M-115	5027.14	7882-4081	168	42.107	648.00	GI	N	2 7/16—5 7/8
P192-20M-115	8288.53	7882-4014	192	48.122	786.00	GI	N	2 7/16—5 7/8
P216-20M-115	11549.91	7882-4019	216	54.136	907.00	GI	N	2 7/16—5 7/8

PowerGrip® HTD® Sprockets

Product No. Series 7882 (continued)

20mm Pitch Sprockets For Belts 170mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P34-20M-170	$1287.15	7882-4025	34	8.522	87.20	GI	MPB	2 1/8—4 1/4
P36-20M-170	1339.72	7882-4027	36	9.023	98.70	GI	MPB	2 1/8—4 1/2
P38-20M-170	1392.31	7882-4029	38	9.524	64.00	GI	J	1 1/2—4 1/2
P40-20M-170	1424.93	7882-4032	40	10.026	73.40	GI	J	1 1/2—4 1/2
P44-20M-170	1495.63	7882-4035	44	11.028	88.10	GI	J	1 1/2—4 1/2
P48-20M-170	1745.81	7882-4038	48	12.031	120.00	GI	M	2—5 1/2
P52-20M-170	1932.54	7882-4041	52	13.033	149.00	GI	M	2—5 1/2
P56-20M-170	2119.26	7882-4046	56	14.036	177.00	GI	M	2—5 1/2
P60-20M-170	2305.99	7882-4050	60	15.038	209.00	GI	M	2—5 1/2
P64-20M-170	2534.43	7882-4055	64	16.041	236.00	GI	M	2—5 1/2
P68-20M-170	2742.90	7882-4060	68	17.032	214.00	GI	M	2—5 1/2
P72-20M-170	2949.56	7882-4065	72	18.046	238.00	GI	M	2—5 1/2
P80-20M-170	3386.48	7882-4070	80	20.051	262.00	GI	M	2—5 1/2
P90-20M-170	3885.02	7882-4075	90	22.557	303.00	GI	M	2—5 1/2
P112-20M-170	4258.48	7882-4002	112	28.071	473.00	GI	N	2 7/16—5 7/8
P144-20M-170	4882.10	7882-4006	144	36.092	520.00	GI	N	2 7/16—5 7/8
P168-20M-170	6002.48	7882-4010	168	42.107	619.00	GI	P	3 7/16—7
P192-20M-170	8703.68	7882-4015	192	48.122	783.00	GI	P	3 7/16—7
P216-20M-170	12753.68	7882-4020	216	54.136	902.00	GI	P	3 7/16—7

20mm Pitch Sprockets For Belts 230mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P38-20M-230	$1745.81	7882-4030	38	9.524	128.00	GI	MPB	2 7/8—4 3/4
P40-20M-230	1785.69	7882-4033	40	10.026	156.00	GI	MPB	2 7/8—5 1/4
P44-20M-230	1827.39	7882-4036	44	11.028	189.00	GI	MPB	2 7/8—6
P48-20M-230	2097.51	7882-4039	48	12.031	140.00	GI	M	2—5 1/2
P52-20M-230	2325.94	7882-4042	52	13.033	175.00	GI	M	2—5 1/2
P56-20M-230	2554.35	7882-4047	56	14.036	204.00	GI	M	2—5 1/2
P60-20M-230	2762.85	7882-4051	60	15.038	234.00	GI	M	2—5 1/2
P64-20M-230	2991.26	7882-4056	64	16.041	270.00	GI	M	2—5 1/2
P68-20M-230	3219.69	7882-4061	68	17.032	341.00	GI	N	2 7/16—5 7/8
P72-20M-230	3448.11	7882-4066	72	18.046	410.00	GI	N	2 7/16—5 7/8
P80-20M-230	3904.97	7882-4071	80	20.051	343.00	GI	N	2 7/16—5 7/8
P90-20M-230	4486.90	7882-4076	90	22.557	398.00	GI	N	2 7/16—5 7/8
P112-20M-230	4985.44	7882-4003	112	28.071	664.00	GI	N	2 7/16—5 7/8
P144-20M-230	5609.07	7882-4007	144	36.092	886.00	GI	P	2 15/16—7
P168-20M-230	6959.68	7882-4011	168	42.107	934.00	GI	P	2 15/16—7
P192-20M-230	9098.88	7882-4016	192	48.122	1429.00	GI	W	4—8 1/2
P216-20M-230	13959.24	7882-4021	216	54.136	1317.00	GI	W	4—8 1/2

Product No. Series 7882 (continued)

20mm Pitch Sprockets
For Belts 290mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P52-20M-290	$2887.93	7882-4043	52	13.033	202.00	GI	N	2 7/16—5 7/8
P56-20M-290	3116.36	7882-4048	56	14.036	237.00	GI	N	2 7/16—5 7/8
P60-20M-290	3448.11	7882-4052	60	15.038	276.00	GI	N	2 7/16—5 7/8
P64-20M-290	3801.63	7882-4057	64	16.041	320.00	GI	N	2 7/16—5 7/8
P68-20M-290	4155.13	7882-4062	68	17.032	368.00	GI	N	2 7/16—5 7/8
P72-20M-290	4506.84	7882-4067	72	18.046	404.00	GI	N	2 7/16—5 7/8
P80-20M-290	5005.38	7882-4072	80	20.051	376.00	GI	N	2 7/16—5 7/8
P90-20M-290	5567.39	7882-4077	90	22.557	431.00	GI	N	2 7/16—5 7/8
P112-20M-290	6336.04	7882-4004	112	28.071	799.00	GI	P	2 15/16—7
P144-20M-290	7249.74	7882-4008	144	36.092	1004.00	GI	P	2 15/16—7
P168-20M-290	8953.85	7882-4012	168	42.107	1410.00	GI	W	4—8 1/2
P192-20M-290	11051.36	7882-4017	192	48.122	1552.00	GI	W	4—8 1/2
P216-20M-290	15184.76	7882-4022	216	54.136	1441.00	GI	W	4—8 1/2

20mm Pitch Sprockets
For Belts 340mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P52-20M-340	$3428.16	7882-4044	52	13.033	219.00	GI	N	2 7/16—5 7/8
P56-20M-340	3656.60	7882-4049	56	14.036	258.00	GI	N	2 7/16—5 7/8
P60-20M-340	4133.39	7882-4053	60	15.038	294.00	GI	N	2 7/16—5 7/8
P64-20M-340	4611.99	7882-4058	64	16.041	339.00	GI	N	2 7/16—5 7/8
P68-20M-340	5088.78	7882-4063	68	17.032	389.00	GI	N	2 7/16—5 7/8
P72-20M-340	5567.39	7882-4068	72	18.046	438.00	GI	N	2 7/16—5 7/8
P80-20M-340	6085.86	7882-4073	80	20.051	462.00	GI	P	2 15/16—7
P90-20M-340	6647.85	7882-4078	90	22.557	507.00	GI	P	2 15/16—7
P112-20M-340	7664.89	7882-4005	112	28.071	870.00	GI	P	2 15/16—7
P144-20M-340	8890.40	7882-4009	144	36.092	1215.00	GI	W	4—8 1/2
P168-20M-340	10948.03	7882-4013	168	42.107	1514.00	GI	W	4—8 1/2
P192-20M-340	12982.09	7882-4018	192	48.122	1817.00	GI	S	5 1/2—10
P216-20M-340	16390.33	7882-4023	216	54.136	1717.00	GI	S	5 1/2—10

PowerGrip® Timing Pulleys

Markets/Applications

Use with PowerGrip® Timing Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Precision manufactured and static balanced to eliminate sprocket wobble.

Notes

Gates PowerGrip® Timing Pulleys are measured by number of grooves, pitch and width. For example, TL30L050 denotes "TL" for Taper-Lock®, 30 grooves, L (.375") pitch and 1/2" width.

Pitch- The pitch of a PowerGrip® Timing Pulley is the distance from center to center of the grooves (in inches). The letters correspond to pitches as follows:

MXL = Mini Extra Light = 0.080" pitch
XL = Extra Light = 0.200" pitch
L = Light = 0.375" pitch
H = Heavy = 0.500" pitch

Width- The width designation is in hundreths of inches and corresponds to the width of the widest belt that can operate in the pulley.

The complete pulley designation must be used when ordering a Gates PowerGrip® Timing Pulley.

Abbreviation used for pulley bore: MPB = Minimum Plain Bore. **Abbreviations for pulley materials: AL = Aluminum ST = Steel SiS = Sintered Steel GI = Gray Iron DI = Ductile Iron.**

MXL and XL MPB pulleys are supplied with set screws. L and H pulleys are not supplied with keyway and set screws.

WARNING: Do **NOT** use sprockets with rim speeds in excess of 6,500 fpm.

Product No. Series 7826

2/25″ Pitch (.080″/MXL) – Mini Extra Light
For Belts 1/8″, 3/16″, 1/4″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
PB10MXL025	$14.08	7826-0010	10	.255	.06	AL	MPB	1/8—1/8
PB11MXL025	14.31	7826-0011	11	.280	.07	AL	MPB	1/8—1/8
PB12MXL025	14.47	7826-0012	12	.306	.08	AL	MPB	1/8—1/8
PB14MXL025	14.86	7826-0014	14	.357	.01	AL	MPB	1/8—1/8
PB15MXL025	15.07	7826-0015	15	.382	.01	AL	MPB	3/16—3/16
PB16MXL025	15.25	7826-0016	16	.407	.01	AL	MPB	3/16—3/16
PB18MXL025	13.71	7826-0118	18	.458	.02	AL	MPB	3/16—3/16
PB20MXL025	13.93	7826-0120	20	.509	.01	AL	MPB	3/16—3/16
PB21MXL025	14.20	7826-0121	21	.535	.02	AL	MPB	3/16—3/16
PB22MXL025	14.37	7826-0122	22	.560	.03	AL	MPB	3/16—3/16
PB24MXL025	14.70	7826-0124	24	.611	.04	AL	MPB	1/4—1/4
PB28MXL025	15.91	7826-0128	28	.713	.02	AL	MPB	1/4—1/4
PB30MXL025	16.39	7826-0130	30	.764	.02	AL	MPB	1/4—1/4
PB32MXL025	16.79	7826-0132	32	.815	.04	AL	MPB	1/4—1/4
PB36MXL025	18.04	7826-0136	36	.917	.05	AL	MPB	1/4—1/4
PB40MXL025	19.32	7826-0140	40	1.019	.07	AL	MPB	1/4—1/4
PB42MXL025	19.87	7826-0142	42	1.070	.07	AL	MPB	1/4—1/4
PB44MXL025	20.47	7826-0144	44	1.120	.08	AL	MPB	1/4—1/4
PB48MXL025	21.79	7826-0148	48	1.222	.01	AL	MPB	1/4—1/4
PB60MXL025	22.29	7826-0160	60	1.528	.16	AL	MPB	1/4—1/4
PB72MXL025	27.73	7826-0272	72	1.833	.25	AL	MPB	1/4—1/4
PB80MXL025	32.25	7826-0180	80	2.037	.25	AL	MPB	5/16—5/16

PowerGrip® Timing Pulleys

Product No. Series 7823 and 7881

1/5″ Pitch (.200″/XL) – Extra Light
For Belts 1/4″, 3/8″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
PB10XL037	$11.77	7823-0101	10	.637	.04	ST	MPB	3/16—3/16
PB11XL037	12.06	7823-0106	11	.700	.10	ST	MPB	3/16—3/16
PB12XL037	12.66	7823-0111	12	.764	.10	ST	MPB	3/16—1/4
PB14XL037	14.41	7823-0121	14	.891	.10	SiS	MPB	1/4—1/4
PB15XL037	15.03	7823-0126	15	.955	.10	SiS	MPB	1/4—5/16
PB16XL037	15.91	7823-0131	16	1.019	.10	SiS	MPB	1/4—3/8
PB18XL037	17.67	7823-0141	18	1.146	.10	SiS	MPB	1/4—1/2
PB20XL037	19.15	7823-0151	20	1.273	.20	SiS	MPB	1/4—9/16
PB21XL037	20.31	7823-0156	21	1.337	.20	SiS	MPB	1/4—9/16
PB22XL037	21.19	7823-0161	22	1.401	.20	SiS	MPB	1/4—3/4
PB24XL037	22.95	7823-0166	24	1.528	.30	SiS	MPB	1/4—11/16
PB28XL037	26.19	7823-0176	28	1.783	.30	SiS	MPB	1/4—13/16
PB30XL037	27.96	7823-0181	30	1.910	.40	SiS	MPB	5/16—15/16
PB32XL037	30.16	7823-0186	32	2.037	.25	AL	MPB	5/16—1
TL32XL037	40.57	7881-6032	32	2.037	.22	SiS	1108	1/2—1
PB36XL037	30.70	7823-0196	36	2.292	.29	AL	MPB	5/16—1
TL36XL037	41.89	7881-6036	36	2.292	.30	SiS	1108	1/2—1
PB40XL037	33.46	7823-0201	40	2.546	.30	AL	MPB	5/16—1
TL40XL037	43.51	7881-6040	40	2.546	.31	SiS	1108	1/2—1
PB42XL037	33.24	7823-0206	42	2.674	.31	AL	MPB	5/16—1
TL42XL037	45.87	7881-6042	42	2.674	.31	SiS	1108	1/2—1
PB44XL037	34.28	7823-0211	44	2.801	.34	AL	MPB	5/16—1
TL44XL037	49.68	7881-6044	44	2.801	.31	SiS	1108	1/2—1
PB48XL037	38.57	7823-0216	48	3.056	.40	ST	MPB	5/16—1
TL48XL037	51.33	7881-6048	48	3.056	.38	SiS	1108	1/2—1
PB60XL037	46.61	7823-0221	60	3.820	.40	ST	MPB	3/8—1
TL60XL037	52.94	7881-6060	60	3.820	.38	SiS	1210	1/2—1 1/4
PB72XL037	54.47	7823-0226	72	4.584	.65	AL	MPB	3/8—1
TL72XL037	57.67	7881-6072	72	4.584	.50	SiS	1610	1/2—1 11/16

3/8″ Pitch (.375″/L) – Light Duty
For Belts 1/2″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
PB10L050	$18.04	7823-0301	10	1.194	.30	ST	MPB	3/8—1/2
PB12L050	19.92	7823-0311	12	1.432	.30	ST	MPB	3/8—3/4
PB14L050	24.94	7823-0321	14	1.671	.40	ST	MPB	3/8—3/4
PB16L050	27.13	7823-0331	16	1.910	.60	ST	MPB	1/2—1
PB17L050	27.63	7823-0336	17	2.029	.65	ST	MPB	1/2—1
TL18L050	32.75	7881-7001	18	2.149	.70	SiS	1108	1/2—1
PB19L050	33.90	7823-0346	19	2.268	.80	ST	MPB	1/2—1 3/16
TL20L050	36.32	7881-7004	20	2.387	.90	SiS	1108	1/2—1
PB21L050	45.62	7823-0356	21	2.507	1.00	ST	MPB	1/2—1 1/4
TL22L050	41.82	7881-7007	22	2.626	1.10	SiS	1108	1/2—1
TL24L050	44.02	7881-7010	24	2.865	1.20	SiS	1210	1/2—1 1/4
TL26L050	46.22	7881-7013	26	3.104	1.70	SiS	1210	1/2—1 1/4
TL28L050	47.05	7881-7016	28	3.342	1.90	SiS	1210	1/2—1 1/4
TL30L050	49.52	7881-7019	30	3.581	2.20	SiS	1610	1/2—1 5/8
TL32L050	52.82	7881-7022	32	3.820	2.60	SiS	1610	1/2—1 5/8
TL40L050	102.77	7881-7054	40	4.775	3.80	GI	2012	1/2—2 1/8
TL48L050	123.66	7881-7055	48	5.730	4.60	GI	2012	1/2—2 1/8
TL60L050	127.24	7881-7056	60	7.162	6.30	GI	2012	1/2—2 1/8
TL72L050	130.10	7881-7057	72	8.594	5.14	GI	2012	1/2—2 1/8
TL84L050	139.83	7881-7058	84	10.027	9.30	GI	2517	1/2—2 11/16

PowerGrip® Timing Pulleys

Product No. Series 7823 and 7881 (continued)

3/8″ Pitch (.375″/L) – Light Duty (continued)

For Belts 3/4″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
PB12L075	$24.21	7823-0511	12	1.432	.40	ST	MPB	3/8—3/4
PB14L075	28.01	7823-0521	14	1.671	.50	ST	MPB	3/8—3/4
PB16L075	30.76	7823-0531	16	1.910	.70	ST	MPB	1/2—1 1/8
PB17L075	30.98	7823-0536	17	2.029	.80	ST	MPB	1/2—1 1/8
TL18L075	37.97	7881-7002	18	2.149	.70	SiS	1108	1/2—1
PB19L075	35.77	7823-0546	19	2.268	1.10	ST	MPB	5/8—7/8
TL20L075	40.17	7881-7005	20	2.387	.70	SiS	1108	1/2—1
PB21L075	48.76	7823-0556	21	2.507	1.60	ST	MPB	5/8—1 1/4
TL22L075	44.86	7881-7008	22	2.626	1.10	SiS	1108	1/2—1
TL24L075	47.05	7881-7011	24	2.865	1.50	SiS	1210	1/2—1 1/4
TL26L075	55.15	7881-7014	26	3.104	1.70	SiS	1210	1/2—1 1/4
TL28L075	55.31	7881-7017	28	3.342	1.70	SiS	1610	1/2—1 5/8
TL30L075	59.42	7881-7020	30	3.581	2.20	SiS	1610	1/2—1 5/8
TL32L075	63.28	7881-7023	32	3.820	2.60	SiS	1610	1/2—1 5/8
TL40L075	107.65	7881-7059	40	4.775	3.80	GI	2012	1/2—2 1/8
TL48L075	130.36	7881-7060	48	5.730	4.60	GI	2012	1/2—2 1/8
TL60L075	134.78	7881-7061	60	7.162	6.30	GI	2012	1/2—2 1/8
TL72L075	139.37	7881-7062	72	8.594	7.70	GI	2012	1/2—2 1/8
TL84L075	145.40	7881-7063	84	10.027	7.80	GI	2517	1/2—2 11/16

For Belts 1″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
PB14L100	$31.42	7823-0721	14	1.671	.60	ST	MPB	3/8—3/4
PB16L100	33.67	7823-0731	16	1.910	.80	ST	MPB	1/2—1
PB17L100	33.34	7823-0736	17	2.029	1.00	ST	MPB	1/2—1
TL18L100	40.45	7881-7003	18	2.149	.90	SiS	1108	1/2—1
PB19L100	39.73	7823-0746	19	2.268	1.40	ST	MPB	5/8—7/8
TL20L100	43.21	7881-7006	20	2.387	1.20	SiS	1108	1/2—1
PB21L100	51.73	7823-0756	21	2.507	1.80	ST	MPB	5/8—1 1/4
TL22L100	45.67	7881-7009	22	2.626	1.50	SiS	1108	1/2—1
TL24L100	48.16	7881-7012	24	2.865	1.80	SiS	1210	1/2—1 1/4
TL26L100	55.31	7881-7015	26	3.104	2.20	SiS	1210	1/2—1 1/4
TL28L100	60.53	7881-7018	28	3.342	2.40	SiS	1610	1/2—1 5/8
TL30L100	64.67	7881-7021	30	3.581	2.90	SiS	1610	1/2—1 5/8
TL32L100	70.16	7881-7024	32	3.820	3.40	GI	1610	1/2—1 5/8
TL40L100	109.01	7881-7064	40	4.775	5.00	GI	2012	1/2—2 1/8
TL48L100	136.62	7881-7065	48	5.730	6.50	GI	2012	1/2—2 1/8
TL60L100	141.09	7881-7066	60	7.162	7.40	GI	2012	1/2—2 1/8
TL72L100	146.43	7881-7067	72	8.594	8.00	GI	2012	1/2—2 1/8
TL84L100	153.26	7881-7068	84	10.027	10.11	GI	2517	1/2—2 11/16

PowerGrip® Timing Pulleys

Product No. Series 7881 (continued)

½″ Pitch (.500″/H) – Heavy Duty
For Belts ¾″ or 1″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
TL14H100	$40.45	7881-7025	14	2.228	1.00	SiS	1108	½—1
TL16H100	48.16	7881-7027	16	2.546	1.50	SiS	1108	½—1
TL18H100	50.08	7881-7030	18	2.865	1.70	SiS	1210	½—1¼
TL20H100	52.01	7881-7034	20	3.183	2.20	SiS	1210	½—1¼
TL22H100	55.85	7881-7038	22	3.501	2.50	SiS	1610	½—1⅝
TL24H100	58.61	7881-7041	24	3.820	3.20	SiS	1610	½—1⅝
TL26H100	65.76	7881-7045	26	4.138	3.60	DI	2012	½—2⅛
TL28H100	83.93	7881-7049	28	4.456	4.20	GI	2012	½—1⅝
TL30H100	105.28	7881-7069	30	4.775	5.60	GI	2012	½—2⅛
TL32H100	112.95	7881-7070	32	5.093	4.60	GI	2517	½—2 11/16
TL40H100	147.76	7881-7071	40	6.366	8.70	GI	2517	½—2 11/16
TL48H100	180.36	7881-7072	48	7.639	13.50	GI	2517	½—2 11/16
TL60H100	185.08	7881-7073	60	9.549	20.50	GI	3020	⅞—3¼
TL72H100	226.40	7881-7074	72	11.459	24.50	GI	3020	⅞—3¼
TL84H100	265.73	7881-7075	84	13.369	28.30	GI	3020	⅞—3¼
TL96H100	300.67	7881-7076	96	15.279	34.20	GI	3020	⅞—3¼
TL120H100	381.04	7881-7077	120	19.099	42.10	GI	3020	⅞—3¼

For Belts 1½″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
TL14H150	$61.36	7881-7026	14	2.228	1.20	SiS	1108	½—1
TL16H150	62.74	7881-7028	16	2.546	1.70	SiS	1108	½—1
TL18H150	64.67	7881-7031	18	2.865	2.30	SiS	1210	½—1¼
TL20H150	67.13	7881-7035	20	3.183	2.90	SiS	1210	½—1¼
TL22H150	74.01	7881-7053	22	3.501	3.50	SiS	1610	½—1⅝
TL24H150	82.82	7881-7042	24	3.820	3.60	GI	2012	½—1⅝
TL26H150	91.89	7881-7046	26	4.138	4.60	GI	2012	½—2⅛
TL28H150	103.18	7881-7050	28	4.456	5.50	GI	2012	½—2⅛
TL30H150	122.69	7881-7078	30	4.775	6.50	GI	2012	½—2⅛
TL32H150	132.42	7881-7079	32	5.093	7.40	GI	2517	½—2 11/16
TL40H150	164.56	7881-7080	40	6.366	11.40	GI	2517	½—2 11/16
TL48H150	200.71	7881-7081	48	7.639	16.40	GI	2517	½—2 11/16
TL60H150	227.25	7881-7082	60	9.549	25.00	GI	3020	⅞—3¼
TL72H150	251.44	7881-7083	72	11.459	21.50	GI	3020	⅞—3¼
TL84H150	282.55	7881-7084	84	13.369	26.00	GI	3020	⅞—3¼
TL96H150	340.21	7881-7085	96	15.279	35.50	GI	3020	⅞—3¼
TL120H150	429.28	7881-7086	120	19.099	40.00	GI	3020	⅞—3¼

PowerGrip® Timing Pulleys

Product No. Series 7881 (continued)

½″ Pitch (.500″/H) – Heavy Duty (continued)

For Belts 2″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
TL16H200	$70.71	7881-7029	16	2.546	2.10	GI	1108	½—1
TL18H200	75.38	7881-7032	18	2.865	2.10	GI	1215	½—1¼
TL20H200	82.54	7881-7036	20	3.183	2.90	GI	1215	½—1¼
TL22H200	89.69	7881-7039	22	3.501	3.20	GI	1615	½—1⅝
TL24H200	96.84	7881-7043	24	3.820	3.00	GI	2012	½—2⅛
TL26H200	104.01	7881-7047	26	4.138	4.00	GI	2012	½—2⅛
TL28H200	111.16	7881-7051	28	4.456	5.30	GI	2012	½—2⅛
TL30H200	140.83	7881-7087	30	4.775	7.40	GI	2012	½—2⅛
TL32H200	147.76	7881-7088	32	5.093	6.08	GI	2517	½—2 11/16
TL40H200	213.52	7881-7089	40	6.366	12.70	GI	2517	½—2 11/16
TL48H200	235.21	7881-7090	48	7.639	18.12	GI	3020	½—2 11/16
TL60H200	249.07	7881-7091	60	9.549	24.10	GI	3020	⅞—3¼
TL72H200	281.23	7881-7092	72	11.459	21.00	GI	3020	⅞—3¼
TL84H200	330.77	7881-7093	84	13.369	23.00	GI	3020	⅞—3¼
TL96H200	396.84	7881-7094	96	15.279	34.00	GI	3020	⅞—3¼
TL120H200	533.82	7881-7095	120	19.099	55.00	GI	3020	⅞—3¼

For Belts 3″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bore Type	Bore Range (In.)
TL16H300	$98.21	7881-7096	16	2.546	2.10	GI	1108	½—1
TL18H300	113.37	7881-7033	18	2.865	3.10	GI	1215	½—1¼
TL20H300	121.35	7881-7037	20	3.183	4.00	GI	1215	½—1¼
TL22H300	132.62	7881-7040	22	3.501	4.50	GI	1615	½—1⅝
TL24H300	144.19	7881-7044	24	3.820	4.10	GI	2012	½—2⅛
TL26H300	153.80	7881-7048	26	4.138	5.70	GI	2012	½—2⅛
TL28H300	168.67	7881-7052	28	4.456	7.50	GI	2012	½—2⅛
TL30H300	140.83	7881-7097	30	4.775	8.90	GI	2012	½—2⅛
TL32H300	198.34	7881-7098	32	5.093	10.20	GI	2517	½—2 11/16
TL40H300	222.54	7881-7099	40	6.366	18.08	GI	2517	½—2 11/16
TL48H300	260.71	7881-7100	48	7.639	21.50	GI	3020	⅞—3¼
TL60H300	299.35	7881-7101	60	9.549	28.00	GI	3020	⅞—3¼
TL72H300	335.49	7881-7102	72	11.459	23.00	GI	3020	⅞—3¼
TL84H300	395.49	7881-7103	84	13.369	30.00	GI	3020	⅞—3¼
TL96H300	492.98	7881-7104	96	15.279	77.00	GI	3535	1 3/16-3 15/16
TL120H300	643.10	7881-7105	120	19.099	60.00	GI	3535	1 3/16-3 15/16

Synchro-Power® Aluminum Bar Stock

Markets/Applications

Use with Synchro-Power® polyurethane belts.

Features/Advantages

- With bar stock readily available, sample sprockets and prototypes can be supplied quickly.

Product No. Series 7890

T2.5

Part No.	Suggested List Price	Product No.	No. of Grooves	Bar Length (mm)	Wt. Ea. (Lbs.)	Flange Ref. No.
T2.5-13S-PS-50A	$30.87	7890-5101	13	50	.03	FB002
T2.5-14S-PS-50A	31.67	7890-5102	14	50	.03	FB002
T2.5-15S-PS-50A	32.48	7890-5103	15	50	.03	FB004
T2.5-16S-PS-50A	33.29	7890-5104	16	50	.04	FB006
T2.5-17S-PS-50A	34.13	7890-5105	17	50	.04	FB006
T2.5-18S-PS-50A	34.94	7890-5106	18	50	.05	FB007
T2.5-19S-PS-90A	47.80	7890-5107	19	90	.05	FB010
T2.5-20S-PS-90A	49.30	7890-5108	20	90	.06	FB010
T2.5-21S-PS-90A	50.81	7890-5109	21	90	.07	FB011
T2.5-22S-PS-125A	64.59	7890-5110	22	125	.07	FB012
T2.5-23S-PS-125A	66.70	7890-5111	23	125	.08	FB030
T2.5-24S-PS-125A	68.81	7890-5112	24	125	.09	FB021
T2.5-25S-PS-125A	70.92	7890-5113	25	125	.09	FB021
T2.5-26S-PS-125A	73.06	7890-5114	26	125	.10	FB052
T2.5-27S-PS-125A	75.20	7890-5115	27	125	.11	FB052
T2.5-28S-PS-125A	77.37	7890-5116	28	125	.12	FB054
T2.5-29S-PS-125A	79.53	7890-5117	29	125	.13	FB070
T2.5-30S-PS-125A	81.70	7890-5118	30	125	.13	FB071
T2.5-32S-PS-125A	86.06	7890-5119	32	125	.15	FB080
T2.5-33S-PS-125A	88.26	7890-5120	33	125	.16	FB082
T2.5-34S-PS-125A	90.49	7890-5121	34	125	.17	FB101
T2.5-35S-PS-132A	96.73	7890-5122	35	132	.18	FB101
T2.5-36S-PS-132A	99.10	7890-5123	36	132	.19	FB103
T2.5-38S-PS-132A	103.81	7890-5124	38	132	.22	FB131
T2.5-39S-PS-132A	106.21	7890-5125	39	132	.23	FB131
T2.5-40S-PS-132A	108.61	7890-5126	40	132	.24	FB140
T2.5-41S-PS-132A	111.00	7890-5127	41	132	.25	FB140
T2.5-42S-PS-140A	119.04	7890-5128	42	140	.26	FB141
T2.5-43S-PS-140A	121.61	7890-5129	43	140	.28	FB142
T2.5-44S-PS-140A	123.72	7890-5130	44	140	.29	FB150
T2.5-45S-PS-140A	126.78	7890-5131	45	140	.30	FB150
T2.5-48S-PS-140A	134.65	7890-5132	48	140	.34	FB170
T2.5-50S-PS-160A	156.96	7890-5133	50	160	.37	FB181
T2.5-52S-PS-160A	163.05	7890-5134	52	160	.40	FB191
T2.5-56S-PS-160A	175.37	7890-5135	56	160	.47	FB200
T2.5-60S-PS-160A	187.91	7890-5136	60	160	.54	FB221
T2.5-72S-PS-160A	226.63	7890-5137	72	160	.77	FB290

Synchro-Power® Aluminum Bar Stock

Product No. Series 7890 (continued)

T5

Part No.	Suggested List Price	Product No.	No. of Grooves	Bar Length (mm)	Wt. Ea. (Lbs.)	Flange Ref. No.
T5-10S-PS-160A	$47.34	7890-5138	10	160	.19	FB008
T5-12S-PS-160A	53.26	7890-5139	12	160	.28	FB021
T5-14S-PS-160A	59.39	7890-5140	14	160	.37	FB053
T5-15S-PS-160A	62.51	7890-5141	15	160	.43	FB071
T5-16S-PS-160A	65.69	7890-5142	16	160	.49	FB082
T5-18S-PS-160A	72.19	7890-5143	18	160	.62	FB120
T5-19S-PS-160A	75.54	7890-5144	19	160	.69	FB131
T5-20S-PS-160A	78.90	7890-5145	20	160	.76	FB140
T5-22S-PS-160A	85.80	7890-5146	22	160	.93	FB160
T5-24S-PS-160A	92.91	7890-5147	24	160	1.10	FB181
T5-25S-PS-160A	96.53	7890-5148	25	160	1.20	FB181
T5-26S-PS-160A	100.20	7890-5149	26	160	1.29	FB191
T5-27S-PS-160A	103.92	7890-5150	27	160	1.39	FB200
T5-28S-PS-160A	107.68	7890-5151	28	160	1.50	FB200
T5-30S-PS-160A	115.40	7890-5152	30	160	1.72	FB221
T5-32S-PS-160A	123.29	7890-5153	32	160	1.96	FB250
T5-36S-PS-160A	139.64	7890-5154	36	160	2.48	FB310
T5-40S-PS-160A	156.78	7890-5155	40	160	3.06	FB334
T5-42S-PS-160A	165.65	7890-5156	42	160	3.37	FB336
T5-44S-PS-160A	174.73	7890-5157	44	160	3.70	FB350
T5-48S-PS-160A	193.46	7890-5158	48	160	4.41	FB391
T5-60S-PS-160A	254.35	7890-5159	60	160	6.88	FB471

T10

Part No.	Suggested List Price	Product No.	No. of Grooves	Bar Length (mm)	Wt. Ea. (Lbs.)	Flange Ref. No.
T10-15S-PS-160A	$79.13	7890-5160	15	160	1.72	FB221
T10-16S-PS-160A	84.59	7890-5161	16	160	1.96	FB251
T10-18S-PS-160A	96.15	7890-5162	18	160	2.48	FB290
T10-19S-PS-160A	102.19	7890-5163	19	160	2.76	FB333
T10-20S-PS-160A	108.46	7890-5164	20	160	3.06	FB321
T10-22S-PS-160A	121.55	7890-5165	22	160	3.70	FB350
T10-24S-PS-160A	135.45	7890-5166	24	160	4.40	FB371
T10-25S-PS-160A	142.71	7890-5167	25	160	4.78	FB412
T10-26S-PS-160A	150.14	7890-5168	26	160	5.17	FB420
T10-27S-PS-160A	157.77	7890-5169	27	160	5.57	FB430
T10-28S-PS-160A	165.60	7890-5170	28	160	5.99	FB440
T10-30S-PS-160A	181.87	7890-5171	30	160	6.88	FB471
T10-32S-PS-160A	198.92	7890-5172	32	160	7.83	FB481
T10-36S-PS-160A	235.36	7890-5173	36	160	9.91	FB522
T10-40S-PS-160A	274.95	7890-5174	40	160	12.23	FB560
T10-44S-PS-160A	317.73	7890-5175	44	160	14.80	FB623

Synchro-Power® Aluminum Bar Stock

Product No. Series 7890 (continued)

AT5

Part No.	Suggested List Price	Product No.	No. of Grooves	Bar Length (mm)	Wt. Ea. (Lbs.)	Flange Ref. No.
AT5-12S-PS-160A	$53.26	7890-5176	12	160	.28	FB021
AT5-14S-PS-160A	59.39	7890-5177	14	160	.37	FB055
AT5-15S-PS-160A	62.51	7890-5178	15	160	.43	FB071
AT5-16S-PS-160A	65.69	7890-5179	16	160	.49	FB082
AT5-18S-PS-160A	72.19	7890-5180	18	160	.62	FB120
AT5-19S-PS-160A	75.54	7890-5181	19	160	.69	FB131
AT5-20S-PS-160A	78.90	7890-5182	20	160	.76	FB140
AT5-22S-PS-160A	85.80	7890-5183	22	160	.93	FB160
AT5-24S-PS-160A	92.91	7890-5184	24	160	1.10	FB181
AT5-25S-PS-160A	96.53	7890-5185	25	160	1.20	FB191
AT5-26S-PS-160A	100.20	7890-5186	26	160	1.29	FB191
AT5-27S-PS-160A	103.92	7890-5187	27	160	1.39	FB200
AT5-28S-PS-160A	107.68	7890-5188	28	160	1.50	FB200
AT5-30S-PS-160A	115.40	7890-5189	30	160	1.72	FB221
AT5-32S-PS-160A	123.29	7890-5190	32	160	1.96	FB240
AT5-36S-PS-160A	139.64	7890-5191	36	160	2.48	FB290
AT5-40S-PS-160A	156.78	7890-5192	40	160	3.06	FB334
AT5-42S-PS-160A	165.65	7890-5193	42	160	3.37	FB335
AT5-44S-PS-160A	174.73	7890-5194	44	160	3.70	FB350
AT5-48S-PS-160A	193.46	7890-5195	48	160	4.41	FB391
AT5-60S-PS-160A	254.35	7890-5196	60	160	6.88	FB471

AT10

Part No.	Suggested List Price	Product No.	No. of Grooves	Bar Length (mm)	Wt. Ea. (Lbs.)	Flange Ref. No.
AT10-15S-PS-160A	$79.13	7890-5197	15	160	1.72	FB221
AT10-16S-PS-160A	84.59	7890-5198	16	160	1.96	FB251
AT10-18S-PS-160A	96.15	7890-5199	18	160	2.48	FB290
AT10-19S-PS-160A	102.19	7890-5200	19	160	2.76	FB311
AT10-20S-PS-160A	108.46	7890-5201	20	160	3.06	FB334
AT10-22S-PS-160A	121.55	7890-5202	22	160	3.70	FB350
AT10-24S-PS-160A	135.45	7890-5203	24	160	4.40	FB371
AT10-25S-PS-160A	142.71	7890-5204	25	160	4.78	FB412
AT10-26S-PS-160A	150.14	7890-5205	26	160	5.17	FB420
AT10-27S-PS-160A	157.77	7890-5206	27	160	5.57	FB430
AT10-28S-PS-160A	165.60	7890-5207	28	160	5.99	FB440
AT10-30S-PS-160A	181.87	7890-5208	30	160	6.88	FB471
AT10-32S-PS-160A	198.92	7890-5209	32	160	7.83	FT200
AT10-36S-PS-160A	235.36	7890-5210	36	160	9.91	FT220
AT10-40S-PS-160A	274.95	7890-5211	40	160	12.23	FT240
AT10-44S-PS-160A	317.73	7890-5212	44	160	14.80	FT265
AT10-48S-PS-160A	363.50	7890-5213	48	160	17.61	FT295
AT10-60S-PS-160A	520.29	7890-5214	60	160	27.52	FT395

Flanges for Synchro-Power® Aluminum Bar Stock

Markets/Applications

Use with Synchro-Power® aluminum bar stock and Synchro-Power® polyurethane belts.

Features/Advantages

- With flanges readily available, sample sprockets and prototypes can be supplied quickly.

Product No. Series 7891

T2.5

Part No. Description	Suggested List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
13T2.5-FA	$4.93	7891-6001	.01	FB002
14T2.5-FA	4.93	7891-6002	.01	FB002
15T2.5-FA	4.93	7891-6003	.01	FB004
16T2.5-FA	4.93	7891-6004	.01	FB006
17T2.5-FA	4.93	7891-6005	.01	FB006
18T2.5-FA	4.93	7891-6006	.01	FB007
19T2.5-FA	5.05	7891-6007	.01	FB010
20T2.5-FA	5.05	7891-6008	.01	FB010
21T2.5-FA	5.05	7891-6009	.01	FB011
22T2.5-FA	5.05	7891-6010	.01	FB012
23T2.5-FA	5.64	7891-6011	.01	FB030
24T2.5-FA	5.64	7891-6012	.01	FB021
25T2.5-FA	5.64	7891-6013	.01	FB021
26T2.5-FA	5.64	7891-6014	.01	FB052
27T2.5-FA	5.64	7891-6015	.01	FB052
28T2.5-FA	5.64	7891-6016	.01	FB054
29T2.5-FA	5.64	7891-6017	.01	FB070
30T2.5-FA	5.64	7891-6018	.01	FB071
32T2.5-FA	5.87	7891-6019	.01	FB080

Part No. Description	Suggested List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
33T2.5-FA	$6.11	7891-6020	.01	FB082
34T2.5-FA	6.22	7891-6021	.01	FB101
35T2.5-FA	6.22	7891-6022	.01	FB101
36T2.5-FA	6.22	7891-6023	.01	FB103
38T2.5-FA	6.46	7891-6024	.01	FB131
39T2.5-FA	6.46	7891-6025	.01	FB131
40T2.5-FA	6.46	7891-6026	.01	FB140
41T2.5-FA	6.46	7891-6027	.01	FB140
42T2.5-FA	6.46	7891-6028	.01	FB141
43T2.5-FA	6.46	7891-6029	.01	FB142
44T2.5-FA	6.46	7891-6030	.01	FB150
45T2.5-FA	6.46	7891-6031	.01	FB150
48T2.5-FA	6.46	7891-6032	.01	FB170
50T2.5-FA	6.46	7891-6033	.01	FB181
52T2.5-FA	6.46	7891-6034	.01	FB191
56T2.5-FA	6.46	7891-6035	.01	FB200
60T2.5-FA	6.58	7891-6036	.01	FB221
72T2.5-FA	7.63	7891-6037	.01	FB290

T5

Part No. Description	Suggested List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
10T5-FA	$5.05	7891-6038	.01	FB008
12T5-FA	5.40	7891-6039	.01	FB021
14T5-FA	5.64	7891-6040	.01	FB053
15T5-FA	5.64	7891-6041	.01	FB071
16T5-FA	6.11	7891-6042	.01	FB082
18T5-FA	6.22	7891-6043	.01	FB120
19T5-FA	6.46	7891-6044	.01	FB131
20T5-FA	6.46	7891-6045	.01	FB140
22T5-FA	6.46	7891-6046	.01	FB160
24T5-FA	6.46	7891-6047	.01	FB181
25T5-FA	6.46	7891-6048	.01	FB181

Part No. Description	Suggested List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
26T5-FA	$6.46	7891-6049	.01	FB191
27T5-FA	6.46	7891-6050	.01	FB200
28T5-FA	6.46	7891-6051	.01	FB200
30T5-FA	6.58	7891-6052	.01	FB221
32T5-FA	6.93	7891-6053	.01	FB250
36T5-FA	8.69	7891-6054	.01	FB310
40T5-FA	9.40	7891-6055	.01	FB334
42T5-FA	9.75	7891-6056	.01	FB336
44T5-FA	9.98	7891-6057	.01	FB350
48T5-FA	10.45	7891-6058	.01	FB391
60T5-FA	12.68	7891-6059	.01	FB471

Flanges for Synchro-Power® Aluminum Bar Stock

Product No. Series 7891 (continued)

T10

Part No. Description	Suggessted List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
15T10-FA	$6.58	7891-6060	.01	FB221
16T10-FA	7.16	7891-6061	.01	FB251
18T10-FA	7.63	7891-6062	.01	FB290
19T10-FA	9.28	7891-6063	.01	FB333
20T10-FA	9.16	7891-6064	.01	FB321
22T10-FA	9.98	7891-6065	.01	FB350
24T10-FA	10.45	7891-6066	.01	FB371
25T10-FA	11.16	7891-6067	.01	FB412

Part No. Description	Suggessted List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
26T10-FA	$11.16	7891-6068	.01	FB420
27T10-FA	11.39	7891-6069	.01	FB430
28T10-FA	11.86	7891-6070	.01	FB440
30T10-FA	12.68	7891-6071	.01	FB471
32T10-FA	12.92	7891-6072	.01	FB481
36T10-FA	14.09	7891-6073	.01	FB522
40T10-FA	15.27	7891-6074	.01	FB560
44T10-FA	16.91	7891-6075	.01	FB623

AT5

Part No. Description	Suggessted List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
12AT5-FA	$5.40	7891-6076	.01	FB021
14AT5-FA	5.64	7891-6077	.01	FB055
15AT5-FA	5.64	7891-6078	.01	FB071
16AT5-FA	6.11	7891-6079	.01	FB082
18AT5-FA	6.22	7891-6080	.01	FB120
19AT5-FA	6.46	7891-6081	.01	FB131
20AT5-FA	6.46	7891-6082	.01	FB140
22AT5-FA	6.46	7891-6083	.01	FB160
24AT5-FA	6.46	7891-6084	.01	FB181
25AT5-FA	6.46	7891-6085	.01	FB191
26AT5-FA	6.46	7891-6086	.01	FB191

Part No. Description	Suggessted List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
27AT5-FA	$6.46	7891-6087	.01	FB200
28AT5-FA	6.46	7891-6088	.01	FB200
30AT5-FA	6.58	7891-6089	.01	FB221
32AT5-FA	6.93	7891-6090	.01	FB240
36AT5-FA	8.69	7891-6091	.01	FB290
40AT5-FA	9.40	7891-6092	.01	FB334
42AT5-FA	9.75	7891-6093	.01	FB335
44AT5-FA	9.98	7891-6094	.01	FB350
48AT5-FA	10.45	7891-6095	.01	FB391
60AT5-FA	12.68	7891-6096	.01	FB471

AT10

Part No. Description	Suggessted List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
15AT10-FA	$6.58	7891-6097	.01	FB221
16AT10-FA	7.16	7891-6098	.01	FB251
18AT10-FA	7.63	7891-6099	.01	FB290
19AT10-FA	9.04	7891-6100	.01	FB311
20AT10-FA	9.40	7891-6101	.01	FB334
22AT10-FA	9.98	7891-6102	.01	FB350

Part No. Description	Suggessted List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
24AT10-FA	$10.45	7891-6103	.01	FB371
25AT10-FA	11.16	7891-6104	.01	FB412
26AT10-FA	11.16	7891-6105	.01	FB420
27AT10-FA	11.39	7891-6106	.01	FB430
28AT10-FA	11.86	7891-6107	.01	FB440
30AT10-FA	12.68	7891-6108	.01	FB471

Clamping Plates for Long-Length Belting

Markets/Applications

Use with Synchronous long-length belting including Synchro-Power®, PowerGrip® Timing and HTD®.

Features/Advantages

- Clamping plates allow maximum clamping strength for long-length belting used in linear drives.



Product No. Series 7887

T5

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-06-T5	$71.40	7887-0005	6	.11
CP-10-T5	79.76	7887-0006	10	.15
CP-12-T5	85.32	7887-0007	12	.15
CP-16-T5	91.24	7887-0008	16	.15
CP-20-T5	91.80	7887-0009	20	.18
CP-25-T5	93.43	7887-0010	25	.20
CP-32-T5	98.94	7887-0011	32	.22
CP-50-T5	117.45	7887-0012	50	.31
CP-75-T5	170.54	7887-0013	75	.42
CP-100-T5	181.56	7887-0014	100	.53

AT5

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-06-AT5	$82.47	7887-0032	6	.11
CP-10-AT5	83.59	7887-0033	10	.13
CP-12-AT5	84.15	7887-0034	12	.15
CP-16-AT5	84.66	7887-0035	16	.15
CP-20-AT5	85.78	7887-0036	20	.18
CP-25-AT5	86.44	7887-0037	25	.20
CP-32-AT5	104.75	7887-0038	32	.22
CP-50-AT5	123.01	7887-0039	50	.31
CP-75-AT5	178.30	7887-0040	75	.42
CP-100-AT5	189.87	7887-0041	100	.53

T10

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-06-T10	$86.14	7887-0015	6	.59
CP-10-T10	90.73	7887-0016	10	.60
CP-12-T10	57.35	7887-0017	12	.62
CP-16-T10	65.24	7887-0018	16	.69
CP-20-T10	68.86	7887-0019	20	.75
CP-25-T10	72.44	7887-0020	25	.82
CP-32-T10	72.56	7887-0021	32	.95
CP-50-T10	77.98	7887-0022	50	1.22
CP-75-T10	99.67	7887-0023	75	1.61
CP-100-T10	105.09	7887-0024	100	2.01
CP-150-T10	156.63	7887-0025	150	2.78

AT10

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-16-AT10	$110.47	7887-0042	16	.69
CP-20-AT10	118.17	7887-0043	20	.73
CP-25-AT10	127.24	7887-0044	25	.80
CP-32-AT10	127.45	7887-0045	32	.93
CP-50-AT10	137.09	7887-0046	50	1.17
CP-75-AT10	175.64	7887-0047	75	1.57
CP-100-AT10	185.28	7887-0048	100	1.94
CP-150-AT10	275.40	7887-0049	150	2.67

T20

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-25-T20	$269.53	7887-0026	25	2.34
CP-32-T20	296.72	7887-0027	32	2.63
CP-50-T20	331.60	7887-0028	50	3.34
CP-75-T20	402.85	7887-0029	75	4.09
CP-100-T20	530.96	7887-0030	100	5.33
CP-150-T20	795.19	7887-0031	150	7.29

AT20

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-25-AT20	$285.70	7887-0050	25	2.28
CP-32-AT20	310.03	7887-0051	32	2.52
CP-50-AT20	346.65	7887-0052	50	3.20
CP-75-AT20	421.46	7887-0053	75	4.15
CP-100-AT20	555.95	7887-0054	100	5.08
CP-150-AT20	831.14	7887-0055	150	6.96

5HTD

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-10-5HTD	$93.43	7887-0057	10	.15
CP-15-5HTD	95.62	7887-0058	15	.15
CP-25-5HTD	108.43	7887-0059	25	.22
CP-50-5HTD	122.09	7887-0060	50	.33

Prices Subject To Change Without Notice

Clamping Plates for Long-Length Belting

Product No. Series 7887

8HTD

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-10-8HTD	$123.37	7887-0064	10	.49
CP-15-8HTD	132.55	7887-0065	15	.55
CP-20-8HTD	141.73	7887-0066	20	.60
CP-25-8HTD	146.32	7887-0067	25	.66
CP-30-8HTD	150.91	7887-0068	30	.73
CP-50-8HTD	155.50	7887-0069	50	.99
CP-85-8HTD	171.05	7887-0070	85	1.44
CP-100-8HTD	188.19	7887-0071	100	1.61

14HTD

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-25-14HTD	$186.91	7887-0072	25	1.70
CP-40-14HTD	196.09	7887-0073	40	2.17
CP-55-14HTD	216.29	7887-0074	55	2.59
CP-85-14HTD	238.99	7887-0075	85	3.49
CP-100-14HTD	262.90	7887-0076	100	3.91
CP-115-14HTD	276.32	7887-0077	115	4.35
CP-170-14HTD	358.89	7887-0078	170	5.97

XL

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-025-XL	$80.32	7887-0079	0.25	.12
CP-031-XL	86.70	7887-0080	0.313	.13
CP-037-XL	91.34	7887-0081	0.375	.14
CP-050-XL	102.36	7887-0082	0.5	.14
CP-075-XL	119.95	7887-0083	0.75	.18
CP-100-XL	124.39	7887-0084	1	.21
CP-150-XL	129.90	7887-0085	1.5	.27
CP-200-XL	137.60	7887-0086	2	.32

L

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-037-L	$135.25	7887-0087	0.375	.54
CP-050-L	137.09	7887-0088	0.500	.58
CP-075-L	141.68	7887-0089	0.750	.67
CP-100-L	143.67	7887-0090	1.000	.77
CP-150-L	148.56	7887-0091	1.500	.97
CP-200-L	154.53	7887-0092	2.000	1.16
CP-300-L	166.92	7887-0093	3.000	1.54
CP-400-L	178.40	7887-0094	4.000	1.92

H

Part No. Description	Sugg. List Price	Product No.	Wt. (Lbs.)	Flange Ref. No.
CP-037-H	$159.07	7887-0095	0.375	1.06
CP-050-H	160.14	7887-0096	0.500	1.14
CP-075-H	219.66	7887-0097	0.750	1.31
CP-100-H	225.16	7887-0098	1.000	1.48
CP-150-H	230.67	7887-0099	1.500	1.82
CP-200-H	236.18	7887-0100	2.000	2.15
CP-300-H	241.69	7887-0101	3.000	2.83
CP-400-H	247.20	7887-0102	4.000	3.50
CP-600-H	266.83	7887-0103	6.000	4.84

Bolt Kits for Clamping Plates

Markets/Applications

Use with clamping plates for long-length belting.

Features/Advantages

- Extra bolts for clamping plates are readily available.

Bolt Kits

Part No. Description	Sugg. List Price	Product No.	Bolt Dimensions	Lock Washer	Hex Nut
.200-XL BOLT KIT	$17.21	7887-1000	24X1.0	#10	#10
.375-L BOLT KIT	17.21	7887-1001	18X1.750	5/16	5/16
.500-H BOLT KIT	15.78	7887-1002	16X2.250	3/8	3/8
T5/AT5 BOLT KIT	17.21	7887-1003	0.8X30	M5	M5
T10/AT10 BOLT KIT	30.12	7887-1004	1.25X80	M8	M8
T20/AT20 BOLT KIT	30.12	7887-1005	1.5X60	M10	M10
5HTD BOLT KIT	17.21	7887-1006	0.8X30	M5	M5
8HTD BOLT KIT	30.12	7887-1007	1.25X50	M8	M8
14HTD BOLT KIT	30.12	7887-1008	1.5X60	M10	M10

QD® Bushings – English Sizes

Markets/Applications

Use with all QD® style sheaves, sprockets and pulleys.

Features/Advantages

- Bushings are made to precise tolerances.
- Available in popular bore sizes.

Notes
WARNING: Excessive cap-screw torque can cause sheave and/or bushing to break.
WARNING: Use of lubricants can result in sheave breakage.

Product No. Series 7838 & 7839

NOTE: Bushings with standard keyseats do not include keys.

Part No.	Sugg. List Price	Product No.	Bore (In.)	Avg. Wt. Ea. (Lbs.)
E .7/8	$88.02	7839-1014	7/8	9.00
E 1.	88.02	7839-1100	1	9.00
E 1.1/16	88.02	7839-1101	1 1/16	9.00
E 1.1/8	88.02	7839-1102	1 1/8	9.00
E 1.3/16	88.02	7839-1103	1 3/16	9.00
E 1.1/4	88.02	7839-1104	1 1/4	9.00
E 1.5/16	88.02	7839-1105	1 5/16	9.00
E 1.3/8	88.02	7839-1106	1 3/8	9.00
E 1.7/16	88.02	7839-1107	1 7/16	9.00
E 1.1/2	88.02	7839-1108	1 1/2	9.00
E 1.5/8	88.02	7839-1110	1 5/8	9.00
E 1.11/16	88.02	7839-1111	1 11/16	9.00
E 1.3/4	88.02	7839-1112	1 3/4	9.00
E 1.7/8	88.02	7839-1114	1 7/8	9.00
E 1.15/16	88.02	7839-1115	1 15/16	9.00
E 2.	88.02	7839-1200	2	9.00
[2]E 2.1/16	83.04	7839-1201	2 1/16	9.00
E 2.1/8	88.02	7839-1202	2 1/8	9.00
E 2.3/16	88.02	7839-1203	2 3/16	9.00
E 2.1/4	88.02	7839-1204	2 1/4	9.00
E 2.5/16	88.02	7839-1205	2 5/16	9.00
E 2.3/8	88.02	7839-1206	2 3/8	9.00
E 2.7/16	88.02	7839-1207	2 7/16	9.00
E 2.1/2	88.02	7839-1208	2 1/2	9.00
E 2.5/8	88.02	7839-1210	2 5/8	9.00
E 2.11/16	88.02	7839-1211	2 11/16	9.00
E 2.3/4	88.02	7839-1212	2 3/4	9.00
[2]E 2.13/16	83.04	7839-1213	2 13/16	9.00
E 2.7/8	88.02	7839-1214	2 7/8	9.00
[12]E 2.15/16	88.02	7839-1215	2 15/16	9.00
[12]E 3.	88.02	7839-1300	3	9.00
[12]E 3.1/8	88.02	7839-1302	3 1/8	9.00
[12]E 3.3/16	88.02	7839-1303	3 3/16	9.00
[12]E 3.1/4	88.02	7839-1304	3 1/4	9.00
[12]E 3.5/16	88.02	7839-1305	3 5/16	9.00
[12]E 3.3/8	88.02	7839-1306	3 3/8	9.00
[12]E 3.7/16	88.02	7839-1307	3 7/16	9.00
[12]E 3.1/2	88.02	7839-1308	3 1/2	9.00
F 1.	157.73	7839-2100	1	14.00
F 1.1/8	157.73	7839-2102	1 1/8	14.00
F 1.3/16	$157.73	7839-2103	1 3/16	14.00
F 1.1/4	157.73	7839-2104	1 1/4	14.00
F 1.3/8	157.73	7839-2106	1 3/8	14.00
F 1.7/16	157.73	7839-2107	1 7/16	14.00
F 1.1/2	157.73	7839-2108	1 1/2	14.00
F 1.5/8	157.73	7839-2110	1 5/8	14.00
F 1.11/16	157.73	7839-2111	1 11/16	14.00
F 1.3/4	157.73	7839-2112	1 3/4	14.00
F 1.13/16	157.73	7839-2113	1 13/16	14.00
F 1.7/8	157.73	7839-2114	1 7/8	14.00
F 1.15/16	157.73	7839-2115	1 15/16	14.00
F 2.	157.73	7839-2200	2	14.00
F 2.1/8	157.73	7839-2202	2 1/8	14.00
F 2.3/16	157.73	7839-2203	2 3/16	14.00
F 2.1/4	157.73	7839-2204	2 1/4	14.00
F 2.5/16	157.73	7839-2205	2 5/16	14.00
F 2.3/8	157.73	7839-2206	2 3/8	14.00
F 2.7/16	157.73	7839-2207	2 7/16	14.00
F 2.1/2	157.73	7839-2208	2 1/2	14.00
F 2.5/8	157.73	7839-2210	2 5/8	14.00
F 2.11/16	157.73	7839-2211	2 11/16	14.00
F 2.3/4	157.73	7839-2212	2 3/4	14.00
F 2.13/16	157.73	7839-2213	2 13/16	14.00
F 2.7/8	157.73	7839-2214	2 7/8	14.00
F 2.15/16	157.73	7839-2215	2 15/16	14.00
F 3.	157.73	7839-2300	3	14.00
F 3.1/8	157.73	7839-2302	3 1/8	14.00
F 3.3/16	157.73	7839-2303	3 3/16	14.00
F 3.1/4	157.73	7839-2304	3 1/4	14.00
[12]F 3.3/8	157.73	7839-2306	3 3/8	14.00
[12]F 3.7/16	157.73	7839-2307	3 7/16	14.00
[12]F 3.1/2	157.73	7839-2308	3 1/2	14.00
[12]F 3.5/8	157.73	7839-2310	3 5/8	14.00
[12]F 3.11/16	157.73	7839-2311	3 11/16	14.00
[12]F 3.3/4	157.73	7839-2312	3 3/4	14.00
[12]F 3.7/8	157.73	7839-2314	3 7/8	14.00
[12]F 3.15/16	157.73	7839-2315	3 15/16	14.00
[13]F 4.	157.73	7839-2400	4	14.00
[2]J 1.7/16	184.80	7839-3107	1 7/16	21.00
J 1.1/2	195.89	7839-3108	1 1/2	21.00

[2]Available until stock is depleted
[12]Shallow keyway.
[13]No keyway.

QD® Bushings–English Sizes

Product No. Series 7838 and 7839 (continued)

NOTE: Bushings with standard keyseats do not include keys.

Part No.	Sugg. List Price	Product No.	Bore (In.)	Avg. Wt. Ea. (Lbs.)
J 1.5/8	$195.89	7839-3110	1 5/8	21.00
J 1.3/4	195.89	7839-3112	1 3/4	21.00
J 1.7/8	195.89	7839-3114	1 7/8	21.00
J 1.15/16	195.89	7839-3115	1 15/16	21.00
J 2.	195.89	7839-3200	2	21.00
J 2.1/8	195.89	7839-3202	2 1/8	21.00
J 2.3/16	195.89	7839-3203	2 3/16	21.00
J 2.1/4	195.89	7839-3204	2 1/4	21.00
J 2.3/8	195.89	7839-3206	2 3/8	21.00
J 2.7/16	195.89	7839-3207	2 7/16	21.00
J 2.1/2	195.89	7839-3208	2 1/2	21.00
J 2.5/8	195.89	7839-3210	2 5/8	21.00
J 2.11/16	195.89	7839-3211	2 11/16	21.00
J 2.3/4	195.89	7839-3212	2 3/4	21.00
J 2.7/8	195.89	7839-3214	2 7/8	21.00
J 2.15/16	195.89	7839-3215	2 15/16	21.00
J 3.	195.89	7839-3300	3	21.00
J 3.1/8	195.89	7839-3302	3 1/8	21.00
J 3.3/16	195.89	7839-3303	3 3/16	21.00
J 3.1/4	195.89	7839-3304	3 1/4	21.00
J 3.3/8	195.89	7839-3306	3 3/8	21.00
J 3.7/16	195.89	7839-3307	3 7/16	21.00
J 3.1/2	195.89	7839-3308	3 1/2	21.00
J 3.5/8	195.89	7839-3310	3 5/8	21.00
J 3.11/16	195.89	7839-3311	3 11/16	21.00
J 3.3/4	195.89	7839-3312	3 3/4	21.00
[12]J 3.7/8	195.89	7839-3314	3 7/8	21.00
[12]J 3.15/16	195.89	7839-3315	3 15/16	21.00
[12]J 4.	195.89	7839-3400	4	21.00
[12]J 4.1/8	195.89	7839-3402	4 1/8	21.00
[12]J 4.3/16	195.89	7839-3403	4 3/16	21.00
[12]J 4.1/4	195.89	7839-3404	4 1/4	21.00
[12]J 4.3/8	195.89	7839-3406	4 3/8	21.00
[12]J 4.7/16	195.89	7839-3407	4 7/16	21.00
[12]J 4.1/2	195.89	7839-3408	4 1/2	21.00
JA .1/2	13.86	7838-0008	1/2	.50
JA .9/16	13.86	7838-0009	9/16	.50
JA .5/8	13.86	7838-0010	5/8	.50
JA .11/16	13.86	7838-0011	11/16	.50
JA .3/4	13.86	7838-0012	3/4	.50
JA .13/16	13.86	7838-0013	13/16	.50
JA .7/8	13.86	7838-0014	7/8	.50
JA .15/16	13.86	7838-0015	15/16	.50
JA 1.	13.86	7838-0100	1	.50
[12]JA 1.1/16	13.86	7838-0101	1 1/16	.50
[12]JA 1.1/8	13.86	7838-0102	1 1/8	.50
[12]JA 1.3/16	13.86	7838-0103	1 3/16	.30
[13]JA 1.1/4	13.86	7838-0104	1 1/4	.20
M 2.	391.78	7839-4200	2	47.80
M 2.1/8	391.78	7839-4202	2 1/8	47.80
M 2.3/16	391.78	7839-4203	2 3/16	47.80
M 2.1/4	391.78	7839-4204	2 1/4	47.80
M 2.3/8	391.78	7839-4206	2 3/8	47.80
M 2.7/16	391.78	7839-4207	2 7/16	47.80
M 2.1/2	391.78	7839-4208	2 1/2	47.80
M 2.5/8	391.78	7839-4210	2 5/8	47.80
M 2.11/16	391.78	7839-4211	2 11/16	47.80
M 2.3/4	391.78	7839-4212	2 3/4	47.80
M 2.7/8	391.78	7839-4214	2 7/8	47.80
M 2.15/16	391.78	7839-4215	2 15/16	47.80
M 3.	$391.78	7839-4300	3	47.80
M 3.1/8	391.78	7839-4302	3 1/8	47.80
M 3.3/16	391.78	7839-4303	3 3/16	47.80
M 3.1/4	391.78	7839-4304	3 1/4	47.80
M 3.3/8	391.78	7839-4306	3 3/8	47.80
M 3.7/16	391.78	7839-4307	3 7/16	47.80
M 3.1/2	391.78	7839-4308	3 1/2	47.80
M 3.5/8	391.78	7839-4310	3 5/8	47.80
M 3.11/16	391.78	7839-4311	3 11/16	47.80
M 3.3/4	391.78	7839-4312	3 3/4	47.80
M 3.7/8	391.78	7839-4314	3 7/8	47.80
M 3.15/16	391.78	7839-4315	3 15/16	47.80
M 4.	391.78	7839-4400	4	47.80
M 4.1/8	391.78	7839-4402	4 1/8	47.80
M 4.3/16	391.78	7839-4403	4 3/16	47.80
M 4.1/4	391.78	7839-4404	4 1/4	47.80
M 4.3/8	391.78	7839-4406	4 3/8	47.80
M 4.7/16	391.78	7839-4407	4 7/16	47.80
M 4.1/2	391.78	7839-4408	4 1/2	47.80
M 4.11/16	391.78	7839-4411	4 11/16	47.80
M 4.3/4	391.78	7839-4412	4 3/4	47.80
[12]M 4.7/8	391.78	7839-4414	4 7/8	47.80
[12]M 4.15/16	391.78	7839-4415	4 15/16	47.80
[12]M 5.	391.78	7839-4500	5	47.80
[12]M 5.1/4	391.78	7839-4504	5 1/4	47.80
[12]M 5.7/16	391.78	7839-4507	5 7/16	47.80
[12]M 5.1/2	391.78	7839-4508	5 1/2	47.80
N 2.7/16	686.88	7839-5207	2 7/16	80.00
N 2.15/16	686.88	7839-5215	2 15/16	80.00
N 3.7/16	686.88	7839-5307	3 7/16	80.00
N 3.3/4	686.88	7839-5312	3 3/4	80.00
N 3.7/8	686.88	7839-5314	3 7/8	80.00
N 3.15/16	686.88	7839-5315	3 15/16	80.00
N 4.	686.88	7839-5400	4	80.00
N 4.3/16	686.88	7839-5403	4 3/16	80.00
N 4.1/4	686.88	7839-5404	4 1/4	80.00
N 4.7/16	686.88	7839-5407	4 7/16	80.00
N 4.1/2	686.88	7839-5408	4 1/2	80.00
N 4.3/4	686.88	7839-5412	4 3/4	80.00
N 4.7/8	686.88	7839-5414	4 7/8	80.00
N 4.15/16	686.88	7839-5415	4 15/16	80.00
N 5.	686.88	7839-5500	5	80.00
[12]N 5.1/8	686.88	7839-5502	5 1/8	80.00
[12]N 5.1/4	686.88	7839-5504	5 1/4	80.00
[12]N 5.1/2	686.88	7839-5508	5 1/2	80.00
[12]N 5.3/4	686.88	7839-5512	5 3/4	80.00
[12]N 5.7/8	686.88	7839-5514	5 7/8	80.00
P 3.7/16	1030.32	7839-6307	3 7/16	125.00
P 3.15/16	1030.32	7839-6315	3 15/16	125.00
P 4.7/16	1030.32	7839-6407	4 7/16	125.00
P 4.1/2	1030.32	7839-6408	4 1/2	125.00
P 4.15/16	1030.32	7839-6415	4 15/16	125.00
P 5.1/2	1030.32	7839-6508	5 1/2	125.00
P 5.15/16	1030.32	7839-6515	5 15/16	125.00
[12]P 6.	1030.32	7839-6600	6	125.00
[12]P 6.1/2	1030.32	7839-6608	6 1/2	125.00
[12]P 7.	1030.32	7839-6700	7	125.00
SD .1/2	26.46	7838-3008	1/2	1.60
SD .9/16	26.46	7838-3009	9/16	1.60
SD .5/8	26.46	7838-3010	5/8	1.60

[12]Shallow keyway.
[13]No keyway.

BUSHINGS

Prices Subject To Change Without Notice

QD® Bushings–English Sizes

Product No. Series 7838 & 7839 (continued)

NOTE: Bushings with standard keyseats do not include keys.

Part No.	Sugg. List Price	Product No.	Bore (In.)	Avg. Wt. Ea. (Lbs.)
SD .11/16	$26.46	7838-3011	11/16	1.60
SD .3/4	26.46	7838-3012	3/4	1.60
SD .13/16	26.46	7838-3013	13/16	1.60
SD .7/8	26.46	7838-3014	7/8	1.60
SD .15/16	26.46	7838-3015	15/16	1.60
SD 1.	26.46	7838-3100	1	1.60
SD 1.1/16	26.46	7838-3101	1 1/16	1.60
SD 1.1/8	26.46	7838-3102	1 1/8	1.60
SD 1.3/16	26.46	7838-3103	1 3/16	1.60
SD 1.1/4	26.46	7838-3104	1 1/4	1.60
SD 1.5/16	26.46	7838-3105	1 5/16	1.60
SD 1.3/8	26.46	7838-3106	1 3/8	1.60
SD 1.7/16	26.46	7838-3107	1 7/16	1.60
SD 1.1/2	26.46	7838-3108	1 1/2	1.60
SD 1.9/16	26.46	7838-3109	1 9/16	1.60
SD 1.5/8	26.46	7838-3110	1 5/8	1.60
[12]SD 1.11/16	26.46	7838-3111	1 11/16	1.60
[12]SD 1.3/4	26.46	7838-3112	1 3/4	1.60
[12]SD 1.13/16	26.46	7838-3113	1 13/16	1.60
[12]SD 1.7/8	26.46	7838-3114	1 7/8	1.60
[12]SD 1.15/16	26.46	7838-3115	1 15/16	1.60
[13]SD 2.	26.46	7838-3200	2	1.60
SDS .1/2	22.01	7838-2008	1/2	1.70
SDS .9/16	22.01	7838-2009	9/16	1.70
SDS .5/8	22.01	7838-2010	5/8	1.70
SDS .11/16	22.01	7838-2011	11/16	1.70
SDS .3/4	22.01	7838-2012	3/4	1.60
SDS .13/16	22.01	7838-2013	13/16	1.60
SDS .7/8	22.01	7838-2014	7/8	1.60
SDS .15/16	22.01	7838-2015	15/16	1.60
SDS 1.	22.01	7838-2100	1	1.50
SDS 1.1/16	22.01	7838-2101	1 1/16	1.50
SDS 1.1/8	22.01	7838-2102	1 1/8	1.50
SDS 1.3/16	22.01	7838-2103	1 3/16	1.40
SDS 1.1/4	22.01	7838-2104	1 1/4	1.40
SDS 1.5/16	22.01	7838-2105	1 5/16	1.30
SDS 1.3/8	22.01	7838-2106	1 3/8	1.30
SDS 1.7/16	22.01	7838-2107	1 7/16	1.20
SDS 1.1/2	22.01	7838-2108	1 1/2	1.20
SDS 1.9/16	22.01	7838-2109	1 9/16	1.20
SDS 1.5/8	22.01	7838-2110	1 5/8	1.10
[12]SDS 1.11/16	22.01	7838-2111	1 11/16	1.10
[12]SDS 1.3/4	22.01	7838-2112	1 3/4	1.00
[12]SDS 1.13/16	22.01	7838-2113	1 13/16	1.00
[12]SDS 1.7/8	22.01	7838-2114	1 7/8	1.00
[12]SDS 1.15/16	22.01	7838-2115	1 15/16	.90
[13]SDS 2.	22.01	7838-2200	2	.80
SF .1/2	41.98	7838-5008	1/2	3.50
SF .5/8	41.98	7838-5010	5/8	3.50
SF .11/16	41.98	7838-5011	11/16	3.50
SF .3/4	41.98	7838-5012	3/4	3.50
SF .13/16	41.98	7838-5013	13/16	3.50
SF .7/8	41.98	7838-5014	7/8	3.50
SF .15/16	41.98	7838-5015	15/16	3.50
SF 1.	41.98	7838-5100	1	3.50
SF 1.1/8	41.98	7838-5102	1 1/8	3.50
SF 1.3/16	41.98	7838-5103	1 3/16	3.50
SF 1.1/4	41.98	7838-5104	1 1/4	3.50
SF 1.5/16	41.98	7838-5105	1 5/16	3.50
SF 1.3/8	41.98	7838-5106	1 3/8	3.50

Part No.	Sugg. List Price	Product No.	Bore (In.)	Avg. Wt. Ea. (Lbs.)
SF 1.7/16	$41.98	7838-5107	1 7/16	3.50
SF 1.1/2	41.98	7838-5108	1 1/2	3.50
SF 1.9/16	41.98	7838-5109	1 9/16	3.50
SF 1.5/8	41.98	7838-5110	1 5/8	3.50
SF 1.11/16	41.98	7838-5111	1 11/16	3.50
SF 1.3/4	41.98	7838-5112	1 3/4	3.50
SF 1.13/16	41.98	7838-5113	1 13/16	3.50
SF 1.7/8	41.98	7838-5114	1 7/8	3.50
SF 1.15/16	41.98	7838-5115	1 15/16	3.50
SF 2.	41.98	7838-5200	2	3.50
SF 2.1/16	41.98	7838-5201	2 1/16	3.50
SF 2.1/8	41.98	7838-5202	2 1/8	3.50
SF 2.3/16	41.98	7838-5203	2 3/16	3.50
SF 2.1/4	41.98	7838-5204	2 1/4	3.50
SF 2.5/16	41.98	7838-5205	2 5/16	3.50
[12]SF 2.3/8	41.98	7838-5206	2 3/8	3.50
[12]SF 2.7/16	41.98	7838-5207	2 7/16	3.50
[12]SF 2.1/2	41.98	7838-5208	2 1/2	3.50
[12]SF 2.5/8	41.98	7838-5210	2 5/8	3.50
[12]SF 2.11/16	41.98	7838-5211	2 11/16	3.50
[12]SF 2.3/4	41.98	7838-5212	2 3/4	3.50
[12]SF 2.13/16	41.98	7838-5213	2 13/16	3.50
[13]SF 2.7/8	41.98	7838-5214	2 7/8	3.50
[13]SF 2.15/16	41.98	7838-5215	2 15/16	3.50
SH .1/2	18.95	7838-1008	1/2	1.00
SH .9/16	18.95	7838-1009	9/16	1.00
SH .5/8	18.95	7838-1010	5/8	1.00
SH .11/16	18.95	7838-1011	11/16	1.00
SH .3/4	18.95	7838-1012	3/4	1.00
SH .13/16	18.95	7838-1013	13/16	1.00
SH .7/8	18.95	7838-1014	7/8	1.00
SH .15/16	18.95	7838-1015	15/16	1.00
SH 1.	18.95	7838-1100	1	1.00
SH 1.1/16	18.95	7838-1101	1 1/16	1.00
SH 1.1/8	18.95	7838-1102	1 1/8	1.00
SH 1.3/16	18.95	7838-1103	1 3/16	1.00
SH 1.1/4	18.95	7838-1104	1 1/4	1.00
SH 1.5/16	18.95	7838-1105	1 5/16	1.00
SH 1.3/8	18.95	7838-1106	1 3/8	1.00
[12]SH 1.7/16	18.95	7838-1107	1 7/16	1.00
[12]SH 1.1/2	18.95	7838-1108	1 1/2	1.00
[12]SH 1.9/16	18.95	7838-1109	1 9/16	1.00
[12]SH 1.5/8	18.95	7838-1110	1 5/8	1.00
[13]SH 1.11/16	18.95	7838-1111	1 11/16	.60
SK .1/2	34.09	7838-4008	1/2	2.00
SK .5/8	34.09	7838-4010	5/8	2.00
SK .11/16	34.09	7838-4011	11/16	2.00
SK .3/4	34.09	7838-4012	3/4	2.00
SK .13/16	34.09	7838-4013	13/16	2.00
SK .7/8	34.09	7838-4014	7/8	2.00
SK .15/16	34.09	7838-4015	15/16	2.00
SK 1.	34.09	7838-4100	1	2.00
SK 1.1/16	34.09	7838-4101	1 1/16	2.00
SK 1.1/8	34.09	7838-4102	1 1/8	2.00
SK 1.3/16	34.09	7838-4103	1 3/16	2.00
SK 1.1/4	34.09	7838-4104	1 1/4	2.00
SK 1.5/16	34.09	7838-4105	1 5/16	2.00
SK 1.3/8	34.09	7838-4106	1 3/8	2.00
SK 1.7/16	34.09	7838-4107	1 7/16	2.00
SK 1.1/2	34.09	7838-4108	1 1/2	2.00

[12]Shallow keyway.
[13]No keyway.

Prices Subject To Change Without Notice

QD® Bushings–English Sizes

Product No. Series 7838 and 7839 (continued)

NOTE: Bushings with standard keyseats do not include keys.

Part No.	Sugg. List Price	Product No.	Bore (In.)	Avg. Wt. Ea. (Lbs.)
SK 1.9/16	$34.09	7838-4109	1 9/16	2.00
SK 1.5/8	34.09	7838-4110	1 5/8	2.00
SK 1.11/16	34.09	7838-4111	1 11/16	2.00
SK 1.3/4	34.09	7838-4112	1 3/4	2.00
SK 1.13/16	34.09	7838-4113	1 13/16	2.00
SK 1.7/8	34.09	7838-4114	1 7/8	2.00
SK 1.15/16	34.09	7838-4115	1 15/16	2.00
SK 2.	34.09	7838-4200	2	2.00
SK 2.1/16	34.09	7838-4201	2 1/16	2.00
SK 2.1/8	$34.09	7838-4202	2 1/8	2.00
[12]SK 2.3/16	34.09	7838-4203	2 3/16	2.00
[12]SK 2.1/4	34.09	7838-4204	2 1/4	2.00
[12]SK 2.5/16	34.09	7838-4205	2 5/16	2.00
[12]SK 2.3/8	34.09	7838-4206	2 3/8	2.00
[12]SK 2.7/16	34.09	7838-4207	2 7/16	2.00
[12]SK 2.1/2	34.09	7838-4208	2 1/2	2.00
[13]SK 2.5/8	34.09	7838-4210	2 5/8	2.00

[12]Shallow keyway.
[13]No keyway.

BUSHINGS

QD® Bushings – Metric Sizes

Markets/Applications

Use with all QD® style sheaves, sprockets and pulleys.

Features/Advantages

- Bushings are made to precise tolerances.
- Available in popular bore sizes.

Notes
WARNING: Excessive cap-screw torque can cause sheave and/or bushing to break.
WARNING: Use of lubricants can result in sheave breakage.

Product No. Series 7840 and 7841

Part No.	Sugg. List Price	Product No.	Bore (mm)	Avg. Wt. Ea. (Lbs.)
SH 24MM	$18.95	7840-1015	24	1.10
SH 28MM	18.95	7840-1101	28	1.00
SH 30MM	18.95	7840-1103	30	.90
SH 35MM	18.95	7840-1106	35	1.00
SDS 24MM	22.01	7840-2015	24	1.50
SDS 25MM	22.01	7840-2100	25	1.50
SDS 28MM	22.01	7840-2101	28	1.40
SDS 30MM	22.01	7840-2103	30	1.40
SDS 35MM	22.01	7840-2106	35	1.00
SDS 38MM	22.01	7840-2108	38	1.00
SDS 42MM	22.01	7840-2111	42	.80
SD 25MM	26.46	7840-3100	25	1.80
SD 30MM	26.46	7840-3103	30	1.80
SD 35MM	26.46	7840-3106	35	1.60
SD 42MM	26.46	7840-3111	42	1.00
SK 24MM	34.09	7840-4015	24	2.00

Part No.	Sugg. List Price	Product No.	Bore (mm)	Avg. Wt. Ea. (Lbs.)
SK 25MM	$34.09	7840-4100	25	2.00
SK 30MM	34.09	7840-4103	30	2.00
SK 32MM	34.09	7840-4104	32	2.00
SK 35MM	34.09	7840-4106	35	2.00
SK 38MM	34.09	7840-4108	38	2.00
SK 40MM	34.09	7840-4109	40	2.00
SK 42MM	34.09	7840-4111	42	2.00
SK 48MM	34.09	7840-4114	48	2.00
SK 50MM	34.09	7840-4200	50	2.00
SK 55MM	34.09	7840-4203	55	2.00
SF 50MM	41.98	7840-5200	50	3.50
SF 60MM	41.98	7840-5206	60	3.50
E 50MM	88.02	7841-1200	50	9.00
E 60MM	88.02	7841-1206	60	9.00
J 55MM	195.89	7841-3203	55	21.00
J 70MM	195.89	7841-3212	70	21.00

NOTE: Metric screws/threads are available on a MTO basis. Minimum lead times may be required.

QD® Bushings–Reborable

Markets/Applications
Use with all QD® style sheaves, sprockets and pulleys.

Features/Advantages
- Bushings are made to precise tolerances.

Notes
Available in minimum plain bore (MPB) or bored-to-size (BTS).
Contact Customer Service for ordering instructions.

Product No. Series 7830

Sintered Steel Reborable Bushing

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
JA .1/2NKS	$13.86	7830-2100	1/2	.50
SH .1/2NKS	18.95	7830-2101	1/2	1.20
SDS .1/2NKS	22.01	7830-2102	1/2	1.70
SD .1/2NKS	26.46	7830-2103	1/2	2.00
SK .1/2NKS	34.09	7830-2104	1/2	3.70
SF .1/2NKS	41.98	7830-2105	1/2	5.70

NOTE: NKS means No Keyseat.

Cast Iron Reborable Bushing

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
E .7/8NKS	$88.02	7830-3100	7/8	13.00
F 1.NKS	157.73	7830-3101	1	19.20
J 1.1/2NKS	195.89	7830-3102	1 1/2	30.00
M 2.NKS	391.78	7830-3103	2	47.80
N 2.7/16NKS	686.88	7830-3104	2 7/16	70.00
P 3.7/16NKS	1030.32	7830-3105	3 7/16	70.00
W 4.NKS	1831.68	7830-3106	4	262.00
S 5.1/2NKS	4324.80	7830-3107	5 1/2	350.00

NOTE: NKS means No Keyseat.

Ductile Iron Reborable Bushing

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
SF .1/2DUC-NKS	$44.52	7830-5105	1/2	3.80
E .7/8DUC-NKS	114.48	7830-5100	7/8	9.00
F 1.DUC-NKS	190.80	7830-5101	1	14.00
J 1.1/2DUC-NKS	241.68	7830-5102	1 1/2	21.00
M 2.DUC-NKS	502.44	7830-5103	2	46.00
N 2.7/16DUC-NKS	892.94	7830-5104	2 7/16	70.00
P 3.7/16DUC-NKS	1348.32	7830-5106	3 7/16	133.00

NOTE: NKS means No Keyseat.

QD® Bushings – Reborable Finished

Product No. Series 7830 (continued)

Sintered Steel Reborable Bushing Finished

Part No.	Sugg. List Price	Product No.	Bore (In.)	Maximum Rebore			
				Square Key	Shallow	No Keyseat	Metric
JA.1/2-FIN	$39.30	7830-21005	1/2	1	1 3/16	1 1/4	30
SH.1/2-FIN	49.48	7830-21015	1/2	1 3/8	1 5/8	1 11/16	35
SDS.1/2-FIN	52.53	7830-21025	1/2	1 5/8	1 15/16	2	43
SD.1/2-FIN	62.07	7830-21035	1/2	1 5/8	1 15/16	2	43
SK.1/2-FIN	69.71	7830-21045	1/2	2 1/8	2 1/2	2 5/8	55
SF.1/2-FIN	80.14	7830-21055	1/2	2 5/16	2 13/16	2 15/16	60

BUSHINGS

Ductile Iron Reborable Bushing Finished

Part No.	Sugg. List Price	Product No.	Bore (In.)	Maximum Rebore			
				Square Key	Shallow	No Keyseat	Metric
SF .1/2DUC-FIN	$82.68	7830-51055	1/2	2 5/16	2 13/16	2 15/16	60
E .7/8DUC-FIN	165.36	7830-51005	7/8	2 7/8	3 1/2	3 1/2	89
F 1.DUC-FIN	251.86	7830-51015	1	3 1/4	3 15/16	4	101
J 1.1/2DUC-FIN	305.28	7830-51025	1 1/2	3 3/4	4 1/2	4 1/2	114
M 2.DUC-FIN	583.85	7830-51035	2	4 3/4	5 1/2	5 1/2	139
N 2.7/16DUC-FIN	1007.42	7830-51045	2 7/16	5	5 7/8	5 7/8	149
P 3.7/16DUC-FIN	1511.14	7830-51065	3 7/16	5 15/16	7	7	177

Cast Iron Reborable Bushing Finished

Part No.	Sugg. List Price	Product No.	Bore (In.)	Maximum Rebore	
				Inch	Metric
E .7/8-FIN	$138.90	7830-31005	7/8	2 3/4	70
F 1.-FIN	218.78	7830-31015	1	3 3/16	90
J 1.1/2-FIN	259.49	7830-31025	1 1/2	3 7/8	100
M 2.-FIN	473.18	7830-31035	2	4 3/4	120
N 2.7/16-FIN	801.36	7830-31045	2 7/16	5 3/8	130
P 3.7/16-FIN	1193.14	7830-31055	3 7/16	7	160
W 4.-FIN	2040.29	7830-31065	4	8 1/2	200
S 5.1/2-FIN	4630.08	7830-31075	5 1/2	10	250

Taper-Lock® Bushings – English Sizes

Markets/Applications

Use with all Taper-Lock® style sheaves, sprockets and pulleys.

Features/Advantages

- Bushings are made to precise tolerances.
- Available in popular bore sizes.

Product No. Series 7848 and 7858

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
1008 .1/2	$14.76	7858-0008	1/2	.30
1008 .9/16	14.76	7858-0009	9/16	.30
1008 .5/8	14.76	7858-0010	5/8	.30
1008 .11/16	14.76	7858-0011	11/16	.20
1008 .3/4	14.76	7858-0012	3/4	.20
1008 .13/16	14.76	7858-0013	13/16	.20
1008 .7/8	14.76	7858-0014	7/8	.20
[12]1008 .15/16	14.76	7858-0015	15/16	.20
[12]1008 1.	14.76	7858-0100	1	.20
1108 .1/2	15.26	7858-0108	1/2	.30
1108 .9/16	15.26	7858-0109	9/16	.30
1108 .5/8	15.26	7858-0110	5/8	.30
1108 .11/16	15.26	7858-0111	11/16	.20
1108 .3/4	15.26	7858-0112	3/4	.20
1108 .13/16	15.26	7858-0113	13/16	.20
1108 .7/8	15.26	7858-0114	7/8	.20
1108 .15/16	15.26	7858-0115	15/16	.20
1108 1.	15.26	7858-0200	1	.20
[12]1108 1.1/16	15.26	7858-0201	1 1/16	.20
[12]1108 1.1/8	15.26	7858-0202	1 1/8	.10
1210 .1/2	16.28	7858-0508	1/2	.60
1210 .9/16	16.28	7858-0509	9/16	.60
1210 .5/8	16.28	7858-0510	5/8	.60
1210 .11/16	16.28	7858-0511	11/16	.50
1210 .3/4	16.28	7858-0512	3/4	.50
1210 .13/16	16.28	7858-0513	13/16	.50
1210 .7/8	16.28	7858-0514	7/8	.50
1210 .15/16	16.28	7858-0515	15/16	.50
1210 1.	16.28	7858-0600	1	.50
1210 1.1/16	16.28	7858-0601	1 1/16	.40
1210 1.1/8	16.28	7858-0602	1 1/8	.40
1210 1.3/16	16.28	7858-0603	1 3/16	.40
1210 1.1/4	16.28	7858-0604	1 1/4	.40
1215 .1/2	17.81	7858-1008	1/2	.90
1215 .9/16	17.81	7858-1009	9/16	.90
1215 .5/8	17.81	7858-1010	5/8	.80
1215 .11/16	17.81	7858-1011	11/16	.80
1215 .3/4	17.81	7858-1012	3/4	.80
1215 .13/16	17.81	7858-1013	13/16	.80
1215 .7/8	17.81	7858-1014	7/8	.80
1215 .15/16	17.81	7858-1015	15/16	.80
1215 1.	17.81	7858-1100	1	.70
1215 1.1/16	17.81	7858-1101	1 1/16	.60
1215 1.1/8	17.81	7858-1102	1 1/8	.60
1215 1.3/16	17.81	7858-1103	1 3/16	.50

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
1215 1.1/4	$17.81	7858-1104	1 1/4	.50
1310 .1/2	18.32	7848-4008	1/2	.70
1310 .9/16	18.32	7848-4009	9/16	.70
1310 .5/8	18.32	7848-4010	5/8	.70
1310 .11/16	18.32	7848-4011	11/16	.70
1310 .3/4	18.32	7848-4012	3/4	.70
1310 .7/8	18.32	7848-4014	7/8	.70
1310 1.	18.32	7848-4100	1	.60
1310 1.1/16	18.32	7848-4101	1 1/16	.60
1310 1.1/8	18.32	7848-4102	1 1/8	.60
1310 1.3/16	18.32	7848-4103	1 3/16	.60
1310 1.1/4	18.32	7848-4104	1 1/4	.60
1310 1.3/8	18.32	7848-4106	1 3/8	.60
1310 1.7/16	18.32	7848-4107	1 7/16	.60
1610 .1/2	18.83	7858-1608	1/2	.90
1610 .9/16	18.83	7858-1609	9/16	.90
1610 .5/8	18.83	7858-1610	5/8	.90
1610 .11/16	18.83	7858-1611	11/16	.90
1610 .3/4	18.83	7858-1612	3/4	.90
1610 .13/16	18.83	7858-1613	13/16	.90
1610 .7/8	18.83	7858-1614	7/8	.80
1610 .15/16	18.83	7858-1615	15/16	.80
1610 1.	18.83	7858-1700	1	.80
1610 1.1/16	18.83	7858-1701	1 1/16	.80
1610 1.1/8	18.83	7858-1702	1 1/8	.70
1610 1.3/16	18.83	7858-1703	1 3/16	.70
1610 1.1/4	18.83	7858-1704	1 1/4	.70
1610 1.5/16	18.83	7858-1705	1 5/16	.60
1610 1.3/8	18.83	7858-1706	1 3/8	.60
1610 1.7/16	18.83	7858-1707	1 7/16	.60
1610 1.1/2	18.83	7858-1708	1 1/2	.50
[12]1610 1.9/16	18.83	7858-1709	1 9/16	.50
[12]1610 1.5/8	18.83	7858-1710	1 5/8	.50
[12]1610 1.11/16	18.83	7858-1711	1 11/16	.50
1615 .1/2	19.59	7858-2008	1/2	1.30
1615 .9/16	19.59	7858-2009	9/16	1.30
1615 .5/8	19.59	7858-2010	5/8	1.30
1615 .11/16	19.59	7858-2011	11/16	1.20
1615 .3/4	19.59	7858-2012	3/4	1.20
1615 .13/16	19.59	7858-2013	13/16	1.20
1615 .7/8	19.59	7858-2014	7/8	1.10
1615 .15/16	19.59	7858-2015	15/16	1.10
1615 1.	19.59	7858-2100	1	1.10
1615 1.1/16	19.59	7858-2101	1 1/16	1.00
1615 1.1/8	19.59	7858-2102	1 1/8	1.00

[12]**Shallow keyway.**

Taper-Lock® Bushings–English Sizes

Product No. Series 7858 and 7859 (continued)

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
1615 1.3/16	$19.59	7858-2103	1 3/16	1.00
1615 1.1/4	19.59	7858-2104	1 1/4	.90
1615 1.5/16	19.59	7858-2105	1 5/16	.80
1615 1.3/8	19.59	7858-2106	1 3/8	.80
1615 1.7/16	19.59	7858-2107	1 7/16	.70
1615 1.1/2	19.59	7858-2108	1 1/2	.70
[12]1615 1.9/16	19.59	7858-2109	1 9/16	.70
[12]1615 1.5/8	19.59	7858-2110	1 5/8	.60
[12]1615 1.11/16	19.59	7858-2111	1 11/16	.60
2012 .1/2	25.44	7858-2508	1/2	1.70
2012 .9/16	25.44	7858-2509	9/16	1.70
2012 .5/8	25.44	7858-2510	5/8	1.70
2012 .11/16	25.44	7858-2511	11/16	1.70
2012 .3/4	25.44	7858-2512	3/4	1.70
2012 .13/16	25.44	7858-2513	13/16	1.70
2012 .7/8	25.44	7858-2514	7/8	1.60
2012 .15/16	25.44	7858-2515	15/16	1.60
2012 1.	25.44	7858-2600	1	1.60
2012 1.1/16	25.44	7858-2601	1 1/16	1.60
2012 1.1/8	25.44	7858-2602	1 1/8	1.50
2012 1.3/16	25.44	7858-2603	1 3/16	1.50
2012 1.1/4	25.44	7858-2604	1 1/4	1.50
2012 1.5/16	25.44	7858-2605	1 5/16	1.40
2012 1.3/8	25.44	7858-2606	1 3/8	1.30
2012 1.7/16	25.44	7858-2607	1 7/16	1.20
2012 1.1/2	25.44	7858-2608	1 1/2	1.20
2012 1.9/16	25.44	7858-2609	1 9/16	1.20
2012 1.5/8	25.44	7858-2610	1 5/8	1.20
2012 1.11/16	25.44	7858-2611	1 11/16	1.10
2012 1.3/4	25.44	7858-2612	1 3/4	1.00
2012 1.13/16	25.44	7858-2613	1 13/16	1.00
2012 1.7/8	25.44	7858-2614	1 7/8	.90
[12]2012 1.15/16	25.44	7858-2615	1 15/16	.90
[12]2012 2.	25.44	7858-2700	2	.90
[12]2012 2.1/8	25.44	7858-2702	2 1/8	.90
2517 .1/2	31.29	7858-3008	1/2	3.70
2517 .5/8	31.29	7858-3010	5/8	3.60
2517 .11/16	31.29	7858-3011	11/16	3.50
2517 .3/4	31.29	7858-3012	3/4	3.40
2517 .13/16	31.29	7858-3013	13/16	3.40
2517 .7/8	31.29	7858-3014	7/8	3.30
2517 .15/16	31.29	7858-3015	15/16	3.30
2517 1.	31.29	7858-3100	1	3.30
2517 1.1/16	31.29	7858-3101	1 1/16	3.20
2517 1.1/8	31.29	7858-3102	1 1/8	3.20
2517 1.3/16	31.29	7858-3103	1 3/16	3.20
2517 1.1/4	31.29	7858-3104	1 1/4	3.20
2517 1.5/16	31.29	7858-3105	1 5/16	3.10
2517 1.3/8	31.29	7858-3106	1 3/8	3.10
2517 1.7/16	31.29	7858-3107	1 7/16	3.00
2517 1.1/2	31.29	7858-3108	1 1/2	2.90
2517 1.9/16	31.29	7858-3109	1 9/16	2.90
2517 1.5/8	31.29	7858-3110	1 5/8	2.80
2517 1.11/16	31.29	7858-3111	1 11/16	2.80
2517 1.3/4	31.29	7858-3112	1 3/4	2.70
2517 1.13/16	31.29	7858-3113	1 13/16	2.60
2517 1.7/8	31.29	7858-3114	1 7/8	2.50
2517 1.15/16	31.29	7858-3115	1 15/16	2.40
2517 2.	31.29	7858-3200	2	2.30
2517 2.1/16	31.29	7858-3201	2 1/16	2.30
2517 2.1/8	$31.29	7858-3202	2 1/8	2.20
2517 2.3/16	31.29	7858-3203	2 3/16	2.10
2517 2.1/4	31.29	7858-3204	2 1/4	2.00
[12]2517 2.5/16	31.29	7858-3205	2 5/16	1.90
[12]2517 2.3/8	31.29	7858-3206	2 3/8	1.90
[12]2517 2.7/16	31.29	7858-3207	2 7/16	1.80
[12]2517 2.1/2	31.29	7858-3208	2 1/2	1.80
[12]2517 2.5/8	31.29	7858-3210	2 5/8	1.80
[12]2517 2.11/16	31.29	7858-3211	2 11/16	1.80
2525 1.5/8	46.30	7859-1110	1 5/8	3.60
2525 1.15/16	46.30	7859-1115	1 15/16	3.00
2525 2.	46.30	7859-1200	2	2.90
2525 2.1/8	46.30	7859-1202	2 1/8	2.60
2525 2.3/16	46.30	7859-1203	2 3/16	2.50
[12]2525 2.5/16	46.30	7859-1205	2 5/16	2.30
[12]2525 2.1/2	46.30	7859-1208	2 1/2	1.70
3020 .7/8	47.06	7859-6014	7/8	6.50
3020 .15/16	47.06	7859-6015	15/16	6.50
3020 1.	47.06	7859-6100	1	6.50
3020 1.1/8	47.06	7859-6102	1 1/8	6.40
3020 1.3/16	47.06	7859-6103	1 3/16	6.40
3020 1.1/4	47.06	7859-6104	1 1/4	6.30
3020 1.5/16	47.06	7859-6105	1 5/16	6.10
3020 1.3/8	47.06	7859-6106	1 3/8	6.00
3020 1.7/16	47.06	7859-6107	1 7/16	6.00
3020 1.1/2	47.06	7859-6108	1 1/2	5.90
3020 1.9/16	47.06	7859-6109	1 9/16	5.90
3020 1.5/8	47.06	7859-6110	1 5/8	5.80
3020 1.11/16	47.06	7859-6111	1 11/16	5.70
3020 1.3/4	47.06	7859-6112	1 3/4	5.60
3020 1.13/16	47.06	7859-6113	1 13/16	5.50
3020 1.7/8	47.06	7859-6114	1 7/8	5.40
3020 1.15/16	47.06	7859-6115	1 15/16	5.30
3020 2.	47.06	7859-6200	2	5.20
3020 2.1/16	47.06	7859-6201	2 1/16	5.00
3020 2.1/8	47.06	7859-6202	2 1/8	5.00
3020 2.3/16	47.06	7859-6203	2 3/16	4.90
3020 2.1/4	47.06	7859-6204	2 1/4	4.80
3020 2.5/16	47.06	7859-6205	2 5/16	4.60
3020 2.3/8	47.06	7859-6206	2 3/8	4.50
3020 2.7/16	47.06	7859-6207	2 7/16	4.40
3020 2.1/2	47.06	7859-6208	2 1/2	4.30
3020 2.5/8	47.06	7859-6210	2 5/8	4.00
3020 2.11/16	47.06	7859-6211	2 11/16	3.90
3020 2.3/4	47.06	7859-6212	2 3/4	3.70
[12]3020 2.13/16	47.06	7859-6213	2 13/16	3.70
[12]3020 2.7/8	47.06	7859-6214	2 7/8	3.60
[12]3020 2.15/16	47.06	7859-6215	2 15/16	3.50
[12]3020 3.	47.06	7859-6300	3	3.40
[12]3020 3.1/8	47.06	7859-6302	3 1/8	3.30
[12]3020 3.3/16	47.06	7859-6303	3 3/16	3.30
[12]3020 3.1/4	47.06	7859-6304	3 1/4	3.30
3030 1.	68.69	7859-2100	1	9.40
3030 1.1/8	68.69	7859-2102	1 1/8	9.40
3030 1.3/16	68.69	7859-2103	1 3/16	9.20
3030 1.1/4	68.69	7859-2104	1 1/4	9.00
3030 1.5/16	68.69	7859-2105	1 5/16	8.90
3030 1.3/8	68.69	7859-2106	1 3/8	8.80
3030 1.7/16	68.69	7859-2107	1 7/16	8.60
3030 1.1/2	68.69	7859-2108	1 1/2	8.50

[12]**Shallow keyway.**

BUSHINGS

Prices Subject To Change Without Notice

Taper-Lock® Bushings – English Sizes

Product No. Series 7858 and 7859 (continued)

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
3030 1.9/16	$68.69	7859-2109	1 9/16	8.40
3030 1.5/8	68.69	7859-2110	1 5/8	8.20
3030 1.3/4	68.69	7859-2112	1 3/4	7.80
3030 1.13/16	68.69	7859-2113	1 13/16	7.60
3030 1.7/8	68.69	7859-2114	1 7/8	7.50
3030 1.15/16	68.69	7859-2115	1 15/16	7.40
3030 2.	68.69	7859-2200	2	7.30
3030 2.1/8	68.69	7859-2202	2 1/8	7.10
3030 2.3/16	68.69	7859-2203	2 3/16	6.90
3030 2.1/4	68.69	7859-2204	2 1/4	6.70
3030 2.5/16	68.69	7859-2205	2 5/16	6.60
3030 2.3/8	68.69	7859-2206	2 3/8	6.40
3030 2.7/16	68.69	7859-2207	2 7/16	6.20
3030 2.1/2	68.69	7859-2208	2 1/2	6.10
3030 2.5/8	68.69	7859-2210	2 5/8	6.00
3030 2.11/16	68.69	7859-2211	2 11/16	5.90
3030 2.3/4	68.69	7859-2212	2 3/4	5.60
[12]3030 2.7/8	68.69	7859-2214	2 7/8	5.30
[12]3030 2.15/16	68.69	7859-2215	2 15/16	5.00
[12]3030 3.	68.69	7859-2300	3	4.80
[12]3030 3.1/8	68.69	7859-2302	3 1/8	4.70
[12]3030 3.3/16	68.69	7859-2303	3 3/16	4.70
[12]3030 3.1/4	68.69	7859-2304	3 1/4	4.70
3525 1.3/16	103.03	7858-5103	1 3/16	11.10
3525 1.1/4	103.03	7858-5104	1 1/4	11.00
3525 1.5/16	103.03	7858-5105	1 5/16	10.90
3525 1.3/8	103.03	7858-5106	1 3/8	10.90
3525 1.7/16	103.03	7858-5107	1 7/16	10.80
3525 1.1/2	103.03	7858-5108	1 1/2	10.70
3525 1.9/16	103.03	7858-5109	1 9/16	10.00
3525 1.5/8	103.03	7858-5110	1 5/8	10.50
3525 1.11/16	103.03	7858-5111	1 11/16	10.40
3525 1.3/4	103.03	7858-5112	1 3/4	10.30
3525 1.13/16	103.03	7858-5113	1 13/16	10.00
3525 1.7/8	103.03	7858-5114	1 7/8	10.10
3525 1.15/16	103.03	7858-5115	1 15/16	9.90
3525 2.	103.03	7858-5200	2	9.80
3525 2.1/16	103.03	7858-5201	2 1/16	9.70
3525 2.1/8	103.03	7858-5202	2 1/8	9.60
3525 2.3/16	103.03	7858-5203	2 3/16	9.40
3525 2.1/4	103.03	7858-5204	2 1/4	9.30
3525 2.3/8	103.03	7858-5206	2 3/8	9.00
3525 2.7/16	103.03	7858-5207	2 7/16	8.80
3525 2.1/2	103.03	7858-5208	2 1/2	8.70
3525 2.9/16	103.03	7858-5209	2 9/16	8.50
3525 2.5/8	103.03	7858-5210	2 5/8	8.30
3525 2.11/16	103.03	7858-5211	2 11/16	8.20
3525 2.3/4	103.03	7858-5212	2 3/4	8.00
3525 2.13/16	103.03	7858-5213	2 13/16	7.70
3525 2.7/8	103.03	7858-5214	2 7/8	7.60
3525 2.15/16	103.03	7858-5215	2 15/16	7.50
3525 3.	103.03	7858-5300	3	7.30
3525 3.1/16	103.03	7858-5301	3 1/16	7.10
3525 3.1/8	103.03	7858-5302	3 1/8	6.90
3525 3.3/16	103.03	7858-5303	3 3/16	6.70
3525 3.1/4	103.03	7858-5304	3 1/4	6.50
3525 3.5/16	103.03	7858-5305	3 5/16	6.30
3525 3.3/8	103.03	7858-5306	3 3/8	6.00
3525 3.7/16	103.03	7858-5307	3 7/16	5.80
3525 3.1/2	103.03	7858-5308	3 1/2	5.60

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
3525 3.9/16	$103.03	7858-5309	3 9/16	5.40
3525 3.5/8	103.03	7858-5310	3 5/8	5.20
3525 3.11/16	103.03	7858-5311	3 11/16	4.90
3525 3.3/4	103.03	7858-5312	3 3/4	4.70
3525 3.13/16	103.03	7858-5313	3 13/16	4.60
3525 3.7/8	103.03	7858-5314	3 7/8	4.40
3525 3.15/16	103.03	7858-5315	3 15/16	4.20
3535 1.3/16	96.67	7859-3103	1 3/16	14.80
3535 1.1/4	96.67	7859-3104	1 1/4	14.60
3535 1.3/8	96.67	7859-3106	1 3/8	14.20
3535 1.7/16	96.67	7859-3107	1 7/16	14.10
3535 1.1/2	96.67	7859-3108	1 1/2	14.00
3535 1.5/8	96.67	7859-3110	1 5/8	13.90
3535 1.11/16	96.67	7859-3111	1 11/16	13.50
3535 1.3/4	96.67	7859-3112	1 3/4	13.40
3535 1.7/8	96.67	7859-3114	1 7/8	13.20
3535 1.15/16	96.67	7859-3115	1 15/16	13.00
3535 2.	96.67	7859-3200	2	12.80
3535 2.1/8	96.67	7859-3202	2 1/8	12.60
3535 2.3/16	96.67	7859-3203	2 3/16	12.40
3535 2.1/4	96.67	7859-3204	2 1/4	12.30
3535 2.3/8	96.67	7859-3206	2 3/8	12.20
3535 2.7/16	96.67	7859-3207	2 7/16	12.10
3535 2.1/2	96.67	7859-3208	2 1/2	11.50
3535 2.5/8	96.67	7859-3210	2 5/8	11.10
3535 2.11/16	96.67	7859-3211	2 11/16	10.70
3535 2.3/4	96.67	7859-3212	2 3/4	10.40
3535 2.7/8	96.67	7859-3214	2 7/8	10.10
3535 2.15/16	96.67	7859-3215	2 15/16	9.80
3535 3.	96.67	7859-3300	3	9.50
3535 3.1/8	96.67	7859-3302	3 1/8	9.30
3535 3.3/16	96.67	7859-3303	3 3/16	8.80
3535 3.1/4	96.67	7859-3304	3 1/4	8.70
[12]3535 3.5/16	96.67	7859-3305	3 5/16	8.60
[12]3535 3.3/8	96.67	7859-3306	3 3/8	8.50
[12]3535 3.7/16	96.67	7859-3307	3 7/16	8.20
[12]3535 3.1/2	96.67	7859-3308	3 1/2	7.90
[12]3535 3.5/8	96.67	7859-3310	3 5/8	7.20
[12]3535 3.11/16	96.67	7859-3311	3 11/16	6.50
[12]3535 3.3/4	96.67	7859-3312	3 3/4	6.00
[12]3535 3.7/8	96.67	7859-3314	3 7/8	5.50
[12]3535 3.15/16	96.67	7859-3315	3 15/16	5.00
4030 1.7/16	158.95	7858-6107	1 7/16	17.50
4030 1.1/2	158.95	7858-6108	1 1/2	17.40
4030 1.9/16	158.95	7858-6109	1 9/16	17.20
4030 1.5/8	158.95	7858-6110	1 5/8	17.10
4030 1.11/16	158.95	7858-6111	1 11/16	17.00
4030 1.3/4	158.95	7858-6112	1 3/4	16.90
4030 1.13/16	158.95	7858-6113	1 13/16	16.70
4030 1.7/8	158.95	7858-6114	1 7/8	16.60
4030 1.15/16	158.95	7858-6115	1 15/16	16.40
4030 2.	158.95	7858-6200	2	16.30
4030 2.1/16	158.95	7858-6201	2 1/16	16.10
4030 2.1/8	158.95	7858-6202	2 1/8	16.00
4030 2.3/16	158.95	7858-6203	2 3/16	15.80
4030 2.1/4	158.95	7858-6204	2 1/4	15.60
4030 2.5/16	158.95	7858-6205	2 5/16	15.50
4030 2.3/8	158.95	7858-6206	2 3/8	15.30
4030 2.7/16	158.95	7858-6207	2 7/16	15.10
4030 2.1/2	158.95	7858-6208	2 1/2	14.90

[12]Shallow keyway.

BUSHINGS

Taper-Lock® Bushings–English Sizes

Product No. Series 7858 and 7859 (continued)

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
4030 2.9/16	$158.95	7858-6209	2 9/16	14.70
4030 2.5/8	158.95	7858-6210	2 5/8	14.50
4030 2.11/16	158.95	7858-6211	2 11/16	14.30
4030 2.3/4	158.95	7858-6212	2 3/4	14.10
4030 2.13/16	158.95	7858-6213	2 13/16	13.90
4030 2.7/8	158.95	7858-6214	2 7/8	13.70
4030 2.15/16	158.95	7858-6215	2 15/16	13.40
4030 3.	158.95	7858-6300	3	13.20
4030 3.1/16	158.95	7858-6301	3 1/16	13.00
4030 3.1/8	158.95	7858-6302	3 1/8	12.80
4030 3.3/16	158.95	7858-6303	3 3/16	12.50
4030 3.1/4	158.95	7858-6304	3 1/4	12.30
4030 3.5/16	158.95	7858-6305	3 5/16	12.00
4030 3.3/8	158.95	7858-6306	3 3/8	11.80
4030 3.7/16	158.95	7858-6307	3 7/16	11.50
4030 3.1/2	158.95	7858-6308	3 1/2	11.20
4030 3.9/16	158.95	7858-6309	3 9/16	11.00
4030 3.5/8	158.95	7858-6310	3 5/8	10.70
4030 3.11/16	158.95	7858-6311	3 11/16	10.40
4030 3.3/4	158.95	7858-6312	3 3/4	10.10
4030 3.7/8	158.95	7858-6314	3 7/8	9.50
4030 3.15/16	158.95	7858-6315	3 15/16	9.20
4030 4.	158.95	7858-6400	4	8.90
4030 4.1/8	158.95	7858-6402	4 1/8	8.30
4030 4.3/16	158.95	7858-6403	4 3/16	8.00
4030 4.1/4	158.95	7858-6404	4 1/4	7.70
4030 4.3/8	158.95	7858-6406	4 3/8	7.00
4030 4.7/16	158.95	7858-6407	4 7/16	6.70
4040 1.7/16	155.18	7859-4107	1 7/16	22.10
4040 1.1/2	155.18	7859-4108	1 1/2	22.00
4040 1.5/8	155.18	7859-4110	1 5/8	21.80
4040 1.11/16	155.18	7859-4111	1 11/16	21.60
4040 1.3/4	155.18	7859-4112	1 3/4	21.30
4040 1.7/8	155.18	7859-4114	1 7/8	21.00
4040 1.15/16	155.18	7859-4115	1 15/16	20.90
4040 2.	155.18	7859-4200	2	20.60
4040 2.1/8	155.18	7859-4202	2 1/8	20.50
4040 2.3/16	155.18	7859-4203	2 3/16	20.40
4040 2.1/4	155.18	7859-4204	2 1/4	20.10
4040 2.3/8	155.18	7859-4206	2 3/8	19.50
4040 2.7/16	155.18	7859-4207	2 7/16	19.30
4040 2.1/2	155.18	7859-4208	2 1/2	18.80
4040 2.5/8	155.18	7859-4210	2 5/8	18.50
4040 2.11/16	155.18	7859-4211	2 11/16	18.10
4040 2.3/4	155.18	7859-4212	2 3/4	17.70
4040 2.7/8	155.18	7859-4214	2 7/8	17.20
4040 2.15/16	155.18	7859-4215	2 15/16	17.10
4040 3.	155.18	7859-4300	3	17.00
4040 3.1/8	155.18	7859-4302	3 1/8	16.50
4040 3.3/16	155.18	7859-4303	3 3/16	16.10
4040 3.1/4	155.18	7859-4304	3 1/4	15.40
4040 3.3/8	155.18	7859-4306	3 3/8	14.80
4040 3.7/16	155.18	7859-4307	3 7/16	14.10
4040 3.1/2	155.18	7859-4308	3 1/2	13.40
4040 3.5/8	155.18	7859-4310	3 5/8	13.30
4040 3.11/16	155.18	7859-4311	3 11/16	13.20
4040 3.3/4	155.18	7859-4312	3 3/4	12.80
[12]4040 3.7/8	155.18	7859-4314	3 7/8	12.70
[12]4040 3.15/16	155.18	7859-4315	3 15/16	12.60
[12]4040 4.	155.18	7859-4400	4	10.90

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
[12]4040 4.1/8	$155.18	7859-4402	4 1/8	10.40
[12]4040 4.3/16	155.18	7859-4403	4 3/16	9.90
[12]4040 4.3/8	155.18	7859-4406	4 3/8	8.90
[12]4040 4.7/16	155.18	7859-4407	4 7/16	8.20
4535 1.15/16	198.59	7858-7115	1 15/16	24.10
4535 2.	198.59	7858-7200	2	23.90
4535 2.1/16	198.59	7858-7201	2 1/16	23.70
4535 2.1/8	198.59	7858-7202	2 1/8	23.50
4535 2.3/16	198.59	7858-7203	2 3/16	23.30
4535 2.1/4	198.59	7858-7204	2 1/4	23.20
4535 2.5/16	198.59	7858-7205	2 5/16	22.90
4535 2.3/8	198.59	7858-7206	2 3/8	22.70
4535 2.7/16	198.59	7858-7207	2 7/16	22.50
4535 2.1/2	198.59	7858-7208	2 1/2	22.30
4535 2.9/16	198.59	7858-7209	2 9/16	22.10
4535 2.5/8	198.59	7858-7210	2 5/8	21.80
4535 2.11/16	198.59	7858-7211	2 11/16	21.60
4535 2.3/4	198.59	7858-7212	2 3/4	21.40
4535 2.13/16	198.59	7858-7213	2 13/16	21.10
4535 2.7/8	198.59	7858-7214	2 7/8	20.90
4535 2.15/16	198.59	7858-7215	2 15/16	20.60
4535 3.	198.59	7858-7300	3	20.30
4535 3.1/16	198.59	7858-7301	3 1/16	20.10
4535 3.1/8	198.59	7858-7302	3 1/8	19.80
4535 3.3/16	198.59	7858-7303	3 3/16	19.50
4535 3.1/4	198.59	7858-7304	3 1/4	19.20
4535 3.5/16	198.59	7858-7305	3 5/16	18.90
4535 3.3/8	198.59	7858-7306	3 3/8	18.60
4535 3.7/16	198.59	7858-7307	3 7/16	18.30
4535 3.1/2	198.59	7858-7308	3 1/2	18.00
4535 3.9/16	198.59	7858-7309	3 9/16	17.70
4535 3.5/8	198.59	7858-7310	3 5/8	17.40
4535 3.11/16	198.59	7858-7311	3 11/16	17.00
4535 3.3/4	198.59	7858-7312	3 3/4	16.70
4535 3.13/16	198.59	7858-7313	3 13/16	16.40
4535 3.7/8	198.59	7858-7314	3 7/8	16.00
4535 3.15/16	198.59	7858-7315	3 15/16	15.70
4535 4.	198.59	7858-7400	4	15.30
4535 4.1/8	198.59	7858-7402	4 1/8	14.60
4535 4.3/16	198.59	7858-7403	4 3/16	14.20
4535 4.1/4	198.59	7858-7404	4 1/4	13.90
4535 4.3/8	198.59	7858-7406	4 3/8	13.10
4535 4.7/16	198.59	7858-7407	4 7/16	12.70
4535 4.1/2	198.59	7858-7408	4 1/2	12.30
4535 4.3/4	198.59	7858-7412	4 3/4	10.60
4535 4.7/8	198.59	7858-7414	4 7/8	9.80
4535 4.15/16	198.59	7858-7415	4 15/16	9.30
4545 1.15/16	193.34	7859-5115	1 15/16	30.30
4545 2.	193.34	7859-5200	2	29.70
4545 2.3/16	193.34	7859-5203	2 3/16	29.00
4545 2.3/8	193.34	7859-5206	2 3/8	28.30
4545 2.7/16	193.34	7859-5207	2 7/16	28.00
4545 2.5/8	193.34	7859-5210	2 5/8	25.90
4545 2.3/4	193.34	7859-5212	2 3/4	25.00
4545 2.7/8	193.34	7859-5214	2 7/8	24.80
4545 2.15/16	193.34	7859-5215	2 15/16	24.10
4545 3.	193.34	7859-5300	3	24.00
4545 3.1/8	193.34	7859-5302	3 1/8	23.90
4545 3.3/16	193.34	7859-5303	3 3/16	23.80
4545 3.1/4	193.34	7859-5304	3 1/4	23.10

[12]Shallow keyway.

BUSHINGS

Taper-Lock® Bushings–English Sizes

Product No. Series 7858 and 7859 (continued)

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
4545 3.3/8	$193.34	7859-5306	3 3/8	22.40
4545 3.7/16	193.34	7859-5307	3 7/16	22.30
4545 3.1/2	193.34	7859-5308	3 1/2	21.10
4545 3.5/8	193.34	7859-5310	3 5/8	21.00
4545 3.3/4	193.34	7859-5312	3 3/4	19.00
4545 3.7/8	193.34	7859-5314	3 7/8	18.90
4545 3.15/16	193.34	7859-5315	3 15/16	18.80
4545 4.	193.34	7859-5400	4	18.70
4545 4.1/8	193.34	7859-5402	4 1/8	18.60
4545 4.3/16	193.34	7859-5403	4 3/16	18.50
4545 4.1/4	193.34	7859-5404	4 1/4	18.40
[12]4545 4.3/8	193.34	7859-5406	4 3/8	16.80
[12]4545 4.7/16	193.34	7859-5407	4 7/16	15.40
[12]4545 4.1/2	193.34	7859-5408	4 1/2	15.10
[12]4545 4.3/4	193.34	7859-5412	4 3/4	13.80
[12]4545 4.7/8	193.34	7859-5414	4 7/8	12.50
[12]4545 4.15/16	193.34	7859-5415	4 15/16	11.20
5040 2.7/16	325.95	7858-8207	2 7/16	31.90
5040 2.1/2	325.95	7858-8208	2 1/2	31.70
5040 2.9/16	325.95	7858-8209	2 9/16	31.40
5040 2.5/8	325.95	7858-8210	2 5/8	31.10
5040 2.11/16	325.95	7858-8211	2 11/16	30.90
5040 2.3/4	325.95	7858-8212	2 3/4	30.60
5040 2.13/16	325.95	7858-8213	2 13/16	30.30
5040 2.7/8	325.95	7858-8214	2 7/8	30.00
5040 2.15/16	325.95	7858-8215	2 15/16	29.70
5040 3.	325.95	7858-8300	3	29.40
5040 3.1/16	325.95	7858-8301	3 1/16	29.10
5040 3.1/8	325.95	7858-8302	3 1/8	28.80
5040 3.3/16	325.95	7858-8303	3 3/16	28.50
5040 3.1/4	325.95	7858-8304	3 1/4	28.10
5040 3.5/16	325.95	7858-8305	3 5/16	27.80
5040 3.3/8	325.95	7858-8306	3 3/8	27.50
5040 3.7/16	325.95	7858-8307	3 7/16	27.10
5040 3.1/2	325.95	7858-8308	3 1/2	26.80
5040 3.9/16	325.95	7858-8309	3 9/16	26.40
5040 3.5/8	325.95	7858-8310	3 5/8	26.00
5040 3.11/16	325.95	7858-8311	3 11/16	25.70
5040 3.3/4	325.95	7858-8312	3 3/4	25.30
5040 3.13/16	325.95	7858-8313	3 13/16	24.90
5040 3.7/8	325.95	7858-8314	3 7/8	24.50
5040 3.15/16	325.95	7858-8315	3 15/16	24.10
5040 4.	325.95	7858-8400	4	23.70
5040 4.1/8	325.95	7858-8402	4 1/8	22.90
5040 4.3/16	325.95	7858-8403	4 3/16	22.40
5040 4.1/4	325.95	7858-8404	4 1/4	22.00
5040 4.3/8	325.95	7858-8406	4 3/8	21.10
5040 4.7/16	325.95	7858-8407	4 7/16	20.70
5040 4.1/2	325.95	7858-8408	4 1/2	20.20
5040 4.3/4	325.95	7858-8412	4 3/4	18.30
5040 4.7/8	325.95	7858-8414	4 7/8	17.40

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
5040 4.15/16	$325.95	7858-8415	4 15/16	16.90
5040 5.	325.95	7858-8500	5	16.40
5050 2.7/16	312.91	7859-7207	2 7/16	38.70
5050 2.11/16	312.91	7859-7211	2 11/16	37.10
5050 2.15/16	312.91	7859-7215	2 15/16	36.20
5050 3.3/8	312.91	7859-7306	3 3/8	32.70
5050 3.7/16	312.91	7859-7307	3 7/16	32.00
5050 3.5/8	312.91	7859-7310	3 5/8	31.10
5050 3.7/8	312.91	7859-7314	3 7/8	29.00
5050 3.15/16	312.91	7859-7315	3 15/16	28.70
5050 4.	312.91	7859-7400	4	27.80
5050 4.1/4	312.91	7859-7404	4 1/4	26.00
5050 4.3/8	312.91	7859-7406	4 3/8	25.80
5050 4.7/16	312.91	7859-7407	4 7/16	25.10
5050 4.1/2	312.91	7859-7408	4 1/2	23.60
[12]5050 4.7/8	312.91	7859-7414	4 7/8	22.20
[12]5050 4.15/16	312.91	7859-7415	4 15/16	20.60
[12]5050 5.	312.91	7859-7500	5	20.20
6050 3.	839.52	7859-8300	3	65.00
6050 3.1/4	839.52	7859-8304	3 1/4	65.00
6050 3.7/16	839.52	7859-8307	3 7/16	65.00
6050 4.	839.52	7859-8400	4	65.00
6050 4.7/16	839.52	7859-8407	4 7/16	57.00
6050 4.15/16	839.52	7859-8415	4 15/16	56.00
6050 5.7/16	839.52	7859-8507	5 7/16	52.00
6050 5.15/16	839.52	7859-8515	5 15/16	48.00
6050 6.	839.52	7859-8600	6	45.00
7060 3.	1048.13	7859-9300	3	95.00
7060 3.1/4	1048.13	7859-9304	3 4/4	95.00
7060 3.7/16	1048.13	7859-9307	3 7/16	95.00
7060 4.15/16	1048.13	7859-9415	4 15/16	87.00
7060 5.7/16	1048.13	7859-9507	5 7/16	84.00
7060 5.15/16	1048.13	7859-9515	5 15/16	77.00
7060 6.	1048.13	7859-9600	6	76.00
7060 6.7/16	1048.13	7859-9607	6 7/16	75.00
7060 6.1/2	1048.13	7859-9608	6 1/2	74.00
7060 6.15/16	1048.13	7859-9615	6 15/16	67.00
7060 7.	1048.13	7859-9700	7	66.00
8065 5.7/16	1259.28	7859-9517	5 7/16	122.00
8065 5.15/16	1259.28	7859-9525	5 15/16	106.00
8065 6.7/16	1259.28	7859-9617	6 7/16	102.00
8065 6.1/2	1259.28	7859-9618	6 1/2	100.00
8065 6.15/16	1259.28	7859-9625	6 15/16	92.00
8065 7.	1259.28	7859-9710	7	91.00
8065 7.1/2	1259.28	7859-9718	7 1/2	90.00
8065 8.	1259.28	7859-9810	8	89.00
10085 7.	2493.12	7859-9720	7	245.00
10085 8.	2493.12	7859-9820	8	219.00
10085 9.	2493.12	7859-9920	9	190.00
10085 10.	2493.12	7859-9020	10	158.00
120100 12.	4095.84	7859-9120	12	290.00

[12]Shallow keyway.

Stainless Steel Taper-Lock® Bushings–English Sizes

Markets/Applications

Stainless steel bushings are ideal for the food and beverage market or where non-corrosive sprockets are needed to prevent rust.

Features/Advantages

- Bushings are made to precise tolerances.
- Popular bore sizes are available.
- Stainless steel bushings are corrosion resistant, preventing rust build up and increasing product life.

Notes
SS is used to signify Stainless Steel.

Product No. Series 7869

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
SS 1108.1/2	$98.05	7869-0001	1/2	.35
SS 1108.9/16	98.05	7869-0002	9/16	.35
SS 1108.5/8	98.05	7869-0003	5/8	.35
SS 1108.11/16	98.05	7869-0004	11/16	.25
SS 1108.3/4	98.05	7869-0005	3/4	.25
SS 1108.13/16	98.05	7869-0006	13/16	.25
SS 1108.7/8	98.05	7869-0007	7/8	.25
SS 1108.15/16	98.05	7869-0008	15/16	.25
SS 1108 1.	98.05	7869-0009	1	.25
SS 1108 1.1/16	98.05	7869-0010	1 1/16	.25
SS 1108 1.1/8	98.05	7869-0011	1 1/8	.15
SS 1210 .1/2	105.15	7869-0101	1/2	.65
SS 1210 .9/16	105.15	7869-0102	9/16	.65
SS 1210 .5/8	105.15	7869-0103	5/8	.65
SS 1210 .11/16	105.15	7869-0104	11/16	.65
SS 1210 .3/4	105.15	7869-0105	3/4	.55
SS 1210 .13/16	105.15	7869-0106	13/16	.55
SS 1210 .7/8	105.15	7869-0107	7/8	.55
SS 1210 .15/16	105.15	7869-0108	15/16	.55
SS 1210 1.	105.15	7869-0109	1	.55
SS 1210 1.1/16	105.15	7869-0110	1 1/16	.55
SS 1210 1.1/8	105.15	7869-0111	1 1/8	.55
SS 1210 1.3/16	105.15	7869-0112	1 3/16	.55
SS 1210 1.1/4	105.15	7869-0113	1 1/4	.55
SS 1610 .1/2	120.84	7869-0201	1/2	.95
SS 1610 .9/16	120.84	7869-0202	9/16	.95
SS 1610 .5/8	120.84	7869-0203	5/8	.95
SS 1610 .11/16	120.84	7869-0204	11/16	.95
SS 1610 .3/4	120.84	7869-0205	3/4	.95
SS 1610 .13/16	120.84	7869-0206	13/16	.95
SS 1610 .7/8	120.84	7869-0207	7/8	.85
SS 1610 .15/16	120.84	7869-0208	15/16	.85
SS 1610 1.	120.84	7869-0209	1	.85
SS 1610 1.1/16	120.84	7869-0210	1 1/16	.85
SS 1610 1.1/8	120.84	7869-0211	1 1/8	.75

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
SS 1610 1.3/16	$120.84	7869-0212	1 3/16	.75
SS 1610 1.1/4	120.84	7869-0213	1 1/4	.75
SS 1610 1.5/16	120.84	7869-0214	1 5/16	.65
SS 1610 1.3/8	120.84	7869-0215	1 3/8	.65
SS 1610 1.7/16	120.84	7869-0216	1 7/16	.65
SS 1610 1.1/2	120.84	7869-0217	1 1/2	.55
SS 1610 1.9/16	120.84	7869-0218	1 9/16	.55
SS 1610 1.5/8	120.84	7869-0219	1 5/8	.55
SS 1610 1.11/16	120.84	7869-0220	1 11/16	.55
SS 2012 .1/2	165.88	7869-0301	1/2	1.75
SS 2012 .9/16	165.88	7869-0302	9/16	1.75
SS 2012 .5/8	165.88	7869-0303	5/8	1.75
SS 2012 .11/16	165.88	7869-0304	11/16	1.75
SS 2012 .3/4	165.88	7869-0305	3/4	1.75
SS 2012 .13/16	165.88	7869-0306	13/16	1.75
SS 2012 .7/8	165.88	7869-0307	7/8	1.65
SS 2012 .15/16	165.88	7869-0308	15/16	1.65
SS 2012 1.	165.88	7869-0309	1	1.65
SS 2012 1.1/16	165.88	7869-0310	1 1/16	1.65
SS 2012 1.1/8	165.88	7869-0311	1 1/8	1.55
SS 2012 1.3/16	165.88	7869-0312	1 3/16	1.55
SS 2012 1.1/4	165.88	7869-0313	1 1/4	1.55
SS 2012 1.5/16	165.88	7869-0314	1 5/16	1.45
SS 2012 1.3/8	165.88	7869-0315	1 3/8	1.35
SS 2012 1.7/16	165.88	7869-0316	1 7/16	1.25
SS 2012 1.1/2	165.88	7869-0317	1 1/2	1.25
SS 2012 1.9/16	165.88	7869-0318	1 9/16	1.25
SS 2012 1.5/8	165.88	7869-0319	1 5/8	1.25
SS 2012 1.11/16	165.88	7869-0320	1 11/16	1.15
SS 2012 1.3/4	165.88	7869-0321	1 3/4	1.05
SS 2012 1.13/16	165.88	7869-0322	1 13/16	1.05
SS 2012 1.7/8	165.88	7869-0323	1 7/8	.95
SS 2012 1.15/16	165.88	7869-0324	1 15/16	.95
SS 2012 2.	165.88	7869-0325	2	.95
SS 2012 2.1/8	165.88	7869-0326	2 1/8	.95

Taper-Lock® Bushings – Metric Sizes

Product No. Series 7848, 7858 and 7859

Part No.	Sugg. List Price	Product No.	Bore (mm)	Wt. Ea. (Lbs.)
1008 14MM	$14.76	7858-0017	14	.30
1008 16MM	14.76	7858-0016	16	.30
1008 18MM	14.76	7858-0018	18	.30
1008 19MM	14.76	7858-0019	19	.30
1008 20MM	14.76	7858-0020	20	.30
1008 22MM	14.76	7858-0022	22	.30
1008 24MM	14.76	7858-0024	24	.30
1108 16MM	15.26	7858-0116	16	.30
1108 18MM	15.26	7858-0118	18	.30
1108 19MM	15.26	7858-0119	19	.30
1108 20MM	15.26	7858-0120	20	.30
1108 22MM	15.26	7858-0122	22	.30
1108 24MM	15.26	7858-0124	24	.20
1108 25MM	15.26	7858-0125	25	.20
1210 14MM	16.28	7858-0517	14	.60
1210 16MM	16.28	7858-0516	16	.60
1210 18MM	16.28	7858-0518	18	.60
1210 19MM	16.28	7858-0519	19	.60
1210 20MM	16.28	7858-0520	20	.60
1210 24MM	16.28	7858-0524	24	.50
1210 25MM	16.28	7858-0525	25	.50
1210 28MM	16.28	7858-0528	28	.40
1210 30MM	16.28	7858-0530	30	.40
1310 24MM	18.32	7848-4424	24	.60
1310 25MM	18.32	7848-4425	25	.60
1310 28MM	18.32	7848-4428	28	.60
1310 30MM	18.32	7848-4430	30	.60
1310 32MM	18.32	7848-4432	32	.60
1310 35MM	18.32	7848-4435	35	.60
1610 19MM	18.83	7858-1619	19	.90
1610 20MM	18.83	7858-1620	20	.90
1610 22MM	18.83	7858-1622	22	.90
1610 24MM	18.83	7858-1624	24	.80
1610 25MM	18.83	7858-1625	25	.80
1610 28MM	18.83	7858-1628	28	.80
1610 30MM	18.83	7858-1630	30	.70
1610 32MM	18.83	7858-1632	32	.70
1610 35MM	18.83	7858-1635	35	.70
1610 38MM	18.83	7858-1638	38	.70
1610 40MM	18.83	7858-1640	40	.70
2012 14MM	25.44	7858-2517	14	1.70
2012 16MM	25.44	7858-2516	16	1.70
2012 18MM	25.44	7858-2518	18	1.70

Part No.	Sugg. List Price	Product No.	Bore (mm)	Wt. Ea. (Lbs.)
2012 19MM	$25.44	7858-2519	19	1.70
2012 20MM	25.44	7858-2520	20	1.70
2012 22MM	25.44	7858-2522	22	1.70
2012 24MM	25.44	7858-2524	24	1.60
2012 25MM	25.44	7858-2525	25	1.60
2012 28MM	25.44	7858-2528	28	1.60
2012 30MM	25.44	7858-2530	30	1.50
2012 32MM	25.44	7858-2532	32	1.50
2012 35MM	25.44	7858-2535	35	1.40
2012 38MM	25.44	7858-2538	38	1.40
2012 40MM	25.44	7858-2540	40	1.30
2012 42MM	25.44	7858-2542	42	1.30
2012 45MM	25.44	7858-2545	45	1.30
2517 14MM	31.29	7858-3314	14	3.30
2517 16MM	31.29	7858-3316	16	3.30
2517 18MM	31.29	7858-3318	18	3.30
2517 20MM	31.29	7858-3300	20	3.30
2517 22MM	31.29	7858-3322	22	3.30
2517 24MM	31.29	7858-3301	24	3.30
2517 25MM	31.29	7858-3325	25	3.30
2517 28MM	31.29	7858-3328	28	3.20
2517 30MM	31.29	7858-3330	30	3.20
2517 32MM	31.29	7858-3332	32	3.20
2517 35MM	31.29	7858-3335	35	3.10
2517 38MM	31.29	7858-3338	38	3.10
2517 40MM	31.29	7858-3340	40	3.00
2517 42MM	31.29	7858-3342	42	2.90
2517 45MM	31.29	7858-3345	45	2.50
2517 48MM	31.29	7858-3348	48	2.50
2517 50MM	31.29	7858-3350	50	2.30
2517 55MM	31.29	7858-3355	55	2.20
2517 60MM	31.29	7858-3360	60	2.10
3020 24MM	47.06	7859-6524	24	4.00
3020 25MM	47.06	7859-6525	25	4.00
3020 28MM	47.06	7859-6528	28	4.00
3020 40MM	47.06	7859-6540	40	4.00
3020 45MM	47.06	7859-6545	45	4.00
3020 48MM	47.06	7859-6548	48	4.00
3020 50MM	47.06	7859-6550	50	4.00
3020 55MM	47.06	7859-6555	55	4.00
3020 60MM	47.06	7859-6560	60	4.00
3020 65MM	47.06	7859-6565	65	4.00

Stainless Steel Taper-Lock® Bushings – Metric Sizes

Markets/Applications

Stainless steel bushings are ideal for the food and beverage market or where non-corrosive sprockets are needed to prevent rust.

Features/Advantages

- Bushings are made to precise tolerances.
- Popular bore sizes are available.
- Stainless steel bushings are corrosion resistant, preventing rust build up and increasing product life.

Notes
SS is used to signify Stainless Steel (type 302-304).

Product No. Series 7869

Standard Stock Product

Part No.	Sugg. List Price	Product No.	Bore (mm)	Key Way Size (mm)	Wt. Ea. (Lbs.)
SS 1108 16MM	$108.64	7869-0401	16	5 X 2.3	.30
SS 1108 19MM	108.64	7869-0402	19	6 X 2.8	.27
SS 1108 20MM	108.64	7869-0403	20	6 X 2.8	.26
SS 1108 22MM	108.64	7869-0404	22	6 X 2.8	.24
SS 1108 24MM	108.64	7869-0405	24	8 X 3.3	.21
SS 1108 25MM	108.64	7869-0406	25	8 X 3.3	.19
SS 1210 16MM	116.99	7869-0501	16	5 X 2.3	.54
SS 1210 20MM	116.99	7869-0502	20	6 X 2.8	.50
SS 1210 24MM	116.99	7869-0503	24	8 X 3.3	.45
SS 1210 25MM	116.99	7869-0504	25	8 X 3.3	.43
SS 1210 28MM	116.99	7869-0505	28	8 X 3.3	.39
SS 1210 30MM	116.99	7869-0506	30	8 X 3.3	.35
SS 1610 20MM	133.70	7869-0601	20	6 X 2.8	.78
SS 1610 24MM	133.70	7869-0602	24	8 X 3.3	.73
SS 1610 25MM	133.70	7869-0603	25	8 X 3.3	.71
SS 1610 28MM	133.70	7869-0604	28	8 X 3.3	.67

Part No.	Sugg. List Price	Product No.	Bore (mm)	Key Way Size (mm)	Wt. Ea. (Lbs.)
SS 1610 30MM	$133.70	7869-0605	30	8 X 3.3	.64
SS 1610 32MM	133.70	7869-0606	32	10 X 3.3	.60
SS 1610 35MM	133.70	7869-0607	35	10 X 3.3	.54
SS 1610 38MM	133.70	7869-0608	38	10 X 3.3	.47
SS 2012 20MM	183.84	7869-0701	20	6 X 2.8	1.54
SS 2012 22MM	183.84	7869-0702	22	6 X 2.8	1.51
SS 2012 24MM	183.84	7869-0703	24	8 X 3.3	1.47
SS 2012 25MM	183.84	7869-0704	25	8 X 3.3	1.45
SS 2012 28MM	183.84	7869-0705	28	8 X 3.3	1.35
SS 2012 30MM	183.84	7869-0706	30	8 X 3.3	1.35
SS 2012 32MM	183.84	7869-0707	32	10 X 3.3	1.30
SS 2012 35MM	183.84	7869-0708	35	10 X 3.3	1.23
SS 2012 38MM	183.84	7869-0709	38	10 X 3.3	1.16
SS 2012 40MM	183.84	7869-0710	40	12 X 3.3	1.07
SS 2012 42MM	183.84	7869-0711	42	12 X 3.3	1.03
SS 2012 45MM	183.84	7869-0712	45	14 X 3.8	.94

Taper-Lock® Bushings – Reborable

Markets/Applications

For use with all Taper-Lock® style sheaves, sprockets and pulleys.

Features/Advantages

- Bushings are made to precise tolerances.

Notes

Available in minimum plain bore (MPB).

Contact Customer Service for ordering instructions.

All reborable bushings are stocked without sawsplit to facilitate re-machining. Sawsplit must be made in bushing to allow it to compress for proper gripping of the shaft.

Product No. Series 7847

Sintered Steel Reborable Bushing

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
1008 .1/2NKS	$14.76	7847-2100	1/2	.20
1108 .1/2NKS	15.26	7847-2101	1/2	.20
1210 .1/2NKS	16.28	7847-2102	1/2	.50
1215 .1/2NKS	17.81	7847-2103	1/2	.70
1310 .1/2NKS	18.32	7847-2104	1/2	.70
1610 .1/2NKS	18.83	7847-2105	1/2	1.00
1615 .1/2NKS	19.59	7847-2106	1/2	1.50
2012 .1/2NKS	25.44	7847-2107	1/2	1.70
2517 .1/2NKS	31.29	7847-2108	1/2	3.50
3020 .7/8NKS	47.06	7847-2109	7/8	6.50
3020 1.11/16NKS	47.06	7847-2110	1 11/16	5.70

Cast Iron Reborable Bushing

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
3030 .15/16NKS	$68.69	7847-3100	15/16	10.00
3525 1.3/16NKS	113.34	7847-3112	1 3/16	11.10
3535 .13/16NKS	96.67	7847-3101	13/16	14.50
4030 1.7/16NKS	174.85	7847-3113	1 7/16	17.50
4040 1.7/16NKS	155.18	7847-3102	1 7/16	22.60
4535 1.15/16NKS	218.46	7847-3110	1 15/16	24.10
4545 1.15/16NKS	193.34	7847-3103	1 15/16	30.30
5040 2.7/16NKS	358.55	7847-3111	2 7/16	32.00
5050 2.7/16NKS	312.91	7847-3104	2 7/16	33.00
6050 3.7/16NKS	839.52	7847-3105	3 7/16	64.20
7060 3.15/16NKS	1048.13	7847-3106	3 15/16	96.00
8065 4.7/16NKS	1259.28	7847-3107	4 7/16	140.00
10085 7.NKS	2493.12	7847-3108	7	247.00
120100 8.NKS	4095.84	7847-3109	8	410.00

All reborable bushings are stocked without sawsplit to facilitate re-machining. Sawsplit must be made in bushing to allow it to compress for proper gripping of the shaft. Factory rebore and keyseat service as listed in price book MLP includes sawsplit.

Steel Reborable Bushing

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
1008.1/2STL-NK	$29.51	7847-4100	1/2	.20
1108.1/2STL-NK	30.53	7847-4101	1/2	.50
1210.1/2STL-NK	32.56	7847-4102	1/2	.80
1215.1/2STL-NK	35.62	7847-4103	1/2	1.00
1310.1/2STL-NK	36.63	7847-4104	1/2	1.10
1610.1/2STL-NK	37.65	7847-4105	1/2	1.20
1615.1/2STL-NK	39.18	7847-4106	1/2	1.60
2012.1/2STL-NK	50.88	7847-4107	1/2	2.00
25171.STL-NK	62.58	7847-4108	1	4.50
25251.7/16STL-NK	111.94	7847-4109	1 7/16	4.50
30201.7/16STL-NK	162.82	7847-4110	1 7/16	5.50
30301.7/16STL-NK	279.84	7847-4111	1 7/16	9.20

Ductile Iron Reborable Bushing

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
3525 1.3/16DUC-NK	$226.67	7847-5112	1 3/16	11.10
3535 1.7/16DUC-NK	193.34	7847-5100	1 7/16	14.40
4030 1.7/16DUC-NK	349.69	7847-5113	1 7/16	17.50
4040 1.15/16DUC-NK	310.37	7847-5101	1 15/16	20.90
4535 1.15/16DUC-NK	436.91	7847-5110	1 15/16	24.10
4545 2.7/16DUC-NK	386.69	7847-5102	2 7/16	28.40
5040 2.15/16DUC-NK	717.09	7847-5111	2 15/16	32.00
5050 2.15/16DUC-NK	625.82	7847-5103	2 15/16	35.50
6050 3.7/16DUC-NK	1679.04	7847-5104	3 7/16	64.20
7060 3.15/16DUC-NK	2096.26	7847-5105	3 15/16	96.00
8065 4.7/16DUC-NK	2518.56	7847-5106	4 7/16	140.00

Stainless Steel Reborable Bushing

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
1008.1/2SS-NK	$88.53	7847-6100	1/2	.20
1108.1/2SS-NK	91.58	7847-6101	1/2	.50
1210.1/2SS-NK	97.69	7847-6102	1/2	.70
1215.1/2SS-NK	106.85	7847-6103	1/2	1.00
1310.1/2SS-NK	109.90	7847-6104	1/2	1.10
1610.1/2SS-NK	112.95	7847-6105	1/2	1.20
1615.1/2SS-NK	117.53	7847-6106	1/2	1.50
2012.1/2SS-NK	152.64	7847-6107	1/2	1.94
2517.5/8SS-NK	187.75	7847-6108	5/8	4.00
3020.7/8SS-NK	279.84	7847-6109	7/8	5.50

NOTE: NKS and NK mean No Keyseat.

Taper-Lock® Bushings – Reborable Finished

Product No. Series 7847

Sintered Steel Reborable Bushing Finished

Part No.	Sugg. List Price	Product No.	Bore (In.)
1008.1/2-FIN	$40.20	7847-21005	1/2
1108.1/2-FIN	40.70	7847-21015	1/2
1210.1/2-FIN	46.81	7847-21025	1/2
1215.1/2-FIN	48.34	7847-21035	1/2
1310.1/2-FIN	48.84	7847-21045	1/2
1610.1/2-FIN	49.35	7847-21055	1/2
1615.1/2-FIN	50.12	7847-21065	1/2
2012.1/2-FIN	61.06	7847-21075	1/2
2517.1/2-FIN	66.91	7847-21085	1/2
3020.7/8-FIN	85.22	7847-21095	7/8
3020 1.11/16-FIN	85.22	7847-21105	1 11/16

Cast Iron Reborable Bushing Finished

Part No.	Sugg. List Price	Product No.	Bore (In.)
3030 .15/16-FIN	$106.85	7847-31005	15/16
3525 1.3/16-FIN	164.22	7847-31125	1 3/16
3535 .13/16-FIN	147.55	7847-31015	13/16
4030 1.7/16-FIN	236.33	7847-31135	1 7/16
4040 1.7/16-FIN	216.24	7847-31025	1 7/16
4535 1.15/16-FIN	282.06	7847-31105	1 15/16
4545 1.15/16-FIN	256.94	7847-31035	1 15/16
5040 2.7/16-FIN	440.17	7847-31115	2 7/16
5050 2.7/16-FIN	394.32	7847-31045	2 7/16
6050 3.7/16-FIN	954.00	7847-31055	3 7/16
7060 3.15/16-FIN	1210.94	7847-31065	3 15/16
8065 4.7/16-FIN	1467.89	7847-31075	4 7/16
10085 7.-FIN	2732.26	7847-31085	7
120100 8.-FIN	4401.12	7847-31095	8

All reborable bushings are stocked without sawsplit to facilitate re-machining. Sawsplit must be made in bushing to allow it to compress for proper gripping of the shaft. Factory rebore and keyseat service as listed in price book MLP includes sawsplit.

Steel Reborable Bushing Finished

Part No.	Sugg. List Price	Product No.	Bore (In.)
1008 .1/2STL-FIN	$54.95	7847-41005	1/2
1108 .1/2STL-FIN	55.97	7847-41015	1/2
1210 .1/2STL-FIN	63.09	7847-41025	1/2
1215 .1/2STL-FIN	66.14	7847-41035	1/2
1310 .1/2STL-FIN	67.16	7847-41045	1/2
1610 .1/2STL-FIN	68.18	7847-41055	1/2
1615 .1/2STL-FIN	69.71	7847-41065	1/2
2012 .1/2STL-FIN	86.50	7847-41075	1/2
2517 1.STL-FIN	98.20	7847-41085	1
2525 1.7/16STL-FIN	147.55	7847-41095	1 7/16
3020 1.7/16STL-FIN	200.98	7847-41105	1 7/16
3030 1.7/16STL-FIN	318.00	7847-41115	1 7/16

Ductile Iron Reborable Bushing Finished

Part No.	Sugg. List Price	Product No.	Bore (In.)
3525 1.3/16DUC-FIN	$277.55	7847-51125	1 3/16
3535 1.7/16DUC-FIN	244.22	7847-51005	1 7/16
4030 1.7/16DUC-FIN	411.17	7847-51135	1 7/16
4040 1.15/16DUC-FIN	371.42	7847-51015	1 15/16
4535 1.15/16DUC-FIN	500.51	7847-51105	1 15/16
4545 2.7/16DUC-FIN	450.29	7847-51025	2 7/16
5040 2.7/16DUC-FIN	798.71	7847-51115	2 7/16
5050 2.15/16DUC-FIN	707.23	7847-51035	2 15/16
6050 3.7/16DUC-FIN	1793.52	7847-51045	3 7/16
7060 3.15/16DUC-FIN	2259.07	7847-51055	3 15/16
8065 4.7/16DUC-FIN	2727.17	7847-51065	4 7/16

Stainless Steel Reborable Bushing Finished

Part No.	Sugg. List Price	Product No.	Bore (In.)
1008 .1/2SS-FIN	$113.97	7847-61005	1/2
1108 .1/2SS-FIN	117.02	7847-61015	1/2
1210 .1/2SS-FIN	128.22	7847-61025	1/2
1215 .1/2SS-FIN	137.38	7847-61035	1/2
1310 .1/2SS-FIN	140.43	7847-61045	1/2
1610 .1/2SS-FIN	143.48	7847-61055	1/2
1615 .1/2SS-FIN	148.06	7847-61065	1/2
2012 .1/2SS-FIN	188.26	7847-61075	1/2
2517 .5/8SS-FIN	223.36	7847-61085	5/8
3020 .7/8SS-FIN	318.00	7847-61095	7/8

H-Type Bushings

Markets/Applications

Use with cast iron light-duty (FHP) taper bushed sheaves and PowerGrip® HTD® Sprockets.

Features/Advantages

- Bushings are made to precise tolerances.
- Available in popular bore sizes.

Notes

Stock bore sizes 1¼" through 1½" are furnished with special keys to fit standard depth keyseats.

Product No. Series 7812

Part No.	Sugg. List Price	Product No.	Bore (In.)	Keyseat	Wt. Ea. (Lbs.)
H .3/8	$10.18	7812-0001	3/8	—	.90
H .7/16	10.18	7812-0002	7/16	—	.80
H .1/2	10.18	7812-0003	1/2	1/8 X 1/16	.80
H .9/16	10.18	7812-0004	9/16	1/8 X 1/16	.80
H .5/8	10.18	7812-0005	5/8	3/16 X 3/32	.60
H .11/16	10.18	7812-0006	11/16	3/16 X 3/32	.70
H .3/4	10.18	7812-0007	3/4	3/16 X 3/32	.60
H .13/16	10.18	7812-0008	13/16	3/16 X 3/32	.70
H .7/8	10.18	7812-0009	7/8	3/16 X 3/32	.60
H .15/16	10.18	7812-0010	15/16	1/4 X 1/8	.70
H 1.	10.18	7812-0011	1	1/4 X 1/8	.60
H 1.1/16	10.18	7812-0012	1 1/16	1/4 X 1/8	.60
H 1.1/8	10.18	7812-0013	1 1/8	1/4 X 1/8	.60
H 1.3/16	10.18	7812-0014	1 3/16	1/4 X 1/8	.60
H 1.1/4	10.18	7812-0015	1 1/4	1/4 X 1/8	.60
H 1.5/16	10.18	7812-0016	1 5/16	5/16 X 1/16	.40
H 1.3/8	10.18	7812-0017	1 3/8	5/16 X 1/16	.40
H 1.7/16	10.18	7812-0018	1 7/16	3/8 X 1/16	.40
H 1.1/2	10.18	7812-0019	1 1/2	3/8 X 1/16	.20
H 14MM	10.18	7812-1014	14MM	—	.80
H 19MM	10.18	7812-1019	19MM	—	.70
H 24MM	10.18	7812-1032	24MM	—	.65
H 25MM	10.18	7812-1033	25MM	—	.60
H 28MM	10.18	7812-1035	28MM	—	.50
H 30MM	10.18	7812-1036	30MM	—	.50
H 32MM	10.18	7812-1037	32MM	—	.40

Discontinued Products

Gates Corporation takes great pride in offering our customers the very latest in power transmission technology. As we continue to add more advanced offerings to our power transmission product line, some items become outdated and no longer offer the best value to our customers. The following pages contain the products which, although in the process of being phased out, will be available until current stock is depleted.

NOTE: Some pulleys and sprockets listed in these pages may still be available on a Made-To-Order basis. Lead times, minimums and price premiums may apply. Please check with Customer Service for details.

Products listed in the Discontinued Section are non-returnable.

[2]Poly Chain® GT® Belts

Product No. Series 9273

8mm Pitch — 12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-640-12	$26.74	9273-0017	80	25.20	.08
8M-720-12	29.72	9273-0025	90	28.35	.08
8M-1120-12	41.63	9273-0057	140	44.09	.15
8M-2000-12	65.38	9273-0097	250	78.74	.26
8M-2520-12	83.20	9273-0113	315	99.21	.33
8M-3200-12	101.03	9273-0129	400	125.98	.42
8M-3600-12	109.95	9273-0137	450	141.73	.47

8mm Pitch — 21mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-896-21	$62.40	9273-0042	112	35.28	.20
8M-1120-21	71.32	9273-0058	140	44.09	.26

8mm Pitch — 36mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-1120-36	$118.86	9273-0059	140	44.09	.44

8mm Pitch — 62mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-640-62	$133.72	9273-0020	80	25.20	.43
8M-720-62	142.64	9273-0028	90	28.35	.48
8M-1440-62	243.66	9273-0076	180	56.69	.97
8M-2400-62	398.18	9273-0112	300	94.49	1.61

14mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14M-1190-20	$172.33	9273-0173	85	46.85	.40
14M-1260-20	178.30	9273-0177	90	49.61	.42
14M-2240-20	249.60	9273-0217	160	88.19	.75

14mm Pitch — 37mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14M-1120-37	$303.08	9273-0170	80	44.09	.69
14M-1260-37	329.83	9273-0178	90	49.61	.78

14mm Pitch — 68mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14M-994-68	$481.39	9273-0163	71	39.13	1.13
14M-1120-68	531.88	9273-0171	80	44.09	1.27
14M-1190-68	558.65	9273-0175	85	46.85	1.35
14M-1400-68	609.17	9273-0187	100	55.12	1.59
14M-1750-68	677.50	9273-0203	125	68.90	1.99

14mm Pitch — 90mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14M-994-90	$612.14	9273-0305	71	39.13	1.50
14M-1120-90	680.24	9273-0307	80	44.09	1.68
14M-1568-90	811.83	9273-0313	112	61.73	2.36
14M-1750-90	867.78	9273-0315	125	68.90	2.63
14M-1960-90	913.17	9273-0317	140	77.17	2.95

14mm Pitch — 125mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14M-994-125	$820.14	9273-0164	71	39.13	2.08
14M-1120-125	915.20	9273-0172	80	44.09	2.34
14M-1190-125	959.78	9273-0176	85	46.85	2.49
14M-1260-125	1004.37	9273-0180	90	49.61	2.64
14M-1400-125	1048.95	9273-0188	100	55.12	2.93
14M-1568-125	1096.47	9273-0196	112	61.73	3.28
14M-1750-125	1170.76	9273-0204	125	68.90	3.66
14M-1960-125	1236.12	9273-0212	140	77.17	4.10

[2]Available until stock depleted.

[2]PowerGrip® GT® Belts

Product No. Series 9395

8mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1120-8M-20GT	$46.60	9395-9037	140	44.09	.31
1600-8M-20GT	61.07	9395-9053	200	62.99	.45
1800-8M-20GT	67.26	9395-9061	225	70.87	.50
2400-8M-20GT	86.19	9395-9069	300	94.49	.67
2600-8M-20GT	93.21	9395-9077	325	102.36	.73
2800-8M-20GT	98.96	9395-9073	350	110.24	.78
3048-8M-20GT	106.82	9395-9081	381	120.00	.85
3280-8M-20GT	114.07	9395-9085	410	129.13	.92
3600-8M-20GT	126.19	9395-9089	450	141.73	1.01
4400-8M-20GT	150.66	9395-9093	550	173.23	1.23

8mm Pitch — 30mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
480-8M-30GT	$38.31	9395-9002	60	18.89	.20
640-8M-30GT	45.33	9395-9014	80	25.20	.27
2800-8M-30GT	144.27	9395-9074	350	110.24	1.17
3600-8M-30GT	179.39	9395-9090	450	141.73	1.51

8mm Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
480-8M-50GT	$61.07	9395-9003	60	18.89	.34
560-8M-50GT	67.03	9395-9007	70	22.05	.39
600-8M-50GT	70.87	9395-9011	75	23.62	.42
640-8M-50GT	72.78	9395-9015	80	25.20	.45
880-8M-50GT	92.57	9395-9027	110	34.65	.61
960-8M-50GT	98.52	9395-9031	120	37.80	.67
1120-8M-50GT	110.23	9395-9039	140	44.09	.78
2400-8M-50GT	208.76	9395-9071	300	94.49	1.67
2600-8M-50GT	227.05	9395-9079	325	102.36	1.81
2800-8M-50GT	240.23	9395-9075	350	110.24	1.95
3600-8M-50GT	304.94	9395-9091	450	141.73	2.51
4400-8M-50GT	365.17	9395-9095	550	173.23	3.07

8mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
480-8M-85GT	$101.49	9395-9004	60	18.89	.57
560-8M-85GT	111.50	9395-9008	70	22.05	.66
600-8M-85GT	118.21	9395-9012	75	23.62	.71
640-8M-85GT	121.51	9395-9016	80	25.20	.76
720-8M-85GT	131.52	9395-9020	90	28.35	.85
800-8M-85GT	144.93	9395-9024	100	31.50	.95
880-8M-85GT	154.92	9395-9028	110	34.65	1.04
960-8M-85GT	164.92	9395-9032	120	37.80	1.14
1040-8M-85GT	174.91	9395-9036	130	40.94	1.23
1120-8M-85GT	184.91	9395-9040	140	44.09	1.33
1280-8M-85GT	204.92	9395-9048	160	50.39	1.52
1600-8M-85GT	245.14	9395-9056	200	62.99	1.90
1800-8M-85GT	271.74	9395-9064	225	70.87	2.13
2400-8M-85GT	351.76	9395-9072	300	94.49	2.84
2600-8M-85GT	379.62	9395-9080	325	102.36	3.09
3048-8M-85GT	438.79	9395-9084	381	120.00	3.62
3280-8M-85GT	472.41	9395-9088	410	129.13	3.89
4400-8M-85GT	628.39	9395-9096	550	173.23	5.22

14mm Pitch — 40mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14M-40GT	$202.80	9395-9100	69	38.03	.84
2100-14M-40GT	320.68	9395-9130	150	82.63	1.82
3360-14M-40GT	458.36	9395-9180	240	132.28	2.91
3500-14M-40GT	472.63	9395-9160	250	137.80	3.03
4578-14M-40GT	610.73	9395-9175	327	180.24	3.96
4956-14M-40GT	661.15	9395-9185	354	195.12	4.29
5320-14M-40GT	709.89	9395-9190	380	209.45	4.61
5740-14M-40GT	765.85	9395-9195	410	225.98	4.97
6160-14M-40GT	821.62	9395-9200	440	242.52	5.33
6860-14M-40GT	915.25	9395-9205	490	270.08	5.94

14mm Pitch — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3500-14M-55GT	$637.97	9395-9161	250	137.80	4.19
4956-14M-55GT	896.93	9395-9186	354	195.12	5.90
5320-14M-55GT	963.12	9395-9191	380	209.45	6.33
6160-14M-55GT	1114.84	9395-9201	440	242.52	7.33
6860-14M-55GT	1241.67	9395-9206	490	270.08	8.16

[2]Available until stock depleted.

DISCONTINUED PRODUCTS

[2]PowerGrip® GT® Belts (continued)

Product No. Series 9395 (continued)

14mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14M-85GT	$387.51	9395-9102	69	38.03	1.78
1890-14M-85GT	578.81	9395-9127	135	74.41	3.49
3500-14M-85GT	950.14	9395-9162	250	137.80	6.46
4956-14M-85GT	1320.84	9395-9187	354	195.12	9.11
5320-14M-85GT	1434.02	9395-9192	380	209.45	9.28
5740-14M-85GT	1547.03	9395-9197	410	225.98	10.55
6160-14M-85GT	1660.03	9395-9202	440	242.52	11.32
6860-14M-85GT	1848.97	9395-9207	490	270.08	12.61

14mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14M-115GT	$515.19	9395-9103	69	38.03	2.41
1190-14M-115GT	573.70	9395-9108	85	46.85	2.98
1400-14M-115GT	630.30	9395-9113	100	55.12	3.50
1610-14M-115GT	688.62	9395-9118	115	63.39	4.02
1890-14M-115GT	775.42	9395-9128	135	74.41	4.73
2450-14M-115GT	945.23	9395-9143	175	96.46	6.13
3360-14M-115GT	1237.84	9395-9183	240	132.28	8.39
4578-14M-115GT	1666.19	9395-9178	327	180.24	11.42
4956-14M-115GT	1803.66	9395-9188	354	195.12	12.33
5320-14M-115GT	1936.66	9395-9193	380	209.45	13.24
5740-14M-115GT	2089.23	9395-9198	410	225.98	14.29
6860-14M-115GT	2496.94	9395-9208	490	270.08	17.08

14mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1610-14M-170GT	$999.30	9395-9119	115	63.39	5.95
1778-14M-170GT	1067.40	9395-9124	127	70.00	6.56
1890-14M-170GT	1125.68	9395-9129	135	74.41	6.97
2310-14M-170GT	1319.12	9395-9139	165	90.94	8.53
2800-14M-170GT	1552.57	9395-9154	200	110.24	10.33
3360-14M-170GT	1805.35	9395-9184	240	132.28	12.39
3500-14M-170GT	1863.45	9395-9164	250	137.80	12.90
3850-14M-170GT	2060.93	9395-9169	275	151.57	14.20
4578-14M-170GT	2388.63	9395-9179	327	180.24	16.90
4956-14M-170GT	2585.47	9395-9189	354	195.12	18.23
5320-14M-170GT	2776.35	9395-9194	380	209.45	19.57
5740-14M-170GT	2995.10	9395-9199	410	225.98	21.12
6160-14M-170GT	3213.64	9395-9204	440	242.52	22.67

14mm Pitch PowerGrip® GT® ACHE Belts — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14M-55F	$589.02	9395-9593	225	124.01	3.77
3500-14M-55F	637.97	9395-9595	250	137.79	4.19

14mm Pitch PowerGrip® GT® ACHE Belts — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3500-14M-85F	$950.14	9395-9599	250	137.79	6.46

[2]Available until stock depleted.

[2]PowerGrip® GT® Twin Power® Belts

Product No. Series 9370

8mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP3600-8M-20GT	$315.50	9370-0089	450	141.75	2.02

8mm Pitch — 30mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1200-8M-30GT	$177.68	9370-0042	150	47.25	1.00
TP3048-8M-30GT	389.99	9370-0082	381	120.02	2.54

8mm Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1200-8M-50GT	$290.52	9370-0043	150	47.25	1.68
TP1440-8M-50GT	334.66	9370-0051	180	56.70	2.02
TP2800-8M-50GT	600.63	9370-0075	350	110.25	3.90

8mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP2800-8M-85GT	$1010.45	9370-0076	350	110.25	6.64

14mm Pitch — 40mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP3500-14M-40GT	$1181.58	9370-0160	250	137.79	6.06

14mm Pitch — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1610-14M-55GT	$875.12	9370-0116	115	63.38	3.84
TP1890-14M-55GT	980.95	9370-0126	135	74.41	4.52
TP2310-14M-55GT	1141.66	9370-0136	165	90.94	5.52

14mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP2590-14M-170GT	$3614.32	9370-0149	185	101.96	19.10

[2]Available until stock depleted.

DISCONTINUED PRODUCTS

[2]Turned Steel Bored-to-Size Light-Duty Sheaves

. . . for use with Truflex® V-Belts

Product No. Series 7800

ONE GROOVE "4L" — Bored-to-Size

[For Use with No. 2 (4L) Section Truflex® V-Belts]

Part No.	Suggested List Price	O.D. (In.)	Avg. Wt. Ea. (Lbs.)	[7]Pitch Diameter (In.) 4L	Stock Bore (In.) ½	⅝	¾	⅞	1
					7800-	7800-	7800-	7800-	7800-
1AX16	$7.25	1.62	.30	1.52	[11]0002	[11]0003	—	—	—
1AX18	8.21	1.75	.30	1.65	—	[11]0007	—	—	—
1AX23	9.64	2.25	.60	2.15	—	—	—	[10]0051	—
1AX25	10.45	2.50	.70	2.40	—	—	—	[10]0052	—
1AX28	12.28	2.75	.80	2.65	—	—	0027	0053	—
1AX30	13.81	3.00	.90	2.90	—	—	—	0054	—
1AX33	14.99	3.25	1.10	3.15	[8]0035	—	—	0055	—

[7]Pitch diameter is a reference diameter only.
[8]No Keyseat.
[10]Type B (Hub Extension)
[11]No Keyseat. Type B (Hub Extension)

ONE GROOVE "5L" — Bored-to-Size

[For Use with No. 3 (5L) Section Truflex® V-Belts]

Part No.	Suggested List Price	O.D. (In.)	Avg. Wt. Ea. (Lbs.)	[7]Pitch Diameter (In.) 5L	Stock Bore (In.) ½	⅝	¾	⅞	1
					7800-	7800-	7800-	7800-	7800-
1BX23	$12.28	2.25	.60	2.09	[10]0066	—	[8]0068	—	
1BX25	12.78	2.50	.70	2.34	[10]0071	—	—	—	
1BX28	14.20	2.75	.80	2.59	[10]0075	0076	0077	0103	[8]0078
1BX30	15.20	3.00	.70	2.84	—	—	—	0104	
1BX33	17.20	3.25	.70	3.09	[10]0085	0086	0087	0105	0088
1BX35	18.23	3.50	.80	3.34	[10]0090	—	—	—	

[7]Pitch diameter is a reference diameter only.
[8]No Keyseat.
[10]Type B (Hub Extension)

DISCONTINUED PRODUCTS

[2]**Available until stock depleted.**

[2]Tru-Run Hub with Adapter Ring

Product No. Series 7816

Size (In.)	Suggested List Price	Product No.	Stock Bore (In.)	Rim Dia. Range (In.)	Wt. Ea. (Lbs.)
1 5/8 (S)	$27.95	7816-0001	1/2	3 3/4 to 12	.60
1 5/8 (S)	27.95	7816-0003	3/4	3 3/4 to 12	.54
1 5/8 (S)	27.95	7816-0004	7/8	3 3/4 to 12	.48
1 5/8 (S)	27.95	7816-0005	15/16	3 3/4 to 12	.45
[8]1 5/8 (S)	27.95	7816-0007	1 1/8	3 3/4 to 12	.39
[8]1 5/8 (S)	27.95	7816-0008	1 3/16	3 3/4 to 12	.32
2 3/16 (L)	45.55	7816-0023	3/4	8 to 19	1.42
2 3/16 (L)	45.55	7816-0026	1	8 to 19	1.16
2 3/16 (L)	45.55	7816-0029	1 1/4	8 to 19	1.03
2 3/16 (L)	45.55	7816-0030	1 3/8	8 to 19	.93
2 3/16 (L)	45.55	7816-0032	1 1/2	8 to 19	.80

[8]No Keyseat.

DISCONTINUED PRODUCTS

[2]**Available until stock depleted.**

Prices Subject To Change Without Notice

[2]Poly Chain® GT® Sprockets

Product No. Series 7721, 7726, 7727 and 7722

8mm Pitch Sprockets

For Belts 12mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8M-90S-12	$199.63	7726-1090	90	9.023	9.90	GI	SDS	1/2—1 15/16
8M-180S-12	402.97	7726-1180	180	18.046	30.00	GI	SF	1/2—2 13/16

For Belts 21mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB8M-32S-21	$118.31	7721-2132	32	3.208	2.52	DI/ST	MPB	1/2—2
8M-50S-21	173.76	7726-2050	50	5.013	3.90	GI	SDS	1/2—1 15/16
8M-80S-21	244.00	7726-2080	80	8.020	9.70	GI	SK	1/2—2 1/2
8M-140S-21	391.87	7726-2140	140	14.036	23.60	GI	SF	1/2—2 13/16
8M-180S-21	502.79	7726-2180	180	18.046	34.70	GI	SF	1/2—2 13/16
8M-224S-21	624.79	7726-2224	224	22.457	50.10	GI	E	7/8—3 1/2

For Belts 36mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
8M-80S-36	$273.58	7726-3080	80	8.020	15.20	GI	SF	1/2—2 13/16
8M-112S-36	414.06	7726-3112	112	11.229	29.90	GI	SF	1/2—2 13/16
8M-224S-36	765.28	7726-3224	224	22.457	70.20	GI	E	7/8—3 1/2

For Belts 62mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB8M-34S-62	$170.06	7721-6234	34	3.409	5.70	DI/ST	MPB	1/2—2 1/8
PB8M-38S-62	181.15	7721-6238	38	3.810	7.40	DI/ST	MPB	1/2—2 7/16
8M-112S-62	547.15	7726-6112	112	11.229	38.43	GI	E	7/8—3 1/2
8M-224S-62	861.40	7726-6224	224	22.457	92.20	GI	F	1—3 15/16

14mm Pitch Sprockets

For Belts 20mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14M-63S-20	$406.67	7727-2063	63	11.053	27.70	GI	E	7/8—3 1/2
14M-80S-20	495.40	7727-2080	80	14.036	32.00	GI	E	7/8—3 1/2
14M-90S-20	502.79	7727-2090	90	15.790	41.59	GI	E	7/8—3 1/2

For Belts 37mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14M-80S-37	$547.15	7727-3080	80	14.036	54.20	GI	F	1—3 15/16
14M-168S-37	1207.06	7727-3168	168	29.475	166.80	GI	J	1 1/2—4 1/2
14M-200S-37	1844.78	7727-3200	200	35.089	185.40	GI	J	1 1/2—4 1/2
14M-224S-37	2369.75	7727-3224	224	39.300	229.10	GI	M	2—5 1/2

[2]Available until stock depleted.

[2]Poly Chain® GT® Sprockets (continued)

Product No. Series 7722 and 7727 (continued)

14mm Pitch Sprockets (continued)

For Belts 68mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB14M-32S-68	$325.33	7722-6832	32	5.614	18.00	DI/ST	MPB	1—3 7/16
PB14M-34S-68	336.42	7722-6834	34	5.965	21.10	DI/ST	MPB	1—3 1/2
PB14M-36S-68	351.22	7722-6836	36	6.316	23.50	DI/ST	MPB	1—3 13/16
PB14M-38S-68	358.61	7722-6838	38	6.667	26.20	DI/ST	MPB	1—4 1/8
14M-60S-68	565.63	7727-6060	60	10.527	53.30	GI	J	1 1/2—4 1/2
14M-140S-68	1149.76	7727-6140	140	24.562	190.00	GI	M	2—5 1/2
14M-180S-68	1833.70	7727-6180	180	31.580	239.10	GI	M	2—5 1/2

For Belts 90mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
14M-43S-90	$446.81	7727-9043	43	7.544	24.90	GI	F	1—3 15/16
14M-48S-90	487.30	7727-9048	48	8.421	36.30	GI	F	1—3 15/16
14M-50S-90	531.82	7727-9050	50	8.772	36.50	GI	F	1—3 15/16
14M-90S-90	837.19	7727-9090	90	15.790	130.90	GI	M	2—5 1/2
14M-112S-90	1034.51	7727-9112	112	19.650	187.90	GI	M	2—5 1/2
14M-200S-90	2798.93	7727-9200	200	35.089	344.50	GI	N	2 7/16—5 7/8

DISCONTINUED PRODUCTS

For Belts 125mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
PB14M-34S-125	$499.09	7722-8034	34	5.965	34.20	DI/ST	MPB	1—3 1/2
PB14M-36S-125	506.48	7722-8036	36	6.316	38.00	DI/ST	MPB	1—3 13/16
PB14M-43S-125	598.91	7722-8043	43	7.544	55.40	DI/ST	MPB	1—4 13/16
PB14M-48S-125	680.24	7722-8048	48	8.421	68.60	DI/ST	MPB	1—5 5/8
14M-71S-125	857.70	7727-8071	71	12.457	119.70	GI	M	2—5 1/2
14M-90S-125	871.20	7727-8090	90	15.790	146.00	GI	M	2—5 1/2
14M-180S-125	2273.63	7727-8180	180	31.580	329.60	GI	N	2 7/16—5 7/8

[2]Available until stock depleted.

8mm BTS Poly Chain® GT® Sprocket Bore Range Listing (in 1/16″ increments)

Sprocket Size	Bore Range (In.)	Stock Bore Sizes (In.)			Full Keyway Range (In.)	Shallow Keyway Range (In.)
		5/8	3/4	1 3/8		
8M-25S-36	1/2–1 1/2	—	7721-0114	—	1/2 – 1 5/16	1 3/8 – 1 1/2
8M-28S-62	1/2–1 3/4	—	—	7721-0274	1/2 – 1 1/2	1 9/16 – 1 3/4
8M-30S-36	1/2–1 3/16	—	—	7721-0354	1/2 – 1 9/16	1 5/8 – 1 13/16
8M-32S-21	1/2–2	—	7721-0418	—	1/2 – 1 3/4	1 3/16 – 2

[2]14mm BTS Poly Chain® GT® Sprocket Bore Range Listing (in 1/16″ increments)

Sprocket Size	Bore Range (In.)	Stock Bore Sizes (In.)			Full Keyway Range (In.)	Shallow Keyway Range (In.)
		1	2 1/8	2 3/16		
14M-28S-68	1–2 15/16	—	—	7722-0040	1 – 2 1/2	2 9/16 – 2 15/16
14M-34S-37	1 – 3 1/2	7722-0480	7722-0516	—	1 – 2 15/16	3 – 3 1/2

[2]PowerGrip® GT® Sprockets

Product No. Series 7844

5mm Pitch Sprockets
For Belts 25mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
5MR-56S-25	$89.65	7844-6044	56	3.509	1.90	STL	SH	1/2—1 5/8

DISCONTINUED PRODUCTS

[2]Available until stock depleted.

[2]PowerGrip® HTD® Sprockets

Product No. Series 7882

5mm Pitch Sprockets

For Belts 15mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P40-5M-15	$59.89	7882-1044	40	2.506	.72	STL	JA	1/2—1 3/16
P60-5M-15	71.22	7882-1061	60	3.760	1.68	STL	SH	1/2—1 5/8

For Belts 25mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P40-5M-25	$64.75	7882-1046	40	2.506	1.06	STL	JA	1/2—1 3/16
P44-5M-25	67.98	7882-1050	44	2.757	1.40	STL	JA	1/2—1 3/16
P48-5M-25	71.22	7882-1052	48	3.008	1.20	STL	JA	1/2—1 3/16
P56-5M-25	77.70	7882-1060	56	3.509	1.64	STL	SH	1/2—1 5/8
P72-5M-25	98.74	7882-1072	72	4.511	2.84	STL	SDS	1/2—1 15/16
P80-5M-25	101.98	7882-1074	80	5.013	3.61	STL	SDS	1/2—1 15/16

Product No. Series 7825

8mm Pitch Sprockets

For Belts 20mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P26-8M-20	$87.41	7825-0005	26	2.607	1.00	DI	JA	1/2—1 3/16
P64-8M-20	202.33	7825-0044	64	6.416	6.10	GI	SDS	1/2—1 15/16
P80-8M-20	223.37	7825-0052	80	8.020	9.90	GI	SDS	1/2—1 15/16

For Belts 30mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P80-8M-30	$229.85	7825-0053	80	8.020	11.00	GI	SK	1/2—2 1/2
P112-8M-30	301.07	7825-0060	112	11.229	18.80	GI	SK	1/2—2 1/2

For Belts 50mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P90-8M-50	$301.07	7825-0058	90	9.020	21.60	GI	SF	1/2—2 13/16

For Belts 85mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P44-8M-85	$178.06	7825-0035	44	4.411	6.60	GI	SD	1/2—1 15/16
P72-8M-85	286.50	7825-0051	72	7.218	16.40	GI	SF	1/2—2 13/16

[2]Available until stock depleted.

[2]PowerGrip® HTD® Sprockets (continued)

Product No. Series 7825 (continued)

14mm Pitch Sprockets

For Belts 40mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P56-14M-40	$283.26	7825-0141	56	9.825	27.30	GI	E	7/8—3 1/2
P64-14M-40	420.85	7825-0146	64	11.229	32.60	GI	E	7/8—3 1/2

For Belts 55mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P48-14M-55	$275.17	7825-0137	48	8.421	21.80	GI	E	7/8—3 1/2
P80-14M-55	558.43	7825-0157	80	14.036	56.00	GI	F	1—3 15/16
P90-14M-55	547.10	7825-0162	90	15.790	56.50	GI	F	1—3 15/16
P144-14M-55	841.70	7825-0172	144	25.264	98.00	GI	F	1—3 15/16

DISCONTINUED PRODUCTS

For Belts 85mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P72-14M-85	$517.97	7825-0153	72	12.632	58.00	GI	F	1—3 15/16
P80-14M-85	615.08	7825-0158	80	14.036	65.50	GI	F	1—3 15/16

For Belts 115mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P30-14M-115	$273.55	7825-0195	30	5.263	11.00	GI	SK	1/2—2 1/2
P34-14M-115	296.21	7825-0116	34	5.965	18.30	GI	SK	1/2—2 1/2
P192-14M-115	1812.89	7825-0178	192	33.686	235.00	GI	J	1 1/2—4 1/2
P216-14M-115	2735.52	7825-0184	216	37.896	340.00	GI	J	1 1/2—4 1/2

For Belts 170mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
P36-14M-170	$437.04	7825-0196	36	6.316	47.30	GI	MPB	1 1/2—3 3/8
P68-14M-170	793.14	7825-0254	68	11.930	107.60	GI	J	1 1/2—4 1/2
P90-14M-170	987.37	7825-0165	90	15.790	76.50	GI	J	1 1/2—4 1/2

[2]Available until stock depleted.

[2]PowerGrip® Timing Pulleys

Product No. Series 7823 and 7824

3/8″ Pitch (.375″/L) – Light Duty

For Belts 1/2″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
PB18L050	$30.86	7823-0341	18	2.149	.75	ST	MPB	1/2—7/8
QD22L050	38.98	7824-0362	22	2.626	.70	ST	JA	1/2—1 3/16
QD40L050	41.38	7824-0377	28	3.342	1.10	GI	SH	1/2—1 5/8
QD48L050	100.75	7824-0416	48	5.730	4.40	GI	SDS	1/2—1 15/16
QD84L050	114.06	7824-0431	84	10.027	5.80	GI	SD	1/2—1 15/16

For Belts 3/4″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
QD22L075	$42.77	7824-0562	22	2.626	.80	ST	JA	1/2—1 3/16
PB30L075	61.03	7823-0581	30	3.581	3.40	ST	MPB	5/8—1 3/8
QD40L075	85.09	7824-0601	40	4.775	3.10	GI	SDS	1/2—1 15/16

For Belts 1″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
QD18L100	$39.97	7824-0742	18	2.149	.70	ST	JA	1/2—1 3/16
PB22L100	47.22	7823-0761	22	2.626	2.00	ST	MPB	5/8—1 1/4
PB24L100	51.13	7823-0766	24	2.865	2.50	ST	MPB	5/8—1 3/4
QD24L100	43.73	7824-0767	24	2.865	1.00	ST	SH	1/2—1 5/8
PB26L100	54.98	7823-0771	26	3.104	3.30	ST	MPB	5/8—1 5/8
QD26L100	47.08	7824-0772	26	3.104	1.30	ST	SH	1/2—1 5/8
PB28L100	57.04	7823-0776	28	3.342	3.60	ST	MPB	5/8—1 3/4
PB32L100	68.89	7823-0786	32	3.820	4.40	ST	MPB	5/8—2
QD44L100	102.01	7824-0811	44	5.252	4.20	GI	SDS	1/2—1 15/16
QD48L100	107.41	7824-0816	48	5.730	5.10	GI	SDS	1/2—1 15/16

1/2″ Pitch (.500″/H) – Heavy Duty

For Belts 3/4″ or 1″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
QD16H100	$43.73	7824-0932	16	2.546	1.50	ST	JA	1/2—1 3/16
PB19H100	60.29	7823-0946	19	3.024	2.90	ST	MPB	5/8—1 1/2
PB21H100	64.79	7823-0956	21	3.342	3.80	ST	MPB	3/4—1 11/16
PB22H100	64.88	7823-0961	22	3.501	4.30	ST	MPB	3/4—1 3/4
PB24H100	70.79	7823-0966	24	3.820	5.30	ST	MPB	3/4—1 7/8
QD24H100	63.24	7824-0967	24	3.820	1.70	GI	SDS	1/2—1 15/16
QD26H100	72.24	7824-0972	26	4.138	2.00	GI	SDS	1/2—1 15/16
PB28H100	86.40	7823-0976	28	4.456	8.00	ST	MPB	3/4—2 5/16
QD28H100	76.99	7824-0977	28	4.456	2.60	GI	SDS	1/2—1 15/16
QD32H100	89.35	7824-0986	32	5.093	4.90	GI	SK	1/2—2 1/2
QD72H100	178.25	7824-1026	72	11.459	14.70	GI	SF	1/2—2 13/16

[2]Available until stock depleted.

DISCONTINUED PRODUCTS

[2]PowerGrip® Timing Pulleys (continued)

Product No. Series 7823 and 7824 (continued)

½″ Pitch (.500″/H) – Heavy Duty

For Belts 1½″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
PB16H150	$60.53	7823-1131	16	2.546	2.50	ST	MPB	¾—1⅛
QD16H150	55.13	7824-1132	16	2.546	2.00	ST	JA	½—1 3/16
PB19H150	70.79	7823-1146	19	3.024	3.90	ST	MPB	¾—1½
PB20H150	72.74	7823-1151	20	3.183	4.30	ST	MPB	¾—1⅝
QD20H150	63.68	7824-1152	20	3.183	1.80	ST	SH	½—1⅝
PB21H150	78.65	7823-1156	21	3.342	5.30	ST	MPB	¾—1 11/16
PB22H150	82.55	7823-1161	22	3.501	5.40	ST	MPB	¾—1¾
QD28H150	90.30	7824-1177	28	4.456	4.00	GI	SD	½—1 15/16
QD30H150	96.95	7824-1181	30	4.775	4.90	GI	SD	½—1 15/16
QD36H150	120.07	7824-1196	36	5.730	7.00	GI	SK	½—2½
QD60H150	179.65	7824-1221	60	9.549	12.50	GI	SF	½—2 13/16

DISCONTINUED PRODUCTS

For Belts 2″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
PB14H200	$43.02	7823-1321	14	2.228	2.20	ST	MPB	¾—⅞
QD14H200	62.74	7824-1322	14	2.228	3.10	ST	JA	½—1 3/16
PB19H200	82.55	7823-1346	19	3.024	4.90	ST	MPB	¾—1½
PB20H200	70.50	7823-1351	20	3.183	2.60	ST	MPB	1—1⅝
PB21H200	88.45	7823-1356	21	3.342	6.30	ST	MPB	1—1 11/16
QD40H200	168.74	7824-1401	40	6.366	10.20	GI	SK	½—2½

For Belts 3″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
PB19H300	$104.30	7823-1546	19	3.024	5.00	ST	MPB	¾—1½
PB21H300	112.16	7823-1556	21	3.342	8.20	ST	MPB	1—1 5/16
QD30H300	156.84	7824-1581	30	4.775	7.20	GI	SD	½—1 15/16
QD32H300	156.84	7824-1586	32	5.093	8.40	GI	SK	½—2½

⅞″ Pitch (.875″/XH) – Extra Heavy Duty

For Belts 2″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
QD40XH200	$395.41	7824-1801	40	11.141	39.00	GI	F	1—3 15/16

For Belts 3″ Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Diameter (In.)	Wt. Ea. (Lbs.)	Material	Bushing or Bore Type	Bore Range (In.)
QD28XH300	$340.28	7824-1976	28	7.799	20.00	GI	E	⅞—3½

[2]Available until stock depleted.

Footnotes

- HT100® and Taper-Lock® are registered trademarks of Reliance Electric.
- Nu-T-Link® is a registered trademark of Fenner Manheim.
- QD® is a registered trademark of Emerson Electric.
- RPP® and Panther® are registered trademarks of Carlisle Power Transmission Products, Inc.
- Kevlar® is a registered trademark of DuPont.
- Goodyear®, BlackHawk Pd™, Poly-V® and Flexten® are registered trademarks of Goodyear Tire & Rubber Company.
- Browning® is a registered trademark of Emerson Power Transmission Manufacturing L.P.
- Dayco® a registered trademark of Dayco Corporation.
- TB Wood's® and QT Power Chain® are registered trademarks of TB Wood's, Inc.

Decimal and Millimeter Equivalents of Fractions

Inches		
Fractions	Decimals	Millimeters
1/64	.015625	.397
1/32	.03125	.794
3/64	.046875	1.191
1/16	.0625	1.588
5/64	.078125	1.984
3/32	.09375	2.381
7/64	.109375	2.778
1/8	.125	3.175
9/64	.140625	3.572
5/32	.15625	3.969
11/64	.171875	4.366
3/16	.1875	4.763
13/64	.203125	5.159
7/32	.21875	5.556
15/64	.234375	5.953
1/4	.250	6.350
17/64	.265625	6.747
9/32	.28125	7.144
19/64	.296875	7.541
5/16	.3125	7.938
21/64	.328125	8.334
11/32	.34375	8.731
23/64	.359375	9.128
3/8	.375	9.525
25/64	.390625	9.922
13/32	.40625	10.319
27/64	.421875	10.716
7/16	.4375	11.113
29/64	.453125	11.509
15/32	.46875	11.906
31/64	.484375	12.303
1/2	.500	12.700

Inches		
Fractions	Decimals	Millimeters
33/64	.515625	13.097
17/32	.53125	13.494
35/64	.546875	13.891
9/16	.5625	14.288
37/64	.578125	14.684
19/32	.59375	15.081
39/64	.609375	15.478
5/8	.625	15.875
41/64	.640625	16.272
21/32	.65625	16.669
43/64	.671875	17.066
11/16	.6875	17.463
45/64	.703125	17.859
23/32	.71875	18.256
47/64	.734375	18.653
3/4	.750	19.050
49/64	.765625	19.447
25/32	.78125	19.844
51/64	.796875	20.241
13/16	.8125	20.638
53/64	.828125	21.034
27/32	.84375	21.431
55/64	.859375	21.828
7/8	.875	22.225
57/64	.890625	22.622
29/32	.90625	23.019
59/64	.921875	23.416
15/16	.9375	23.813
61/64	.953125	24.209
31/32	.96875	24.606
63/64	.984375	25.003
1	1.000	25.400

Prices Subject To Change Without Notice

Weights and Measures

Length Conversion Constants

Metric to U.S.

Millimeters X .039370 = inches.
Meters X 39.370 = inches.
Meters X 3.2808 = feet.
Meters X 1.09361 = yards.
Kilometers X 3280.8 = feet.
Kilometers X .62137 = Statute Miles.
Kilometers X .53959 = Nautical Miles.

U.S. to Metric

Inches X 25.4001 = millimeters.
Inches X .0254 = meters.
Feet X .30480 = meters.
Yards X .91440 = meters.
Feet X .0003048 = kilometers.
Statute Miles X 1.60935 = kilometers.
Nautical Miles X 1.85325 = kilometers.

Weight Conversion Constants

Metric to U.S.

Grams X 981 = dynes.
Grams X 15.432 = grains.
Grams X .03527 = ounces (Avd.).
Grams X .033818 = fluid ounces (water).
Kilograms X 35.27 = ounces (Avd.).
Kilograms X 2.20462 = pounds (Avd.).
Metric Tons (1000 Kg) X 1.10231 = Net Ton (2000 lbs.).
Metric Tons (1000 Kg) X .98421 = Gross Ton (2240 lbs.).

U.S. to Metric

Dynes X .0010193 = grams.
Grains X .0648 = grams.
Ounces (Avd.) X 28.35 = grams.
Fluid Ounces (Water) X 29.57 = grams.
Ounces (Avd.) X .02835 = kilograms.
Pounds (Avd.) X .45359 = kilograms.
Net Ton (2000 lbs.) X .90719 = Metric Tons (1000 Kg).
Gross Ton (2240 lbs.) X 1.01605 = Metric Tons (1000 Kg).

Area Conversion Constants

Metric to U.S.

Square Millimeters X .00155 = square inches.
Square Centimeters X .155 = square inches.
Square Meters X 10.76387 = square feet.
Square Meters X 1.19599 = square yards.
Hectares X 2.47104 = acres.
Square Kilometers X 247.104 = acres.
Square Kilometers X .3861 = square miles.

U.S. to Metric

Square Inches X 645.163 = square millimeters.
Square Inches X 6.45163 = square centimeters.
Square Feet X .0929 = square meters.
Square Yards X .83613 = square meters.
Acres X .40469 = hectares.
Acres X .0040469 = square kilometers.
Square Miles X 2.5899 = square kilometers.

Prices Subject To Change Without Notice

Gates Power Transmission Global Locations

World Headquarters

Gates Corporation
1551 Wewatta Street
Denver, Colorado 80202
Tel: (303) 744-1911
www.gates.com

For Exports

Gates InterAmerica
Tel: (954) 926-1568
Fax: (954) 926-6024
giamail@gates.com

U.S. Facilities

Power Transmission Regional Sales Offices

Anaheim, California 92805
1306 E. Katella Avenue
Tel: (714) 634-9110
Fax: (714) 634-9344

Bridgeville, Pennsylvania 15017
1195 Washington Pike, Suite 325
Tel: (412) 257-4206
Fax: (412) 257-4232

Lithonia, Georgia 30058
6500 Mabut Road
P.O. Box 699
Tel: (770) 484-3280
Fax: (770) 484-3301

Rochester Hills, Michigan 48309
2975 Waterview Drive
Tel: (248) 260-2500
Fax: (248) 260-1040

Manufacturing

Columbia, Missouri
Elizabethtown, Kentucky
Ashe County, North Carolina
Mondks Corner, South Carolina
Siloam Springs, Arkansas

Distribution & Service Centers

Florence, Kentucky
Lithonia, Georgia
Los Angeles, California
Dallas, Texas
West Valley City, Utah

Worldwide Facilities

CANADA

Brantford, Ontario
London, Ontario
Windsor, Ontario

MEXICO

Toluca
Tlalnepantla

EUROPE

Erembodegem, Belgium
Aachen, Germany
Langenfeld, Germany
Milan, Italy
Rubaneny, Spain
Nevers, France
Lourres, France
Legnica, Poland
Dumfries, Scotland

LATIN AMERICA

Buenos Aires, Argentina
Sao Paolo, Brazil
Jacarei, Brazil

ASIA-PACIFIC

Osaka, Japan
Nara, Japan
Tokyo, Japan
Singapore
Taegu, Korea
Seoul, Korea
Chennai, India
Chandigarh, India
Victoria, Australia
Rayong, Thailand
Suzhou, China
Waigaoqiao, China
Shanghai, China
Hong Kong
Taipei, Taiwan